PUBLICAÇÕES EM PERIÓDICOS CIENTÍFICOS PELOS PESQUISADORES DO PROGRAMA DE PÓS-GRADUAÇÃO EM PSICOBIOLOGIA E DO DEPARTAMENTO DE PSICOBIOLOGIA DA UNIFESP

2023.....

Adami LNG, Fernandes GL, Carvalho RC, Okada FK, Tufik S, Andersen ML, Bertolla RP. Effect of chronic sleep deprivation on acrosomal integrity and functional parameters of murine sperm. Fertil Steril Sci. 2023;4(1):11-20. doi: 10.1016/j.xfss.2022.12.002.

Adami LNG, Moyses-Oliveira M, Tufik S, Andersen ML. Analyzing adolescent sleep is crucial for understanding the possible effects of sleep disturbance on the development of their reproductive systems and future fertility. Sleep Med. 2023;109:300. doi: 10.1016/j.sleep.2023.07.006.

Alvarenga TA, Fernandes GL, Bittencourt LR, Tufik S, Andersen ML. The effects of sleep deprivation and obstructive sleep apnea syndrome on male reproductive function: a multi-arm randomized trial. J Sleep Res. 2023;32(1):e13664. doi: 10.1111/jsr.13664.

Andrade ALM, Spritzer DT, Scatena A, Pinheiro BO, Silva GT, Kim HS, Breda V, Oliveira WA, De Micheli D. Psychometric properties of the Smartphone Addiction Inventory – Short Form (SPAI-SF) in Brazilian adolescents. Psychiatry Res. 2023;319:115001. doi: 10.1016/j.psychres.2022.115001.

Andrade ALM, Scatena A, Bedendo A, Machado WL, Oliveira WA, Lopes FM, De Micheli D. Excessive Internet and smartphone use and emotional problems in students of psychology and psychologists. Estudos Psicol (Campinas). 2023;40:e210010. doi: 10.1590/1982-0275202340e210010en.

Andrade ALM, Scatena A, Lavezzo BO, Reichert RA, De Micheli D, Lopes FM. Substance Use Disorder Among Bereaved Individuals: A Systematic Review. Paidéia; 33:e3308. doi: 10.1590/1982-4327e3308

Bacelar A, Conway SG, Assis M, Silva VM, Genta PR, Pachito DV, Tavares Júnior AR, Sguillar DA, Moreira GA, Drager LF, Moreno CRC. Insomnia symptoms during the covid-19 pandemic: a case-control study. Rev Saude Publica. 2023;57(Suppl.1):8s. doi: 10.11606/s1518-8787.2023057004801.

Barbosa MVA, Perosso BT, Tufik S, Andersen ML, Morelhão PK, Gobbi C. Self-efficacy: what is your role in the sleep and pain of patients with chronic shoulder pain? Pain Med. 2023;24(3):362-3. doi: 10.1093/pm/pnac123.

Bariani RCB, Bigliazzi R, Costa ELB, Tufik S, Fujita RR, Moreira GA. Preliminary short-term outcomes of rapid maxillary expansion on periodic limb movements during sleep in pediatric sleep-disordered breathing. Int J Pediatr Otorhinolaryngol. 2023;168:111548. doi: 10.1016/j.ijporl.2023.111548.

Bariani RCB, Bigliazzi R, Guimarães TM, Tufik S, Moreira GA, Fujita RR. The effects of rapid maxillary expansion on persistent pediatric snoring post-tonsillectomy. Sleep Breath. 2023;27(4):1227-35. doi: 10.1007/s11325-022-02724-w.

Bernardy JL, Santiago JB, Siqueira JO, Silveira PSP, Souza A, Benvenuti MF. Rachlin's extended self: Influences on a Brazilian research group. J Exp Anal Behav. 2023;119(1):231-9. doi: 10.1002/jeab.809.

Bezerra AG, Pires GN, Andersen ML, Tufik S, Hachul H. The effects of hormonal contraceptive use on sleep in women: a systematic review and meta-analysis. J Sleep Res. 2023;32(3):e13757. doi: 10.1111/jsr.13757.

Braga LS, Moreira BS, Torres JL, Andrade ACS, Lima ACL, Vaz CT, Machado EL, Caiaffa WT, Ferri CP, Mambrini JVM. A decreased trajectory of loneliness among Brazilians aged 50 years and older during the COVID-19 pandemic: ELSI-Brazil. Cad Saude Publica. 2023;38(11):e00106622. doi: 10.1590/0102-311XEN106622.

Campanholo MAT, Vidigal TA, Caparroz FA, Andersen ML, Tufik S, Haddad FLM. In Response to Assessment of Laryngopharyngeal Reflux and Obstructive Sleep Apnea. Laryngoscope. 2023;133(3):E11-E12. doi: 10.1002/lary.30246.

Campanholo MAT, Vidigal TA, Caparroz FA, Andersen ML, Tufik S, Haddad FLM. Reply to "In Response to Assessment of Laryngopharyngeal Reflux and Obstructive Sleep Apnea". Laryngoscope. 2023;133(3):E15-E16. doi: 10.1002/lary.30300.

Campos HC, Ribeiro DE, Hashiguchi D, Glaser T, Milanis MDS, Gimenes C, Suchecki D, Arida RM, Ulrich H, Monteiro Longo B. Neuroprotective effects of resistance physical exercise on the APP/PS1 mouse model of Alzheimer's disease. Front Neurosci. 2023;17:1132825. doi: 10.3389/fnins.2023.1132825.

Carrer LRJ, Pompeia S, Miranda MC. Sensorimotor synchronization with music and metronome in school-aged children. Psychol Music. 2023;51(2):523-40. doi: 10.1177/03057356221100286.

Carvalho GFS, Costa TVMM, Nascimento AM, Wolff BM, Damasceno JG, Vieira LL, Almeida VT, Oliveira YG, Mello CB, Muszkat M, Kulikowski LD. DNA methylation epi-signature and biological age in attention déficit hyperactivity disorder patients. Clin Neurol Neurosurg. 2023;228:107714. doi: 10.1016/j.clineuro.2023.107714.

Cassiano LMG, Cavalcante-Silva V, Oliveira MS, Prado BVO, Cardoso CG, Salim ACM, Franco GR, D'Almeida V, Francisco SC, Coimbra RS. Vitamin B12 attenuates leukocyte inflammatory signature in COVID-19 via methyl-dependent changes in epigenetic markings. Front Immunol. 2023;14:1048790. doi: 10.3389/fimmu.2023.10.

Chagas C, Martins LB, Machado FR, Zangari W, Galduroz JCF. Religious and secular spirituality: methodological implications of definitions for health research. Explore. 2023;19(1):6-13. doi: 10.1016/j.explore.2022.04.004.

Chagas C, Martins LB, Bezerra AG, Paula TCS, Xavier ACA, Zangari W, Galduróz JCF. A systematic review on alcohol consumption among non-religious and religious adults. Subst Use Misuse. 2023;58(2):238-56. doi: 10.1080/10826084.2022.2155477.

Chagas C, Strelhow MRW, Zangari W, Galduroz JCF. Adaptation and validity evidence of the Dimensions of Secularity (DoS) Scale for the Brazilian population. Ment Health Relig Cult. 2023;26(4):361-74. doi: 10.1080/13674676.2021.2013788.

Cowley-Court T, Chenhall R, Sarris J, Bouso JC, Tófoli LF, Opaleye ES, Schubert V, Perkins D. Life after Ayahuasca: a qualitative analysis of the psychedelic integration experiences of 1630 Ayahuasca drinkers from a global survey. Psychoactives. 2023;2(2):201–21. doi: 10.3390/psychoactives2020014.

Cremaschi RC, Bahi CAS, Paola AAV, Arakaki JSO, Ferreira PRA, Bellei NCJ, Borges V, Coelho FMS. Neurological symptoms and comorbidity profile of hospitalized patients with COVID-19. Arq Neuropsiquiatr. 2023;81(2):146-54. doi: 10.1055/s-0043-1761433.

Dal Fabbro C, Rompré P, Kato T, Maluly M, Haraki S, Toyota R, Shiraishi Y, Andersen ML, Tufik S, Montplaisir J, Herrero Babiloni A, Lavigne G. The influence of age on the frequency of rhythmic masticatory muscle activity during sleep in general population differs from that in clinical research samples. J Oral Rehabil. 2023;50(1):54-61. doi: 10.1111/joor.13388.

Daldegan-Bueno D, Simionato NM, Favaro VM, Maia LO. The current state of ayahuasca research in animal models: A systematic review. Progr Neuropsychopharmacol Biol Psychiatry. 2023;125:110738. doi: 10.1016/j.pnpbp.2023.110738.

DeMello RAF, Coimbra BM, Pedro BDM, Benvenutti IM, Yeh MSL, Mello AF, Mello MF, Poyares DR. Peri-Traumatic Dissociation and Tonic Immobility as Severity Predictors of Posttraumatic Stress Disorder After Rape. J Interpers Violence. 2023;38(3-4):4240-66. doi: 10.1177/08862605221114151.

Dokkedal-Silva V, Galduróz JCF, Tufik S, Andersen ML. Neural and functional connectivity changes caused by long-term use of benzodiazepines: investigating the mechanisms of tolerance and dependence. Sleep Med. 2023;104:1-2. doi: 10.1016/j.sleep.2023.02.013.

Dokkedal-Silva V, Morelhao PK, Moreira GA, Tufik S, Andersen ML. The next step: how sleep and physical activity can act together in the post-COVID-19 scenario. Sleep Breath. 2023;27(2):689-90. doi: 10.1007/s11325-022-02657-4.

Domingues LP, Santos EL, Locatelli DP, Bedendo A, Noto AR. Interprofessional training on substance misuse and addiction: a longitudinal assessment of a Brazilian experience. Int J Environ Res Public Health. 2023;20:1478. doi: 10.3390/ijerph20021478.

Duarte CMA, Piazzon FB, Rocco IS, Mello CB. Influence of blood phenylalanine level variations on the development of executive functions and social cognition in children with phenylketonuria. J Pediatr. 2023;99(5):507-513. doi: 10.1016/j.jped.2023.04.003.

Edelson JL, Schneider LD, Amar D, Brink-Kjaer A, Cederberg KL, Kutalik Z, Hagen EW, Peppard PE, Tempaku PF, Tufik S, Evans DS, Stone K, Tranah G, Cade B, Redline S, Haba-Rubio J, Heinzer R, Marques-Vidal P, Vollenweider P, Winkelmann J, Zou J, Mignot E. The genetic etiology of Periodic Limb Movement in sleep. Sleep. 2023;46(4):zsac121. doi: 10.1093/sleep/zsac121.

Eserian JK, Galduróz JCF. Should We Account Valproate Therapeutic Failure Only to Drug Potency If We Still Cannot Measure Liquid Medications Properly? Ann Pharmacother. 2023;57(5):620-1. doi: 10.1177/10600280221125166.

Fernandes ER, Taminato M, Apostolico JS, Gabrielonni MC, Lunardelli VAS, Maricato JT, Andersen ML, Tufik S, Rosa DS. Robust specific-RBD responses and neutralizing antibodies after ChAdOx1 nCoV-19 and CoronaVac vaccination in SARS-CoV-2 seropositive individuals. J Allergy Clin Immunol Glob. 2023;2(2):100083. doi: 10.1016/j.jacig.2023.100083.

França TFA, Pompeia S. Reappraising the role of dopamine in adolescent risk-taking behavior. Neurosci Biobehav Rev. 2023;147:105085. doi: 10.1016/j.neubiorev.2023.105085.

Frange C, Elias RM, Siengsukon C, Coelho FMS. Physical activity for obstructive sleep apnea after stroke? A pilot study assessing the contribution of body fluids. Sleep Breath. 2023;27(4):1343-50. doi: 10.1007/s11325-022-02735-7.

Frange C, Murray BJ, Coelho FMS. The importance of sleep for successful neurorehabilitation after stroke. Sleep Sci. 2023;16(3):e335-e343. doi: 10.1055/s-0043-1772805.

Fumo-Dos-Santos C, Smith AK, Togeiro SMGP, Tufik S, Moreira GA. Obstructive sleep apnea in asthmatic children: a cross-sectional study about prevalence and risk factors. J Pediatr. 2023;99(5):443-448. doi: 10.1016/j.jped.2023.03.005.

Gomes ACD, Pimentel Filho LH, Aguilar ACR, Truzzi GM, Tufik S, Coelho FMS. Validation of the Brazilian Portuguese version of the Stanford cataplexy questionnaire. Sleep Med. 2023;111:101-4. doi: 10.1016/j.sleep.2023.09.010.

Gurgel M, Cevidanes L, Costa F, Pereira R, Cunali P, Bittencourt L, Ruellas A, Gonçalves J, Bianchi J, Chaves C. Three-dimensional comparison between the effects of mandibular advancement device and maxillomandibular advancement surgery on upper airway. BMC Oral Health. 2023;23(1):436. doi: 10.1186/s12903-023-03125-5.

Honorato MM, Cremaschi RC, Coelho FMS. The challenges to control epilepsy in an isolated indigenous tribe in Brazil's Amazon: 15 years of follow-up. Arq Neuropsiquiatr. 2023;81(8):725-33. doi: 10.1055/s-0043-1769125.

Ishikura IA, Lucena L, Andersen ML, Tufik S, Hachul H. The relation of insomnia and obstructive sleep apnea on sexual function and climacteric symptoms in postmenopausal women. Sleep Epidemiol. 2023;3:100063. doi: 10.1016/j.sleepe.2023.100063.

Jin CX, Sutherland K, Gislason T, Thorarinsdottir EH, Bittencourt L, Tufik S, Singh B, McArdle N, Cistulli P, Bin YS. Influence of social jetlag on daytime sleepiness in obstructive sleep apnea. J Sleep Res. 2023;32(3):e13772. doi: 10.1111/jsr.13772.

Kondo J, Morelhão KP, Tufik S, Andersen ML. The importance of assessing sleep disorders in multiple sclerosis. Sleep Breath. 2023;27(2):691-2. doi: 10.1007/s11325-022-02653-8.

Lavezzo BO, Horr JF, De Micheli D, Silva EA, Reichert RA. Atenção psicossocial a usuários de álcool e outras drogas: um estudo dos profissionais de um município sul-brasileiro. Trab Educ Saúde. 2023;21:17. doi: 10.1590/1981-7746-ojs2128. https://www.tes.epsjv.fiocruz.br/index.php/tes/article/view/2128/1063

Lestingi S, Kim L, Gonçalves BSB, Silva SMA, Ferraz H, Coelho FM, Borges V. Blepharospasm Patients after Botulinum Toxin – Sleep Approach. Sleep Sci. 2023;16(1):38-43. doi: 10.1055/s-0043-1767753.

Lisik D, Pires GN, Zou D. Perspective: Systematic review and meta-analysis in obstructive sleep apnea - What is lacking? Sleep Med. 2023;111:54-61. doi: 10.1016/j.sleep.2023.09.006.

Lopes LC, Poyares DLR, Tufik S, Oliveira SB, Vallim JRS, Ota VK, Melaragno MI, Ohayon M, Mello CB. The effect of brain-derived neurotrophic factor Val66Met polymorphism on adolescent activity and rest rhythms, circadian preferences and attentional performance. Sleep Med. 2023;104:64-72. doi: 10.1016/j.sleep.2023.02.017.

Lopes TR, Pereira HM, Bittencourt LRA, Silva BM. How much does sleep deprivation impair endurance performance? A systematic review and meta-analysis. Eur J Sport Sci. 2023;23(7):1279-92. doi: 10.1080/17461391.2022.2155583.

Lucena L, Lavigne G, Dal Fabbro C, Andersen ML, Tufik S, Hachul H. Association between night pain and quality of life in women: a general population sleep study. Eur J Pain. 2023;27(3):401-12. doi: 10.1002/ejp.2066.

Luz GP, Badke L, Nery LE, Silva LO, Guimarães TM, Coelho G, Millani A, Alves RG, Kase C, Tufik S, Bittencourt L. Effect of CPAP vs. mandibular advancement device for excessive daytime sleepiness, fatigue, mood, sustained attention, and quality of life in patients with mild OSA. Sleep Breath. 2023;27(3):991-1003. doi: 10.1007/s11325-022-02694-z.

Luz MHM, Pino JMV, Mônico-Neto M, de Amorim PN, Antunes HKM, Porcionatto MA, Lee KS. Sleep deprivation modulates APOE and LDL receptor-related protein 1 through thyroid hormone T4 and impairs Aβ clearance in hippocampus of rats. Biochim Biophys Acta Mol Basis Dis. 2023;1869(6):166729. doi: 10.1016/j.bbadis.2023.166729.

Macedo LJS, Alves AO, Mazza GS, Pinto ASB, Coelho FMS, Oliveira GP. Sleeping and dreaming in Greek mythology. Sleep Med. 2023;101:178-82. doi: 10.1016/j.sleep.2022.10.020.

Melo MB, Favaro VM, Oliveira MGM. The contextual fear conditioning consolidation depends on the functional interaction of the dorsal subiculum and basolateral amygdala in rats. Neurobiol Learn Mem. 2023;205:107827. doi: 10.1016/j.nlm.2023.107827.

Morin CM, Bei B, Bjorvatn B, Poyares D, Spiegelhalder K, Wing YK; Governing Council of the World Sleep Society. World sleep society international sleep medicine guidelines position statement endorsement of "behavioral and psychological treatments for chronic insomnia disorder in adults: An American Academy of sleep medicine clinical practice guidelines". Sleep Med. 2023;109:164-9. doi: 10.1016/j.sleep.2023.07.001.

Moyses-Oliveira M, Paschalidis M, Souza-Cunha LA, Esteves-Guerreiro PA, Adami LNG, Kloster AK, Mosini AC, Moreira GA, Doria S, Tempaku PF, Pires GN, Andersen ML, Tufik S. Genetic basis of sleep phenotypes and rare neurodevelopmental syndromes reveal shared molecular pathways. J Neurosci Res. 2023;101(7):1058-67. doi: 10.1002/jnr.25180.

Moyses-Oliveira M, Scaff AMC, Adami LNG, Hachul H, Andersen ML, Tufik S. Genetic factors underlying insomnia and ovarian insufficiency. Climacteric. 2023;26(5):510-2. doi: 10.1080/13697137.2023.2205580.

Narciso FV, Dâmaso AR, Barela JA, Carvalho ANS, Ruiz F, Queiroz SS, Lemos VS, de-Andrade AGP, Tufik S, De-Mello MT. Overweight impairs postural control of female night Workers. Sleep Sci. 2023;16(1):29-37. doi: 10.1055/s-0043-1767746.

Naufel MF, Truzzi GM, Ferreira CM, Coelho FMS. The brain-gut-microbiota axis in the treatment of neurologic and psychiatric disorders. Arqu Neuropsiquiatr. 2023;81(7):670-84. doi: 10.1055/s-0043-1767818.

Nouri A, Panjeh S, Cogo-Moreira H, Pompeia S. Factors that influence morningness-eveningness and daytime sleepiness: A cross-cultural comparison of Iranian and Brazilian adolescents. Chronobiol Int. 2023;40(2):162-73. doi: 10.1080/07420528.2022.2157735.

Ollila HM, Sharon E, Lin L, Sinnott-Armstrong N, Ambati A, Yogeshwar SM, Hillary RP, Jolanki O, Faraco J, Einen M, Luo G, Zhang J, Han F, Yan H, Dong XS, Li J, Zhang J, Hong SC, Kim TW, Dauvilliers Y, Barateau L, Lammers GJ, Fronczek R, Mayer G, Santamaria J, Arnulf I, Knudsen-Heier S, Bredahl MKL, Thorsby PM, Plazzi G, Pizza F, Moresco M, Crowe C, Van den Eeden SK, Lecendreux M, Bourgin P, Kanbayashi T, Martínez-Orozco FJ, Peraita-Adrados R, Benetó A, Montplaisir J, Desautels A, Huang YS; FinnGen; Jennum P, Nevsimalova S, Kemlink D, Iranzo A, Overeem S, Wierzbicka A, Geisler P, Sonka K, Honda M, Högl B, Stefani A, Coelho FM, Mantovani V, Feketeova E, Wadelius M, Eriksson N, Smedje H, Hallberg P, Hesla PE, Rye D, Pelin Z, Ferini-Strambi L, Bassetti CL, Mathis J, Khatami R, Aran A, Nampoothiri S, Olsson T, Kockum I, Partinen M, Perola M, Kornum BR, Rueger S, Winkelmann J, Miyagawa T, Toyoda H, Khor SS, Shimada M, Tokunaga K, Rivas M, Pritchard JK, Risch N, Kutalik Z, O'Hara R, Hallmayer J, Ye CJ, Mignot EJ. Narcolepsy risk loci outline role of T cell

autoimmunity and infectious triggers in narcolepsy. Nat Commun. 2023;14(1):2709. doi: 10.1038/s41467-023-36120-z.

Ortiz MO, Santos TLS, Noto AR, Mello CB. Kindness Curriculum: adaptação cultural e estudo de viabilidade para o contexto brasileiro. Rev Estud Invest Psicol Educ. 2023;10(1):128-46. doi: 10.17979/reipe.2023.10.1.9537.

Paula TCS, Chagas C, Henrique AEG, Vargas RC, Noto AR, Ferri CP. Late-life drinking and smoking in primary care users in Brazil. Aging Ment Health. 2023;27(4):797-802. doi: 10.1080/13607863.2022.2040002.

Pereira NRM, Naufel MF, Tufik S, Hachul H. Is There a Relationship between Diet and Breast Cancer in Postmenopausal Women? Nutr Cancer. 2023;75(1):140-2. doi: 10.1080/01635581.2022.2106376.

Petribu BN, Abrahao KP, Souza-Formigoni MLO. Ethanol combined with energy drinks: Two decades of research in rodents. Front Behav Neurosci. 2023;16:1100608. doi: 10.3389/fnbeh.2022.1100608.

Pino JMV, Silva VF, Mônico-Neto M, Seva DC, Kato MY, Alves JN, Pereira GC, Antunes HKM, Galvao TD, Bittencourt LRA, Tufik S, Zambrano LI, Dâmaso AR, Oyama LM, Thivel D, Campos RMS, Lee KS. Severe obesity in women can lead to worse memory function and iron dyshomeostasis compared to lower grade obesity. Int J Endocrinol. 2023;2023:7625720. doi: 10.1155/2023/7625720.

Pires GN, Arnardóttir ES, Islind AS, Leppänen T, McNicholas WT. Consumer sleep technology for the screening of obstructive sleep apnea and snoring: current status and a protocol for a systematic review and meta-analysis of diagnostic test accuracy. J Sleep Res. 2023;32(4):e13819. doi: 10.1111/jsr.13819.

Pizarro GU, Costa ELB, Pradella-Hallinan M, Meurer ATO, Moreira GA, Fujita RR. Efficacy of adenotonsillectomy in the treatment of obstructive apnea in children: A 2-year follow-up. Int J Pediatr Otorhinolaryngol. 2023;166:111462. doi: 10.1016/j.ijporl.2023.111462.

Pompeia S, Panjeh S, Louzada FM, D'Almeida V, Hipólide DC, Cogo-Moreira H. Social jetlag is associated with adverse cardiometabolic latent traits in early adolescence: an observational study. Front Endocrinol. 2023;14:1085302. doi: 10.3389/fendo.2023.1085302.

Quaresma MVLS, Marques CG, Magalhães ACO, Cirillo L, Ciudi RB, Oliveira LS, Santos RVT, Nakamoto FP. Prevalence of dietary supplement consumption among CrossFit practitioners. Nutrire. 2023;48:9. doi: 10.1186/s41110-023-00193-z.

Sá NF, Camarini R, Suchecki D. One day away from mum has lifelong consequences on brain and behaviour. Neuroscience. 2023;525:51-66. doi: 10.1016/j.neuroscience.2023.06.013.

Santos TB, Kramer-Soares JC, Oliveira MGM. Contextual fear conditioning with a time interval induces CREB phosphorylation in the dorsal hippocampus and amygdala nuclei that depend on prelimbic cortex activity. Hippocampus.2023;33(7):872-9. doi: 10.1002/hipo.23516.

Santos TB, Kramer-Soares JC, Coelho CAO, Oliveira MGM. Functional network of contextual and temporal memory has increased amygdala centrality and connectivity with the retrosplenial cortex, thalamus, and hippocampus. Sci Rep. 2023;13(1):13087. doi: 10.1038/s41598-023-39946-1.

Seva DC, Mônico-Neto M, Antunes HKM, Pino JMV, Bittencourt LRA, Galvão TD, Dâmaso AR, Oyama LM, Shivappa N, Hébert JR, Tufik S, Campos RMS. Beneficial Short-Term Effects of

Bariatric Surgery on Nutritional Inflammatory Profile and Metabolic Biomarkers. Obes Surg. 2023;33(9):2789-98. doi: 10.1007/s11695-023-06743-8.

Silva MAA, Bernardo JF, Silva SA, De Micheli D.Aproximações e distanciamentos nas trajetórias de vida entre adolescentes em conflito com a lei e escolares. Pathos Rev Bras Práticas Públicas Psicopatol. 2023;9(1):118-45. doi: 10.59068/24476137aproximacoesedistanciamentos.

Sitzia G, Abrahao KP, Liput D, Calandra GM, Lovinger DM. Distinct mechanisms of CB1 and $GABA_B$ receptor presynaptic modulation of striatal indirect pathway projections to mouse Globus Pallidus. J Physiol. 2023;601(1):195-209. doi: 10.1113/JP283614.

Soares Junior NJS, Dias-Filho CAA, Ferreira AC, Monteiro SCM, Castro HO, Silva MS, Mostarda CT. Sleep quality and regular physical activity in reducing cardiac risk. Sleep Breath. 2023;27(3):953-60. doi: 10.1007/s11325-022-02688-x.

Stefanini R, Campanholo MAT, Prescinotto R, Caparroz FA, Bittencourt LRA, Tufik S, Haddad FLM. Immediate and medium-term follow-up of patients with Obstructive Sleep Apnea undergoing pharyngeal and nasal surgery: a pilot study. Sleep Sci. 2023;16(1):7-13. doi: 10.1055/s-0043-1767747.

Sutherland K, Kim S, Veatch OJ, Keenan BT, Bittencourt L, Chen NH, Gislason T, Han F, Jafari N, Li QY, Lim DC, Maislin G, Magalang U, Mazzotti DR, McArdle N, Mindel J, Pack AI, Penzel T, Singh B, Wiemken A, Xu L, Sun Y, Tufik S, Schwab RJ, Cistulli PA. Facial and Intraoral Photographic Traits Related to Sleep Apnea in a Clinical Sample with Genetic Ancestry Analysis. Ann Am Thorac Soc. 2023;20(6):880-90. doi: 10.1513/AnnalsATS.202207-577OC.

Tufik SB, Pires GN, Porcacchia AS, Bezerra AG, Andersen ML, Tufik S. Impact of the early months of the Covid-19 pandemic on the sleep patterns of a Brazilian population sample**.** Chronobiol Int. 2023;40(8):1133-45. doi: 10.1080/07420528.2023.2255667.

Valente HB, Morelhão PK, Andersen ML, Tufik S, Vanderlei LCM. Is sleep a barrier to physical activity practice? J Clin Sleep Med. 2023;19(4):851-2. doi: 10.5664/jcsm.10482.

Vallim JRDS, Lima GS, Tsuji HMS, Xylaras BDP, Tufik S, Demarzo M, D'Almeida V. Mediation analysis of circadian preferences and other behavioral and sociodemographic factors associated with subjective well-being in undergraduate students. Chronobiol Int. 2023;40(4):376-88. doi: 10.1080/07420528.2023.2181179.

Vallim JRS, Pires GN, Bonaldi RR, Zanini MA, Soster LSA, Garbuio S, Sousa KMM. Effectiveness of digital cognitive-behavioral therapy for insomnia alone or combined with sleep medication: a real-world evidence study. Sleep Epidemiol. 2023;3:100061. doi: 10.1016/j.sleepe.2023.100061.

Vitti-Ruela BV, Dokkedal-Silva V, Hirata AE, Tufik T, Andersen ML. Sleep and probiotics in diabetes management. Prim Care Diabetes. 2023;17(2):200-1. doi: 10.1016/j.pcd.2023.01.013.

Volpe-Fix AR, de França E, Silvestre JC, Thomatieli-Santos RV. The use of some Polyphenols in the modulation of muscle damage and inflammation induced by physical exercise: a review. Foods. 2023;12(5):916. doi: 10.3390/foods12050916.

Yeh MSL, Poyares D, D'Elia ATD, Coimbra BM, Mello AF, Tufik S, Mello MF. Sleep characteristics and inflammatory markers in women with post-traumatic stress disorder. BMC Psychiatry. 2023;23(1):273. doi: 10.1186/s12888-023-04765-1.

Zanta NC, Assad N, Suchecki D. Neurobiological mechanisms involved in maternal deprivation-induced behaviours relevant to psychiatric disorders. Front Mol Neurosci. 2023; 16:1099284. doi: 10.3389/fnmol.2023.1099284.

2022.....

Adinolfi AC, Bezerra AG, Curado DF, Souza AL, Galduroz JCF. Drug use frequency variation and mental health during the COVID-19 pandemic: an online survey. Int J Ment Health Addict. 2022;20(5):2755-69. doi: 10.1007/s11469-021-00546-7.

Aliberti MJR, Bertola L, Szlejf C, Oliveira D, Piovezan RD, Cesari M, de Andrade FB, Lima-Costa MF, Perracini MR, Ferri CP, Suemoto CK. Validating intrinsic capacity to measure healthy aging in an upper middle-income country: Findings from the ELSI-Brazil. Lancet Reg Health Am. 2022;12:100284. doi: 10.1016/j.lana.2022.100284.

AlRasheed MM, Fekih-Romdhane F, Jahrami H, Pires GN, Saif Z, Alenezi AF, Humood A, Chen W, Dai H, Bragazzi N, Pandi-Perumal SR, BaHammam AS, Vitiello MV; COMITY investigators. The prevalence and severity of insomnia symptoms during COVID-19: A global systematic review and individual participant data meta-analysis. Sleep Med. 2022;100:7-23. doi: 10.1016/j.sleep.2022.06.020.

Andersen ML, Tufik S. The Association Between Sleep Disturbances and Erectile Dysfunction During the COVID-19 Pandemic. Sex Med Rev. 2022;10(2):263-70. doi: 10.1016/j.sxmr.2021.12.001.

Andersen ML, Tufik S. Ricardo Velluti, a Pioneer in Latin American Sleep Research. Sleep Sci. 2022;15(3):265-6. doi: 10.5935/1984-0063.20220049.

Andrade ALM, Scatena A, Pinheiro BO, Oliveira WA, Lopes FM, De Micheli D. Psychometric properties of the Smartphone Addiction Inventory (SPAI-BR) in Brazilian adolescents. Int J Ment Health Addict. 2022;20(5):2690–2705. doi: 10.1007/s11469-021-00542-x.

Arakaki FH, De Angelis K, Hachul H, Morelhão PK, Tufik S, Andersen ML. Is physical inactivity or sitting time associated with insomnia in older men? A cross-sectional study. Sleep Epidemiol. 2022;2:100023. doi: 10.1016/j.sleepe.2022.100023.

Bariani RC, Badreddine FR, Yamamoto LH, Shido FT, Hoppe DPMR, Tufik S, Moreira GA, Cappellette M, Fujita RR. Rapid maxillary expansion in patient with Obstructive Sleep Apnea: case report. Sleep Sci. 2022;15(Special 1):293-9. doi: 10.5935/1984-0063.20220026.

Bariani RCB, Bigliazzi R, Cappellette Junior M, Moreira GA, Fujita RR. Effectiveness of functional orthodontic appliances in obstructive sleep apnea treatment in children: literature review. Braz J Otorhinolaryngol. 2022;88(2):263-78. doi: 10.1016/j.bjorl.2021.02.010.

Bariani RCB, Bigliazzi R, Badreddine FR, Yamamoto LH, Tufik S, Moreira GA, Fujita RR. A clinical trial on 3D CT Scan and polysomnographyc changes after rapid maxillary expansion in children with snoring. Braz J Otorhinolaryngol. 2022;88(Suppl.5):S162-70. doi: 10.1016/j.bjorl.2022.04.004.

Barroca NCB, Della Santa G, Suchecki D, García-Cairasco N, de Lima Umeoka EH. Challenges in the use of animal models and perspectives for a translational view of stress and psychopathologies. Neurosci Biobehav Rev. doi: 10.1016/j.neubiorev.2022.104771.

Barros VV, Opaleye ES, Demarzo M, Curado DF, Bowen S, Hachul H, Noto AR. Effects of Mindfulness-based relapse prevention on the chronic use of hypnotics in treatment-seeking

women with insomnia: a randomized controlled trial. Int J Behav Med. 2022;29(3):266-277. doi: 10.1007/s12529-021-10002-4.

Berro LF, Pareek T, Reeves-Darby J, Andersen ML, Howell L, Platt D, Rowlett JK. Influence of pair-housing on sleep parameters evaluated with actigraphy in female rhesus monkeys. J Am Assoc Lab Anim Sci. 2022;61(2):165-72. doi: 10.30802/AALAS-JAALAS-21-000027.

Bouso JC, Andión Ó, Sarris JJ, Scheidegger M, Tófoli LF, Opaleye ES, Schubert V, Perkins D. Adverse effects of ayahuasca: Results from the Global Ayahuasca Survey. PLOS Glob Public Health. 2022;2(11):e0000438. doi: 10.1371/journal.pgph.0000438.

Campanholo MAT, Caparroz FA, Vidigal TA, Kenchian CH, Andersen ML, Tufik S, Haddad FLM. Assessment of Laryngopharyngeal Reflux and Obstructive Sleep Apnea: A Population-Based Study. Laryngoscope. 2022;132(9):1877-82. doi: 10.1002/lary.30061.

Campos JHC, Aguilar ACR, Antoneli F, Truzzi G, Briones MRS, Ferreira RC, Coelho FMS. Whole-genome analysis of monozygotic Brazilian twins discordant for type 1 narcolepsy: a case report. BMC Neurol. 2022;22(1):439. doi: 10.1186/s12883-022-02921-w.

Carvalho B, Tufik S, Hachul H. Letter to the editor. Menopause. 2022;29(11):1349. doi: 10.1097/GME.0000000000002091.

Carvalho RK, Rocha TL, Fernandes FH, Gonçalves BB, Souza MR, Araújo AA, Barbosa CC, Silva DM, Campos HM, Tomazett MV, Ghedini PC, Guimarães FS, Andersen ML, Santos FCA, Mazaro-Costa R. Decreasing sperm quality in mice subjected to chronic cannabidiol exposure: New insights of cannabidiol-mediated male reproductive toxicity. Chem Biol Interact. 2022;351:109743. doi: 10.1016/j.cbi.2021.109743.

Carvalho RR, Mello CB, Rocco IS, Noto AR, Leite JR. The Temporal Aspect of Bodily Experiences of Emotions: Where Do You Feel the First Sensation? PsyArXiv. 2022 January 13. doi:10.31234/osf.io/gdsxv.

Cavalcante-Silva V, Vallim JRS, Fernandes L, de Oliveira AC, D'Almeida V. Maternal methionine supplementation in mice affects long-term body weight and locomotor activity of adult female offspring. Br J Nutr. 2022;127(8):1143-1152. doi: 10.1017/S0007114521002075.

Coelho G, Bittencourt L, Andersen ML, Guimarães TM, Oliveira e Silva L, Luz GP, Tufik S, Hachul H. Depression and obesity, but not mild obstructive sleep apnea, are associated factors for female sexual dysfunction. Sleep Breath. 2022;26(2):697-705. doi: 10.1007/s11325-021-02433-w.

Curado DF, Barros VV, Noto AR, Opaleye ES. Dependence on hypnotics: a comparative study between chronic users of benzodiazepines and Z-drugs. Braz J Psychiatry. 2022;44(3):248-56. doi: 10.1590/1516-4446-2020-1651.

Curado DF, Gallo GG, Machado MPA, Barros VV, Noto AR. Psychometric properties of the short version of the Five Facets of Mindfulness Questionnaire in Brazilian Portuguese. Psico-USF. 2022;27(3):489-99. doi: 10.1590/1413-82712028270307.

D'Aurea CVR, Frange C, Poyares D, Souza AAL, Lenza M. Physical exercise as a therapeutic approach for adults with insomnia: systematic review and meta-analysis. Einstein (São Paulo). 2022;20:eAO8058. doi: 10.31744/einstein_journal/2022AO8058.

Daldegan-Bueno D, Favaro VM, Morais P, Sussulini A, Oliveira MGM. Effects of repeated ayahuasca administration on behaviour and c-Fos expression in male rats exposed to the open field. Behav Brain Res. 2022;427:113878. doi: 10.1016/j.bbr.2022.113878.

Daldegan-Bueno D, Favaro VM, Tófoli LF, Sussulini A, Cassas F, Oliveira MGM. Ayahuasca Lyophilization (Freeze-drying) Protocol with Pre- and Post-procedure Alkaloids Quantification. J Psychoactive Drugs. 2022;54(3):278-83. doi: 10.1080/02791072.2021.1971342.

Dias CJ, Barroso R, Dias-Filho CAA, Ferreira AC, Cabido CET, Crestani CC, Silva MS, Pinheiro AN, Rodrigues B, Mostarda CT. Possible influences of vitamin D levels on sleep quality, depression, anxiety and physiological stress in patients with chronic Obstructive pulmonary disease: a case control study. Sleep Sci. 2022;15(Special 2):369-74. doi: 10.5935/1984-0063.20210019.

Dokkedal-Silva V, Galduroz JCF, Tufik S, Andersen ML. Designer benzodiazepines and sleep disorders: a rise of two interacting problems? J Stud Alcohol Drugs. 2022;83(1):162-3. doi: 10.15288/jsad.2022.83.162.

Dokkedal-Silva V, Fernandes GL, Tufik S, Andersen ML. The links between commuting time and sleep quality: a trend in modern urban centers. J Clin Sleep Med. 2022;18(12):2875-6. doi: 10.5664/jcsm.10248.

Drager LF, Pachito DV, Moreno CRC, Tavares AR, Conway SG, Assis M, Sguillar DA, Moreira GA, Bacelar A, Genta PR. Insomnia episodes, new-onset pharmacological treatments and other sleep disturbances during the COVID-19 pandemic: a nationwide cross-sectional study in Brazilian health care professionals. J Clin Sleep Med. 2022;18(2):373-82. doi: 10.5664/jcsm.9570.

Drager LF, Pachito DV, Morihisa R, Carvalho P, Lobao A, Poyares D. Sleep quality in the Brazilian general population: A cross-sectional study. Sleep Epidemiol. 2022;2:100020. doi: 10.1016/j.sleepe.2022.100020.

Duarte RLM, Togeiro SMGP, Palombini LO, Rizzatti FPG, Fagondes SC, Magalhães-da-Silveira FJ, Cabral MM, Genta PR, Lorenzi-Filho G, Clímaco DCS, Drager LF, Codeço VM, Viegas CAA, Rabahi MF. Brazilian Thoracic Association Consensus on Sleep-disordered Breathing. J Bras Pneumol. 2022;48(4):e20220106. doi: 10.36416/1806-3756/e20220106.

Eduardo PMC, Abrahao KP. Food composition can influence how much alcohol your animal model drinks: a mini-review about the role of isoflavones. Alcohol Clin Exp Res. 2022;46(1):6-12. doi: 10.1111/acer.14741.

Ekuni R, De Souza BMN, Agarwal PK, Pompeia S. A conceptual replication of survey research on study strategies in a diverse, non-WEIRD student population. Scholarship Teach Learn Psychol. 2022;8(1):1-14. doi: 10.1037/stl0000191.

Ekuni R, Souza BMN, Cogo-Moreira H, Lourenço FC, Pompeia S. Bidirectional longitudinal dynamics of self-reported total sleep time and perceived stress: Establishing potential causal relationships. Sleep Health. 2022;8(4):406-9. doi: 10.1016/j.sleh.2022.01.004.

Ekuni R, Macacare OT, Pompeia S. Reducing the negative effects of multitasking on online or distance learning by using retrieval practice. Scholarship Teach Learn Psychol. 2022;8(4):269-78. doi: 10.1037/stl0000314.

Félix-Junior IJ, Donate APG, Noto AR, Galduróz JCF, Simionato NM, Opaleye ES. Mindfulness-based Interventions in inpatient treatment for SUDs: a systematic review. Addict Behav Rep. 2022;16:100467. doi: 10.1016/j.abrep.2022.100467.

Fernandes ER, Pires GN, Andersen ML, Tufik S, Rosa DS. Oxygen saturation as a predictor of inflammation in obstructive sleep apnea. Sleep Breath. 2022;26(4):1613-20. doi: 10.1007/s11325-021-02521-x.

Fernandes GL, Araújo P, Tufik S, Andersen ML. Sleepiness profiles in mice submitted to acute and chronic sleep deprivation. Behav Processes. 2022;200:104661. doi: 10.1016/j.beproc.2022.104661.

Ferrari G, Alberico C, Drenowatz C, Kovalskys I, Gómez G, Rigotti A, Cortés LY, García MY, Liria-Domínguez MR, Herrera-Cuenca M, Peralta M, Marques A, Marconcin P, Cristi-Montero C, Leme ACB, Zimberg IZ, Farías-Valenzuela C, Fisberg M, Rollo S. Prevalence and sociodemographic correlates of meeting the Canadian 24-hour movement guidelines among latin american adults: a multi-national cross-sectional study. BMC Public Health. 2022;22(1):217. doi: 10.1186/s12889-022-12613-2.

Ferreira LA, Ferreira-Junior MD, Amaral KJV, Cavalcante KVN, Pontes CNR, Cristin L, Ribeiro DS, Dos Santos BG, Xavier CH, Mathias PCF, Andersen ML, Pedrino GR, de Castro CH, Mazaro-Costa R, Gomes RM. Maternal postnatal early overfeeding induces sex-related cardiac dysfunction and alters sexually hormones levels in young offspring. J Nutr Biochem. 2022;103:108969. doi: 10.1016/j.jnutbio.2022.108969.

França TFA, Pompeia S. Reappraising the role of dopamine in adolescent risk-taking behavior. Preprint doi: 10.31234/osf.io/zmuxn. Disponível em: https://psyarxiv.com/zmuxn

França TFA, Segura IA, Dias NM, Miranda MC, Pompeia S. The effect of pubertal status on self-regulation of behavior – a systematic review. Preprint doi: 10.31234/osf.io/e2kjb. Disponível em: https://psyarxiv.com/e2kjb

França TFA, Cogo-Moreira H, Pompeia S. What do we measure when we measure pubertal development? The case of age at menarche and its implications for research on adolescent development. Preprint doi: 10.31234/osf.io/nw26z. Disponível em: https://psyarxiv.com/nw26z

Frange C, de Oliveira GP, Coelho FMS. COVID-19 and Central Nervous System Hypersomnias. Curr Sleep Med Rep. 2022;8(3):42-9. doi: 10.1007/s40675-022-00226-5.

Frange C, Franco AM, Brasil E, Hirata RP, Lino JA, Mortari DM, Ykeda DS, Leocádio-Miguel MA, D'Aurea CVR, Oliveira e Silva L, Telles SCL, Furlan SF, Peruchi BB, Leite CF, Yagihara FT, Campos LD, Ulhôa MA, Cruz MGR, Beidacki R, Santos RB, Queiroz SS, Barreto S, Piccin VS, Coelho FMS, Studart L, Assis M, Drager LF. Practice recommendations for the role of physiotherapy in the management of sleep disorders: the 2022 Brazilian Sleep Association Guidelines. Sleep Sci. 2022;15(4):515-73. doi: 10.5935/1984-0063.20220083.

Freitas LL, Cardoso TSG, Argollo N, Mello CB. Socioeconomic status, urbanization and executive functions development: differences between urban and rural children. Psicol Teoria Pesq. 2022;38:e38220. doi: 10.1590/0102.3772e38220.en.

Freitas RS, França TFA, Pompeia S. Sex-specific association between urinary kisspeptin and pubertal development. Endocr Connect. 2022;11:220165. doi: 10.1530/EC-22-0165.

Gallo GG, Curado DF, Machado MPA, Scattone VV, Noto AR. Judgment and reactivity are associated with mental distress among university students. J Ment Health Train Educ Pract. 2022;17(5):455-64. doi: 10.1108/JMHTEP-08-2021-0094.

Gazzola M, Leal S, Pedroni B, Rocha FT, Pompeia S, Aluísio S. Text complexity of open educational resources in Portuguese: mixing written and spoken registers in a multi-task approach. Lang Resour Eval. 2022;56:621-50. doi: 10.1007/s10579-021-09571-3.

Gerlach CM, Andrade ALM, Scatena A, De Micheli D, Lopes FM. Sintomas de ansiedade, depressão e estresse em residentes multiprofissionais de um hospital público. Res Soc Develop. 2022;11(7):e15711729774. doi: 10.33448/rsd-v11i7.29774.

Gobbi C, Morelhão PK, Branco BHM, Tufik S, Andersen ML. Does exercise improve the sleep quality of older overweight or obese adults? Psychogeriatrics. 2022;22(3):421-2. doi: 10.1111/psyg.12820.

Godoy PBG, Mello CB, Pompeia S, da Costa CML, Cypriano MDS, Suchecki D. Preserved executive functioning and low stress symptoms in children treated for acute lymphoblastic leukemia. Appl Neuropsychol Child. 2022;11(3):270-9. doi: 10.1080/21622965.2020.1804907.

Gurgel M, Cevidanes L, Pereira R, Costa F, Ruellas A, Bianchi J, Cunali P, Bittencourt L, Chaves Junior C. Three-dimensional craniofacial characteristics associated with obstructive sleep apnea severity and treatment outcomes. Clin Oral Investig. 2022;26(1):875-887. doi: 10.1007/s00784-021-04066-5.

Hisamatsu TM, Oliveira CB, Lira FS, Morelhão PK, Azevedo BR, Lemes ÍR, Franco MR, Pinto RZ. Occupational Physical Activity Was Associated With Disability Levels at 6-Month Follow-Up of Patients With Chronic Nonspecific Low Back Pain: A Prospective Cohort Study. J Phys Act Health. 2022;19(6):409-16. doi: 10.1123/jpah.2021-0798.

Honorato MM, Santos ACVD, da Silva FLL, Cremaschi RC, Coelho FM. Late-Onset Lennox-Gastaut Syndrome with Chromosome 15q Duplication in Sisters. J Neurosci Rural Pract. 2022; 13(2):348-350. doi: 10.1055/s-0042-1743457.

Hora AF, Nápolis LM, Villaça DS, Santos R, Galvão TD, Togeiro SMG, Bittencourt LR, Nery LE. Risk prediction for Obstructive Sleep Apnea prognostic in obese patients referred for bariatric surgery. J Bras Pneumol. 2022;48(6): e20210360. doi: 10.36416/1806-3756/e20210360.

Jacobowitz O, Afifi L, Penzel T, Poyares D, Marklund M, Kushida C, on behalf of the Governing Council of the World Sleep Society. Endorsement of: "Treatment of Adult Obstructive Sleep Apnea with Positive Airway Pressure: An American Academy of Sleep Medicine Clinical Practice Guideline" by World Sleep Society. Sleep Med. 2022;89:19-22. doi: 10.1016/j.sleep.2021.10.007.

Kakazu VA, Andersen ML, Dokkedal-Silva V, Tufik S, Morelhão PK. Increasing health professional awareness about the link between sleep and falls in older adults. Geriatr Gerontol Int. 2022;22(2):178-9. doi: 10.1111/ggi.14338.

Kakazu VA, Pinto RZ, Dokkedal-Silva V, Fernandes GL, Gobbi C, Andersen ML, Tufik S, Pires GN, Morelhão PK. Does poor sleep quality and excessive daytime sleepiness influence fear of falling among older adults? A cross-sectional study. Sleep Biol Rhythms. 2022;20:287-95. doi: 10.1007/s41105-021-00368-z.

Kakazu VA, Pinto RZ, Dokkedal-Silva V, Fernandes GL, Gobbi C, Andersen ML, Tufik S, Pires GN, Morelhão PK. Sleep Quality, Body Mass Index and Waist-to-Hip Ratio in Older Adults. Phys Occup Ther Geriatr. 2022;40(2):150-60. doi: 10.1080/02703181.2021.1994098.

Kakazu VA, Andersen ML, Tufik SB, Tufik S, Morelhão PK. Acupuncture as an acceptable option for the treatment of the sleep-pain cycle. Sleep Breath. 2022;26(4):1953-4. doi: 10.1007/s11325-021-02534-6.

Kesner AJ, Mateo Y, Abrahao KP, Ramos-Maciel S, Pava MJ, Gracias AL, Paulsen RT, Carlson HB, Lovinger DM. Changes in striatal dopamine release, sleep, and behavior during

spontaneous Δ-9-tetrahydrocannabinol abstinence in male and female mice. Neuropsychopharmacology. 2022;47(8):1537-49. doi: 10.1038/s41386-022-01326-0.

Kong X, Ota SM, Suchecki D, Lan A, Peereboom AI, Hut RA, Meerlo P. Chronic Social Defeat Stress Shifts Peripheral Circadian Clocks in Male Mice in a Tissue-Specific and Time-of-Day Dependent Fashion. J Biol Rhythms. 2022;37(2):164-76. doi: 10.1177/07487304211065336.

Kovalskys I, Fisberg M, Previdelli AN, Pereira JL, Zimberg IZ, Guajardo V, Fisberg R, Ferrari G, Gómez G, Rigotti A, Cortés Sanabria LY, Yépez García MC, Herrera-Cuenca M, Liria Domínguez MR; ELANS Study Group. Breakfast in Latin America: Evaluation of Nutrient and Food Group Intake Toward a Nutrient-Based Recommendation. J Acad Nutr Diet. 2022;122(6):1099-1113.e3. doi: 10.1016/j.jand.2021.11.012.

Liu ASLW, Neves FJ, Pinto J, Amorim PMS, Bonilha AC, Mapurunga M, Moscardi AVS, Demarzo M, Guerra-Shinohara EM, D Almeida V, Ramos LR, Andreoni S, Tomita LY. Reduced circulating folate among older adults caused by continuous work: nested cross-sectional study conducted in a country with folic acid fortification program. Nutr Res. 2022;108:43-52. doi: 10.1016/j.nutres.2022.10.008.

Lopes FM, Lessa RT, Carvalho RA, Reichert RA, Andrade ALM, De Micheli D. Transtornos mentais comuns em estudantes universitários: uma revisão sistemática da literatura. Psicol Pesquisa. 2022;16(1):e31105. doi: 10.34019/1982-1247.2022.v16.31105.

Lopes FM, Coelho DMV, Andrade ALM, da Silva AMB, Carvalho CF, De Micheli D. Differences in attitudes and perceptions between educators with or without knowledge in neuroscience. Trends Psychol. 2022;30:729-44. doi: 10.1007/s43076-022-00169-4.

Matos YL, Morelhão PK, Dokkedal-Silva V, Tufik S, Andersen ML. The potential role of sleep symptoms in tobacco withdrawal for the success of cessation therapies. Sleep Breath. 2022;26(3):1363-4. doi: 10.1007/s11325-021-02474-1.

Medeiros LS, Santos FH, Almeida AP, Alves DMO, Rocca RR, Tufik S, Ximenes-da-Silva A. Sex differences in the cognitive performance in adults: role of impaired sleep. Sleep Sci. 2022;15(1):17-25. doi: 10.5935/1984-0063.20210022.

Mediano O, Gonzáles Mangado N, Montserrat JM, Alonso-Álvarez ML, Almendros I, ... Togeiro SM, ... y el Spanish Sleep Network. International Consensus Document on Obstructive Sleep Apnea. Arch Bronconeumol. 2022;58:T52-T68. doi: 10.1016/j.arbres.2021.03.027.

Meira e Cruz M, Puertas J, Xerfan EMS, Tomimori J, Andersen ML. Botulinum Neurotoxin: could it change the way sleep looks like after cosmetic treatment? A focus on the polysomnographic traits. Sleep Vigilance. 2022;6:15-9. doi: 10.1007/s41782-021-00176-y.

Melo MB, Daldegan-Bueno D, Oliveira MGM, Souza AL. Beyond ANOVA and MANOVA for repeated measures: advantages of GEE and GLMM and its use in neuroscience research. Eur J Neurosci. 2022;56(12):6089-98. doi: 10.1111/ejn.15858.

Melo MC, Alves PE, Cecyn MN, Eduardo PMC, Abrahao KP. Development of eight wireless automated cages system with two lick-o-meters each for rodents. eNeuro. 2022;9(4): ENEURO.0526-21.2022. doi: 10.1523/ENEURO.0526-21.2022.

Minari ALA, Thomatieli-Santos RV. From skeletal muscle damage and regeneration to the hypertrophy induced by exercise: What is the role of different macrophages subsets? Am J Physiol Regul Integr Comp Physiol. 2022;322(1):R41-R54. doi: 10.1152/ajpregu.00038.2021.

Minari ALA, Avila F, Oyama LM, Santos RVT. Inflammatory response of the peripheral neuroendocrine system following downhill running. Cytokine. 2022;149:155746. doi: 10.1016/j.cyto.2021.155746.

Moraes DA, Machado RB, Koban M, Hoffman GE, Suchecki D. The Pituitary-Adrenal Response to Paradoxical Sleep Deprivation is similar to a psychological stressor, whereas the hypothalamic response is unique. Front Endocrinol. 2022;13:885909. doi: 10.3389/fendo.2022.885909.

Morelhão PK, Gobbi C, Christofaro DGD, Damato TM, Grande GHD, Frange C, Andersen ML, Tufik S, Franco MR, Pinto RZ. Bidirectional association between sleep quality and low back pain in older adults: a longitudinal observational study. Arch Phys Med Rehabil. 2022;103(8):1558-64. doi: 10.1016/j.apmr.2021.11.009.

Moreno CRC, Conway SG, Assis M, Genta PR, Pachito DV, Tavares-Jr A, Sguillar DA, Moreira G, Drager LF, Bacelar A. COVID-19 pandemic is associated with increased sleep disturbances and mental health symptoms but not help-seeking: a cross-sectional nation-wide study. Sleep Sci. 2022;15(1):1-7. doi: 10.5935/1984-0063.20220027.

Musse FCC, Castro LS, Mestre TF, Pelloso SM, Poyares D, Musse JLL, Carvalho MDB. Violência mental: ansiedade e depressão durante a pandemia de COVID-19 no Brasil. Saúde Pesq. 2022;15(1):e9684. doi: 10.17765/2176-9206.2022v15n1.e9684.

Myaki JY, Hosni ND, Pires GN, Andersen ML. Awareness of Animal Welfare and the Law among Undergraduate Students in a Brazilian Medical School. J Appl Anim Welf Sci. 2022;25(1):89-97. doi: 10.1080/10888705.2021.1968862.

Nascimento EB, Dierschnabel AL, Lima RH, Sousa MBC, Suchecki D, Silva RH, Ribeiro AM. Stress-related impairment of fear memory acquisition and disruption of risk assessment behavior in female but not in male mice. Behav Processes. 2022;199:104660. doi: 10.1016/j.beproc.2022.104660.

Nasre-Nasser RG, Severo MMR, Pires GN, Hort MA, Arbo BD. Effects of progesterone on preclinical animal models of Traumatic Brain Injury: systematic review and meta-analysis. Mol Neurobiol. 2022;59(10):6341-62. doi: 10.1007/s12035-022-02970-9.

Oliveira SD, Pinto RZ, Gobbi C, Fernandes GL, Dokkedal-Silva V, Lemes IR, Andersen ML, Tufik S, Lorenconi RMR, Morelhão PK. Sleep quality predicts functional disability in older adults with low back pain: A longitudinal study. J Appl Gerontol. 2022;41(11):2374-81. doi: 10.1177/07334648221113500.

Panjeh S, Pompeia S, Cogo-Moreira H. Probing different aspects of short and ill-timed sleep in adolescents using the Morningness-Eveningness Scale for Children. Chronobiol Int. 2022;39(3):333-45. doi: 10.1080/07420528.2021.1998104.

Paula TCS, Chagas C, Henrique AEG, Castro-Costa E, Lima-Costa MF, Ferri CP. Alcohol consumption among older adults: findings from the ELSI-Brazil study. Int J Geriatr Psychiatry. 2022;37(1). doi: 10.1002/gps.5655.

Pauluci R, Noto AR, Curado DF, Siqueira-Campos M Jr, Bezerra AG, Galduroz JCF. Omega-3 for the prevention of alcohol use disorder relapse: a placebo-controlled, randomized clinical trial. Front Psychiatry. 2022;13:826448. doi: 10.3389/fpsyt.2022.826448.

Perkins D, Opaleye ES, Simonova H, Bouso JC, Tófoli LF, Galvão-Coelho NL, Schubert V, Sarris J. Associations between ayahuasca consumption in naturalistic settings and current alcohol and drug use: Results of a large international cross-sectional survey. Drug Alcohol Rev. 2022;41(1):265-74. doi: 10.1111/dar.13348.

Pimentel Filho LH, Mutarelli EG. Diagnostic pitfalls in functional neurological disorders. Arq Neuropsiquatr. 2022;80(5 Suppl 1):324-327. doi: 10.1590/0004-282X-ANP-2022-S120.

Pinheiro BO, Andrade ALM, Lopes FM, Reichert RA, Oliveira WA, Silva AMB, De Micheli D. Association between quality of life and risk behaviors in Brazilian adolescents: An exploratory study. J Health Psychol. 2022;27(2):341-51. doi: 10.1177/1359105320953472.

Pino JMV, Nishiduka ES, da Luz MHM, Silva VF, Antunes HKM, Tashima AK, Guedes PLR, de Souza AAL, Lee KS. Iron-deficient diet induces distinct protein profile related to energy metabolism in the striatum and hippocampus of adult rats. Nutr Neurosci. 2022;25(2):207-18. doi: 10.1080/1028415X.2020.1740862.

Pinto VLS, El-Kadre G, Ramos HL, Pinto LB, Malfatti VDA, Araujo P, Xavier SD, Pires GN. Interest groups as an alternative for medical education in Sleep Medicine: experience report at a Brazilian medical school. Clocks Sleep. 2022;4(4):714-21. doi: 10.3390/clockssleep4040053.

Pluviano S, Watt C, Pompeia S, Ekuni R, Della Sala S. Forming and updating vaccination beliefs: does the continued effect of misinformation depend on what we think we know? Cogn Process. 2022;23(3):367-378. doi: 10.1007/s10339-022-01093-2.

Porcacchia AS, Moreira GA, Andersen ML, Tufik S. The use of resveratrol in the treatment of obstructive sleep apnea and cancer: a commentary on common targets. J Clin Sleep Med. 2022;18(1):333-4. doi: 10.5664/jcsm.9532.

Porcacchia AS, Câmara DAD, Andersen ML, Tufik S. Sleep disorders and prostate cancer prognosis: biology, epidemiology, and association with cancer development risk. Eur J Cancer Prev. 2022;31(2):178-89. doi: 10.1097/CEJ.0000000000000685.

Porcacchia AS, Ishikura IA, Hachul H, Andersen ML, Tufik S. Does obstructive sleep apnea increase the risk of breast cancer in women during and after menopause? J Clin Sleep Med. 2022;18(3):961-2. doi: 10.5664/jcsm.9784.

Porcacchia AS, Pires GN, Ortiz V, Andersen ML, Tufik S. Prostate cancer mortality and costs of prostate surgical procedures in the Brazilian public health system. Int Braz J Urol. 2022;48(3):583-90. doi: 10.1590/S1677-5538.IBJU.2021.0781.

Ribeiro PH, Reichert RA, Echeverria W, Silva R, Melão IP, Souza LS, Martins GG, De Micheli D. Insatisfação corporal: um estudo entre adolescentes brasileiros. Braz J Develop. 2022;8(2):10779-86. doi: 10.34117/bjdv8n2-154.

Rosa DS, Frias AT, Vilela-Costa HH, Junior AS, Sant'Ana AB, Fusse EJ, Suchecki D, Campos AC, Lovick TA, Zangrossi H Jr. Neonatal maternal deprivation facilitates the expression of a panic-like escape behavior in adult rats. Behav Brain Res. 2022;434:114031. doi: 10.1016/j.bbr.2022.114031.

Santos RA, Costa LH, Linhares RC, Pradella-Hallinan M, Coelho FMS, Oliveira GP. Sleep disorders in Down syndrome: a systematic review. Arq Neuropsiquiatr. 2022;80(4):424-43. doi: 10.1590/0004-282x-anp-2021-0242.

Segura IA, Cogo-Moreira H, Nouri A, Miranda MC, Pompeia S. Cross-country (Brazil and Iran) invariance of fractionation of executive functions in early adolescence. Preprint doi: 10.31234/osf.io/rjk9g. Disponível em: https://psyarxiv.com/rjk9g/

Silva MS, Poyares D, Ohayon MM, Silva LO, Souza KM, Andersen ML, Tufik S, Piovezan R. Associations of the severity of Obstructive Sleep Apnea with age-related comorbidities: a population-based study. Front Neurol. 2022;13:802554. doi: 10.3389/fneur.2022.802554.

Simionato NM, Rocha-Lopes JS, Machado RB, Suchecki D. Chronic rapid eye movement sleep restriction during juvenility has long-term effects on anxiety-like behaviour and neurotransmission of male Wistar rats. Pharmacol Biochem Behav. 2022;217:173410. doi: 10.1016/j.pbb.2022.173410.

Simonetti L, Silva MRD, Mello CB. Educational status, testosterone replacement, and intelligence outcomes in Klinefelter syndrome. Dement Neuropsychol. 2022;16(1):97-104. doi: 10.1590/1980-5764-dn-2021-0049.

Sitzia G, Abrahao KP, Liput D, Calandra GM, Lovinger DM. Distinct mechanisms of CB1 and $GABA_B$ receptor presynaptic modulation of striatal indirect pathway projections to mouse Globus Pallidus. BioRxiv preprint doi: 10.1101/2022.07.21.500979. Disponível em: https://www.biorxiv.org/content/10.1101/2022.07.21.500979v1

Sousa NMF, Tudesco ISS, Bolognani SAP, Batistela S, Bueno OFA. Random number generation and the ability of mentally reconstructing contexto in patients with organic amnesia. Dement Neuropsychol. 2022;16(1):19-27. doi: 10.1590/1980-5764-DN-2021-0021.

Souza CC, Vallim JRS, Neves ELA, Nunes PS, Costa IMPF, Barreto LCLS, Garcez CA, Araujo AAS. The impact of pain and nocturnal cramps on sleep quality in Charcot Marie Tooth disease: a case-control study. Sleep Sci. 2022;15(1):41-46. doi: 10.5935/1984-0063.20210025.

Souza CC, Vallim JRS, Neves ELA, Nunes PS, Costa IMPF, Barreto LCLS, Garcez CA, Araujo AAS. Effectiveness of a specific physical therapy program for Charcot-Marie-Tooth on sleep quality, pain perception, and nocturnal cramps: a pilot study. Sleep Sci. 2022;15(3):326-33. doi: 10.5935/1984-0063.20220058.

Souza HS, Melo CM, Piovezan RD, Miranda REEPC, Carneiro-Junior MA, Silva BM, Thomatieli-Santos RV, Tufik S, Poyares D, D'Almeida V. Resistance Training Improves Sleep and Anti-Inflammatory Parameters in Sarcopenic Older Adults: A Randomized Controlled Trial. Int J Environ Res Public Health. 2022;19(23):16322. doi: 10.3390/ijerph192316322.

Tempaku PF, Oliveira e Silva L, Guimarães TM, Vidigal TA, D'Almeida V, Andersen ML, Bittencourt L, Tufik S. The reproducibility of clinical OSA subtypes: a population-based longitudinal study. Sleep Breath. 2022;26(3):1253-63. doi: 10.1007/s11325-021-02470-5.

Toscano VG, Coelho FM, Prado GFD, Tufik S, Oliveira EML. Sleep disorders in multiple sclerosis: a case-control study using the São Paulo Epidemiologic sleep study (Episono) database. Arq Neuropsiquiatr. 2022;80(8):822-30. doi: 10.1055/s-0042-1755233.

Truksinas E, Frange C, da Paz G, Vago EL, Andersen ML, Tufik S, Coelho FMS. Circadian preference and stroke characteristics: A descriptive study. Chronobiol Int. 2022;39(5):644-52. doi: 10.1080/07420528.2021.2021228.

Tucker LB, Oyola MG, Suchecki D, Kokras N. Editorial: Animal Models of Anxiety and Depression: exploring the underlying mechanisms of sex differences. Front Behav Neurosci. 2022;16:961825. doi: 10.3389/fnbeh.2022.961825.

Tudor K, Maloney S, Raja A, Baer R, Blakemore SJ, Byford S, Crane C, Dalgleish T, De Wilde K, Ford T, Greenberg M, Hinze V, Lord L, Radley L, Opaleye ES, Taylor L, Ukoumunne OC, Viner R, The Myriad Team, Kuyken W, Montero-Marin J. Universal Mindfulness training in schools for adolescents: a scoping review and conceptual model of moderators, mediators

and implementation factors. Prev Sci. 2022;23(6):934-53. doi: 10.1007/s11121-022-01361-9.

Tufik S, Andersen ML, Rosa DS, Tufik SB, Pires GN. Effects of Obstructive Sleep Apnea on Sars-Cov-2 antibody response after vaccination against Covid-19 in older adults. Nat Sci Sleep. 2022;14:1203-12011. doi: 10.2147/NSS.S361529.

Tufik SB, Pires GN, Palombini L, Andersen ML, Tufik S. Prevalence of Upper Airway Resistance Syndrome in the São Paulo Epidemiologic Sleep Study. Sleep Med. 2022;91:43-50. doi: 10.1016/j.sleep.2022.02.004.

Vago EL, Frange C, Oliveira GP, Juliano ML, Machado MA, Coelho FMS. The association between sleep disturbances and tooth loss among post-stroke patients. Arq Neuropsiquiatr. 2022;80(2):173-9. doi: 10.1590/0004-282X-ANP-2020-0368.

Valente HB, Morelhão PK, Andersen ML, Tufik S, Vanderlei LCM. Sleep extension: a feasible strategy to reduce the risk of major adverse events. Sleep. 2022;45(10):zsac211. doi: 10.1093/sleep/zsac211.

Vallim JRS, Mello ECCR, Fagundes HG, Lima GS, Tsuji HMS, Xylaras BDP, Rosa AS, Demarzo M, D'Almeida V. Feasibility and the effects of an online mindfulness-based health promotion program on college students' sleep, circadian rhythms, and well-being: Protocol for a randomized trial [CIRCAMIND study]. Eur J Integr Med. 2022;51:102127. doi: 10.1016/j.eujim.2022.102127.

Varela-Calais P, Nicolicht P, Martin RP, Yamamoto J, D'Almeida V, Maria Martins A, Bosco Pesquero J. Functional characterization of novel variants found in patients with suspected Fabry disease. Clin Chim Acta. 2022;534:156-60. doi: 10.1016/j.cca.2022.07.012.

Wilson D, Oliveira DR, Palace-Berl F, Ponteciano BM, Rissatti LF, Pollizi VP, Miranda FS, D'Almeida V, Demarzo M. Fostering emotional self-regulation in female teachers at the public teaching network: A mindfulness-based intervention improving psychological measures and inflammatory biomarkers. Brain Behav Immun Health. 2022;21:100427. doi: 10.1016/j.bbih.2022.100427.

Xerfan EMS, Andersen ML, Tomimori J, Tufik S, Facina AS. Inflammatory bowel disease, skin and sleep: an overview of this complex interaction and associated issues. Inflamm Bowel Dis. 2022;28(1):e7-e8. doi: 10.1093/ibd/izab208.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. Sleep loss and the skin: possible effects of this stressful state on cutaneous regeneration during nocturnal dermatological treatment and related pathways. Dermatol Ther. 2022;35(2):e15226. doi: 10.1111/dth.15226.

Xerfan EMS, Facina AS, Tomimori J, Xavier SD, Tufik S, Andersen ML. Scleroderma and obstructive sleep apnea: a consideration of immunological aspects and the role of fibrosis. Sleep Breath. 2022;26(1):1-3. doi: 10.1007/s11325-021-02324-0.

Xerfan EMS, Facina AS, Tomimori J, Tufik S, Andersen ML. Sleep lines on the skin: an overview of possible causes beyond a purely mechanical etiology. Int J Dermatol. 2022;61(6):760-2. doi: 10.1111/ijd.16072.

Xerfan EMS, Morelhao PK, Arakaki FH, Facina AS, Tomimori J, Xavier SD, Tufik S, Andersen ML. Could melatonin have a potential adjuvant role in the treatment of the lasting anosmia associated with COVID-19? A review. Int J Develop Neurosci. 2022;82(6):465-70. doi: 10.1002/jdn.10208.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. Rosacea, poor sleep quality and obstructive sleep apnea: a commentary on potential interconnected features. J Cosmet Dermatol. 2022;21(10):4234-6. doi: 10.1111/jocd.14806.

Xerfan EMS, Sartor A, Samama M, Facina AS, Tomimori J, Andersen ML. Reproduction, Skin Aging and Sleep in Middle-Aged Women. Clin Dermatol. 2022;40(6):813-9. doi: 10.1016/j.clindermatol.2021.11.001.

Zonato AI, Rosa CFA, Oliveira L, Bittencourt L. Comparing CPAP masks during initial titration for Obstructive Sleep Apnea Syndrome: one-year experience. Braz J Otorhinolaryngol. 2022;88(Suppl.5):63-8. doi: 10.1016/j.bjorl.2021.10.007.

2021.....

Adamoli NA, Razzera BN, Ranheiri MF, Colferai RN, Russell TA, Noto AR, Oliveira MS. Mindfulness-Based Intervention Performed During Hemodialysis: an Experience Report. Trends Psychol. 2021;29(2):320-340. doi: 10.1007/s43076-020-00058-8.

Aguilar ACR, Frange C, Huebra L, Gomes ACD, Tufik S, Coelho FMS. The effects of the COVID-19 pandemic on patients with narcolepsy. J Clin Sleep Med. 2021;17(4):621-7. doi: 10.5664/jcsm.8952.

Alves EDS, Dos Santos RVT, de Lira FS, Almeida AA, Edwards K, Benvenutti M, Tufik S, De Mello MT. Effects of intensity-matched exercise at different intensities on inflammatory responses in able-bodied and spinal cord injured individuals. J Spinal Cord Med. 2021;44(6):920-30 doi: 10.1080/10790268.2020.1752976.

Amato TC, Opaleye ES, McBride N, Noto AR. Reducing alcohol-related risks among adolescents: a feasibility study of the SHAHRP program in Brazilian schools. Ciênc Saúde Colet. 2021;26(8):3005-18. doi: 10.1590/1413-81232021268.13472020.

Andersen ML, Poyares D, Tufik S. Insomnia and cardiovascular outcomes. Sleep Sci. 2021;14(1):1-2. doi: 10.5935/1984-0063.20200109.

Andrade ALM, Kim D-J, Enumo S, Scatena A, De Micheli D. Validity and reliability of the Brazilian version of the Smartphone Addiction Scale – Long Version (SAS-LV). Trends Psychol. 2021;29(2):302-19. doi: 10.1007/s43076-020-00046-y.

Andrade ALM, Scatena A, Bedendo A, Enumo SRF, Dellazzana-Zanon LL, Prebianchi HB, De Micheli D. Internet addiction among Brazilan students: prevalence and association with emotional problems. Universitas Psychol. 2021;20:1-15. doi: 10.11144/Javeriana.upsy20.iabs.

Antonio BB, Lee KS, Domingues LP, Daldegan-Bueno D, Ferreira TL, Kramer-Soares JC, Oliveira MGM. Decrease of ARC protein expression in the striatum after tone fear conditioning. Rev Neurosci. 2021;29:1-22. doi: 10.34024/rnc.2021.v29.11344.

Arakaki FH, Xerfan EMS, Galduroz JCF, Tufik S, Andersen ML. Could PCSO-524® be a potential adjuvant treatment to sleep therapy in the management of depression? Psychiatry Res. 2021;295:113590. doi: 10.1016/j.psychres.2020.113590.

Araujo P, Polesel DN, Hachul H, Bittencourt LRA, Tufik S, Andersen ML. Oxygen saturation during sleep as a predictor of inflammation in anovulatory women. Sleep Breath. 2021;25(3):1247-55. doi: 10.1007/s11325-020-02233-8.

Arruda MV, Silva AC, Galduroz JC, Galduroz RF. Standardization for obtaining blood viscosity: a systematic review. Eur J Haematol. 2021; 106(5):597-605. doi: 10.1111/ejh.13594.

Bariani RCB, Guimarães TM, Moura W, Cappellette Junior M, Tufik S, Moreira GA, Fujita RR. Quality of life related to residual snoring after adenotonsillectomy: a pilot study. Sleep Sci. 2021;14(4):330-6. doi: 10.5935/1984-0063.20200093

Becegato M, Meurer YSR, Paiva-Santos MA, Lima AC, Marinho GF, Bioni VS, Soares MBL, Leão AHFF, Suchecki D, Silva RH. Impaired discriminative avoidance and increased plasma corticosterone levels induced by vaginal lavage procedure in rats. Physiol Behav. 2021;232: 113343. doi: 10.1016/j.physbeh.2021.113343.

Bittencourt L, Javaheri S, Servantes DM, Kravchychyn ACP, Almeida DR, Tufik S. In patients with heart failure, enhanced ventilatory response to exercise is associated with severe obstructive sleep apnea. J Clin Sleep Med. 2021;17(9):1875-80. doi: 10.5664/jcsm.9396.

Borges CR, Piovezan RD, Poyares DR, Busatto Filho G, Studart-Neto A, Coutinho AM, Tufik S, Nitrini R, Brucki SM. Subjective sleep parameters in prodromal Alzheimer's disease: a case-control study. Braz J Psychiatry. 2021;43(5):510-3. doi: 10.1590/1516-4446-2020-1503.

Bortolli C, Andersen ML, Tufik S, Hachul H. The Potential of Black Cohosh in the Treatment of Depression and Anxiety Due to Menopause: An Effective and More Natural Solution? Altern Ther Health Med. 2021;27(Suppl.1):88-89. ISSN: 1078-6791.

Campanholo MAT, Caparroz FA, Stefanini R, Haddad L, Bittencourt LRA, Tufik S, Haddad FLM. Dysphagia in patients with moderate and severe obstructive sleep apnea. Braz J Otorhinolaryngol. 2021;87(4):422-7. doi: 10.1016/j.bjorl.2019.10.004.

Careaga MBL, Girardi CEN, Suchecki D. Propranolol failed to prevent severe stress-induced long-term behavioral changes in male rats. Progr Neuropsychopharmacol Biol Psychiatr. 2021;108:110079. doi: 10.1016/j.pnpbp.2020.110079.

Ceschim VC, Sumarán P, Borges AA, Girardi CEN, Suchecki D. Maternal deprivation during early infancy in rats increases oxytocin immunoreactivity in females and corticosterone reactivity to a social test in both sexes without changing emotional behaviour. Horm Behav. 2021;129:104928. doi: 10.1016/j.yhbeh.2021.104928.

Céspedes IC, Ota VK, Mazzotti DR, Wscieklica T, Conte R, Galduroz JCF, Varela P, Pesquero JB, Souza-Formigoni MLO. Association between polymorphism in gene related to the dopamine circuit and motivations for drinking in patients with alcohol use disorder. Psychiatry Res. 2021;295:113563. doi: 10.1016/j.psychres.2020.113563.

Chagas C, Paula TC, Galduroz JCF. A linguagem e o estigma: os termos utilizados na área de álcool e outras drogas. Epidemiol Serv Saúde. 2021;30(1): e:2020921. doi: 10.1590/s1679-49742021000100024.

Chaggar G, Sutherland K, Han F, Fietze I, Penzel T, Benediktsdóttir B, Gislason T, Magalang U, Pack AI, Singh B, McArdle N, Bittencourt L, Li QY, Chen NH, de Chazal P, Cistulli PA, Bin YS; SAGIC Investigators. Is snoring during pregnancy a predictor of later life obstructive sleep apnoea? A case-control study. Sleep Med. 2021;79:190-94. doi: 10.1016/j.sleep.2020.10.023.

Contó MB, Dos Santos NB, Munhoz CD, Marcourakis T, D'Almeida V, Camarini R. Exposure to running wheels prevents ethanol rewarding effects: the role of CREB and deacetylases SIRT-1 and SIRT-2 in the nucleus accumbens and prefrontal córtex. Neuroscience. 2021;469:125-37. doi: 10.1016/j.neuroscience.2021.06.029.

Costa AJ, Erustes AG, Sinigaglia R, Girardi CEN, Pereira GJS, Ureshino RP, Smaili SS. Lack of autophagy induction by lithium decreases neuroprotective effects in the striatum of aged rats. Pharmaceutics. 2021;13(2):135. doi: 10.3390/pharmaceutics13020135.

Coutinho-Lourenço F, Pompeia S, Cogo-Moreira H. On Item Response Theory Models in Allostatic Load Scoring. Compr Psychoneuroendocrinol. 2021;6:100042. doi: 10.1016/j.cpnec.2021.100042.

Dalla Vecchia M, Lima Junior JM, Silva EAD, Ronzani TM. Regional Reference Centers: analysis of the national implementation of training processes on alcohol and other drugs. Ciencia Saude Colet. 2021;26(suppl 3):4981-91. doi: 10.1590/1413-812320212611.3.21682019.

Dantas JGT, de Micheli D. The favela where I live: the territory from the perspective of young people. Ciênc Saúde Colet. 2021;26(7):2769-82. doi: 10.1590/1413-81232021267.07552021.

De Melo CM, Quaresma MVLS, Del Re MP, Ribeiro SML, Antunes HKM, Togeiro SM, Tufik S, De Mello MT. One-month of a low-energy diet, with no additional effect of high-protein, reduces Obstructive Sleep Apnea Severity and improve metabolic parameters in obese males. Clin Nutr ESPEN. 2021;42:82-9. doi: 10.1016/j.clnesp.2020.12.028.

De Micheli D, Andrade ALM, Galduroz JC. Editorial. Limitations of DSM-5 diagnostic criteria for substance use disorder in adolescents: what have we learned after using these criteria for several years? Braz J Psychiatry. 2021;43(4):349-50. doi: 10.1590/1516-4446-2020-1151.

Dokkedal-Silva V, Oliveira MGM, Galduroz JCF, Tufik S, Andersen ML. The effect of sleep medications on prospective and retrospective memory: a population-based study. Progr Neuropsychopharmacol Biol Psychiatr. 2021;104:110043. doi: 10.1016/j.pnpbp.2020.110043.

Dokkedal-Silva V, Fernandes GL, Morelhão PK, Pires GN, Rowlett JK, Galduroz JCF, Berro LF, Tufik S, Andersen ML. Sleep, psychiatric and socioeconomic factors associated with substance use in a large population sample: a cross-sectional study. Pharmacol Biochem Behav. 2021;210:173274. doi: 10.1016/j.pbb.2021.173274.

Dornellas APS, Macedo GC, McFarland MH, Gómez-A A, O'Buckley TK, Da Cunha C, Morrow AL, Robinson DL. Allopregnanolone Decreases Evoked Dopamine Release Differently in Rats by Sex and Estrous Stage. Front Pharmacol. 2021;11:608887. doi: 10.3389/fphar.2020.608887.

Ejnisman B, Andreoli CV, Belangero P, Komatsu WR, Hipolide DC, Pochini AC. Electromyography of the pectoralis major muscle after surgical reconstruction of chronic tendon rupture. Rev Bras Ortop (São Paulo). 2021;56(1):31-35. doi: 10.1055/s-0040-1713387.

Eserian JK, Chagas JR, Galduroz JCF. Drug-related problems following use of clonazepam oral drops. Prim Care Companion CNS Disord. 2021;23(5):20br02837. doi: 10.4088/PCC.20br02837.

Feldberg SCF, Cardoso TSG, Santos FH, Muszkat M, Bueno OFA, Mello CB. Numerical cognition in children with cerebral palsy. Res Dev Disabil. 2021;119:104086. doi: 10.1016/j.ridd.2021.104086.

Fernandes IMC, Morelhão PK, Hisamatsu TM, Diniz TA, Gerosa-Neto J, Panissa VLG, Lira FS, Pinto RZ. Assessment of aerobic fitness in individuals with and without nonspecific chronic low back pain: a pilot study. Int J Rehabil Res. 2021;44(1):24-31. doi: 10.1097/MRR.0000000000000442.

Ferrari G, Werneck AO, Silva DR, Kovalskys I, Gómez G, Rigotti A, Cortés LY, García MY, Liria M, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Cristi-Montero C, Marques A, Peralta M, Bolados CC, Leme ACB, Rollo S, Fisberg M; ELANS Study Group. Agreement Between Self-Reported and Device-Based Sedentary Time among Eight Countries: Findings from the ELANS. Prev Sci. 2021;22(8):1036-1047. doi: 10.1007/s11121-021-01206-x.

Ferreira CLP, Castelo PM, Zanato LE, Poyares D, Tufik S, Bommarito S. Relation between orofacial thermographic findings and myofunctional characteristics in patients with obstructive sleep apnea. J Oral Rehabil. 2021;48(6):720-9. doi: 10.1111/joor.13163.

Ferreira NY, Nascimento CC, Pereira VG, Oliveira F, Medalha CC, Silva VC, D'Almeida V. Biomechanical and histological characterization of MPS I mice femurs. Acta Histochem. 2021;123(2):151678. doi: 10.1016/j.acthis.2020.151678.

Freitas RS, Coutinho-Lourenco F, Cogo-Moreira H, Oliveira A, Pompeia S. Associating puberty, metabolism and cognition. PsyArXiv, 2021 June 17, PrePrint doi: 10.31234/osf.io/stwcz.

Gallo GG, Curado DF, Opaleye ES, Donate APG, Scattone VV, Noto AR. Impulsivity and Mindfulness among Inpatients with Alcohol Use Disorder. Subst Use Misuse. 2021;56(1):25-32. doi: 10.1080/10826084.2020.1833924.

Galvani MG, Antunes HKM, Mônico-Neto M, Yujra VQ, Prado CM, Quintana HT, Oliveira F, Ribeiro DA. Sleep deprivation interferes with JAK/STAT signaling pathway and myogenesis in masseter muscle of rats. Med Princ Pract. 2021;30:253–261. doi: 10.1159/000515307.

Germano NDG, Cogo-Moreira H, Coutinho-Lourenço F, Bortz G. A new approach to measuring absolute pitch on a psychometric theory of isolated pitch perception: Is it disentangling specific groups or capturing a continuous ability? PLoS ONE. 2021;16(2):e0247473. doi: 10.1371/journal.pone.0247473.

Gonçalves MF, Bedendo A, Andrade ALM, Noto AR. Factors associated with adherence to a web-based alcohol intervention among college students. Estud Psicol (Campinas). 2021;38:e190134. doi: 10.1590/1982-0275202138e190134.

Guimarães TM, Poyares D, Oliveira E Silva L, Luz G, Coelho G, Fabbro CD, Tufik S, Bittencourt L. The treatment of mild OSA with CPAP or mandibular advancement device and the effect on blood pressure and endothelial function after one year of treatment. J Clin Sleep Med. 2021;17(2):149-58. doi: 10.5664/jcsm.8822.

Hachul H, Castro LS, Bezerra AG, Pires GN, Poyares D, Andersen ML, Bittencourt LR, Tufik S. Hot flashes, insomnia, and the reproductive stages: a cross-sectional observation of women from the EPISONO study. J Clin Sleep Med. 2021;17(11):2257-67. doi: 10.5664/jcsm.9432.

Henn L, Zanta NC, Girardi CEN, Suchecki D. Chronic Escitalopram Treatment Does Not Alter the Effects of Neonatal Stress on Hippocampal BDNF Levels, 5-HT $_{1A}$ Expression and Emotional Behaviour of Male and Female Adolescent Rats. Mol Neurobiol. 2021;58(3):926-943. doi: 10.1007/s12035-020-02164-1.

Ishikura IA, Moreira G, Tufik S, Andersen ML. Sleep in children with Eosinophilic Esophagitis. World J Pediatr. 2021;17(2):111-114. doi: 10.1007/s12519-020-00408-7.

Ishikura IA, Rosa DS, Hachul H, Pires GN, Tufik S, Andersen ML. Sleep deficit in COVID-19 health-care workers may increase the infection risk. Scand J Public Health. 2021;49(7):697-9. doi: 10.1177/14034948211007679.

Ishikura IA, Galduroz JCF, Tufik S, Andersen ML. Nightmares and Covid-19: a possible increase in suicide attempts. Dreaming. 2021;31(3):225-8. doi: 10.1037/drm0000175.

Julião BO, Toledo Piza C, Mello CB. Escala de sondagem do desenvolvimento neuropsicomotor e de habilidades acadêmicas para o Ensino Fundamental I: percepção de professores. Ensaio: Aval Pol Públ Educ. 2021;29(112):761-82. doi: 10.1590/s0104-40362020002802036.

Kim LJ, Shin MK, Pho H, Otvos L Jr, Tufik S, Andersen ML, Pham LV, Polotsky VY. Leptin Receptor Blockade Attenuates Hypertension, but Does Not Affect Ventilatory Response to Hypoxia in a Model of Polygenic Obesity. Front Physiol. 2021;12:688375. doi: 10.3389/fphys.2021.688375.

Kravchychyn ACP, Campos RMS, Oliveira-Silva L, Ferreira YAM, Corgosinho FC, Masquio DCL, Vicente SECF, Oyama LM, Tock L, De Mello MT, Tufik S, Thivel D, Dâmaso AR. Adipocytokine and appetite-regulating-hormones response to weight loss in adolescents with obesity: impact of weight loss magnitude. Nutrition. 2021;87-88:111188. doi: 10.1016/j.nut.2021.111188.

Lima GZS, Targa ADS, Cavalcante SF, Rodrigues LS, Fontenele-Araújo J, Torterolo P, Andersen ML, Lima MMS. Disruption of neocortical synchronisation during slow-wave sleep in the rotenone model of Parkinson's disease. J Sleep Res. 2021;30(3):e13170. doi: 10.1111/jsr.13170.

Lucena LR, Santos-Junior JGD, Tufik S, Hachul H. Lavender essential oil on postmenopausal women with insomnia: double-blind randomized trial. Complement Ther Med. 2021;59:102726. doi: 10.1016/j.ctim.2021.102726.

Lucena LR, Loyola VT, Bortolli CL, Andersen ML, Tufik S, Hachul H. Effects of Supplementation with Lactobacillus Probiotics on Insomnia Treatment. Altern Ther Health Med. 2021 Jun;27(Suppl.1):178-184.

Lúcio PS, Lourenço FC, Cogo-Moreira H, Bandalos D, de Carvalho CAF, Kida ASB, de Ávila CRB. Reading Comprehension Tests for Children: Test Equating and Specific Age-Interval Reports. Front Psychol. 2021;12:662192. doi: 10.3389/fpsyg.2021.662192.

Maia LO, Carvalho RK, Martins JS, Lavers MPN, Sousa PV, Lião LM, Andersen ML, Costa MFO, Mazaro-Costa R. Antispermatogenic effects of Cheiloclinium cognatum (Celastraceae). Rev Bras Plantas Med. 2021/2018;20:346-54. ISSN: 1983-084X.

Mano-Sousa BJ, Pedrosa AM, Alves BC, Galduroz JCF, Belo VS, Chaves VE, Duarte-Almeida JM. Effects of Risperidone in autistic children and young adults: a systematic review and meta-analysis. Curr Neuropharmacol. 2021;19(4):538-52. doi: 10.2174/1570159X18666200529151741.

Marques CG, Dos Santos Quaresma MVL, Nakamoto FP, Magalhães ACO, Lucin GA, Thomatieli-Santos RV. Does modern lifestyle favor neuroimmunometabolic changes? A path to obesity. Front Nutr. 2021;8:705545. doi: 10.3389/fnut.2021.705545.

Martins GC, Vieira VLD, Pinetti FL, Arruda AD, Oikawa KF, Mello CB. Psicoterapia online para idosos com sintomas depressivos em distanciamento físico: relato de uma experiência. Rev Bras Psicoter. 2021;23(1):59-72. Doi: 10.5935/2318-0404.20210006.

Melo MB, Oliveira MGM, Favaro VM. The dorsal subiculum is not necessary for step-through inhibitory avoidance acquisition and consolidation in rats. Behav Neurosci. 2021;135(6):714-20. doi: 10.1037/bne0000485.

Molska GR, Paula-Freire LIG, Sakalem ME, Köhn DO, Negri G, Carlini EA, Mendes FR. Green coffee extract attenuates Parkinson's-related behaviors in animal models. An Acad Bras Ciencia. 2021;93(suppl 4):e20210481. doi: 10.1590/0001-3765202120210481.

Mônico-Neto M, Lee KS, Luz MHM, Pino JMV, Ribeiro DA, Cardoso CM, Le Sueur-Maluf L, Tufik S, Antunes HKM. Histopathological changes and oxidative damage in type I and type II muscle fibers in rats undergoing paradoxical sleep deprivation. Cell Signal. 2021;81:109939. doi: 10.1016/j.cellsig.2021.109939.

Morelhão PK, Fernandes GL, Dokkedal-Silva V, Pires GN, Tufik S, Andersen ML. Musculoskeletal pain during the night and its relationship to sleep quality and poor sleep perception among older adults. Sleep Epidemiol. 2021;1:100006. doi: 10.1016/j.sleepe.2021.100006.

Morin CM, Inoue Y, Kushida C, Poyares D, Winkelman J, Guidelines Committee Members, on behalf of the Governing Council of the World Sleep Society. Endorsement of European guidelines for the diagnosis and treatment of insomnia by the World Sleep Society. Sleep Med. 2021;81:124-6. doi: 10.1016/j.sleep.2021.01.023.

Nakayama LF, Tempaku PF, Bergamo VC, Polizelli MU, Cruz NFS, Bittencourt LRA, Regatieri CVS. Obstructive Sleep Apnea and the Retina: A Review. J Clin Sleep Med. 2021;17(9):1947-52. doi: 10.5664/jcsm.9312.

Nascimento CC, Aguiar O Jr, Viana GM, D'Almeida V. Morphological damage in Sertoli, myoid and interstitial cells in a mouse model of mucopolysaccharidosis type I (MPS I). Mol Biol Rep. 2021;48(1):363-370. doi: 10.1007/s11033-020-06055-5.

Naufel MF, Pedroso AP, Oyama LM, Telles MM, Hachul H, Ribeiro EB. Preliminary evidence of acylated ghrelin association with depression severity in postmenopausal women. Sci Rep. 2021;11(1):5319. doi: 10.1038/s41598-021-84431-2.

Nouri A, Esmaeili F, Seyedi H, Rezaeian S, Panjeh S, Cogo-Moreira H, Pompeia S. Factor structure and psychometric properties of the Persian versions of the Pediatric Daytime Sleepiness Scale and Morningness–Eveningness Scale for Children. J Educ Health Promot. 2021;10(1):343. doi: 10.4103/jehp.jehp_260_21.

Oliveira DL, Dokkedal-Silva V, Fernandes GL, Kim LJ, Tufik S, Andersen ML. Sleep duration as an independent factor associated with vitamin D levels in the EPISONO cohort. J Clin Sleep Med. 2021;17(12):2439-49. doi: 10.5664/jcsm.9452.

Oliveira DR, Wilson D, Palace-Berl F, Ponteciano BM, Rissatti LF, Miranda FS, Pollizi VP, Fuscella JC, Terzi AM, Lepique AP, D'Almeida V, Demarzo M. Mindfulness meditation training effects on quality of life, immune function and glutathione metabolism in service healthy female teachers: A randomized pilot clinical trial. Brain Behav Immun Health. 2021;18:100372. doi: 10.1016/j.bbih.2021.100372.

Oliveira GP, Elias RM, Fernandes GBP, Moyses R, Tufik S, Bichuetti DB, Coelho FMS. Decreased concentration of klotho and increased concentration of FGF23 in the cerebrospinal fluid of patients with narcolepsy. Sleep Med. 2021;78:57-62. doi: 10.1016/j.sleep.2020.11.037.

Oliveira WA, Andrade ALM, Souza VLT, De Micheli D, Fonseca LMM, Andrade LS, Silva MAI, Santos MA. COVID-19 pandemic implications for education and reflections for school psychology. Psicol Teor Prát. 2021;23(1):1–26. doi:10.5935/1980-6906/ePTPC1913926.

Oliveira e Silva L, Guimarães TM, Luz GP, Coelho G, Badke LN, Dal Fabbro C, Tufik S, Bittencourt L, Togeiro S. The effects of continuous positive airway pressure and mandibular

advancement therapy on metabolic outcomes of patients with mild obstructive sleep apnea: a randomized controlled study. Sleep Breath. 2021;25(2):797-805. doi: 10.1007/s11325-020-02183-1.

Ota SM, Kong X, Hut R, Suchecki D, Meerlo P. The impact of stress and stress hormones on endogenous clocks and circadian rhythms. Front Neuroendocrinol. 2021;63:100931. doi: 10.1016/j.yfrne.2021.100931.

Paiva JPQ, Bueno APA, Santos Corrêa M, Oliveira MGM, Ferreira TL, Fornari RV. The posterior insular cortex is necessary for the consolidation of tone fear conditioning. Neurobiol Learn Mem. 2021;179:107402. doi: 10.1016/j.nlm.2021.107402.

Palombo P, Engi SA, Yokoyama TS, Bezerra AG, Curado DF, Anésio A, Leão RM, de Lima Santos PCJ, Cruz FC, Galduroz JCF. Effects of Biperiden (cholinergic muscarinic M1/M4 receptor antagonist) on ethanol conditioned place preference in mice. Neurosci Lett. 2021;745:135551. doi: 10.1016/j.neulet.2020.135551.

Pandi-Perumal SR, Vaccarino SR, Chattu VK, Zaki NFW, BaHammam AS, Manzar D, Maestroni GJM, Suchecki D, Moscovitch A, Zizi F, Jean-Louis G, Narasimhan M, Ramasubramanian C, Trakht I, Seeman MV, Shneerson JM, Maes M, Reiter RJ, Kennedy SH. 'Distant socializing,' not 'social distancing' as a public health strategy for COVID-19. Pathog Glob Health. 2021;115(6):357-64. doi: 10.1080/20477724.2021.1930713.

Panjeh S, Pompeia S, Archer SN, Pedrazzoli M, von Schantz M, Cogo-Moreira H. What are we measuring with the morningness–eveningness questionnaire? Exploratory factor analysis across four samples from two countries. Chronobiol Int. 2021;38(2):234-47. doi: 10.1080/07420528.2020.1815758.

Passeron T, Zouboulis CC, Tan J, Andersen ML, Katta R, Lyu X, Aguilar L, Kerob D, Morita A, Krutmann J, Peters EMJ. Adult skin acute stress responses to short-term environmental and internal aggression from exposome factors. J Eur Acad Dermatol Venereol. 2021;35(10):1963-75. doi: 10.1111/jdv.17432.

Paula TCS, Chagas C, Noto AR, Formigoni MLOS, Pereira TV, Ferri CP. Brief interventions for older adults (BIO) delivered by non-specialist community health workers to reduce at-risk drinking in primary care: a study protocol for a randomised controlled trial. BMJ Open 2021;11:e043918. doi:10.1136/bmjopen-2020-043918.

Pedemonte M, Brockmann P, DelRosso LM, Andersen ML. Past, present and future of sleep medicine research in Latin America. J Clin Sleep Med. 2021;17(5):1133-9. doi: 10.5664/jcsm.9152.

Pereira GC, Mônico Neto M, Antunes HKM, Lee KS, da Luz MHM. Anesthesia can alter the levels of corticosterone and the phosphorylation of signaling molecules. BMC Res Notes. 2021;14(1):363. doi: 10.1186/s13104-021-05763-w.

Perrone E, Perez ABA, D'Almeida V, de Mello CB, Jacobina MAA, Loureiro RM, Burlin S, Migliavacca M, do Amaral Virmond L, Graziadio C, Pedroso JL, Mendes EL, Gomy I, de Macena Sobreira NL. Clinical and molecular evaluation of 13 Brazilian patients with Gomez-López-Hernández syndrome. Am J Med Genet A. 2021;185A:1047–1058. doi: 10.1002/ajmg.a.62059.

Perrone E, Burlin S, D'Almeida V, Perez ABA, Sobreira NLM, Procaci VR, Jacobina MAA, Barsottini OG, Pedroso JL. Teaching NeuroImages: Trigeminal ganglia hypoplasia as imaging clue for the diagnosis of Gómez-López-Hernández syndrome. Neurology. 2021;96(11):e1593-e1594. doi: 10.1212/WNL.0000000000011158.

Pires GN, Bezerra AG, Oliveira TB, Chen SFI, Malfatti VDA, Mello VFF, Niyama A, Pinto VLS, Andersen ML, Tufik S. COVID-19 meta-analyses: A scoping review and quality assessment. Einstein (São Paulo). 2021;19:eAO6002. doi: 10.31744/einstein_journal/2021AO6002.

Pires GN, Niyama A, Andersen ML, Tufik S. Publication of meta-analyses in sleep medicine: a scoping review. J Clin Sleep Med. 2021;17(4):811-7. doi: 10.5664/jcsm.9044.

Pires GN, Ishikura IA, Xavier SD, Petrella C, Piovezan RD, Xerfan EMS, Andersen ML, Tufik S. Sleep in older adults and its possible relations with COVID-19. Front Aging Neurosci. 2021;13:647875. doi: 10.3389/fnagi.2021.647875.

Pires GN, Niyama A, Andersen ML, Tufik S. High Quality Research is Needed in Sleep Medicine, Regardless of the Methodological Design. J Clin Sleep Med. 2021;17(9):1963-4. doi: 10.5664/jcsm.9406.

Pires GN, Oliveira TB, Mello VFF, Bezerra AG, Leenaars CHC, Ritskes-Hoitinga M, Tufik S, Andersen ML. Effects of sleep deprivation on maternal behaviour in animal models: a systematic review and meta-analysis. J Sleep Res. 2021;30(5):e13333. doi: 10.1111/jsr.13333.

Pires GN, Benedetto L, Cortese R, Gozal D, Gulia KK, Kumar VM, Tufik S, Andersen ML. Effects of sleep modulation during pregnancy in the mother and offspring: Evidences from preclinical Research. J Sleep Res. 2021;30(3):e13135. doi: 10.1111/jsr.13135.

Polesel DN, Nozoe KT, Bittencourt L, Tufik S, Andersen ML, Fernandes MTB, Hachul H. Waist-to-height ratio and waist circumference as the main measures to evaluate obstructive sleep apnea in the woman's reproductive life stages. Women Health. 2021;61(3):277-288. doi: 10.1080/03630242.2020.1862386.

Porcacchia AS, Pires GN, Ortiz V, Andersen ML, Tufik S. Highlighting the relationship between prostate cancer and obstructive sleep apnea: a comment on recent meta-analyses. Sleep Med. 2021;86:120-1. doi: 10.1016/j.sleep.2021.07.039.

Porcacchia AS, Andersen ML, Tufik S. Prostate cancer and Sars-CoV-2: possible intersections through the TMPRSS2 pathway. Eur J Cancer Prev. 2021;30(6):481-3. doi: 10.1097/CEJ.0000000000000696.

Pozzi R, Fernandes L, Silva VC, D'Almeida V. Nandrolone decanoate and resistance exercise affect body composition and energy metabolism. Steroids. 2021;174:108899. doi: 10.1016/j.steroids.2021.108899.

Qin H, Keenan BT, Mazzotti DR, Vaquerizo-Villar F, Kraemer JF, Wessel N, Tufik S, Bittencourt L, Cistulli PA, de Chazal P, Sutherland K, Singh B, Pack AI, Chen NH, Fietze I, Gislason T, Holfinger S, Magalang UJ, Penzel T. Heart rate variability during wakefulness as a marker of Obstructive Sleep Apnea severity. Sleep. 2021;44(5):zsab018. doi: 10.1093/sleep/zsab018.

Quaresma MVS, Marques CG, Nakamoto FP. Effects of diet interventions, dietary supplements, and performance-enhancing substances on the performance of CrossFit-trained individuals: A systematic review of clinical studies. Nutrition. 2021;82:110994. doi: 10.1016/j.nut.2020.110994.

Quaresma MVS, Marques CG, Magalhães ACO, Dos Santos RVT. Emotional eating, binge eating, physical inactivity, and vespertine chronotype are negative predictors of dietary practices during COVID-19 social isolation: A cross-sectional study. Nutrition. 2021;90:111223. doi: 10.1016/j.nut.2021.111223.

Quaresma MVLS, Campos R, Tavares-Silva E, Marques CG, Thomatieli-Santos RV. Effect of acute caffeine supplementation before intermittent high-intensity exercise on cytokine levels and psychobiological parameters: A randomized, cross-over, placebo-controlled trial. Cytokine. 2021;155583. doi: 10.1016/j.cyto.2021.155583.

Reichert RA, Andrade ALM, Scatena A, De Micheli D. Mental health and substance use among adolescents during the COVID-19 pandemic: a mini review. Psychol & Psychol Res Int J. 2021;6(3):000287. doi: 10.23880/pprij-16000287.

Ribeiro PH, Andrade ALM, Reichert RA, Scatena A, De Micheli D. The cultural adaptation and psychometric properties of the Selfitis Behavior Scale: cross-sectional study in Brazilian adolescentes. Scielo preprint 2021 November 22: 10.1590/SciELOPreprints.3230.

Rivero TS, Pereira DA, Schultz RC, Marengo L, Bueno OFA. The effects of reward and experience valence in a videogame-task designed to evaluate response inhibition. Cuadernos Neuropsicol. 2021;15(2):135-49. doi: 10.7714/CNPS/15.2.211.

Rodrigues Filho JC, Neves DD, Moreira GA, Viana ADC Jr, Araújo-Melo MH. Nocturnal oximetry in the diagnosis of obstructive sleep apnea syndrome in potentially hypoxic patients due to neuromuscular diseases. Sleep Med. 2021;84:127-33. doi: 10.1016/j.sleep.2021.05.009.

Sarris J, Perkins D, Cribbb L, Schubert V, Opaleye E, Bouso JC, Scheidegger M, Aicher H, Simonova H, Horák M, Galvão-Coelho NL, Castle D, Tófoli LF. Ayahuasca use and reported effects on depression and anxiety symptoms: An international cross-sectional study of 11,912 consumers. J Affect Disord Rep. 2021;4:100098. doi: 10.1016/j.jadr.2021.100098.

Sartor A, Xerfan EMS, Samama M, Andersen ML. Sleep, cosmetic skin treatments and assisted reproduction in advanced age women: a possible triad of interaction. Exp Dermatol. 2021;30(11):1719-20. doi: 10.1111/exd.14383.

Schaub MP, Tiburcio M, Martínez-Vélez N, Ambekar A, Bhad R, Wenger A, Baumgartner C, Padruchny D, Osipchik S, Poznyak V, Rekve D, Moraes FL, Andrade ALM, Souza-Formigoni MLO, WHO E-Health Project On Alcohol And Health Investigators Group. The effectiveness of a web-based self-help program to reduce alcohol use among adults with drinking patterns considered harmful, hazardous, or suggestive of dependence in four low-and middle-income countries: randomized controlled trial. J Med Internet Res. 2021;23(8):e21686. doi: 10.2196/21686.

Segura IA, McGhee J, Della Sala S, Cowan N, Pompeia S. A reappraisal of acute doses of benzodiazepines as a model of anterograde amnesia. Hum Psychopharmacol Clin Exp. 2021;36:e2774. doi: 10.1002/hup.2774.

Segura IA, Pompeia S. Feasibility of Remote Performance Assessment Using the Free Research Executive Evaluation Test Battery in Adolescents. Front Psychol. 2021;12:723063. doi: 10.3389/fpsyg.2021.723063.

Silveira KM, Assumpção F, Andrade ALM, De Micheli D, Lopes FM. Relação das dependências física, psicológica e comportamental na cessação do tabagismo. Contextos Clín. 2021;14(2):540-62. doi: 10.4013/ctc.2021.142.08.

Simonetti L, Ferreira LGA, Vidi AC, Souza JS, Kunii IS, Melaragno MI, Mello CB, Carvalheira G, Da Silva MRD. Intelligence quotient variability in Klinefelter Syndrome is associated with GTPBP6 expression under regulation of X-Chromosome inactivation pattern. Front Genet. 2021;12:724625. doi: 10.3389/fgene.2021.724625.

Suchecki D, Souza-Talarico JN, Hamani C, Olivier JD. Editorial: The Complex Biopsychosocial Interactions That Create Stress Resilience. Front Behav Neurosci. 2021;15:795312. doi: 10.3389/fnbeh.2021.795312.

Talarico F, Xavier G, Ota VK, Spindola LM, Maurya PK, Tempaku PF, Moretti PS, Gadelha A, Noto M, Noto C, Cordeiro Q, Bressan RA, de Jong S, Santoro ML, Breen G, Belangero SI. Aging biological markers in a cohort of antipsychotic-naïve first-episode psychosis patients. Psychoneuroendocrinology. 2021;132:105350. doi: 10.1016/j.psyneuen.2021.105350.

Tavares-Silva E, Caris AV, Santos SA, Ravacci GR, Thomatieli-Santos RV. Effect of Multi-Strain Probiotic Supplementation on URTI Symptoms and Cytokine Production by Monocytes after a Marathon Race: A Randomized, Double-Blind, Placebo Study. Nutrients. 2021;13(5):1478. doi: 10.3390/nu13051478.

Tempaku PF, D'Almeida V, Silva SMA, Andersen ML, Belangero SI, Tufik S. Klotho genetic variants mediate the association between obstructive sleep apnea and short telomere length. Sleep Med. 2021;83:210-3. doi: 10.1016/j.sleep.2021.01.015.

Togeiro SMGP, Roizenblatt S. Distúrbios do sono em doenças reumatológicas. Rev Paul Reumatol. 2021;20(4):32-41. doi: 10.46833/reumatologiasp.2021.20.4.32-41.

Trujillo V, Valentim-Lima E, Mencalha R, Carbalan QSR, Dos-Santos RC, Felintro V, Girardi CEN, Rorato R, Lustrino D, Reis LC, Mecawi AS. Neonatal Serotonin Depletion Induces Hyperactivity and Anxiolytic-like Sex-Dependent Effects in Adult Rats. Mol Neurobiol. 2021;58(3):1036-1051. doi: 10.1007/s12035-020-02181-0.

Truzzi GM, Naufel MF, Tufik S, Coelho FM. Narcolepsy: the impact of aging, hypocretin deficiency, and years of formal education in olfactory function and abdominal obesity. Arq Neuropsiquiatr. 2021;79(9):808-15. doi: 10.1590/0004-282X-anp-2020-0352.

Truzzi GM, Teixeira IL, Prado LBF, Prado GF, Tufik S, Coelho FM. Sleep state misperception: is there a CNS structural source? Sleep Sci. 2021;14(Special 1):94-96. doi: 10.5935/1984-0063.20200039.

Varela R, Resende WR, Dal-Pont GC, Gava FF, Nadas G, Tye SJ, Andersen ML, Quevedo JL, Valvassori SS. Role of epigenetic regulatory enzymes in animal models of mania induced by amphetamine and paradoxal sleep deprivation. Eur J Neurosci. 2021;53(2):649-62. doi: 10.1111/ejn.14922.

Vidigal TA, Mello-Fujita LL, Moreira GA, Brasil EL, Ferreira MN, Drager LF, LA, Genta PR, Poyares D, Haddad FLM. Proposed management model for the use of telemonitoring of adherence to Positive Airway Pressure Equipment - Position Paper of the Brazilian Association of Sleep Medicine – ABMS. Sleep Sci. 2021;14(Special 1):31-40. doi: 10.5935/1984-0063.20200086.

Visniauskas B, Perry JC, Gomes GN, Nogueira-Pedro A, Paredes-Gamero EJ, Tufik S, Chagas JR. Intermittent hypoxia changes the interaction of the kinin-VEGF system and impairs myocardial angiogenesis in the hypertrophic heart. Physiol Rep. 2021;9(9):e14863. doi: 10.14814/phy2.14863.

Vitti Ruela BV, Dokkedal-Silva V, Morelhão PK, Hachul H, Tufik S, Andersen ML. Monitored sleep extension: a feasible strategy to improve diet and women's health. J Clin Sleep Med. 2021;17(2):351-2. doi: 10.5664/jcsm.8954.

Vitti-Ruela BV, Dokkedal-Silva V, Rosa DS, Tufik S, Andersen ML. Possible sequelae in post-SARS-CoV-2 patients: effects on sleep and general health condition. Sleep Breath. 2021;25(2):963-4. doi: 10.1007/s11325-020-02152-8.

Vitti-Ruela BV, Dokkedal-Silva V, Morelhão PK, Xavier SD, Tufik S, Andersen ML. Insomnia and Treatment Strategies: Improving Quality of Life in Children with Autism Spectrum Disorder. J Autism Dev Disord. 2021;51(7):2559-2560. doi: 10.1007/s10803-020-04705-y.

Vitti-Ruela BV, Dokkedal-Silva V, Piovezan RD, Tufik S, Andersen ML. The role of glutamate in a multifactorial scenario of Alzheimer's disease associated with depression and poor sleep. Psychiatry Res. 2021;305:114221. doi: 10.1016/j.psychres.2021.114221.

Vitti-Ruela BV, Dokkedal-Silva V, Hachul H, Tufik S, Andersen ML. Melatonin and vitamin D: complementary therapeutic strategies for breast câncer. Support Care Cancer. 2021;29(7):3433-3434. doi: 10.1007/s00520-021-06115-x.

Vuolo D, Nascimento CC, D'Almeida V. Reproduction in animal models of Lysosomal Storage Diseases: A scoping review. Front Mol Biosci. 2021;8:773384. doi: 10.3389/fmolb.2021.773384.

Xavier SD. The relationship between autism spectrum disorder and sleep. Sleep Sci. 2021;14(3):193-5. doi: 10.5935/1984-0063.20210050.

Xerfan EMS, Facina AS, Galduroz JCF, Tufik S, Tomimori J, Andersen ML. Hand eczema, obsessive compulsive disorder and the role of sleep: a triad of associated factors and the influence of the current pandemic. Sleep Med. 2021;79:164-5. doi: 10.1016/j.sleep.2020.12.043.

Xerfan EMS, Andersen ML, Tomimori J, Tufik S, Facina AS. The role of sleep in the activity of lupus erythematosus: an overview of this possible relationship. Rheumatology. 2021;60(2):483-6. doi: 10.1093/rheumatology/keaa744.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. The role of sleep in telogen effluvium and trichodynia: a commentary in the context of the current pandemic. J Cosmet Dermatol. 2021;20(4):1088-90. doi: 10.1111/jocd.13929.

Xerfan EMS, Facina AS, Andersen ML, Tufik S, Tomimori J. Acne flare-up due to mask wearing: a current pandemic scenario and its relationship with sleep. Skin Res Technol. 2021;27(5):1002-1003. doi: 10.1111/srt.13048.

Xerfan EMS, Facina AS, Andersen ML, Hachul H, Tufik S, Tomimori J. Polycystic ovary syndrome and its possible association with sleep complaints: PCOS and sleep. Arch Womens Ment Health. 2021;24(6):1055-7. doi: 10.1007/s00737-021-01155-y.

Xerfan EMS, Facina AS, Tomimori J, Tufik S, Andersen ML. The importance of evaluating sleep complaints in children with ichthyoses: a commentary on physical and psychological growth impairment. J Clin Sleep Med. 2021;17(6):1147-1148. doi: 10.5664/jcsm.9208.

Yeh MSL, Poyares D, Coimbra BM, Mello AF, Tufik S, Mello MF. Subjective and objective sleep quality in young women with posttraumatic stress disorder following sexual assault: a prospective study. Eur J Psychotraumatol. 2021;12(1):1934788. doi: 10.1080/20008198.2021.1934788.

Zanini GV, Miranda MC, Cogo-Moreira H, Nouri A, Fernández AL, Pompeia S. An adaptable, open-access test battery to study the fractionation of executive-functions in diverse population. Front Psychol. 2021;12:627219. doi: 10.3389/fpsyg.2021.627219.

Zanta NC, Suchecki D, Girardi CEN. Early life stress alters emotional learning in a sex- and age-dependent manner with no impact on emotional behavior. Dev Psychobiol. 2021;63(6):e22182. doi: 10.1002/dev.22182.

Zonato AI, Rosa CFA, Oliveira L, Bittencourt LR. Efficacy of nasal masks versus nasal pillows masks during continuous positive airway pressure titration for patients with obstructive sleep apnea. Sleep Breath. 2021;25(3):1487-94. doi: 10.1007/s11325-020-02251-6.

2020.....

Abrahao KP, Pava MJ, Lovinger DM. Dose-dependent alcohol effects on electroencephalogram: Sedation/anesthesia is qualitatively distinct from Sleep. Neuropharmacology. 2020;164:107913. doi: 10.1016/j.neuropharm.2019.107913.

Adler UC, Bernardo NLMC, Denez KB, Bueno JGB, Specht CM, Lenzi MCR, Hoepfner AMS, Sobota J, Gonçalves SN, Cesar AT, Adler MS, Lacerda EU, Martinez EZ, Galduroz JCF. Homeopathy for Cocaine-Related Disorders: Implementing a Study Protocol in Primary Care (Cocacrack-3 Study Protocol). J Addict Sci. 2020;6(Suppl.1):S5-S11. doi: 10.17756/jas.2020-S1-002.

Aguilar AC, Frange C, Pimentel Filho LH, Reis MJ, Tufik S, Coelho FMS. Lisdexamfetamine to improve excessive daytime sleepiness and weight management in narcolepsy: a case series. Braz J Psychiatry. 2020;42(3):314-6. doi: 10.1590/1516-4446-2019-0544.

Amorim RAR, Moreira GA, Santos FH, Terreri MT, Molina J, Keppeke LF, Silva SGL, Fraga MM, Silva VBM, Tufik S, Len CA. Sleep and restless legs syndrome in female adolescents with idiopathic musculoskeletal pain. J Pediatr. 2020;96(6):763-70. doi: 10.1016/j.jped.2019.09.007.

Andersen ML. A brief report on early sleep studies. Sleep Sci. 2020;13(1):1-2. doi: 10.5935/1984-0063.20190144.

Andersen ML, Tufik S. A review of sleep disturbance and sexual function: the effect of sleep apnea on erectile function. Curr Sleep Med Rep. 2020;6(2):55-60. doi: 10.1007/s40675-020-00171-1.

Andersen ML, Floeter-Winter LM, Tufik S. Initial survey on the use of animals in scientific research and teaching reveals divided opinion of the Brazilian population. Einstein (São Paulo). 2020;18:eAO5451. doi: 10.31744/einstein_journal/2020AO5451.

Andersen ML, Tufik S. William Charles Dement. Sleep Sci. 2020;13(4):214. doi: 10.5935/1984-0063.20200065.

Andrade ALM, Kim D-J, Caricati VV, Martins GG, Kirihara IK, Barbugli BC, Enumo SRF, De Micheli D. Validity and reliability of the Brazilian version of the Smartphone Addiction Scale – Short Version for university students and adult population. Estud Psicol (Campinas). 2020;37: e190117. doi: 10.1590/1982-0275202037e190117.

Andrade ALM, Scatena A, Bedendo A, Enumo S, Dellazzana-Zanon L, Prebianchi H, Machado W, De Micheli D. Findings on the relationship between Internet addiction and psychological symptoms in Brazilian adults. Int J Psychol. 2020;55(6):941-950. doi: 10.1002/ijop.12670.

Arakaki FH, Xerfan EMS, Tufik S, Andersen ML. Acne in men due to protein supplementation: how sleep could be related? Sleep Med. 2020;75:7. doi: 10.1016/j.sleep.2020.06.007.

Barbosa CC, Nishimura AN, Santos ML, Dias Junior W, Andersen ML, Mazaro-Costa R. Silymarin administration during pregnancy and breastfeeding: evaluation of initial development and adult behavior of mice. Neurotoxicology. 2020;78:64-70. doi: 10.1016/j.neuro.2020.02.008.

Bariani RCB, Guimarães TM, Cappellette M Junior, Moreira G, Fujita RR. The Impact of Positive Airway Pressure on Midface Growth: A Literature Review. Braz J Otorhinolaryngol. 2020;86(5):647-53. doi: 10.1016/j.bjorl.2020.05.010.

Batatinha H, Tavares-Silva E, Leite GSF, Resende AS, Albuquerque JAT, Arslanian C, Fock RA, Lancha AH Jr, Lira FS, Krüger K, Thomatieli-Santos R, Rosa-Neto JC. Probiotic supplementation in marathonists and its impact on lymphocyte population and function after a marathon: a randomized placebo-controlled double-blind study. Sci Rep. 2020;10(1):18777. doi: 10.1038/s41598-020-75464-0.

Bedendo A, McCambridge J, Gaume J, Souza AAL, Formigoni MLOS, Noto AR. Components evaluation of a web-based personalized normative feedback intervention for alcohol use among college students: a pragmatic randomized controlled trial with a dismantling design. Addiction. 2020; 115(6):1063-1074. doi: 10.1111/add.14923.

Behar J, Palmius N, Zacharie S, Chocron A, Penzel T, Bittencourt L, Tufik S. Single-channel oximetry monitor versus in-lab polysomnography oximetry analysis: does it make a difference? Physiol Meas. 2020;41(4):044007. doi: 10.1088/1361-6579/ab8856.

Bezerra AG, Andersen ML, Pires GN, Banzoli CV, Polesel DN, Tufik S, Hachul H. Hormonal contraceptive use and subjective sleep reports in women: an online survey. J Sleep Res. 2020;29(6):12983. doi: 10.1111/jsr.12983.

Bhona FMC, Gebara CFP, Noto AR, Lourenço LM. Intimate partner violence: controlling behavior and triggers of aggression. Paidéia (Ribeirão Preto). 2020;30:e3032. doi: 10.1590/1982-4327e3032.

Bottura RM, Lima GHO, Hipolide DC, Pesquero JB. *ACTN3* R577X Polymorphism Impacts Glucose Consumption at Simulated High Altitude. Int J Genet Genomics. 2020;8(4):138-42. doi: 10.11648/j.ijgg.20200804.14.

Calegare BFA, Azzolini A, Vallim JRS, Lo Turco EG, Tempaku PF, Silva VC, Tufik S, D'Almeida V. Sleep deprivation decreases the reproductive capacity by affecting the arrival of morulas in the uterus. Genesis. 2020;58(3-4):e23350. doi: 10.1002/dvg.23350.

Câmara DAD, Shibli JA, Müller EA, De-Sá-Junior PL, Porcacchia AS, Blay A, Lizier NF. Adipose Tissue-Derived Stem Cells: The Biologic Basis and Future Directions for Tissue Engineering. Materials (Basel). 2020;13(14):3210. doi: 10.3390/ma13143210.

Campos RMS, Moreira CE, Silva PL, Masquio DCL, Corgosinho FC, Kravchychyn ACP, Vicente SECF, Tock L, Tufik S, De Mello MT, Dâmaso AR. The effect of aerobic plus resistance training associated with a long-term interdisciplinary weight loss program on visceral fat and isokinetic parameters in adolescents with obesity. J Sports Med Phys Fitness. 2020;60(6):855-863. doi: 10.23736/S0022-4707.19.09857-8.

Carabelli B, Delattre AM, Waltrick APF, Araújo G, Suchecki D, Machado RB, de Souza LER, Zanata SM, Zanoveli JM, Ferraz AC. Fish-oil supplementation decreases Indoleamine-2,3-Dioxygenase expression and increases hippocampal serotonin levels in the LPS depression model. Behav Brain Res. 2020;390:112675. doi: 10.1016/j.bbr.2020.112675.

Caris AV, Tavares-Silva E, Thomatieli-Santos RV. Effects of carbohydrate and glutamine supplementation on cytokine production by monocytes after exercise in hypoxia: A crossover, randomized, double-blind pilot study. Nutrition. 2020;70: 110592. doi:10.1016/j.nut.2019.110592.

Caris AV, Thomatieli-Santos RV. Carbohydrate and Glutamine Supplementation Attenuates the Increase in Rating of Perceived Exertion during Intense Exercise in Hypoxia Similar to 4200 m. Nutrients. 2020;12(12):E3797. doi: 10.3390/nu12123797.

Carneiro CFD, Queiroz VGS, Moulin TC, Carvalho CAM, Haas CB, Rayêe D, Henshall DE, De-Souza EA, Amorim FE, Boos FZ, Guercio GD, Costa IR, Hajdu KL, van Egmond L, Modrák M, Tan PB, Abdill RJ, Burgess SJ, Guerra SFS, Bortoluzzi VT, Amaral OB. Comparing quality of reporting between preprints and peer-reviewed articles in the biomedical literature. Res Integr Peer Rev. 2020;5:16. doi: 10.1186/s41073-020-00101-3.

Carvalho B, Mauri L, Banzoli C, Hachul H. To the editor. Menopause. 2020;27(5):607. doi: 10.1097/GME.0000000000001549.

Carvalho RK, Andersen ML, Mazaro-Costa R. The effects of cannabidiol on male reproductive system: A literature review. J Appl Toxicol. 2020;40(1):132-50. doi: 10.1002/jat.3831.

Carvalho RK, Rodrigues TC, Júnior WD, Mota GMP, Andersen ML, Mazaro-Costa R. Short-and long-term exposure to methamidophos impairs spermatogenesis in mice. Reprod Biol. 2020;20(3):357-64. doi: 10.1016/j.repbio.2020.05.003.

Castro LS, Otuyama LJ, Fumo-dos-Santos C, Tufik S, Poyares D. Sublingual and oral zolpidem for insomnia disorder: a 3-month randomized trial. Braz J Psychiatry. 2020;42(2):175-84. doi: 10.1590/1516-4446-2019-0389.

Chagas C, Paula TCS, Martins LB. O aumento do consumo de álcool em tempo de pandemia: mídia e normas sociais. Rev Comunicação Ciências Saúde, 2020;31(Supl.1):116-20.

Chen VG, Fonseca VMGD, Amaral JB, Camargo-Kosugi CM, Moreira G, Kosugi EM, Fujita RR. Inflammatory markers in palatine tonsils of children with obstructive sleep apnea syndrome. Braz J Otorhinolaryngol. 2020;86(1):23-29. doi: 10.1016/j.bjorl.2018.08.001.

Coimbra BM, Yeh M, D'Elia AT, Maciel MR, Carvalho CM, Milani AC, Mozzambani A, Juruena M, Belangero SI, Jackowski AP, Poyares D, Mello AF, Mello MF. Posttraumatic Stress Disorder and Neuroprogression in Women Following Sexual Assault: Protocol for a Randomized Clinical Trial Evaluating Allostatic Load and Aging Process Acceleration. JMIR Res Protoc. 2020;9(11):e19162. doi: 10.2196/19162.

Cosmo C, DiBiasi M, Lima V, Grecco LC, Muszkat M, Philip NS, de Sena EP. A systematic review of transcranial direct current stimulation effects in attention-deficit/hyperactivity disorder. J Affect Disord. 2020;276:1-13. doi: 10.1016/j.jad.2020.06.054.

Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. Health-related quality of life in patients with narcolepsy types 1 and 2 from a Sleep Center in Brazil. Arq Neuropsiquiatr. 2020;78(8):488-93. doi: 10.1590/0004-282x20200032.

Cremaschi RMC, Frange C, Bittencourt LRA, Coelho FMS. Almitrine: a possible therapeutic strategy for COVID-19? Rev Neurociências. 2020;28. doi: 10.34024/rnc.2020.v28.10941

Cunha TCA, Guimarães TM, Almeida FR, Haddad FLM, Godoy LBM, Cunha TM, Silva LO, Tufik S, Bittencourt L. Using craniofacial characteristics to predict optimum airway pressure in obstructive sleep apnea treatment. Braz J Otorhinolaryngol. 2020;86(2):174-9. doi: 10.1016/j.bjorl.2018.10.012.

Cunha TCA, Rossi R, Marson LCG, Guimaraes TM, Machado MAC, Meira-e-Cruz M, Ferraz O, Maluly Filho M, Cunali PA, Chaves Júnior CM, Dal-Fabbro C. COVID-19 and dental sleep medicine: risks, precautions and patient guidance. Sleep Sci. 2020;13(3):195-8. doi: 10.5935/1984-0063.20190156.

Curado DF, Barros VV, Opaleye ES, Noto AR. Psychometric properties of the Benzodiazepine Dependence Self-Report Questionnaire – Portuguese Version (BENDEP-SRQ-PV). Trends Psychiatry Psychother. 2020;42(4):358-67. doi: 10.1590/2237-6089-2019-0049.

Da Luz MHM, Pino JMV, Dos Santos TG, Antunes HKM, Martins VR, de Souza AAL, Torquato RJS, Lee KS. Sleep deprivation regulates availability of PrP^C and Aβ peptides which can impair interaction between PrP^C and laminin and neuronal plasticity. J Neurochem. 2020;153(3):377-89. doi: 10.1111/jnc.14960.

Dáttilo M, Antunes HKM, Galbes NMN, Mônico-Neto M, Souza HS, Quaresma MVLDS, Lee KS, Ugrinowitsch C, Tufik S, de Mello MT. Effects of sleep deprivation on the acute skeletal muscle recovery after exercise. Med Sci Sports Exerc. 2020;52(2):507–14. doi:10.1249/MSS.0000000000002137.

De Godoy LBM, Sousa KMM, de O Palombini L, Poyares D, Dal-Fabbro C, Guimarães TM, Tufik S, Togeiro SM. Long term oral appliance therapy decreases stress symptoms in patients with upper airway resistance syndrome. J Clin Sleep Med. 2020;16(11):1857-62. doi: 10.5664/jcsm.8698.

De Melo MB, Favaro VM, Oliveira MGM. The dorsal subiculum is required for contextual fear conditioning consolidation in rats. Behav Brain Res. 2020:390: 112661. doi: 10.1016/j.bbr.2020.112661.

De Mello MT, Simim MAM, Narciso FV, Rosa JPP, Rodrigues DF, Freitas LSN, Bichara JJ, Pereira SRD, Silva SC, Tufik S, Silva A. Duration and quality of sleep in sprint and recovery performances among elite swimmers. Rev Bras Med Esporte. 2020;26(2):126-9. doi: 10.1590/1517-869220202602220003.

De Mello MT, da-Silva A, Guerreiro RC, da-Silva FR, Esteves AM, Poyares D, Piovezan R, Treptow E, Starling M, Rosa DS, Pires GNS, Andersen ML, Tufik S. Sleep and COVID-19: considerations about immunity, pathophysiology, and treatment. Sleep Sci. 2020;13(3):199-209. doi: 10.5935/1984-0063.20200062.

De Souza ICW, Kozasa EH, Bowen S, Richter KP, Sartes LMA, Colugnati FAB, Noto AR. Effectiveness of Mindfulness-based Relapse Prevention Program as an Adjunct to the Standard Treatment for Smoking: A Pragmatic Design Pilot Study. Nicotine Tob Res. 2020;22(9):1605-1613. doi: 10.1093/ntr/ntaa057.

Dokkedal-Silva V, Kim LJ, Morelhão PK, Galduroz JCF, Tufik S, Andersen ML. Use of clonazepam in REM Sleep Behavior Disorder, association with fall-related injuries and alternative treatments. J Clin Sleep Med. 2020;16(4):655-6. doi: 10.5664/jcsm.8308.

Dokkedal-Silva V, Galduroz JC, Tufik S, Andersen ML. Benzodiazepine consumption in Brazil: considerations regarding a population-specific scenario. Braz J Psychiatry. 2020;42(3):332. doi:10.1590/1516-4446-2019-0830.

Dokkedal-Silva V, Galduroz JCF, Tufik S, Andersen ML. Combined cocaine and clonazepam administration induces REM sleep loss and anxiety-like withdrawal behaviors in rats. Pharmacol Biochem Behav. 2020;197:173014. doi: 10.1016/j.pbb.2020.173014.

Dokkedal-Silva V, Galduroz JCF, Tufik S, Andersen ML. Cocaine addiction and sleep-related problems: the search for genetic culprits. Psychopharmacology. 2020;237:3503–4. doi: 10.1007/s00213-020-05676-9.

Dos Santos Quaresma MVL, Souza WYG, Lemos VA, Caris AV, Thomatieli-Santos RV. The possible importance of glutamine supplementation to mood and cognition in hypoxia from high altitude. Nutrients. 2020;12(12):E3627. doi: 10.3390/nu12123627.

Durgante H, Contreras ML, Backhouse T, Mavrodaris A, Ferreira MG, Paulo DLV, Alves MV, Serelli LS, Souza LC, Kishita N. Challenges in dementia care: comparing key issues from Brazil and the United Kingdom. Dement Neuropsychol. 2020;14(3):216-22. doi: 10.1590/1980-57642020dn14-030003.

Ekuni R, Pompeia S. Improving retention by placing retrieval practice at the end of class: a naturalistic study. Rev Latinoam Psicol. 2020;52:22-32. doi: 10.14349/rlp.2020.v52.3.

Ekuni R, Pompeia S. Retrieval practice: which factors should educators pay attention to? Psicol Esc Educ. 2020;24:e220284. doi: 10.1590/2175-35392020220284.

Eserian JK, Chagas JR, Galduroz JCF. Considerations over a Case of Suspected Therapeutic Failure in Pediatric Patients after Switching Valproate Manufacturers. Innov Pharm. 2020;11(3):Article 10. doi: 10.24926/iip.v11i3.3315.

Espíndola MI, Bedendo A, da Silva EA, Noto AR. Interpersonal relationships and drug use over time among homeless people: a qualitative study. BMC Public Health. 2020; 20(1):1746. doi: 10.1186/s12889-020-09880-2.

Favoretto CA, Nunes YC, Macedo GC, Lopes JSR, Quadros IMH. Chronic social defeat stress: Impacts on ethanol-induced stimulation, corticosterone response, and brain monoamine levels. J Psychopharmacol. 2020;34(4):412-9. doi: 10.1177/0269881119900983.

Fede SJ, Abrahao KP, Cortes CR, Grodin EN, Schwandt ML, George DT, Diazgranados N, Ramchandani VA, Lovinger DM, Momenan R. Alcohol effects on globus pallidus connectivity: Role of impulsivity and binge drinking. PLoS One. 2020 Mar 26;15(3):e0224906. doi: 10.1371/journal.pone.0224906.

Fernandes ER, Barbosa ML, Amaral MP, Apostólico JS, Sulczewski FB, Tufik S, Andersen ML, Boscardin SB, Keller AC, Rosa DS. Sleep Disturbance during Infection Compromises Tfh Differentiation and Impacts Host Immunity. iScience. 2020;23(10):101599. doi: 10.1016/j.isci.2020.101599.

Ferrari GLM, Kovalskys I, Fisberg M, Gómez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Pires CAM, Colley RC, Solé D; ELANS Study Group. Comparison of Self-Report Versus Accelerometer - Measured Physical Activity and Sedentary Behaviors and Their Association With Body Composition in Latin American Countries. PLoS One. 2020;15(4):e0232420. doi: 10.1371/journal.pone.0232420.

Ferrari GLM, Kovalskys I, Fisberg M, Gómez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Scholes S, Gonçalves PB, Solé D; ELANS Study Group. Methodological Design for the Assessment of Physical Activity and Sedentary Time in Eight Latin American Countries - The ELANS Study. MethodsX. 2020;7:100843. doi: 10.1016/j.mex.2020.100843.

Ferrari GLM, Kovalskys I, Fisberg M, Gomez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Previdelli AN, Scholes S, Celis-Morales CA, Solé D; ELANS Study Group. Anthropometry, dietary intake, physical activity and sitting time patterns in adolescents aged 15–17 years: an international comparison in eight Latin American countries. BMC Pediatr. 2020;20(1):24. doi: 10.1186/s12887-020-1920-x.

Ferrari GLM, Kovalskys I, Fisberg M, Gómez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Cristi-Montero C, Rodríguez-Rodríguez F, Scholes S, Celis-Morales CA, Chaput JP, Solé D; ELANS Study Group. Socio-demographic Patterning of Objectively Measured Physical Activity and Sedentary Behaviours in Eight Latin American Countries: Findings From the ELANS Study. Eur J Sport Sci. 2020;20(5):670-81. doi: 10.1080/17461391.2019.1678671.

Ferrari G, Werneck AO, da Silva DR, Kovalskys I, Gómez G, Rigotti A, Sanabria LYC, García MY, Pareja RG, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Cristi-Montero C, Rodríguez-Rodríguez F, Marques A, Cerin E, Van Dyck D, Pires C, Fisberg M; ELANS Study Group. Is the perceived neighborhood built environment associated with domain-specific physical activity in Latin American adults? An eight-country observational study. Int J Behav Nutr Phys Act. 2020;17(1):125. doi: 10.1186/s12966-020-01030-6.

Ferrari G, Oliveira Werneck A, Rodrigues da Silva D, Kovalskys I, Gómez G, Rigotti A, Yadira Cortés Sanabria L, García MCY, Pareja RG, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Cofre Bolados C, Saldía EJ, Pires C, Marques A, Peralta M, Rossato de Victo E, Fisberg M, on Behalf of the Elans Study Group. Association between Perceived Neighborhood Built Environment and Walking and Cycling for Transport among Inhabitants from Latin America: The ELANS Study. Int J Environ Res Public Health. 2020;17(18):6858. doi: 10.3390/ijerph17186858.

Ferrari GLM, Oliveira Werneck A, Rodrigues da Silva D, Kovalskys I, Gómez G, Rigotti A, Yadira Cortés Sanabria L, García MCY, Pareja RG, Herrera-Cuenca M, Zalcman Zimberg I, Guajardo V, Pratt M, Cofre Bolados C, Fuentes Kloss R, Rollo S, Fisberg M. Socio-Demographic Correlates of Total and Domain-Specific Sedentary Behavior in Latin America: A Population-Based Study. Int J Environ Res Public Health. 2020;17(15):5587. doi: 10.3390/ijerph17155587.

Fisberg M, Kovalskys I, Previdelli AN, Pereira JL, Zimberg IZ, Fisberg R, Ferrari G, Guajardo V, The Elans Study Group. Breakfast Consumption Habit and Its Nutritional Contribution in Latin America: Results from the ELANS Study. Nutrients. 2020;12(8):2397.doi: 10.3390/nu12082397.

Forgerini M, Herdeiro MT, Galduroz JCF, Mastroianni PC. Risk factors associated with drug therapy among elderly people with Alzheimer's disease: a cross-sectional study. São Paulo Med J. 2020;138(3):216-8. doi: 10.1590/1516-3180.2019.0461.R2.19022020.

França TFA. Predictive processing: Is the future just a memory? Eur J Neurosci. 2020;52(10):4230-4232. doi: 10.1111/ejn.14874.

Frange C, Pimentel Filho LH, Aguilar AC, Coelho FMS. Exercise for "Sleep Rehabilitation" in Parkinson's Disease. Mov Disord. 2020;35(7):1285. doi: 10.1002/mds.28136.

Galduroz JCF, Bezerra AG, Pires GN, Pauluci R, Noto AR. Omega-3 Interventions In Alcohol Dependence And Related Outcomes: A Systematic Review And Propositions. Curr Neuropharmacol. 2020;18(5):456-62. doi: 10.2174/1570159X18666200128120729.

Galduroz JCF. Stigma to addicts and among themselves. Comment on 'Stigma and the Toll of Addiction'. N Engl J Med. 2020;382:1289-1290. doi: 10.1056/NEJMp1917360.

Galduroz JC, Tomita N, Bezerra AG. Measures to reduce smoking: Brazil takes the lead. Braz J Psychiatr. 2020;42(4):456-7. doi: 10.1590/1516-4446-2020-0853.

Gebara CFP, Ferri CP, Bhona FMC, Vieira MT, Lourenço LM, Noto AR. Violence between different members in the family system: a household survey in a Brazilian city. J Fam Issues. 2020;41(8):1237-57. doi: 10.1177/0192513X19887415.

Godoy PBG, Simionato NM, Mello CB, Suchecki D. Assessment of executive functions after treatment of childhood acute lymphoid leukemia: a systematic review. Neuropsychol Rev. 2020;30:386–406. doi: 10.1007/s11065-020-09446-4.

Gomes CP, Marins MM, Motta FL, Kyosen SO, Curiati MA, D'Almeida V, Martins AM, Pesquero JB. A new mutation in *IDS* Gene causing Hunter Syndrome: a case report. Front Genet. 2020;10:1383. doi: 10.3389/fgene.2019.01383.

Grande GD, Oliveira CB, Morelhão PK, Sherrington C, Tiedemann A, Pinto RZ, Franco MR. Interventions Promoting Physical Activity Among Older Adults: A Systematic Review and Meta-Analysis. Gerontologist. 2020;60(8):583-599. doi: 10.1093/geront/gnz167.

Gryschek G, Machado DA, Otuyama LJ, Goodwin C, Lima MCP. Spiritual coping and psychological symptoms as the end approaches: a closer look on ambulatory palliative care patients. Psychol Health Med. 2020;25(4):426-33. doi: 10.1080/13548506.2019.1640887.

Guerra PC, Santaella DF, D'Almeida V, Santos-Silva R, Tufik S, Len CA. Yogic meditation improves objective and subjective sleep quality of healthcare professionals. Complement Ther Clin Pract. 2020;40:101204. doi: 10.1016/j.ctcp.2020.101204.

Habinger JG, Chávez JL, Matsudo SM, Kovalskys I, Gómez G, Rigotti A, Sanabria LYC, García MCY, Pareja RG, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Bolados CC, Valenzuela CF, Marques A, Peralta M, Leme ACB, Fisberg M, Werneck AO, Silva DRD, Ferrari G, On Behalf Of The Elans Study Group. Active Transportation and Obesity Indicators in Adults from Latin America: ELANS Multi-Country Study. Int J Environ Res Public Health. 2020;17(19):6974. doi: 10.3390/ijerph17196974.

Hachul H, Bisse AR, Sanchez ZM, Araujo F, Guazzelli CAF, Tufik S, Barbieri M. Sleep quality in women who use different contraceptive methods. Sleep Sci. 2020;13(2):131-7. doi: 10.5935/1984-0063.20190142.

Ishikura IA, Hachul H, Pires GN, Tufik S, Andersen ML. The impact of primary dysmenorrhea on sleep and the consequences for adolescent academic performance. J Clin Sleep Med. 2020;16(3):467-468. doi: 10.5664/jcsm.8238.

Ishikura IA, Hachul H, Pires GN, Tufik S, Andersen ML. The relationship between insomnia and endometriosis. J Clin Sleep Med. 2020;16(8):1387-8. doi: 10.5664/jcsm.8464.

Leonel LF, Morelhão PK, Tufik S, Andersen ML. Should health professionals assess sleep quality in pregnant women seeking care for low back pain? J Clin Sleep Med. 2020;16(1):155-6. doi:10.5664/jcsm.8146.

Leonel LF, Morelhão PK, Tufik S, Andersen ML. Sleep disturbances and nicotine addiction:a bidirectional relationship? Sleep Breath. 2020;24(4):1669-70. doi: 10.1007/s11325-019-01944-x.

Loffler KA, Heeley E, Freed R, Meng R, Bittencourt LR, Gonzaga Carvalho CC, Chen R, Hlavac M, Liu Z, Lorenzi-Filho G, Luo Y, McArdle N, Mukherjee S, Yap HS, Zhang X, Palmer LJ, Anderson CS, McEvoy RD, Drager LF; SAVE Substudy Investigators. Continuous Positive Airway Pressure treatment, glycemia, and diabetes risk in Obstructive Sleep Apnea and comorbid cardiovascular disease. Diabetes Care. 2020; 43(8):1859-1867. doi: 10.2337/dc19-2006.

Lopes FM, Dias NM, Mendonça BTV, Coelho DMV, Andrade ALM, De Micheli D. O que sabemos sobre neurociências? Conceitos e equívocos entre o público geral e entre educadores. Psicopedagogia. 2020;37(113):129-43. doi: 10.5935/0103-8486.20200011.

Lucena L, Polesel D, Poyares D, Bittencourt L, Andersen ML, Tufik S, Hachul H. The association of insomnia and quality of life: São Paulo Epidemiologic Sleep Study (EPISONO). Sleep Health. 2020;6(5):629-35. doi: 10.1016/j.sleh.2020.03.002.

Lucena L, Frange C, Pinto ACA, Andersen ML, Tufik S, Hachul H. Mindfulness interventions during pregnancy: a narrative review. J Integr Med. 2020;18(6):470-477. doi: 10.1016/j.joim.2020.07.007.

Machado MP, Fidalgo TM, Brasiliano S, Hochgraf PB, Noto AR. The contribution of mindfulness to outpatient substance use disorder treatment in Brazil: a preliminary study. Braz J Psychiatry. 2020;42(5):527-531. doi: 10.1590/1516-4446-2019-0725.

Maluly M, Dal Fabbro C, Andersen ML, Herrero Babiloni A, Lavigne GJ, Tufik S. Sleep bruxism and its associations with insomnia and OSA in the general population of São Paulo. Sleep Med. 2020;75:141-8. doi: 10.1016/j.sleep.2020.06.016.

Mapurunga MV, Andreoni S, de Oliveira DR, Sarubbi Jr V, Bonilha AC, D'Almeida V, Tomita L, Ramos LR, Demarzo M. Protocol for a nested randomized controlled trial to evaluate the feasibility and preliminary efficacy of the Mindfulness Based Health Promotion Program on the Quality of Life of Older Adults Assisted in Primary Care—"The MBHP-Elderly Study". Front. Med. 2020;7:563099. doi: 10.3389/fmed.2020.563099.

Mariotti FFN, Gonçalves BSM, Pimpão G, Mônico Neto M, Antunes HKM, de Barros Viana M, Céspedes IC, Le Sueur-Maluf L. A single ovarian stimulation, as performed in assisted reproductive Technologies, can modulate the anxiety-like behavior and neuronal activation in stress-related brain áreas in rats. Horm Behav. 2020;124: 104805. doi: 10.1016/j.yhbeh.2020.104805.

Maroja F, Caixeta A, Poyares D, Tufik S, de Paola A, Castro L, Storti L, Burke P, Cintra F. Impact of severe OSA on pharmacoinvasive treatment in ST elevation myocardial infarction patients. Sleep Breath. 2020;24(4):1357-63. doi: 10.1007/s11325-019-01975-4.

Marques CG, Ganen AP, Zaccaro de Barros A, Santos RVT, Quaresma MVLS. Weight loss probiotic supplementation effect in overweight andobesity subjects: a review. Clin Nutrit. 2020;39(3):694-704. doi: 10.1016/j.clnu.2019.03.034.

Medina M, Tufik S, Andersen ML. Sleep disturbances and residual neuromuscular blockade: future research possibilities. Anaesthesia. 2020;75(4):552. doi: 10.1111/anae.14912.

Medina M, Dokkedal-Silva V, Tufik S, Andersen ML. Response to: Preemptive nebulized ketamine for pain control after tonsillectomy in children: randomized controlled trial. Rev Bras Anestesiol. 2020;70(6):686-7. doi: 10.1016/j.bjan.2020.10.006.

Menegas S, Dal-Pont GC, Cararo JH, Varela RB, Aguiar-Geraldo JM, Possamai-Della T, Andersen ML, Quevedo J, Valvassori SS. Efficacy of folic acid as an adjunct to lithium therapy on manic-like behaviors, oxidative stress and inflammatory parameters in an animal model of mania. Metab Brain Dis. 2020;35(2):413-425. doi: 10.1007/s11011-019-00503-3.

Menezes L, Moraes DA, Ribeiro-Silva N, Silva SMA, Suchecki D, Luz J. Chronic REM sleep restriction in young rats increases energy expenditure with no change in food intake. Exp Physiol. 2020;105:1339-48. doi: 10.1113/EP088474.

Mograbi KM, Suchecki D, Gomes da Silva S, Covolan L, Hamani C. Chronic unpredictable restraint stress increases hippocampal pro-inflammatory cytokines and decreases motivated behavior in rats. Stress. 2020;23(4):427-436. doi: 10.1080/10253890.2020.1712355.

Mônico-Neto M, Dos Santos RVT, Antunes HKM. The world war against the COVID-19 outbreak: don't forget to sleep! J Clin Sleep Med. 2020;16(7):1215. doi: 10.5664/jcsm.8502.

Moraes JMM, Moraes CHC, Souza AAL, Alvarenga MDS. Food choice motives among two disparate socioeconomic groups in Brazil. Appetite. 2020;155:104790. doi: 10.1016/j.appet.2020.104790.

Morelhão PK, Dokkedal-Silva V, Galduroz JCF, Tufik S, Andersen ML. The use of Pimavanserin in the treatment of Parkinson's Disease: a consideration of its effects on sleep. Sleep Med. 2020;66:76-7. doi: 10.1016/j.sleep.2019.08.011.

Morelhão PK, Gobbi C, Galduroz JCF, Tufik S, Andersen ML. Zolpidem for older adults: to prescribe or not to prescribe? Int J Geriatr Psychiatry. 2020;35(6):689-90. doi: 10.1002/gps.5298.

Morelhão PK, Pinto RZ, Tufik S, Andersen ML. Sleep disturbance and low back pain in older adults: a bidirectional relationship? Pain Med. 2020;21(6):1303-1304. doi: 10.1093/pm/pnz240.

Musse FCC, Castro LS, Sousa KMM, Mestre TF, Teixeira CM, Pelloso SM, Poyares D, Carvalho MDB. Mental Violence: The COVID-19 Nightmare. Front Psychiatry. 2020; 11:579289. doi: 10.3389/fpsyt.2020.579289.

Narciso FV, Silva A, Rodrigues DF, Rosa JPP, Viegas F, Silva SC, Bichara JJ, Pereira SRD, Tufik S, De Mello MT. Sleep-Wake Cycle of elite athletes prior to the Rio 2016 Olympic Games. Rev Andal Med Deporte. 2020;13(2):76-80. doi: 10.33155/j.ramd.2020.04.004.

Nascimento CC, Aguiar O, Viana GM, D'Almeida V. Evidence that glycosaminoglycan storage and collagen deposition in the cauda epididymidis does not impair sperm viability in the Mucopolysaccharidosis type I mouse model. Reprod Fertil Dev. 2020;32(3):304-12. doi: 10.1071/RD19144.

Nascimento CC, Junior OA, D'Almeida V. Morphologic description of male reproductive accessory glands in a mouse model of mucopolysaccharidosis type I (MPS I). J Mol Histol. 2020;51(2):137-45. doi: 10.1007/s10735-020-09864-x.

Nejm MB, Guimarães-Marques MJ, Oliveira LF, Damasceno L, Andersen ML, Tufik S, Fonseca F, Olszewer E, Leça R, de Almeida ACG, Scorza FA, Scorza CA. Assessment of vitamin D and inflammatory markers profile in cardiac tissue on Parkinson disease animal model. Pharmacol Rep. 2020;72(2):296-304. doi: 10.1007/s43440-020-00074-6.

Nery Filho A, Silva EA, von Flach PM. Trajetórias e movimentos do Coletivo Intercambiantes Brasil no campo da saúde mental, álcool e outras drogas. BIS. 2020;21(2):50-66. ISSN: 1518-1812.

Neves Júnior JAS, Fernandes APA, Tardelli MA, Yamashita AM, Togeiro de Moura SMGP, Tufik S, Silva HCA. Cutoff points in STOPBANG questionnaire for Obstructive Sleep Apnea. Arq Neuropsiquiatr. 2020;78(9):561-9. doi: 10.1590/0004-282x20200086.

Nogueira JF, Poyares D, Simonelli G, Leiva S, Carrillo-Alduenda JL, Bazurto MA, Terán G, Valencia-Flores M, Serra L, de Castro JR, Santiago-Ayala V, Pérez-Chada D, Franchi ME, Lucchesi L, Tufik S, Bittencourt L. Accessibility and adherence to positive airway pressure treatment in patients with obstructive sleep apnea: a multicenter study in Latin America. Sleep Breath. 2020;24(2):455-64. doi: 10.1007/s11325-019-01881-9.

Oliveira GP, Coelho FMS. Narcolepsy and bone metabolism: is there any association? Sleep Med. 2020;74:297. doi: 10.1016/j.sleep.2020.07.036.

Oliveira W, Magrin J, Andrade A, Micheli D , Carlos D, Fernández J, Silva M, Santos M. Violência por parceiro íntimo em tempos da Covid-19: scoping review. Psicol Saúde Doenças. 2020;21(3):606-23. doi: 10.15309/20psd210306.

Oliveira WA, Silva JL, Andrade ALM, De Micheli D, Carlos DM, Silva MAI. Adolescents' health in times of COVID-19: a scoping review. Cad Saúde Pública. 2020;36(8):e00150020. doi: 10.1590/0102-311X00150020.

Oliveira WA, Silva JL, Andrade ALM, De Micheli D, Fernández JER, Dellazzana-Zanon LL, Silva MAI, dos Santos MA. Adolescence in times of pandemic: Integrating consensus into a concept map. Estud Psicol (Natal). 2020;25(2):133-43. doi: 10.22491/1678-4669.20200014.

Ota SM, Hut R, Riede SJ, Crosby P, Suchecki D, Meerlo P. Social stress and glucocorticoids alter PERIOD2 rhythmicity in the liver, but not in the suprachiasmatic nucleus. Horm Behav. 2020;120:104683. doi: 10.1016/j.yhbeh.2020.104683.

Otuyama LJ, Oliveira D, Locatelli D, Machado DA, Noto AR, Galduroz JCF, Prince MJ, Ferri CP. Tobacco smoking and risk for dementia: evidence from the 10/66 population-based longitudinal study. Aging Ment Health. 2020;24(11):1796-1806. doi: 10.1080/13607863.2019.1647140.

Passeron T, Krutmann J, Andersen ML, Katta R, Zouboulis CC. Clinical and biological impact of the exposome on the skin. J Eur Acad Dermatol Venereol. 2020;34(Suppl 4):4-25. doi: 10.1111/jdv.16614.

Paula TCS, Chagas C, Martins LB, Ferri CP. Low-risk Drinking Guidelines Around the World: An Overview of the Current Situation. Addictive Disorders & Their Treatment. 2020;19(4):218-227. doi: 10.1097/ADT.0000000000000225.

Pedrazzoli M, Mazzotti DR, Ribeiro AO, Mendes JV, Bittencourt LRA, Tufik S. A Single Nucleotide Polymorphism in the HOMER1 Gene Is Associated With Sleep Latency and Theta Power in Sleep Electroencephalogram. PLoS One. 2020;15(7):e0223632. doi: 10.1371/journal.pone.0223632.

Pereira DD, Eras-Garcia R, Frange C, de Oliveira CB, Tufik S, Coelho FMS. The influence of sleep quality and circadian preferences on upper extremity rehabilitation in stroke patients after constraint-induced movement therapy. Int J Rehabil Res. 2020;43(1):20-27. doi: 10.1097/MRR.0000000000000379.

Pereira N, Naufel MF, Ribeiro EB, Tufik S, Hachul H. Influence of dietary sources of melatonin on sleep quality: a review. J Food Sci. 2020;85(1):5-13. doi:10.1111/1750-3841.14952.

Perrone E, D'Almeida V, de Macena Sobreira NL, de Mello CB, de Oliveira AC, Burlin S, Soares MFF, Cernach MCSP, Alvarez Perez AB. Gomez-López-Hernández syndrome: A case report with clinical and molecular evaluation and literature review. Am J Med Genet A. 2020;182(7):1761-1766. doi: 10.1002/ajmg.a.61594.

Peserico CS, D'Almeida V, Cavalcante‐Silva V, Yamamoto JJUS, Machado FA. Effects of photobiomodulation associated with endurance running training on oxidative stress in untrained men. Sport Sci Health. 2020;16:129-36. doi: 10.1007/s11332-019-00588-4.

Petrella C, Maluly M, Pires GN, Andersen ML, Tufik S. Considerations about Oral Appliance Therapy during the COVID19 pandemic. J Dental Sleep Med. 2020;7(4). doi: 10.15331/jdsm.7166.

Pimentel Filho LH, Frange C, Coelho FMS. Narcolepsy Severity Scale: Experience of a Brazilian Sleep Center. Sleep. 2020;43(9):zsaa113. doi: 10.1093/sleep/zsaa113.

Pimentel Filho LH, Gomes ACD, Frange C, Tufik S, Coelho FMS. Validation of the Brazilian Portuguese version of the Narcolepsy Severity Scale. Sleep Med. 2020;76:134-9. doi: 10.1016/j.sleep.2020.10.016.

Piovezan RD, Oliveira D, Arias N, Acosta D, Prince MJ, Ferri CP. Mortality Rates and Mortality Risk Factors in Older Adults with Dementia from Low- and Middle-Income Countries: The 10/66 Dementia Research Group Population-Based Cohort Study. J Alzheimers Dis. 2020;75(2):581-93. doi: 10.3233/JAD-200078.

Pires GN, Tufik S, Andersen ML. Effects of sleep restriction during pregnancy on postpartum maternal behavior in female rats. Behav Processes. 2020;179:104200. doi: 10.1016/j.beproc.2020.104200.

Poyares D, Piovezan RD. REM Behavior Disorder diagnostic challenges. Arq Neuropsiquiatr. 2020;78(10):601-2. doi: 10.1590/0004-282x20200189.

Pradella-Hallinan M, Pereira Jr JC, Martins JRM. Restless Legs Syndrome, and symptoms of Restless Syndrome in patients with Graves' disease: a cross-sectional survey. Clinics. 2020;75:e2140. doi: 10.6061/clinics/2020/e2140.

Queiroz KB, Cavalcante-Silva V, Lopes FL, Rocha GA, D'Almeida V, Coimbra RS**.** Vitamin B_{12} is neuroprotective in experimental pneumococcal meningitis through modulation of hippocampal DNA methylation. J Neuroinflammation. 2020;17(1):96. doi: 10.1186/s12974-020-01763-y.

Queiroz S, Ruiz F, Prado Silva A, Frange C, Narciso F, Cruz A, Tufik S, De Mello MT. The consequences of partial sleep restriction for habitual sleep duration, sleepiness and reaction time in healthy males. Sleep Health. 2020;6(6):814-21. doi: 10.1016/j.sleh.2020.04.002.

Rivero LM, De Micheli D, Pinheiro B, Figueredo LZP, Andrade AL. Evaluation of FUNFRIENDS program in prevention of anxiety in Brazilian children: a randomized controlled pilot trial. Ciênc Saúde Coletiva. 2020;25(11):4497-508. doi: 10.1590/1413-812320202511.33072018.

Rizzatti FG, Mazzotti DR, Mindel J, Maislin G, Keenan BT, Bittencourt L, Chen NH, Cistulli PA, McArdle N, Pack FM, Singh B, Sutherland K, Benediktsdottir B, Fietze I, Gislason T, Lim DC, Penzel T, Sanner B, Han F, Li QY, Schwab R, Tufik S, Pack AI, Magalang UJ. Defining Extreme Phenotypes of OSA across International Sleep Centers. CHEST. 2020;158(3):1187-97. doi: 10.1016/j.chest.2020.03.055.

Roche J, Corgosinho FC, Dâmaso AR, Isacco L, Miguet M, Fillon A, Guyon A, Moreira GA, Pradella-Hallinan M, Tufik S, Túlio de Mello M, Gillet V, Pereira B, Duclos M, Boirie Y, Masurier J, Franco P, Thivel D, Mougin F. Sleep-disordered breathing in adolescents with obesity: When does it start to affect cardiometabolic health? Nutr Metab Cardiovasc Dis. 2020;30(4):683-93. doi: 10.1016/j.numecd.2019.12.003.

Roche J, Corgosinho FC, Isacco L, Scheuermaier K, Pereira B, Gillet V, Moreira GA, Pradella-Hallinan M, Tufik S, de Mello MT, Mougin F, Dâmaso AR, Thivel D. A multidisciplinary weight loss intervention in obese adolescents with and without sleep-disordered breathing improves cardiometabolic health, whether SDB was normalized or not. Sleep Med. 2020;75:225-35. doi: 10.1016/j.sleep.2020.06.030.

Rodrigues LD, Oliveira LF, Scorza CA, Andersen ML, Tufik S, Finsterer J, Scorza FA. We never speak about sudden unexpected death in Parkinson's disease. Eur J Neurol. 2020;27(7):e30. doi: 10.1111/ene.14217.

Rodrigues LD, Oliveira LF, Scorza CA, Scorza FA, Andersen ML, Tufik S, Finsterer J, de Almeida AG. Sudden unexpected death in Parkinson's disease: Who would think of the thyroid gland? Parkinsonism Relat Disord. 2020;81:54-5. doi: 10.1016/j.parkreldis.2020.10.010.

Roizenblatt S, Togeiro SMGP, Cabanas-Pedro AC, Figueredo MS. The problems in evaluation of sleep disordered breathing in adults with sickle cell disease. Sleep Med. 2020;71:161. doi: 10.1016/j.sleep.2019.12.031.

Rosa JPP, Silva A, Rodrigues DF, Menslin R, Araújo LT, Vital R, Tufik S, Stieler E, de Mello MT. Association between Hormonal Status, Stress, Recovery, and Motivation of Paralympic Swimmers. Res Q Exerc Sport. 2020;91(4):652-61. doi: 10.1080/02701367.2019.1696929.

Rossener R, Morais IR, Caldeira MF, Tufik S, Hachul H. Assessing sleep among the next generation of healthcare delivery professionals. Sleep Sci. 2020;13(1):92-3. doi: 10.5935/1984-0063.20190129.

Ruiz FS, Rosa DS, Zimberg IZ, Quaresma MVS, Nunes JOF, Apostólico JS, Weckx LY, Souza AR, Narciso FV, Fernandes-Junior SA, Gonçalves B, Folkard S, Bittencourt L, Tufik S, De Mello MT. Night shift work and immune response to the meningococcal conjugate vaccine in healthy workers: a proof of concept study. Sleep Med. 2020;75:263-75. doi: 10.1016/j.sleep.2020.05.032.

Sanabria V, Bittencourt S, Perosa SR, de la Rosa T, Nafah-Mazzacoratti MG, Andersen ML, Tufik S, Cavalheiro EA, Amado D. Hormonal and biochemical changes in female *Proechimys guyannensis*, an animal model of resistance to pilocarpine-induced status epilepticus. Sci Rep. 2020;10(1):20982. doi: 10.1038/s41598-020-77879-1**.**

Santos TB, Wallau AE, Kramer-Soares JC, Oliveira MGM. Functional interaction of ventral hippocampal CA1 region and prelimbic córtex contributes to the encoding of contextual fear association of stimuli separated in time. Neurobiol Learn Mem. 2020;171:107216. doi: 10.1016/j.nlm.2020.107216.

Sartor A, Dokkedal-Silva V, Andersen ML, Samama M. Answer to: Reduced melatonin synthesis in pregnant night workers: Metabolic implications for offspring. Med Hypotheses. 2020;140:109650. doi: 10.1016/j.mehy.2020.109650.

Scorza F, Rodrigues L, Oliveira L, Andersen M, Tufik S, Finsterer J. On "Comparative Effectiveness of mHealth-Supported Exercise Compared With Exercise Alone for People With Parkinson Disease: randomized controlled pilot study." Ellis TD, Cavanaugh, JT, DeAngelis, T, Hendron, K, Thomas, CA, Saint-Hilaire, M, Pencina, K, Latham, NK. Phys Ther. 2019; 99;203-216. Phys Ther. 2020;100(7):1229. doi: 10.1093/ptj/pzaa061.

Silva EA, Tuon R. Aproximações entre a terapia comunitária integrativa com a Redução de Danos. BIS. 2020;21(2):110-23. ISSN: 1518-1812.

Silva LCA, Oliveira AC, da Silva VC, do Carmo Pinho Franco M, D'Almeida V. Hyperlipidic diet affects body composition and induces anxiety-like behavior in intrauterine growth-restricted adult mice. Exp Physiol. 2020;105(12):2061-72. doi: 10.1113/EP088859.

Simim MAM, Souza HS, Cardoso Filho CA, Gianoni RLS, Bezerra RR, Affonso HO, Amadio AC, D'Almeida V, Serrão JC, Claudino JG. Sleep quality monitoring in individual sports athletes: parameters and definitions by systematic review. Sleep Sci. 2020;13(4):267-85. doi: 10.5935/1984-0063.20200032.

Sousa MEP, Gonzatti MB, Fernandes ER, Freire BM, Guereschi MG, Basso AS, Andersen ML, Rosa DS, Keller AC. Invariant Natural Killer T cells resilience to paradoxical sleep deprivation-associated stress. Brain Behav Immun. 2020;90:208-15. doi: 10.1016/j.bbi.2020.08.018.

Souza-Talarico JN, Alves AR, Brucki SMD, Nitrini R, Lupien SJ, Suchecki D. Cortisol reactivity to a psychosocial stressor significantly increases the risk of developing Cognitive Impairment no Dementia five years later. Psychoneuroendocrinology. 2020;115:104601. doi: 10.1016/j.psyneuen.2020.104601.

Stefanini R, Caparroz F, Sguillar DA, Vidigal TA, Bittencourt L, Tufik S, Haddad FLM. Immediate impact of pharyngeal surgery on respiratory parameters in adults with obstructive sleep apnea. Sleep Breath. 2020;24(2):505-11.doi: 10.1007/s11325-019-01888-2.

Tavares-Silva E, Donatto FF, Medeiros RMV, Santos SA, Caris AV, Thomatieli-Santos RV. Carbohydrate supplementation and psychophysiological responses during moderate exercise in hypoxia. J Int Soc Sports Nutr. 2020 Jan 6;17(1):3. doi: 10.1186/s12970-019-0331-6.

Tempaku PF, Santoro ML, Bittencourt L, D'Almeida V, Iole Belangero S, Tufik S. Genome-wide association study reveals two novel risk alleles for incident obstructive sleep apnea in the EPISONO cohort. Sleep Med. 2020;66:24-32. doi: 10.1016/j.sleep.2019.08.003.

Tomita LY, Costa AC, Andreoni S, Oyafuso LKM, D'Almeida V, Fonseca FLA, Rocha ACL, Kobata C. Folate Nutritional Status among Psoriasis Patients not Exposed to Anti-folate Drug. Curr Nutr Food Sci. 2020;16(4):543-53. doi: 10.2174/1573401314666180702100301.

Truzzi GM, Naufel MF, Tufik S, Coelho FM. The influence of narcolepsy on olfactory function: a review. Sleep Med. 2020;72:75-81. doi: 10.1016/j.sleep.2020.03.023.

Tufik S, Gozal D, Ishikura IA, Pires GN, Andersen ML. Does Obstructive Sleep Apnea Lead to Increased Risk of COVID-19 Infection and Severity? J Clin Sleep Med. 2020;16(8):1425-6. doi: 10.5664/jcsm.8596.

Tufik S. Obstructive Sleep Apnea as a comorbidity to Covid-10. Sleep Sci. 2020;13(3):181-2. doi: 10.5935/1984-0063.20200064.

Vallim JRDS, do Amaral FG, d'Almeida V. Sleep parameters assessed by actigraphy in Fabry's disease patients: a proof-of-concept. Sleep Med. 2020;69:213-6. doi: 10.1016/j.sleep.2020.01.012.

Valvassori SS, Cararo JH, Peper-Nascimento J, Ferreira CL, Gava FF, Dal-Pont GC, Andersen ML, Quevedo J. Protein kinase C isoforms as a target for manic-like behaviors and oxidative stress in a dopaminergic animal model of mania. Progr. Neuropsychopharmacol Biol Psychiatr. 2020;101: 109940. doi: 10.1016/j.pnpbp.2020.109940.

Varela P, Mastroianni Kirsztajn G, Motta FL, Martin RP, Turaça LT, Ferrer HLF, Gomes CP, Nicolicht P, Mara Marins M, Pessoa JG, Braga MC, D'Almeida V, Martins AM, Pesquero JB. Correlation between GLA variants and alpha-Galactosidase A profile in dried blood spot: an observational study in Brazilian patients. Orphanet J Rare Dis. 2020;15(1):30. doi: 10.1186/s13023-019-1274-3.

Viana GM, Gonzalez EA, Alvarez MMP, Cavalheiro RP, do Nascimento CC, Baldo G, D'Almeida V, de Lima MA, Pshezhetsky AV, Nader HB. Cathepsin B-associated Activation of Amyloidogenic Pathway in Murine Mucopolysaccharidosis Type I Brain Cortex. Int J Mol Sci. 2020;21:1459. doi: 10.3390/ijms21041459.

Xerfan EMS, Tomimori J, Andersen ML, Tufik S, Facina AS. Sleep disturbance and atopic dermatitis: A bidirectional relationship? Med Hypotheses. 2020;140:109637. doi: 10.1016/j.mehy.2020.109637.

Xerfan EMS, Andersen ML, Tomimori J, Tufik S, Facina AS. Cutaneous T-cell lymphomas and sleep quality: a bidirectional relationship? Int J Dermatol. 2020; 59(5):e150-e151. doi: 10.1111/ijd.14806.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. Epidermolysis bullosa and the importance of evaluation of sleep complaints. J Paediatr Child Health. 2020;56(9):1477-8. doi: 10.1111/jpc.15089.

Xerfan EMS, Facina AS, Andersen ML, Tufik S, Tomimori J. Hidradenitis suppurativa and its impact on the sleep quality. J Skin Stem Cell. 2020;6(4):e103593. doi: 10.5812/jssc.103593.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. Sleep disturbances as an adverse effect of propranolol use in children with infantile hemangioma. World J Pediatr. 2020;16(5):537-8. doi: 10.1007/s12519-019-00335-2.

Xerfan EMS, Andersen ML, Tomimori J, Tufik S, Facina AS. Melasma and the possible interaction with the sleep quality. J Clin Aesthetic Dermatol. 2020;13(11):12. eISSN: 2689-9175.

Zamariolli M, Di-Battista A, Moysés-Oliveira M, de Mello CB, de Paula Ramos MA, Liehr T, Melaragno MI. Disruption of PCDH10 and TNRC18 genes due to a balanced translocation. Cytogenet Genome Res. 2020;160:321-8. doi: 10.1159/000508820.

Zanini GAV, Miranda M, Cogo-Moreira H, Nouri A, Fernández AL, Pompeia S. An adaptable, open-access test battery to study the fractionation of executive-functions in diverse populations. PsyArXiv Preprints. 8 November 2020. (Publicado no periódico Front Psychol. 2021;12:627219).

2019.....

Aguilar AC, Brant PHRC, Tufik S, Coelho FM. Finding a needle in the haystack-narcolepsy and obstructive sleep apnea. Sleep Breath. 2019;23(4):1301-2. doi: 10.1007/s11325-019-01800-y.

Albuquerque RG, Tufik S, Andersen ML. Benefits of selenium in the treatment of depression and sleep disorders : Commentaries of the article "The selenium-containing compound 3-((4-chlorophenyl)selanyl)-1-methyl-1H-indole reverses depressive-like behavior induced by acute restraint stress in mice: modulation of oxido-nitrosative stress and inflammatory pathway". Sleep Breath. 2019;23(3):933-4. doi: 10.1007/s11325-019-01816-4.

Albuquerque RG, Grüdtner Buratto G, Hirotsu C, Maeda SM, Floriano MC, Levy Andersen M, Tufik S, Tomimori J. Comparison of quality of life evaluated by SF-36 and DLQI in multibacillary and paucibacillary leprosy patients from Sao Paulo, Brazil. Int J Dermatol. 2019;58(12):1415-22. doi: 10.1111/ijd.14489.

Alkan E, Taporoski TP, Sterr A, von Schantz M, Vallada H, Krieger JE, Pereira AC, Alvim R, Horimoto ARVR, Pompeia S, Negrão AB, Evans SLH. Metabolic syndrome alters relationships between cardiometabolic variables, cognition and white matter hyperintensity load. Sci Rep. 2019;9(1):4356. doi: 10.1038/s41598-019-40630-6.

Alves ES, Lemos VA, Rosa JPP, Silva A, Gavea J, Rocha EA, De Mello MT. Profile of aerobic fitness and muscle power of athletes on the Brazilian National Paralympic Five-a-side Football Team. Rev Bras Educ Fís Esporte. 2019;33(3):345-52. doi: 10.11606/issn.1981-4690.v33i3p345-352.

Alves TC, Rodrigues E, Lago JHG, Prado CM, Girardi CEN, Hipolide DC. *Petiveria alliacea*, a plant used in Afro-Brazilian smoke rituals, triggers pulmonar inflammation in rats. Rev Bras Farmacognosia. 2019;29(5):656-64. doi: 10.1016/j.bjp.2019.06.005.

Andersen ML, Winter LMF. Animal models in biological and biomedical research - experimental and ethical concerns. An Acad Bras Ciências. 2019;91(Supl.1):e20170238. doi: 10.1590/0001-3765201720170238.

Andersen ML. The 2019 World Sleep Congress. Sleep Sci. 2019;12(3):125. doi: 10.5935/1984-0063.20190097.

Antonio RL, Pompeia S. A fractionated analysis of hot and cool self-regulation in cigarette smokers from different socioeconomic backgrounds. Plos One. 2019;14(8):e0220222. doi: 10.1371/journal.pone.0220222. eCollection 2019.

Arakaki FH, Tufik S, Andersen ML. Naps and exercise: reinforcing a range of benefits for elderly. Chronobiol Int. 2019;36(7):886-7. doi: 10.1080/07420528.2019.1602050.

Bambini BBM, Moysés RMA, Batista LCD, Coelho BBSS, Tufik S, Elias RM, Coelho FM. Restless legs syndrome in patients on hemodialysis: polysomnography findings. Hemodial Int. 2019;23(4):445-8. doi: 10.1111/hdi.12781.

Barbosa CC, Rodrigues C, Ataides CFS, Santos ML, Ghedini PC, Dias Junior W, Andersen ML, Mazaro-Costa R. Protective effects of Hydrocotyle umbellata var. bonariensis Lam. (Araliaceae) on memory in sleep-impaired female mice. J Ethnopharmacol. 2019;245: 112183. doi: 10.1016/j.jep.2019.112183.

Barbosa T, Rodrigues CC, Mello CB, Silva MCSE, Bueno OFA. Executive functions in children with dyslexia. Arq Neuropsiquiatr. 2019;77(4):254-9. doi: 10.1590/0004-282X20190033.

Bedendo A, Ferri CP, de Souza AAL, Andrade ALM, Noto AR. Pragmatic randomized controlled trial of a web-based intervention for alcohol use among Brazilian college students: motivation as a moderating effect. Drug Alcohol Depend. 2019;199:92-100. doi: 10.1016/j.drugalcdep.2019.02.021.

Behar JA, Palmius N, Li Q, Garbuio S, Rizzatti FPG, Bittencourt L, Tufik S, Clifford GD. Feasibility of Single Channel Oximetry for Mass Screening of Obstructive Sleep Apnea. EClinicalMedicine. 2019;11:81-88. doi: 10.1016/j.eclinm.2019.05.015.

Bellucco FT, de Mello CB, Meloni VA, Melaragno MI. Malan syndrome in a patient with 19p13.2p13.12 deletion encompassing NFIX and CACNA1A genes: Case report and review of the literature. Mol Genet Genomic Med. 2019 Oct 1:e997. doi: 10.1002/mgg3.997.

Benjafield AV, Ayas NT, Eastwood PR, Heinzer R, Ip MSM, Morrell MJ, Nunez CM, Patel SR, Penzel T, Pépin JD, Peppard PE, Sinha S, Tufik S, Valentine K, Malhotra A. Estimation of the global prevalence and burden of obstructive sleep apnoea: a literature-based analysis. Lancet Respir Med. 2019;7(8):687-698. doi: 10.1016/S2213-2600(19)30198-5.

Bernardo JF, Mena-Chalco JP, De Micheli D. Prevenção de drogas em contextos educacionais: uma análise da rede de colaboração entre pesquisadores. Reciis – Rev Eletron Comum Inf Inov Saúde. 2019;13(3):578-93. doi: 10.29397/reciis.v13i3.1561.

Bhona FMC, Gebara CFP, Noto AR, Vieira MT, Lourenço LM. Socioeconomic Factors and Intimate Partner Violence: A Household Survey. Trends Psychol. 2019;27(1):205-18. doi: 10.9788/tp2019.1-15.

Borges CR, Poyares D, Piovezan R, Nitrini R, Brucki. Alzheimer's disease and Sleep disturbances: a review. Arq Neuropsiquiatr. 2019;77(11):815-824. doi: 10.1590/0004-282X20190149.

Bortolli C, Andersen M, Ribeiro M, Tufik S, Hachul H. The important role of sleep in female sexual function. J Sex Med. 2019;16(9):1484-1485. doi: 10.1016/j.jsxm.2019.06.005.

Bortolli CL, Andersen ML, Tufik S, Hachul H. Correlation of Insomnia with menstrual pain and premenstrual syndrome. Australian and New Zealand Journal of Obstetrics and Gynaecology. 2019;59(3):E10-E11. doi: 10.1111/ajo.12979.

Bottura RM, Lima GHO, Hipolide DC, Pesquero JB. Association between ACTN3 and acute mountain sickness. Genes Environ. 2019;41(1):18. doi: 10.1186/s41021-019-0133-8

Braga MC, Fonseca FLA, Marins MM, Gomes CP, Bacci MR, Martins AM, D'Almeida V. Evaluation of Beta 2-Microglobulin, Cystatin C, and Lipocalin-2 as Renal Biomarkers for Patients with Fabry Disease. Nephron. 2019;143:217–227. doi: 10.1159/000500570.

Brandão WN, Andersen ML, Palermo-Neto J, Peron JP, Zager A. Therapeutic treatment with Modafinil decreases the severity of experimental autoimmune encephalomyelitis in mice. Int Immunopharmacol. 2019;75:105809. doi: 10.1016/j.intimp.2019.105809.

Caballero-Eraso C, Shin MK, Pho H, Kim LJ, Pichard LE, Wu ZJ, Gu C, Berger S, Pham L, Yeung HB, Shirahata M, Schwartz AR, Tang WW, Sham JSK, Polotsky VY. Leptin acts in the carotid bodies to increase minute ventilation during wakefulness and sleep and augment the hypoxic ventilatory response. J Physiol. 2019;597(1):151-172. doi: 10.1113/JP276900.

Caparroz F, Campanholo M, Stefanini R, Vidigal T, Haddad L, Bittencourt LR, Tufik S, Haddad F. Laryngopharyngeal reflux and dysphagia in patients with obstructive sleep apnea: is there an association? Sleep Breath. 2019;23(2):619–26. doi: 10.1007/s11325-019-01844-0.

Caparróz FA, Campanholo MAT, Sguillar DA, Haddad L, Park SW, Bittencourt L, Tufik S, Haddad FLM. A pilot study on the efficacy of Continuous Positive Airway Pressure on the manifestations of dysphagia in patients with Obstructive Sleep Apnea. Dysphagia. 2019;34(3):333-40. doi: 10.1007/s00455-018-9944-1.

Careaga MBL, Girardi CEN, Suchecki D. Variability in response to severe stress: Highly reactive rats exhibit changes in fear and anxiety-like behavior related to distinct neuronal co-activation patterns. Behav Brain Res. 2019;373:112078. doi: 10.1016/j.bbr.2019.112078.

Caris AV, Santos RVT. Performance and altitude: ways that nutrition can help. Nutrition. 2019;60:35-40. doi: 10.1016/j.nut.2018.09.030.

Chagas C, Machado DA, Martins LB, Opaleye D, Piedade T, Paula TC, Galduroz JCF, Ferri CP. Alcohol consumption by older people in Brazil: a systematic review of population-based studies. Addict Disord Their Treat. 2019;18(4):229-37. doi: 10.1097/ADT.0000000000000168.

Claudino JG, Gabbet TJ, Souza HS, Simim M, Fowler P, Borba DA, Melo M, Bottino A, Loturco I, D'Almeida V, Amadio AC, Serrão JC, Nassis GP. Which parameters to use for sleep quality monitoring in team sport athletes? A systematic review and meta-analysis. BMJ Open Sport Exerc Med. 2019;5(1):e000475. doi: 10.1136/bmjsem-2018-000475.

Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. The sensory pain of Dante's Inferno – semantics of chronic pain in patients with narcolepsy. Sleep Sci. 2019;12(1):49-52. doi: 10.5935/1984-0063.20190055.

Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. Chronic pain in narcolepsy type 1 and type 2 - an underestimated reality. J Sleep Res. 2019;28:e12715. doi: 10.1111/jsr.12715.

D'Aurea CVR, Poyares D, Passos GS, Santana MG, Youngstedt SD, Souza AA, Bicudo J, Tufik S, de Mello MT. Effects of resistance exercise training and stretching on chronic insomnia. Braz J Psychiatry. 2019;41(1):51-7. doi:10.1590/1516-4446-2018-0030.

Dantas AG, Santoro ML, Nunes N, de Mello CB, Pimenta LSE, Meloni VA, Soares DCQ, Belangero SN, Carvalheira G, Kim CA, Melaragno MI. Downregulation of genes outside the deleted region in individuals with 22q11.2 deletion syndrome. Hum Genet. 2019;138(1):93-103. doi: 10.1007/s00439-018-01967-6.

De Melo CM, Del Ré MP, Quaresma MVLS, Antunes HKM, Togeiro SM, Ribeiro SML, Tufik S, De Mello MT. Relationship of evening meal with sleep quality in obese individuals with obstructive sleep apnea. Clin Nutrit ESPEN. 2019;29:231-6. doi: 10.1016/j.clnesp.2018.09.077.

De Souza IW, Kozasa EH, Rabello LA, Mattozo B, Bowen S, Richter KP, Sartes LMA, Noto AR. Dispositional mindfulness, affect and tobacco dependence among treatment naive cigarette smokers in Brazil. Tob Induc Dis. 2019;17:28. doi: 10.18332/tid/105846.

Dittrich N, Pires GN, Tufik S, Andersen ML. The knowledge of bioethics and Law 11,794/2008 in undergraduate courses. Rev bioét. (Impr.). 2019;27(3):542-8. doi: 10.1590/1983-80422019273339.

Dokkedal-Silva V, Berro LF, Galduroz JC, Tufik S, Andersen ML. Clonazepam: indications, side effects, and potential for nonmedical use. Harvard Rev Psychiatr. 2019;27(5):279-89. doi: 10.1097/HRP.0000000000000227.

Domingues LP, Antonio BB, Oliveira MGM, Quadros IMH. Consequence of two protocols of social defeat stress on nicotine-induced psychomotor effects in mice. BioMed Res Int. 2019;Volume 2019; Article ID 5404251 (12 pages). doi: 10.1155/2019/5404251.

Eserian JK, Lombardo M, Chagas JR, Galduroz JCF. Unmet quality needs in oral drug delivery: contrasts of drug content and uniformity on distinct approaches for achieving individual dosing. AAPS PharmSciTech. 2019;20(8):332. doi: 10.1208/s12249-019-1546-1.

Eserian JK, Chagas JR, Galduroz JCF. Redução de doses e descontinuação de medicações psicoativas: revisão da literatura. Cad Bras Med. 2019;XXXII(1-4):66-72.

Fernandes GL, Araujo P, Tufik S, Andersen ML. Sleep as a potential confounding factor in cytokine levels of Alzheimer's disease. Psychogeriatrics. 2019;19(5):521-2. doi: 10.1111/psyg.12414.

Ferrari GJM, Kovalskys I, Fisberg M, Gómez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, King AC, Solé D; ELANS Study Group. Original Research Socio-demographic Patterning of Self-Reported Physical Activity and Sitting Time in Latin American Countries: Findings From ELANS. BMC Public Health. 2019;19(1):1723. doi: 10.1186/s12889-019-8048-7.

Ferrari GLM, Kovalskys I, Fisberg M, Gomez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Guajardo V, Pratt M, Pires C, Solé D; ELANS Study Group. Association of Moderate-To-Vigorous Physical Activity With Neck Circumference in Eight Latin American Countries. BMC Public Health. 2019;19(1):809. doi: 10.1186/s12889-019-7153-y.

Fisberg M, Kovalskys I, Previdelli AN, Zimberg IZ, Del'Arco APWT, Ferrari GLM. Brazilian Study of Nutrition and Health (EBANS) - Brazilian Data of ELANS: Methodological Opportunities and Challenges. Rev Assoc Med Bras. 2019;65(5):669-677. doi: 10.1590/1806-9282.65.5.669.

Frange C, Hachul H, Hirotsu C, Tufik S, Andersen ML. Temporal analysis of chronic musculoskeltal pain and sleep in postmenopausal women. J Clin Sleep Med. 2019;15(2):223-34. doi: 10.5664/jcsm.7622.

Frange C, Naufel MF, Coelho FMS. Weight management and musculoskeletal pain: Does sleep mediate the connection? Eur J Pain. 2019;23:1578-9. doi: 10.1002/ejp.1440.

Fumo-Dos-Santos C, Pradella-Hallinan M, Barbisan BN, Tufik S, Moreira GA. Sleep duration on a population of children referred to sleep study - cross-sectional data from 2003 to 2009. Sleep Sci. 2019;12(4):272-278. doi: 10.5935/1984-0063.20190094.

Galduroz JC, Tomita N. Substance-use disorders in later life. N Engl J Med. 2019;380(12):1189-1190. doi: 10.1056/NEJMc1900415.

Gomes K, Amato TC, Bedendo A, Santos ELD, Noto AR. Problemas associados ao *binge drinking* entre estudantes das capitais brasileiras. Ciência Saúde Colet. 2019;24(2):497-507. doi: 10.1590/1413-81232018242.35452016.

Gonçalves TJM, Moysés RMA, Coelho FM, Elias RM. Comparing seizure risk between peritoneal dialysis and hemodialysis. Am J Kidney Dis. 2019;74(1):141. doi: 10.1053/j.ajkd.2018.12.042.

Guerra BA, Brandão BB, Pinto SS, Salgueiro WG, De-Souza EA, Reis FCG, Batista TM, Cavalcanti-Silva V, D'Almeida V, Castilho BA, Carneiro EM, Antebi A, Festuccia WT, Mori MA. Dietary sulfur amino acid restriction upregulates DICER to confer beneficial effects. Mol Metab. 2019;29:124–35. doi: 10.1016/j.molmet.2019.08.017.

Guimarães TM, Bariani RC, Iafigliola SG, Guimarães CM, Chaves CM, Ferraz O, Cappellette M, Abraão-Cunha TC, Dal-Fabbro C, Rossi R, Bittencourt L, Fujita RR, Tufik S, Moreira G. Cone beam computed tomography in assessment on pharynx effects of orthopedic-surgical treatment: a review of the literature. Sleep Sci. 2019;12(2):106-9. doi: 10.5935/1984-0063.20190066.

Hachul H, Polesel DN, Tock L, Carneiro G, Pereira AZ, Zanella MT, Tufik S, Togeiro SM. Sleep disorders in polycystic ovary syndrome: influence of obesity and hyperandrogenism. Rev Assoc Med Bras. 2019;65(3):375-83. doi: 10.1590/1806-9282.65.3.375.

Hachul H, Tufik S. Hot flashes: treating the mind, body and soul. Menopause. 2019;26(5):461-2. doi: 10.1097/GME.0000000000001314 .

Hajali V, Andersen ML, Negah SS, Sheibani V. Sex differences in sleep and sleep loss-induced cognitive deficits: The influence of gonadal hormones. Horm Behav. 2019;108:50-61. doi: 10.1016/j.yhbeh.2018.12.013.

Hartley CA, Coelho CAO, Boeke E, Ramirez F, Phelps EA. Individual differences in blink rate modulate the effect of instrumental control on subsequent Pavlovian responding. Psychopharmacology. 2019;236(1):87-97. doi: 10.1007/s00213-018-5082-6.

Hirata RYS, Santos TB, Andrade JS, Maluf LS, Antunes HKM, Britto LRG, Céspedes IC, Viana MB. Chronic corticosterone increases ΔFOSB and CRFR1 immunoreactivity in brain regions that modulate aversive conditioning. Behav Brain Res. 2019;356:107-119. doi: 10.1016/j.bbr.2018.08.011.

Hirotsu C, Frange C, Hirata PH, Cremaschi RC, Coelho FM, Andersen ML, Tufik S. Sleepiness comorbid to musculoskeletal pain is associated with worse quality of life and mood symptoms in a general population sample. Sleep Sci. 2019;12(2):79-87. doi: 10.5935/1984-0063.20190071.

Huebra L, Coelho FM, Filho FMR, Barsottini OG, Pedroso JL. Sleep Disorders in Hereditary Ataxias. Curr Neurol Neurosci Rep. 2019;19(8):59. doi: 10.1007/s11910-019-0968-1.

Kovalskys I, Rigotti A, Koletzko B, Fisberg M, Gómez G, Herrera-Cuenca M, Cortés Sanabria LY, Yépez García MC, Pareja RG, Zimberg IZ, Del Arco A, Zonis L, Previdelli AN, Guajardo V, Moreno LA, Fisberg R; ELANS Study Group. Latin American consumption of major food groups: Results from the ELANS study. PLoS One. 2019;14(12):e0225101. doi: 10.1371/journal.pone.0225101.

Kyosen SO, Toma L, Nader HB, Braga MC, Pereira VG, Canossa S, Pesquero JB, D'Almeida V, Martins AM. Case series of patients under biweekly treatment with laronidase: a report of a single center experience. Rev Paul Pediatr. 2019;37(3):312-317. doi: 10.1590/1984-0462/;2019;37;3;00010.

Leffa DT, Panzenhagen AC, Salvi AA, Bau CHD, Pires GN, Torres ILS, Rohde LA, Rovaris DL, Grevet EH. Systematic review and meta-analysis of the behavioral effects of methylphenidate in the spontaneously hypertensive rat model of attention-deficit/hyperactivity disorder. Neurosci Biobehav Rev. 2019;100:166-79. doi: 10.1016/j.neubiorev.2019.02.019.

Lima FCB, do Nascimento Junior EB, Teixeira SS, Coelho FM, Oliveira GDP. Thinking outside the box: cataplexy without narcolepsy. Sleep Med. 2019;61:118-21. doi: 10.1016/j.sleep.2019.03.006.

Magalang UJ, Johns JN, Wood KA, Mindel JW, Lim DC, Bittencourt LR, Chen NH, Cistulli PA, Gíslason T, Arnardottir ES, Penzel T, Tufik S, Pack AI. Home sleep apnea testing: comparison of manual and automated scoring across international sleep centers. Sleep Breath. 2019;23(1):25-31. doi: 10.1007/s11325-018-1715.

Mello CB, Bueno OFA, Benedetto LM, Pimenta LSE, Takeno SS, Melaragno MI, Meloni VA. Intellectual, adaptive and behavioural characteristics in four patients with 18p deletion syndrome. J Intellect Disabil Res. 2019;63(3):225-232. doi: 10.1111/jir.12568.

Mendes AB, Nascimento CC, D'Almeida V. Sexual behaviour in a murine model of Mucopolysaccharidosis type I (MPS I). PLoS One. 2019;14(12):e0220429. doi: 10.1371/journal.pone.0220429.

Mendes NF, Pansani AP, Carmanhães ERF, Tange P, Meireles JV, Ochikubo M, Chagas JR, da Silva AV, Monteiro de Castro G, Le Sueur-Maluf L. The Blood-Brain Barrier Breakdown During Acute Phase of the Pilocarpine Model of Epilepsy Is Dynamic and Time-Dependent. Front Neurol. 2019;10:382. doi: 10.3389/fneur.2019.00382.

Menegas S, Ferreira CL, Cararo JH, Gava FF, Dal-Pont GC, Gomes ML, Agostini JF, Schuck PF, Scaini G, Andersen ML, Quevedo J, Valvassori SS. Resveratrol protects the brain against oxidative damage in a dopaminergic animal model of mania. Metab Brain Dis. 2019;34(3):941-50. doi:10.1007/s11011-019-00408-1.

Minari ALA, Avila F, Oyama LM, Thomatieli-Santos RV. Skeletal muscles induce recruitment of Ly6Cmacrophage subtypes andrelease inflammatory cytokines 3 days after downhill exercise. Am J Physiol Regul Integr Comp Physiol. 2019;317:R597–R605. doi: 10.1152/ajpregu.00163.2019.

Miranda MC, Navas AL, Cogo-Moreira H, Baddeley A, Pinheiro ECM, Barbosa T, Bueno OFA. Adapting the Reading Decision Test: establishing construct validity across sex and type of school. Psychol Neurosci. 2019;12:379-90.doi: 10.1037/pne0000173.

Monteiro J, Inoue FM, Lobo APT, Ibanes AS, Tufik S, Kiffer CRV. A major monoclonal hospital outbreak of NDM-1-producing Klebsiella pneumoniae ST340 and the first report of ST2570 in Brazil. Infect Control Hosp Epidemiol. 2019;40(4):492-4. doi: 10.1017/ice.2018.333.

Montrezol FT, Marinho R, da GFA, D'Almeida V, de Oliveira EM, Gomes RJ, Medeiros A. Ace gene plays a key role in reducing blood pressure in hypertensive elderlies after resistance training resistance exercise and ace polymorphism. J Strength Cond Res. 2019;33(4):1119-1129. doi: 10.1519/JSC.0000000000002355.

Morelhao PK, Tufik S, Andersen ML. What are the effects of physical activity on sleep quality and low back pain in older adults? J Clin Sleep Med. 2019;15(7):1067-8. doi: 10.5664/jcsm.7896.

Morelhão PK, Kim LJ, Pinto RZ, Tufik S, Andersen ML. Should Physical Therapists Assess Sleep Quality in Patients Seeking Care for Low Back Pain? Phys Ther. 2019;99(8):961-963. doi: 10.1093/ptj/pzz058.

Morelhão PK, Iglesias SOB, Tufik S, Andersen ML. A importância dos cuidados paliativos para crianças com doença terminal e a necessidade de considerar o papel dos distúrbios de sono nesse contexto. Rev Residência Pediátr. 2019;9(3):359-61. doi: 10.25060/residpediatr-2019.v9n3-35.

Nascimento EB, Dierschnabel AL, de Macêdo Medeiros A, Suchecki D, Silva RH, Ribeiro AM. Memory impairment induced by different types of prolonged stress is dependent on the phase of the estrous cycle in female rats. Horm Behav. 2019;115:104563. doi: 10.1016/j.yhbeh.2019.104563.

Naufel MF, Boldarine VT, Oyama LM, do Nascimento CMO, Silva Dos Santos GM, Hachul H, Ribeiro EB. Age and leptinemia association with anxiety and depression symptoms in overweight middle-aged women. Menopause. 2019;26(3):317-324. doi: 10.1097/GME.0000000000001210.

Nejm MB, Andersen ML, Tufik S, Finsterer J, Scorza FA. Sudden unexpected death in Parkinson’s disease: Why do neuroscientists still ignore this condition? Neurol Sci. 2019;40(2):413-4. doi: 10.1007/s10072-018-3581-1.

Nejm MB, Andersen ML, Tufik S, Finsterer J, Scorza FA. Sudden death in Parkinson’s disease: Unjustifiably forgotten. Parkinsonism Relat Disord. 2019;58:88-9. doi: 10.1016/j.parkreldis.2018.08.012.

Oliveira AB, de Mello MT, Tufik S, Peres MFP. Weight loss and improved mood after aerobic exercise training are linked to lower plasma anandamide in healthy people. Physiol Behav. 2019;201:191-7. doi: 10.1016/j.physbeh.2018.12.018.

Oliveira AB, Ribeiro RT, Mello MT, Tufik S, Peres MFP. Anandamide is related to clinical and cardiorespiratory benefits of aerobic exercise training in migraine patients: a randomized controlled clinical trial. Cannabis Cannabinoid Res. 2019;4(4):275-284. doi: 10.1089/can.2018.0057.

Oliveira CCS, Tufik S, Andersen ML. Sleep disorders impair attaining ideal cardiovascular health. Arq Bras Cardiol. 2019;112(6):807-808. doi: 10.5935/abc.20190110.

Oliveira D, Jun Otuyama L, Mabunda D, Mandlate F, Gonçalves-Pereira M, Xavier M, Laks J, Ferri CP. Reducing the number of people with dementia through primary prevention in Mozambique, Brazil, and Portugal: an analysis of population-based data. J Alzheimers Dis. 2019;70(s1):S283-S291. doi: 10.3233/JAD-180636.

Oliveira EML, Montani DA, Oliveira-Silva D, Rodrigues-Oliveira AF, Matas SLA, Fernandes GBP, Silva IDCGD, Lo Turco EG. Multiple sclerosis has a distinct lipid signature in plasma and cerebrospinal fluid. Arq Neuropsiquiatr. 2019;77(10):696-704. doi: 10.1590/0004-282X20190122.

Oliveira SLB, Oliveira MGM, Hipolide DC. A1 adenosine receptors in the striatum play a role in the memory impairment caused by sleep deprivation through downregulation of the PKA pathway. Neurobiol Learn Mem. 2019;160:91-7. doi: 10.1016/j.nlm.2018.03.025.

Oliveira-Silva JA, Yamamoto JUP, Oliveira RB, Monteiro VCL, Frangipani BJ, Kyosen SO, Martins AM, D'Almeida V. Oxidative stress assessment by glutathione peroxidase activity and glutathione levels in response to selenium supplementation in patients with Mucopolysaccharidosis I, II and VI. Genet Mol Biol. 2019;42(1):1-8. doi: 10.1590/1678-4685-GMB-2017-0334.

Paixão DL, Poyares D, de Paula MS, Duarte JW, Castelo PM, Ambrogini-Júnior O, Miszputen SJ, Oshima CTF, Chagas JR, Paiotti APR. Evaluation of home polysomnography findings, quality of sleep, and fatigue in inflammatory bowel disease: a case series. J Clin Sleep Med. 2019;15(1):39-45. doi: 10.5664/jcsm.7566.

Paula TCS, Chagas C, Souza-Formigoni MLO, Ferri CP. Alcohol and ageing: rapid changes in populations present new challenges for an old problem. Substance Use Misuse. 2019;54(9):1580-1. doi: 10.1080/10826084.2019.1592196.

Pereira CM, Filev R, Dubiela FP, Brandão BB, Queiroz CM, Ludwig RG, Hipolide D, Longo BM, Mello LE, Mori MA, Castilho BA. The GCN2 inhibitor IMPACT contributes to diet-induced obesity and body temperature control. Plos One. 2019;14(6):e0217287. doi: 10.1371/journal.pone.0217287.

Perger E, Lyons OD, Inami T, Smith S, Floras JS, Logan AG, ...Bittencourt LR,..... et al. Predictors of 1-year compliance with adaptive servoventilation in patients with heart failure and sleep disordered breathing: preliminary data from the ADVENT-HF trial. Eur Respir J. 2019;53(2):1801626. doi: 10.1183/13993003.01626-2018.

Pessoa CC, Reis LC, Ramos-Sanchez EM, Orikaza CM, Cortez C, de Castro Levatti EV, Badaró ACB, Yamamoto JUDS, D'Almeida V, Goto H, Mortara RA, Real F. ATP6V0d2 controls Leishmania parasitophorous vacuole biogenesis via cholesterol homeostasis. PLoS Pathog. 2019;15(6):e1007834. doi: 10.1371/journal.ppat.1007834.

Petrella C, Maluly M, Andersen ML, Tufik S. The use of mandibular advancement devices in Obstructive Sleep Apnea: a proven and effective therapy. Sleep Breath. 2019;23(2):579-80. doi: 10.1007/s11325-018-1722-7.

Pimenta LSE, Mello CB, Soares DCQ, Dantas AG, Melaragno MI, Kulikowski LD, Kim CA. Intellectual performance profile of a sample of children and adolescents from Brazil with 22q11.2 Deletion Syndrome (22q11.2DS) based on the Wechsler Scale. Estud Psicol (Campinas). 2019;36:e1801001. doi: 10.1590/1982-0275201936e180101.

Piovezan RD, Hirotsu C, Moizinho R, Souza HS, D'Almeida V, Tufik S, Poyares D. Associations between sleep conditions and body composition states: results of the EPISONO study. J Cachexia Sarcopenia Muscle. 2019;10(5):962-73. doi: 10.1002/jcsm.12445.

Polesel DN, Nozoe KT, Tufik SB, Bezerra AG, Fernandes MTB, Bittencourt L, Tufik S, Andersen ML, Hachul H. Gender differences in the application of anthropometric measures for evaluation of obstructive sleep apnea. Sleep Sci. 2019;12(1):2-9. doi: 10.5935/1984-0063.20190048 .

Pompeia S, Zanini GV, De Freitas RS, Inácio LM, Souza GR, Silva FC, Vitalle MSS, Niskier SR, Cogo-Moreira H. Adapted version of the Pubertal Development Scale for use in Brazil. Rev Saúde Pública. 2019;53:56. doi: 10.11606/s1518-8787.2019053000915.

Raya J, Girardi CEN, Hipolide DC. Corticosterone assimilation by a voluntary oral administration in palatable food to rats. J Appl Anim Welf Sci. 2019;22(1):37-41. doi: 10.1080/10888705.2018.1471605.

Rocha MB, Macacare OT, Abrahao KP, Ekuni R. "Se beber, não dirija": popularizando os efeitos do álcool em um evento interativo. Interfaces Rev Ext UFMG. 2019;7(1):143-50. ISSN: 2318-2326.

Rodrigues LC, Mota JF, Corgosinho FC, Masquio DCL, Dâmaso AR, Tufik S, de Melo MT, Cheik NC, da Silva Agostinho PL. Nutrient intake is a predictor of lung function in obese asthmatic adolescents undergoing interdisciplinary therapy. Br J Nutrit. 2019;122(9):974-85. doi: 10.1017/S0007114519001739.

Rodrigues LD, Oliveira LF, Scorza CA, Andersen ML, Tufik S, Finsterer J, Scorza FA. REM sleep without atonia as prodromal marker of lewy body disease: fake news or the real deal? Parkinsonism Relat Disord. 2019;67:34-5. doi: 10.1016/j.parkreldis.2019.09.017.

Rosário JL, Leite JR. Difference between blood pressure, heart rate and global stretch before and after 8 weeks of standardized meditation and yoga ASANAS. EC Orthopaedics. 2019;10:271-277.

Rosário JL, Leite JR. Standatization method for teaching yoga meditation and ASANAS. MOJ Clin Med Case Rep. 2019;9(1):9-12. doi: 10.15406/mojcr.2019.09.00291

Santos NBD, Franco RD, Camarini R, Munhoz CD, Eichler RAS, Gewehr MCF, Reckziegel P, Llanos RP, Dale CS, Silva VROD, Borges VF, Lima BHF, Cunha FQ, Visniauskas B, Chagas JR, Tufik S, Peres FF, Abilio VC, Florio JC, Iwai LK, Rioli V, Presoto BC, Guimaraes AO, Pesquero JB, Bader M, Castro LM, Ferro ES. Thimet Oligopeptidase (EC 3.4.24.15) Key Functions Suggested by Knockout Mice Phenotype Characterization. Biomolecules. 2019;9(8). pii: E382. doi: 10.3390/biom9080382.

Santos SA, Lira FS, Silva ET, Caris AV, Oyama LM, Thomatieli-Santos RV. Effect of moderate exercise under hypoxiaon Th1/Th2 cytokine balance. Clin Respir J. 2019;13(9):583-9. doi: 10.1111/crj.13061.

Shin MK, Eraso CC, Mu YP, Gu C, Yeung BHY, Kim LJ, Liu XR, Wu ZJ, Paudel O, Pichard LE, Shirahata M, Tang WY, Sham JSK, Polotsky VY. Leptin Induces Hypertension Acting on Transient Receptor Potential Melastatin 7 Channel in the Carotid Body. Circ Res. 2019;125(11):989-1002. doi: 10.1161/CIRCRESAHA.119.315338.

Silva A, Narciso FV, Rosa JP, Rodrigues DF, Cruz AAS, Tufik S, Viana F, Bichara JJ, Pereira SRD, da Silva SC, Mello MT. Gender differences in sleep patterns and sleep complaints of elite athletes. Sleep Sci. 2019;12(4):242-248. doi: 10.5935/1984-0063.20190084.

Silva ARD, Puglisi ML, Pompeia S, Ploubidis GB, Swardfager W, Cogo-Moreira H. Birth weight, verbal cognition in early adolescence, and lexical and reading skills in late adolescence: a formal mediation analysis using a potential outcomes approach. J Child Psychol Psychiatry. 2019;60(7):773-83. doi: 10.1111/jcpp.13043.

Silva CC, Zambon MP, Vasques ACJ, Camilo DF, De Bernardi Rodrigues AM, Antonio MÂRGM, Dâmaso AR, Tufik S, de Mello MT, Campos RMDS, Geloneze B; Brazilian Metabolic Syndrome Study (BRAMS) Investigators. Homeostatic model assessment of adiponectin (HOMA-Adiponectin) as a surrogate measure of insulin resistance in adolescents: Comparison with the hyperglycaemic clamp and homeostatic model assessment of insulin resistance. PLoS One. 2019;14(3):e0214081. doi: 10.1371/journal.pone.0214081.

Silva LLP, Almeida AB, Amato TC. A perspectiva dos profissionais sobre o processo de alta de pacientes do Caps-AD: critérios e dificuldades. Saúde Debate. 2019;43(122):819-35. doi: 10.1590/0103-1104201912213.

Silva RA, Cremaschi RC, Rebello Pinho JR, de Oliveira JB, Coelho FM. Guillain-Barré syndrome-the challenge of unrecognized triggers. Neurol Sci. 2019;40(11):2403-2404. doi: 10.1007/s10072-019-03926-z.

Soria L, Teixeira DS, Polesel DN, Fernandes MTB. Evaluation of predictive measurements of excess weight in brazilian children. Rev Assoc Med Bras. 2019;65(5):663-668. doi: 10.1590/1806-9282.65.5.663.

Souza MR, de Carvalho RK, de Carvalho LS, de Sá S, Andersen ML, de Araújo EG, Mazaro-Costa R. Effects of subchronic exposure to Caryocar brasiliense peel ethanolic extract on male reproductive functions in Swiss mice. Reprod Toxicol. 2019;87:118-24. doi: 10.1016/j.reprotox.2019.06.004.

Spector A, Stoner CR, Chandra M, Vaitheswaran S, Du B, Comas-Herrera A, Dotchin C, Ferri C, Knapp M, Krishna M, Laks J, Michie S, Mograbi DC, Orrell MW, Paddick SM, KS S, Rangawsamy T, Walker R.
Mixed methods implementation research of cognitive stimulation therapy (CST) for dementia in low and middle-income countries: study protocol for Brazil, India and Tanzania (CST-International). BMJ Open. 2019;9(8):e030933. doi: 10.1136/bmjopen-2019-030933.

Sutherland K, Keenan BT, Bittencourt L, Chen NH, Gislason T, Leinwand S, Magalang UJ, Maislin G, Mazzotti DR, McArdle N, Mindel J, Pack AI, Penzel T, Singh B, Tufik S, Schwab RJ, Cistulli PA; SAGIC Investigators. A Global Comparison of Anatomic Risk Factors and Their Relationship to Obstructive Sleep Apnea Severity in Clinical Samples. J Clin Sleep Med. 2019;15(4):629-39. doi: 10.5664/jcsm.7730.

Taporoski TP, Duarte NE, Pompeia S, Sterr A, Gómez LM, Alvim RO, Horimoto ARVR, Krieger JE, Vallada H, Pereira AC, von Schantz M, Negrão AB. Heritability of semantic verbal fluency task using time-interval analysis. PLoS One. 2019;14(6):e0217814. doi: 10.1371/journal.pone.0217814.

Tempaku PF, D'Almeida V, Tufik S. Re: "Decreased Levels of Anti-Aging Klotho in Obstructive Sleep Apnea" by Pákó et al. Rejuvenation Res. 2019;22(4):364-5. doi: 10.1089/rej.2019.2244.

Tufik S, Poyares D, Palombini L, Andersen ML. In Memoriam: Christian Guilleminault. Sleep Sci. 2019;12(2):64. doi: 10.5935/1984-0063.20190073.

Tufik SB, Andersen ML, Pires GN, Tufik S. New evidence on sleep ontogeny in adults. Lancet Resp Med. 2019;7(6):473-4. doi: 10.1016/S2213-2600(19)30085-2.

Vallim JRDS, Amaral FGD, Cipolla-Neto J, D'Almeida V. Rhythmic changes in Fabry disease: Inversion and non-oscillatory pattern in 6-sulfatoxymelatonin daily profile. Chronobiol Int. 2019;36(4):470-80. doi: 10.1080/07420528.2018.1560308.

Valvassori SS, Mariot E, Varela RB, Bavaresco DV, Dal-Pont GC, Ferreira CL, Andersen ML, Tye SJ, Quevedo J. The role of neurotrophic factors in manic-, anxious- and depressive-like behaviors induced by amphetamine sensitization: Implications to the animal model of bipolar disorder. J Affect Disord. 2019;245:1106-1113. doi: 10.1016/j.jad.2018.10.370.

Valvassori SS, Gava FF, Dal-Pont GC, Simões HL, Damiani-Neves M, Boeck CR, Andersen ML, Quevedo J. Effects of lithium and valproate on ERK/JNK signaling pathway in an animal model

of mania induced by amphetamine. Heliyon. 2019;5(5):e01541. doi: 10.1016/j.heliyon.2019.e01541.

Valvassori SS, Dal-Pont GC, Tonin PT, Varela RB, Ferreira CL, Gava FF, Andersen ML, Soares JC, Quevedo J. Coadministration of lithium and celecoxib attenuates the behavioral alterations and inflammatory processes induced by amphetamine in an animal model of mania. Pharmacol Biochem Behav. 2019;183:56-63. doi: 10.1016/j.pbb.2019.05.009.

Van Ryswyk E, Anderson CS, Antic NA, Barbe F, Bittencourt L, Freed R, Heeley E, Liu Z, Loffler KA, Lorenzi-Filho G, Luo Y, Margalef MJM, McEvoy RD, Mediano O, Mukherjee S, Ou Q, Woodman R, Zhang X, Chai-Coetzer CL. Predictors of long-term adherence to continuous positive airway pressure in patients with obstructive sleep apnea and cardiovascular disease. Sleep. 2019;42(10):zsz152. doi: 10.1093/sleep/zsz152.

Visniauskas B, Simões PSR, Dalio FM, Naffah-Mazzacoratti MDG, Oliveira V, Tufik S, Chagas JR. Sleep deprivation changes thimet oligopeptidase (THOP1) expression and activity in rat brain. Heliyon. 2019;5(11):e02896. doi: 10.1016/j.heliyon.2019.e02896.

Wendler E, de Souza CP, Dornellas APS, Dos Santos LE, Ferreira ST, Galduroz JCF, Wöhr M, Schwarting RKW, Andreatini R. Mania-like elevated mood in rats: Enhanced 50-kHz ultrasonic vocalizations after sleep deprivation. Prog Neuropsychopharmacol Biol Psychiatry. 2019;88: 142-150. doi: 10.1016/j.pnpbp.2018.07.002.

Xerfan EMS, Tomimori J, Albuquerque RG, Tufik S, Andersen ML. The relationship between Sleep and Quality of Life in Type 1 diabetes patients. Diabetes Ther. 2019;10(3):1171–2. doi: 10.1007/s13300-019-0621-7.

Xerfan EMS, Andersen ML, Facina AS, Tufik S, Tomimori J. Alopecia areata and sleep quality: is there an interaction? J Eur Acad Dermatol Venereol. 2019;33(11):e405-e406. doi: 10.1111/jdv.15705.

Xerfan EMS, Facina AS, Andersen ML, Tufik S, Tomimori J. Hashimoto Thyroiditis as a Cause or Consequence of Obstructive Sleep Apnea. J Clin Sleep Med. 2019;15(11):1703. doi: 10.5664/jcsm.8054.

Xerfan EMS, Facina AS, Andersen ML, Tufik S, Tomimori J. Hidradenitis suppurativa and its impact on the sleep quality. J Skin Stem Cell. 2019;6(4):e103593. doi: 10.5812/jssc.103593.

Yamauchi LM, Andrade ALM, Pinheiro BO, Enumo SRF, De Micheli D. Social representation regarding the use of alcoholic beverages by adolescentes. Estud Psicol. (Campinas). 2019;36:e180098. doi: 10.1590/1982-0275201936e180098.

Zuquetto CR, Opaleye ES, Feijó MR, Amato TC, Ferri CP, Noto AR. Contributions of parenting styles and parental drunkenness to adolescent drinking. Braz J Psychiatry. 2019;41(6):511-7. doi: 10.1590/1516-4446-2018-004.

2018.....

Adler UC, Acorinte AC, Calzavara FO, da Silva AA, de Toledo Cesar A, Adler MS, Martinez EZ, Galduroz JCF. Double-blind evaluation of homeopathy on cocaine craving: a randomized controlled pilot study. J Integr Med. 2018;16(3):178-84. doi: 10.1016/j.joim.2018.03.004.

Albuquerque RG, Tomimori J, Floeter-Winter LM, Tufik S, Andersen ML. Clinical management of leprosy patients during the yellow fever outbreak in Brazil. Braz J Infect Dis. 2018;22(6):503-4. doi: 10.1016/j.bjid.2018.07.011.

Almeida DERG, Andrade ALM, Cruz FD, De Micheli D. Perception of freedom in leisure among substance users and nonusers. Psico-USF. 2018;23(1):13-24. doi: 10.1590/1413-82712018230102.

Andersen ML, Tufik S. The effects of sildenafil on respiratory system of obstructive sleep apnea patients with erectile dysfunction. J Clin Sleep Med. 2018;14(5):897-8. doi: 10.5664/jcsm.7138.

Andersen ML. Different approaches to investigate sleep apnea. Sleep Sci. 2018;11(2):54-5. doi: 10.5935/1984-0063.20180012.

Andersen ML, Araujo P, Frange C, Tufik S. Sleep disturbance and pain: a tale of two common problems. Chest. 2018;154(5):1249-59. doi: 10.1016/j.chest.2018.07.019.

Araújo FM, Pedreira MDLG, Avelar AFM, Pradella-Hallinan MLC, Tsunemi MH, Pinheiro EM. Sleep and salivary cortisol in preterm neonates: a clinical, randomized, controlled, crossover study. Rev Bras Enferm. 2018;71(suppl 3):1358-1365. doi: 10.1590/0034-7167-2017-0546.

Araujo P, Coelho CA, Oliveira MG, Tufik S, Andersen ML. Neonatal Sleep Restriction Increases Nociceptive Sensitivity in Adolescent Mice. Pain Physician. 2018;21(2):E137-E148. ISSN: 2150-1149.

Barbosa LAS, Andrade ALM, Oliveira LG, De Micheli D. Prevalence of psychotropic substance use by urban bus drivers: a systematic review*. SMAD - Rev Eletrônica Saúde Mental Álcool Drog. 2018;14(4):234-44. doi: 10.11606/issn.1806-6976.smad.2018.000400.

Barros F, Aguilar ACR, Tufik S, Coelho FM. Oral L-Carnitine used to treat narcoleptic type 1 patient during pregnancy - A case report. Sleep Sci. 2018;11(4):215-216. doi: 10.5935/1984-0063.20180035.

Barros VV, Opaleye ES, Demarzo M, Bowen S, Curado DF, Hachul H, Noto AR. Dispositional mindfulness, anticipation and abstinence symptoms related to hypnotic dependence among insomniac women who seek treatment: A cross-sectional study. PLoS One. 2018;13(3):e0194035. doi: 10.1371/journal.pone.0194035.

Barros VV, Opaleye ES, Noto AR. Is the regulation of Z-drugs in Brazil in line with scientific research and international standards? Rev Bras Psiquiatr. 2018;40(1):112. doi: 10.1590/1516-4446-2017-2372.

Bedendo A, Lucas Dos Santos E, Noto AR. What Can We Learn From Alcohol-Related YouTube Videos? J Stud Alcohol Drugs. 2018;79(1):148-9. doi: 10.15288/jsad.2018.79.148.

Bedendo A, Andrade ALM, Noto AR. Intervenções via Internet para redução do consumo de álcool entre universitários: uma revisão sistemática. Rev Panam Salud Publica. 2018;42:e54. doi: 10.26633/RPSP.2018.54.

Berro LF, Tufik SB, Frussa-Filho R, Andersen ML, Tufik S. Sleep deprivation precipitates the development of amphetamine-induced conditioned place preference in rats. Neurosci Lett. 2018;671:29-32. doi: 10.1016/j.neulet.2018.02.010.

Berro LF, Shields H, Odabas-Geldiay M, Rothbaum BO, Andersen ML, Howell LL. Acute effects of 3,4-methylenedioxymethamphetamine (MDMA) and R(-) MDMA on actigraphy-based daytime activity and sleep parameters in rhesus monkeys. Exp Clin Psychopharmacol. 2018;26(4):410-20. doi: 10.1037/pha0000196.

Bezerra A, Andersen M, Pires G, Tufik S, Hachul H. Effects of hormonal contraceptives on sleep: a possible treatment for insomnia in premenopausal women. Sleep Sci. 2018;11(3):129-36. doi: 10.5935/1984-0063.20180025.

Cabbia R, Consoli A, Suchecki D. Association of 24 h maternal deprivation with a saline injection in the neonatal period alters adult stress response and brain monoamines in a sex-dependent fashion. Stress. 2018;21(4):333-346. doi: 10.1080/10253890.2018.1456525.

Cabral AF, Pinheiro MM, Castro CH, de Mello MT, Tufik S, Szejnfeld VL. Physical Activity Questionnaires Do Not Accurately Estimate Fitness in Older Women. J Aging Phys Act. 2018;26(1):1-6. doi: 10.1123/japa.2016-0204.

Campos RMS, Masquio DCL, Corgosinho FC, Carvalho-Ferreira JP, Netto BDM, Clemente APG, Tock L, Tufik S, de Mello MT, Dâmaso AR. Relationship between adiponectin and leptin on osteocalcin in obese adolescents during weight loss therapy. Arch Endocrinol Metab. 2018;62(3):275-84. doi: 10.20945/2359-3997000000039.

Cardoso TSG, Pompeia S, Miranda MC. Cognitive and behavioral effects of obstructive sleep apnea syndrome in children: a systematic literature review. Sleep Med. 2018;46:46-55. doi: 10.1016/j.sleep.2017.12.020.

Carissimi A, Martinez D, Kim LJ, Fiori CZ, Vieira LR, Rosa DP, Pires GN. Intermittent hypoxia, brain glyoxalase-1 and glutathione reductase-1, and anxiety-like behavior in mice. Rev Bras Psiquiatr. 2018;40(4):376–81. doi:10.1590/1516-4446-2017-2310.

Carneiro APL, Souza-Formigoni MLO. Country-wide distance training for delivery of screening and brief intervention for problematic substance use: a pilot evaluation of participant experiences and patient outcomes. Subst Abuse. 2018;39(1):102-109. doi: 10.1080/08897077.2017.1365801.

Carvalho RK, Souza MR, Santos ML, Guimarães FS, Pobbe RLH, Andersen ML, Mazaro-Costa R. Chronic cannabidiol exposure promotes functional impairment in sexual behavior and fertility of male mice. Reprod Toxicol. 2018;81:34-40. doi: 10.1016/j.reprotox.2018.06.013.

Castro-Costa E, Lima-Costa MF, Andrade FB, Souza Junior PRB, Ferri CP. Cognitive function among older adults: ELSI-Brazil results. Rev Saude Publica. 2018;52(Suppl 2):4s. doi: 10.11606/S1518-8787.2018052000629.

Chaves CF, Mazzotti DR, Cendoroglo MS, Ramos LR, Tufik S, Silva VC, D'Almeida V. Genes related to maintenance of autophagy and successful aging. Arq Neuropsiquiatr. 2018;76(12):831-9. doi: 10.1590/0004-282x20180142.

Claudino JG, Gabbett TJ, Bourgeois F, Souza HS, Miranda RC, Mezêncio B, Soncin R, Cardoso Filho CA, Bottaro M, Hernandez AJ, Amadio AC, Serrão JC. CrossFit Overview: Systematic Review and Meta-analysis. Sports Med Open. 2018;4(1):11. doi: 10.1186/s40798-018-0124-5.

Coelho CAO, Ferreira TL, Kramer-Soares JC, Sato JR, Oliveira MGM. Network supporting contextual fear learning after dorsal hippocampal damage has increased dependence on retrosplenial córtex. PLoS Comput Biol. 2018;14(8):e1006207. doi: 10.1371/journal.pcbi.1006207.

Costa PRF, Kinra S, D'Almeida V, Assis AMO. Serum Homocysteine and Cysteine Levels and Anthropometric Changes: A Longitudinal Study among Brazilian Children and Adolescents. J Am Coll Nutr. 2018;37(1):80-6. doi: 10.1080/07315724.2017.1360806.

Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. High fatigue frequency in narcolepsy type 1 and type 2 in a Brazilian Sleep Center. Sleep Med. 2018;52:234. doi: 10.1016/j.sleep.2018.08.013.

Cruz FAD, Scatena A, Andrade ALM, De Micheli D. Evaluation of Internet addiction and the quality of life of Brazilian adolescents from public and private schools. Estud Psicol. (Campinas). 2018;35(2):193-2014. doi: 10.1590/1982-02752018000200008.

Curado DF, Barros V, Opaleye E, Bowen S, Hachul H, Noto AR. The role of mindfulness in the insomnia severity of female chronic hypnotic users. Int J Behav Med. 2018;25(5):526-31. doi: 0.1007/s12529-018-9724-1.

Da Silva BC, Kasai T, Coelho FM, Zatz R, Elias RM. Fluid redistribution in sleep apnea: therapeutic implications in edematous states. Front Med (Lausanne). 2018;4:256. doi: 10.3389/fmed.2017.00256.

Da Silveira PS, Casela ALM, Monteiro EP, Ferreira GCL, De Freitas JVT, Machado NM, Noto AR, Ronzani TM. Psychosocial understanding of self-stigma among people who seek treatment for drug addiction. Stigma Health. 2018;3(1):42-52. doi: 10.1037/sah0000069.

Da Silveira PS, Casela ALM, Monteiro EP, Ferreira GCL, Freitas JVT, Machado NM, Costa PHA, Ronzani TM, Noto AR. Crack e Mídia: O que dizem as principais revistas jornalísticas do país? Estud Pesqui Psicol. 2018;18(1):50-71. ISSN 1808-4281.

Dokkedal-Silva V, Galduroz JCF, Tufik S, Andersen ML. Association of obesity, sleep apnea and hypothalamic inflammation: novel possibilities of research. Eur J Internal Med. 2018;52:e17-e18. doi: 10.1016/j.ejim.2018.02.036.

Dokkedal-Silva V, Kim LJ, Galduroz JCF, Tufik S, Andersen ML. Cocaine use by older populations, sleep quality and associated risks. Rev Bras Psiquiatr. 2018;40(4):459. doi: 10.1590/1516-4446-2018-0109.

Drager LF, Lorenzi-Filho G, Cintra FD, Pedrosa RP, Bittencourt LRA, Poyares D, Carvalho CG, Moura SMGPT, Santos-Silva R, Bruin PFC, Geovanini GR, Albuquerque FN, Oliveira WAA, Moreira GA, Ueno LM, Nerbass FB, Rondon MUPB, Barbosa ERF, Bertolami A, Paola AAV, Marques BBS, Rizzi CF, Negrão CE, Uchôa CHG, Maki-Nunes C, Martinez D, Fernández EA, Maroja FU, Almeida FR, Trombetta IC, Storti LJ, Bortolotto LA, Mello MT, Borges MA, Andersen ML, Portilho NP, Macedo P, Alves R, Tufik S, Fagondes SC, Risso TT. 1º Posicionamento Brasileiro sobre o Impacto dos Distúrbios de Sono nas Doenças Cardiovasculares da Sociedade Brasileira de Cardiologia. Arq Bras Cardiol. 2018;111(2):290-340. doi: 10.5935/abc.20180154.

Ekuni R, Souza BMN, Pompeia S. Popularization of efficient science-based study techniques through actions in schools, media and internet. Rev Bras Extensão Univ. 2018;9(2):125-33. doi: 10.24317/2358-0399.2018v9i2.7842.

Eserian JK, Lombardo M, Chagas JR, Galduroz JCF. Actual versus expected doses of half tablets containing prescribed psychoactive substances: A systematic review Primary Care Companion to CNS Disorders. 2018;20(1):17r02211. doi: 10.4088/PCC.17r02211.

Feres MC, Perez BB, Thorrecilha JTM, Bini Jr R, Raphael NA, De Martino MC, Boscolo DRR, Souza AAL, Tufik S. Implications of lipid profile dosages in fasting and postprandial status. Atheroscler Open Access. 2018;3:121 [acesso em 15 jan 2019]. Disponível em: https://www.omicsonline.org/open-access/implications-of-lipid-profile-dosages-in-fasting-and-postprandial-status.pdf

Fernandes GB, Cremaschi RC, Mangueira CLP, Tufik S, Coelho FM. Cataplexy plus presence of HLA-DQB1*0602 allele can predict Hypocretin-1 deficiency. Sleep Med. 2018;45:146-147. doi: 10.1016/j.sleep.2017.09.013.

Fernandes J, Vieira AS, Kramer-Soares JC, Silva EA, Lee KS, Lopes-Cendes I, Arida RM. Hippocampal microRNA-mRNA regulatory network is affected by physical exercise. Biochim Biophys Acta Gen Subj. 2018;1862(8):1711-1720. doi: 10.1016/j.bbagen.2018.05.004.

Fisberg M, Kovalskys I, Gómez G, Rigotti A, Sanabria LYC, García MCY, Torres RGP, Herrera-Cuenca M, Zimberg IZ, Koletzko B, Pratt M, Aznar LAM, Guajardo V, Fisberg RM, Sales CH, Previdelli ÁN; ELANS Study Group. Total and Added Sugar Intake: Assessment in Eight Latin American Countries. Nutrients. 2018;10(4):389. doi: 10.3390/nu10040389.

Frange C, Hachul H, Hirotsu C, Tufik S, Andersen ML. Insomnia with musculoskeletal pain in postmenopause: associations with symptoms, mood, and quality of life. J Menopausal Med. 2018;24(1):17-28. doi: 10.6118/jmm.2018.24.1.17.

Frange C, Hachul H, Tufik S, Andersen ML. The effect of post-menopausal musculoskeletal pain on quality of life. Pract Pain Manag. 2018. 18(5). Disponível em: https://www.practicalpainmanagement.com/pain/other/musculoskeletal/post-menopausal-msk-pain-quality-life

Garcia MC, Kozasa EH, Tufik S, Mello LEAM, Hachul H. The effects of mindfulness and relaxation training for insomnia (MRTI) on postmenopausal women: a pilot study. Menopause. 2018;25(9):992-1003. doi: 10.1097/GME.0000000000001118.

Garcia RCM, Jukes N, Bones V, Gebara R, Souza MFA, Ruiz VRR, Alonso L, Tréz T, Oliveira ST, Rocha AA, Alves G, Paixão RL, Menezes RCAA, Dias C, Andersen ML, Gasparetto D, Capilé K, Matera JM, Bachinski R. Brazil starts to ban animal use in higher education: a positive and progressive development. Altern Lab Anim. 2018;46(4):235-9. doi: 10.1177/026119291804600402.

GBD 2016 Brazil Collaborators (…Ferri CP…). Burden of disease in Brazil, 1990-2016: a systematic subnational analysis for the Global Burden of Disease Study 2016. Lancet. 2018;392(10149):P760-775. doi: 10.1016/S0140-6736(18)31221-2.

Giampá SQC, Souza JFT, De Mello MT, Tufik S, Santos RVT, Antunes HKM. Maximum effort training performed in hypoxia alters the mood profile. Rev Bras Med Esporte. 2018;24(6):413-8. doi: 10.1590/1517-869220182406133712.

Girardi CE, Tiba PA, Llobet GB, Suchecki D. High corticosterone after olfactory social stimuli in a rodent model of traumatic stress. Psychol Neurosci. 2018;11(1):105-15. doi: 10.1037/pne0000128.

Guimarães MLR, Hermont AP, Guimarães TM, Dal-Fabbro C, Bittencourt L, Chaves Junior CM. Severe obstructive sleep apnea treatment with mandibular advancement device: A case report. Sleep Sci. 2018;11(2):118-22. doi: 10.5935/1984-0063.20180022.

Guimarães TM, Bittencourt L, Luz GP, Silva LO, Burke P, Coelho G, Milani A, Badke L, Togeiro S, Tufik S, Poyares D. Association between nondipping pattern and EndoPAT signal in patients with mild obstructive sleep apnea. Sleep Med. 2018;51:9-14. doi: 10.1016/j.sleep.2018.05.041.

Hirotsu C, Pedroni MN, Berro LF, Tufik S, Andersen ML. Nicotine and sleep deprivation: impact on pain sensitivity and immune modulation in rats. Sci Rep. 2018 Sep 14;8(1):13837. doi: 10.1038/s41598-018-32276-7.

Hirotsu C, Haba-Rubio J, Togeiro SM, Marques-Vidal P, Drager LF, Vollenweider P, Waeber G, Bittencourt L, Tufik S, Heinzer R. Obstructive sleep apnoea as a risk factor for incident metabolic syndrome: a joined Episono and Hypnolaus prospective cohorts study. Eur Respir J. 2018;52(5): 1801150. doi: 10.1183/13993003.01150-2018.

Honjo RS, Mello CB, Pimenta LSE, Nuñes-Vaca EC, Benedetto LM, Khoury RBF, Befi-Lopes DM, Kim CA. Cri du Chat syndrome: characteristics of 73 Brazilian patients. J Intellect Disabil Res. 2018;62(6):467-73. doi: 10.1111/jir.12476.

Huebra L, Kim LJ, Carlos K, de Andrade Balsalobre R, Bizai Coin de Carvalho L, Fernandes do Prado LB, Fernandes do Prado G, Coelho FM. Granulomatosis With Polyangiitis and Continuous Positive Airway Pressure-The Challenge of Interface Between Nose and Mask. J Clin Rheumatol. 2018;24(2):102-103. doi: 10.1097/RHU.0000000000000632.

Keenan BT, Kim J, Singh B, Bittencourt L, Chen N-H, Cistulli PA, Magalang UJ, McArdle N, Mindel JW, Benediktsdottir B, Arnardottir ES, Prochnow LK, Penzel T, Sanner B, Schwab RJ, Shin C, Sutherland K, Tufik S, Maislin G, Gislason T, Pack AI. Recognizable clinical subtypes of obstructive sleep apnea across international sleep centers: a cluster analysis. Sleep. 2018;41(3):zsx214. doi: 10.1093/sleep/zsx214.

Kravchychyn ACP, Campos RMDS, Corgosinho FC, Masquio DCL, Vicente SECF, Ferreira YAM, Silva PL, Ganen AP, Oyama LM, Tock L, de Mello MT, Tufik S, Dâmaso AR. The Long-Term Impact of High Levels of Alpha-Melanocyte-Stimulating Hormone in Energy Balance Among Obese Adolescents. Ann Nutr Metab. 2018;72(4):279-286. doi: 10.1159/000488005.

Leffa DT, Panzenhagen AC, Rovaris DL, Bau CHD, Rohde LA, Grevet EH, Pires GN. Behavioural effects of methylphenidate in the spontaneously hypertensive rat model of attention-deficit/hyperactivity disorder: a systematic review and meta-analysis protocol. BMJ Open Sci. 2018;2(1):e000001. doi: 10.1136/bmjos-2018-000001.

Lehman M, Navarro V, Suchecki D, Handa R. Introduction to the PANS Special Issue. J Neuroendocrinol. 2018;30(7):e12612. doi: 10.1111/jne.12612.

Leite GL, Ekuni R, Alves MV, Bueno OFA. Effect of intermediate repeated items on immediate recall in a modified Hebb paradigm. Psychol Neurosci. 2018;11(1):28-38. doi: 10.1037/pne0000113.

Lemos VA, Santos RVT, Antunes HKM, Behn C, Viscor G, Lira FS, Bittar IGL, Caris AV, Tufik S, De Mello MT. Melatonin and sleep responses to normobaric hypoxia and aerobic physical exercise: A randomized controlled trial. Physiol Behav. 2018;196:95-103. doi: 10.1016/j.physbeh.2018.08.016.

Lima-Costa MF, Gouveia MH, Cesar CC, Tarazona-Santos E, Stewart R, Ferri CP, Castro-Costa E. Genomic African and Native American Ancestry and 15-Year Cognitive Trajectory: Bambui Study, Brazil. J Am Geriatr Soc. 2018;66(10):1956-1962. doi: 10.1111/jgs.15504.

Lorenzoni PJ, Kay CSK, Higashi NS, D'Almeida V, Werneck LC, Scola RH. Late-onset Pompe disease: what is the prevalence of limb-girdle muscular weakness presentation? Arq Neuropsiquiatr. 2018;76(4):247-251. doi: 10.1590/0004-282x20180018.

Lucena L, Frange C, Tufik S, Hachul H. Sleeping for two: The importance of good sleep during pregnancy. Women Birth. 2018;31(2):e142–e143. doi: 10.1016/j.wombi.2017.07.008.

Lucena L, Tufik S, Hachul H. Sleep quality in the end of pregnancy and its relevance in labor. Arch Gynecol Obstet. 2018;298(4):843-4. doi: 10.1007/s00404-018-4876-4.

Macedo GC, Morita GM, Domingues LP, Favoretto C, Suchecki D, Quadros IMH. Consequences of continuous social defeat stress on anxiety- and depressive-like behaviors and ethanol reward in mice. Horm Behav. 2018;97:154-61. doi: 10.1016/j.yhbeh.2017.10.007.

Mancuso FJN, Moises VA, Almeida DR, Poyares D, Storti LJ, Brito FS, Tufik S, de Paola AAV, Carvalho ACC, Campos O. Prognostic value of real-time three-dimensional echocardiography compared to two-dimensional echocardiography in patients with systolic heart failure. Int J Cardiovasc Imaging. 2018;34(4):553-60. doi: 10.1007/s10554-017-1266-0.

Marques MJG, Reyes-Garcia SZ, Marques-Carneiro JE, Lopes-Silva LB, Andersen ML, Cavalheiro EA, Scorza FA, Scorza CA. Long-term Potentiation Decay and Poor Long-lasting Memory Process in the Wild Rodents Proechimys from Brazil's Amazon Rainforest. Front Behav Neurosci. 2018;12:2. doi: 10.3389/fnbeh.2018.00002.

Martins NO, de Brito IM, Araújo SSO, Negri G, Carlini EA, Mendes FR. Antioxidant, anticholinesterase and antifatigue effects of Trichilia catigua (catuaba). BMC Complement Altern Med. 2018;18(1):172. doi: 10.1186/s12906-018-2222-9.

Martins OFM, Chaves Junior CM, Rossi RRP, Cunali PA, Dal-Fabbro C, Bittencourt L. Side effects of mandibular advancement splints for the treatment of snoring and obstructive sleep apnea: a systematic review. Dental Press J Orthod. 2018;23(4):45-54. doi: 10.1590/2177-6709.23.4.045-054.oar.

Mazzotti D, Lim D, Sutherland K, Bittencourt L, Mindel J, Magalang U, Pack A, de Chazal P, Penzel T. Opportunities for utilizing polysomnography signals to personalize obstructive sleep apnea subtypes and severity. Physiol Meas. 2018;39:09TR01(15pp). doi: 10.1088/1361-6579/aad5fe.

Miragaia AS, de Oliveira Wertheimer GS, Consoli AC, Cabbia R, Longo BM, Girardi CEN, Suchecki D. Maternal deprivation increases anxiety- and depressive-like behaviors in an age-dependent fashion and reduces neuropeptide Y expression in the amygdala and hippocampus of male and female young adult rats. Front Behav Neurosci. 2018;12:159. doi: 10.3389/fnbeh.2018.00159.

Miranda MC, Sinnes EG, Zanini GAV, Baumgartner B, Salles JF, Fonseca RP, Bueno OFA. Neupsilin-Inf em um modelo de avaliação neuropsicológica breve para Centros de Saúde. Psico-USF. 2018;23(1):95-108. doi: 10.1590/1413-82712018230109.

Molina J, Ribeiro RL, Santos FH, Len CA. Classification of the International Affective Picture System (IAPS) images for teenagers of the city of São Paulo. Psychol Neurosci. 2018;11(1):58-67. doi: 10.1037/pne0000123.

Mônico-Neto M, Antunes HKM, Santos RVT, D'Almeida V, Souza AAL, Bittencourt LRA, Tufik S. Physical activity as amoderator for obstructive sleep apnoea and cardiometabolic risk in the EPISONO study. Eur Respir J. 2018;52(4):1701972. doi: 10.1183/13993003.01972-2017.

Monteiro VC, Silva JAO, Oliveira RB, Frangipani BJ, Dearo PR, Previdelli NA, Martins AM, Aquino RC, D'Almeida V. Evaluation of food intake in patients with mucopolysaccharidosis. Nutrire Rev Soc Bras Aliment Nutr. 2018;43:9. doi: /10.1186/s41110-018-0066-1.

Morelhão PK, Pinto RZ, Gobbi C, Tufik S, Andersen ML. Can Sleep Problems Have a Negative Impact on Falls in Older People? J Clin Sleep Med. 2018;14(10):1821-2. doi: 10.5664/jcsm.7418.

Morelhão PK, Tufik S, Andersen ML. The Interactions Between Obesity, Sleep Quality, and Chronic Pain. J Clin Sleep Med. 2018;14(11):1965-6. doi: 10.5664/jcsm.7510.

Morelhão PK, Andersen ML, Tufik S, Pinto RZ. Letter to the editor about the article: Aquatic exercises in the treatment of low back pain. A systematic review of the literature and meta-analysis of eight studies. Am J Phys Med Rehabil. 2018;97(12):934-5. doi: 10.1097/PHM.0000000000000974.

Naufel MF, Frange C, Andersen ML, Girão MJBC, Tufik S, Ribeiro EB, Hachul H. Association between obesity and sleep disorders in postmenopausal women. Menopause. 2018;25(2):139-44. doi: 10.1097/GME.0000000000000962.

Nicolau ZFM, Bezerra AG, Polesel DN, Andersen ML, Bittencourt L, Tufik S, Hachul H. Premenstrual syndrome and sleep disturbances: results from the Sao Paulo Epidemiologic Sleep Study. Psychiatry Res. 2018; 264:427-31. doi: 10.1016/j.psychres.2018.04.008.

Nicolau ZFM, Tufik S, Hachul H. Influence of lifestyle on postmenopausal women's sleep. Biomedicine (Taipei). 2018;8(3):13. doi: 10.1051/bmdcn/2018080313.

Nunes JOF, Apostolico JS, Andrade DAG, Ruiz FS, Fernandes ER, Andersen ML, Keller AC, Rosa DS. Sleep deprivation predisposes allergic mice to develop neutrophilic lung inflammation. J Allergy Clin Immunol. 2018;141(3):1018-27. doi: 10.1016/j.jaci.2017.06.025.

Oliveira GDP, Truzzi G, Lima FCB, Coelho FMS. A rare differential diagnosis of excessive daytime sleepiness - Artery of Percheron territory infarct. Sleep Sci. 2018;11(1):25-27. doi: 10.5935/1984-0063.20180006.

Oliveira RW, Julian GS, Perry JC, Tufik S, Chagas JR. Chronic intermittent hypoxia induces changes on the expression and activity of neprilysin (EC 3.4.24.16) in the brain of rats. Neurosci Lett. 2018;678;43-7. doi: 10.1016/j.neulet.2018.04.045.

Ota SM, Suchecki D, Meerlo P. Chronic social defeat stress suppresses locomotor activity but does not affect the free-running circadian period of the activity rhythm in mice. Neurobiol Sleep Circadian Rhythms. 2018;5:1-7. doi: 10.1016/j.nbscr.2018.03.002.

Pak VM, Mazzotti DR, Keenan BT, Hirotsu C, Gehrman P, Bittencourt L, Pack AI, Tufik S. Candidate gene analysis in the São Paulo Epidemiologic Sleep Study (EPISONO) shows an association of variant in PDE4D and sleepiness. Sleep Med. 2018;47:106-12. doi: 10.1016/j.sleep.2017.12.010.

Palhano ACM, Kim LJ, Moreira GA, Coelho FM, Tufik S, Andersen ML. Narcolepsy, precocious puberty and obesity in the pediatric population: a literature review. Pediatr Endocrinol Rev. 2018;16(2):266-274. doi: 10.17458/per.vol16.2018.Narcolepsypubertyobesity.

Pereira N, Tufik S, Hachul H. Does L-Carnitine supplementation improve sleep quality in children with autism? Basic Clin Pharmacol Toxicol. 2018;123(3):229-30. doi: 10.1111/bcpt.13056.

Pereira NRM, Tufik S, Hachul H. Is there a relationship between excessive sugar consumption and sleep quality in children? Int J Food Sci Nutr. 2018;69(8):901. doi: 10.1080/09637486.2018.1445201.

Pimentel Filho LH, Gomes ACD, Gonçalves B, Tufik S, Coelho FM. Myotonic dystrophytype 1 - report of non-24-h sleep-wake disorder with excessive daytime sleepiness. Chronobiol Int. 2018;35(9):1326-8. doi: 10.1080/07420528.2018.1471088.

Pires GN, Bezerra AG, De Vries R, Leenaars C, Ritskes-Hoitinga M, Tufik S, Andersen ML. Effects of experimental sleep deprivation on aggressive, sexual and maternal behavior in

animals – A systematic review protocol. BMJ Open Sci. 2018;2(1): e000041. doi: 10.1136/bmjos-2017-000041.

Pires GN, Bittencourt L, Tufik S, Andersen ML. Epidemiological qualitative profiles associated with Obstructive Sleep Apnea Syndrome in a population-based sample. Sleep Vigilance. 2018;2:167-72. doi: 10.1007/s41782-018-0051-z.

Pompeia S, Inacio LM, de Freitas RS, Zanini GV, Malloy-Diniz L, Cogo-Moreira H. Psychometric properties of a short version of the Impulsiveness Questionnaire UPPS-P in a Brazilian adult sample: invariance for effects of age, sex and socioeconomic status and subscales viability. Front Psychol. 2018;9:1059. doi: 10.3389/fpsyg.2018.01059.

Prata TA, Mancuzo E, Pereira CAC, Miranda SS, Sadigursky LV, Hirotsu C, Tufik S. Spirometry reference values for Black adults in Brazil. J Bras Pneumol. 2018;44(6):449-455. doi: 10.1590/S1806-37562018000000082.

Ramos PE, Abe GC, Pradella-Hallinan M, Quadros AAJ, Tao T, Oliveira ASB. Immediate and long-term effects of Qigong on cold intolerance in patients with Post-Poliomyelitis Syndrome. Health. 2018;10:56-68. doi: 10.4236/health.2018.101004.

Raupp-Barcaro IF, Vital MA, Galduroz JC, Andreatini R. Potential antidepressant effect of amantadine: a review of preclinical studies and clinical trials. Braz J Psychiatry. 2018;40(4):449-58. doi:10.1590/1516-4446-2017-2393.

Raya J, Girardi CEN, Esumi LA, Ferreira LBT, Hipolide DC. Multiple trial inhibitory avoidance acquisition and retrieval are resistant to chronic stress. Behav Process. 2018;147:28-32. doi: 10.1016/j.beproc.2017.12.008.

Rocha-Lopes JS, Machado RB, Suchecki D. Chronic REM sleep restriction in juvenile male rats induces anxiety-like behavior and alters monoamine systems in the amygdala and hippocampus. Mol Neurobiol. 2018;55(4):2884-96. doi: 10.1007/s12035-017-0541-3.

Rodrigues DF, Silva A, Juzwiak CR, Joaquim DP, Rosa JPP, Simim MAM, Veríssimo AW, Winckler C, Tufik S, De Mello MT. Individual study of anthropometric variation, energy and macronutrients intakes in Paralympic Track and Field athletes in different phases of the season. Motriz Rev Edu. Fis. 2018;24(3):e002618. doi: 10.1590/s1980-657420180003e002618.

Rosa JPP, Silva A, Rodrigues DF, Simim MA, Narciso FV, Tufik S, Bichara JJ, Pereira SRD, da Silva SC, de Mello MT. Effect of bright light therapy on delayed sleep/wake cycle and reaction time of athletes participating in the Rio 2016 Olympic Games. Chronobiol Int. 2018;35(8):1095-1103. doi: 10.1080/07420528.2018.1459660.

Rossi ASU, Moura LM, Miranda MC, Muszkat M, Mello CB, Bueno OFA. Latent class analysis of attention and white matter correlation in children with attention-deficit/hyperactivity disorder. Braz J Med Biol Res. 2018;51(11):e7653. doi: 10.1590/1414-431X20187653.

Salvo V, Kristeller J, Marin JM, Sanudo A, Lourenço BH, Schveitzer MC, D'Almeida V, Morillo H, Gimeno SGA, Garcia-Campayo J, Demarzo M. Mindfulness as a complementary intervention in the treatment of overweight and obesity in primary health care: study protocol for a randomised controlled trial. Trials. 2018;19(1):277. doi: 10.1186/s13063-018-2639-y.

Santos EL, Noto AR, Opaleye ES. Álcool e relações de gênero: Motivações e vulnerabilidades nas percepções de adolescentes. Psicol Estudo. 2018;23:1-16. doi: 10.4025/psicolestud.v23.e40636.

Schaub MP, Tiburcio M, Martinez N, Ambekar A, Balhara YPS, Wenger A, Andrade ALM, Padruchny D, Osipchik S, Gehring E, Poznyak V, Rekve D, Souza-Formigoni MLO; WHO e-health project on Alcohol and Health Investigators Group. Alcohol e-Help: Study protocol for a Web-based self-help program to reduce alcohol use in adults with drinking patterns considered harmful, hazardous, or suggestive of dependence in middle-income countries. Addiction. 2018;113(2):346-52. doi: 10.1111/add.14034.

Servantes DM, Javaheri S, Kravchychyn ACP, Storti LJ, Almeida DR, de Mello MT, Cintra FD, Tufik S, Bittencourt L. Effects of exercise training and CPAP in patients with heart failure and Obstructive Sleep Apnea. CHEST. 2018;154(4):808–17. doi: 10.1016/j.chest.2018.05.011.

Silva A, Mello MT, Serrão PR, Luz RP, Ruiz F, Bittencourt LR, Tufik S, Mattiello SM. Influence of obstructive sleep apnea in the functional aspects of patients with osteoarthritis. J Clin Sleep Med. 2018;14(2):265–70. doi: 10.5664/jcsm.6950.

Silva LO, Guimarães TM, Luz GP, Coelho G, Badke L, Almeida IR, Millani-Carneiro A, Tufik S, Bittencourt L, Togeiro SM. Metabolic profile in patients with mild obstructive sleep apnea. Metab Syndr Relat Disord. 2018;16(1):6-12. doi: 10.1089/met.2017.0075.

Silva LO, Galhardo FR, Maior ML, Tufik S, Bittencourt LRA, Togeiro SMGP. Obstructive sleep apnea and metababolic syndrome: new directions in this association. Curr Res Diabetes Obes J. 2018;5(2):555660. doi: 10.19080/CRDOJ.2018.05.555660.

Silva MAA, Andrade ALM, de Micheli D. Evaluation of the implementation of Brief Interventions to substance abuse in a socieducative context. Psicol Pesq. 2018;12(1):92-101. doi: 10.24879/2018001200100125.

Silva MS, Ramos LR, Lucchesi LM, Lopes GS. Associação entre alteração da glicemia de jejum, cognição e capacidade funcional de idosos. Rev Enfermagem Atual. 2018;86(24). (ISSN 1519-339X).

Silva MS, Ramos LR, Tufik S, Lucchesi LM, Lopes GS. A influência das variáveis socioeconômicas sobre a qualidade do sono dos idosos. Saúde Coletiva. 2018;46:1042-7.

Silva-Batista C, Corcos DM, Kanegusuku H, Piemonte MEP, Gobbi LTB, de Lima-Pardini AC, de Mello MT, Forjaz CLM, Ugrinowitsch C. Balance and fear of falling in subjects with Parkinson's disease is improved after exercises with motor complexity. Gait Posture. 2018;61:90-97. doi: 10.1016/j.gaitpost.2017.12.027.

Suchecki D. Maternal regulation of the infant's HPA axis stress response: Seymour 'Gig' Levine's legacy to Neuroendocrinology. J Neuroendocrinol. 2018;30(7):e12610. doi: 10.1111/jne.12610.

Tempaku PF, Tufik S. The paradigm of obstructive sleep apnea in aging: interactions with telomere length. Sleep Med. 2018;48:155-6. doi: 10.1016/j.sleep.2018.05.009.

Tempaku PF, Hirotsu C, Mazzotti DR, Xavier G, Maurya PK, Brietzke E, Belangero SI, Poyares D, Bittencourt L, Tufik S. Long sleep duration, insomnia and insomnia with short objective sleep duration are independently associated with short telomere length. J Clin Sleep Med. 2018 14(12):2037-45. doi: 10.5664/jcsm.7532.

Utsumi DA, Miranda MC. Temporal discounting and attention-deficit/hyperactivity disorder in childhood: reasons for devising different tasks. Trends Psychiatry Psychother. 2018;40(3):248-52. doi: 10.1590/2237-6089-2017-0094.

Valvassori S, Resende W, Varela RB, Arent CO, Gava FF, Peterle BR, Dal-Pont GC, Carvalho A, Andersen ML, Quevedo J. Effects of histone deacetylase inhibition on cerebral cytokines levels

in an animal model of mania induced by dextroamphetamine. Mol Neurobiol. 2018;55(2):1430-1439. doi: 10.1007/s12035-017-0384-y.

Xavier G, Spindola LM, Ota VK, Carvalho CM, Maurya PK, Tempaku PF, Moretti PN, Mazotti DR, Sato JR, Brietzke E, Miguel EC, Grassi-Oliveira R, Mari J, Bressan RA, Gadelha A, Pan PM, Belangero SI. Effect of male-specific childhood trauma on telomere length. J Psychiatr Res. 2018;107:104-109. doi: 10.1016/j.jpsychires.2018.10.012.

Yujra VQ, Antunes HKM, Mônico-Neto M, Pisani LP, Santamarina AB, Quintana HT, de Oliveira F, Oshima CTF, Ribeiro DA. Sleep deprivation induces pathological changes in rat masticatory muscles: role of Toll like signaling pathway and atrophy. J Cell Biochem. 2018;119(2):2269-77. doi: 10.1002/jcb.26389.

Zager A, Brandão WN, Margatho RO, Peron JP, Tufik S, Andersen ML, Kornum BR, Palermo-Neto J. The wake-promoting drug Modafinil prevents motor impairment in sickness behavior induced by LPS in mice: Role for dopaminergic D1 receptor. Prog Neuropsychopharmacol Biol Psychiatry. 2018;81:468-76. doi: 10.1016/j.pnpbp.2017.05.003.

Zager A, Brandão WN, Margatho RO, Cruz DSG, Peron JP, Tufik S, Andersen ML, Moresco M, Pizza F, Plazzi G, Kornum BR, Palermo-Neto J. Increased interferon-mediated immunity following in vitro and in vivo Modafinil treatment on peripheral immune cells. Prog Neuropsychopharmacol Biol Psychiatry. 2018;81:297-305. doi: 10.1016/j.pnpbp.2017.09.009.

2017.....

Albuquerque RG, Hirotsu C, Tufik S, Andersen ML. Letter for publication: Why should we care about selenium in obstructive sleep apnea? J Clin Sleep Med. 2017;13(7):931-2. doi: 10.5664/jcsm.6674.

Almeida DERG, De Micheli D, Andrade ALM. O lazer e o uso de substâncias entre adolescentes: uma revisão integrativa. Estud Pesq Psicol. 2017;17(3):970-88. ISSN: 1808-4281.

Almeida SS, Corgosinho FC, Amorim CE, Gregnani MF, Campos RM, Masquio DC, Sanches PL, Ganen AP, Pesquero JB, Dâmaso AR, Mello MT, Tufik S, Araújo RC. Different metabolic responses induced by long-term interdisciplinary therapy in obese adolescents related to ACE I/D polymorphism. J Renin Angiotensin Aldosterone Syst. 2017;18(2):1470320317703451. doi: 10.1177/1470320317703451.

Alves ES, Santos RV, Ruiz FS, Lira FS, Almeida AA, Lima G, Goni TC, Oyama L, Edwards KM, Tufik S, De Mello MT. Physiological and lipid profile response to acute exercise at different intensities in individuals with spinal cord injury. Spinal Cord Ser Cases. 2017;3:17037. doi: 10.1038/scsandc.2017.37.

Alves MVC, Bueno OFA. Retroative interference: forgetting as an interruption of memory consolidation. Trends Psychol. 2017;25(3):1043-54. doi: 10.9788/TP2017.3-07En.

Amaral Junior R, Frange C, Tempaku PF, Tufik S, Andersen ML. Dopaminergic pathways for bruxism: a way forward? Clin Oral Investig. 2017;21(9):2875-6. doi: 10.1007/s00784-017-2250-8.

Andrade ALM, Scatena A, De Micheli D. Avaliação de uma intervenção preventiva em motoristas usuários e não usuários de álcool: um estudo piloto SMAD - Rev Eletrônica Saúde Mental Álcool Drog. 2017;13(4):205-12. doi: 10.11606/issn.1806-6976.v13i4p205-21.

Banzoli CV, Bezerra AG, Tufik S, Hachul H. To the editor. Menopause. 2017;24(6):714. doi: 10.1097/GME.0000000000000868.

Bedendo A, Andrade ALM, Opaleye ES, Noto AR. Binge drinking: a pattern associated with a risk of problems of alcohol use among university students. Rev Lat Am Enfermagem. 2017;25:e2925. doi: 10.1590/1518-8345.1891.2925.

Berro LF, Andersen ML, Tufik S, Howell LL. GABAA receptor positive allosteric modulators modify the abuse-related behavioral and neurochemical effects of methamphetamine in rhesus monkeys. Neuropharmacology. 2017;123:299-309. doi: 10.1016/j.neuropharm.2017.05.010.

Berro LF, Andersen ML, Howell LL. Assessment of tolerance to the effects of methamphetamine on daytime and nighttime activity evaluated with actigraphy in rhesus monkeys. Psychopharmacology. 2017;234(15):2277–87. doi: 10.1007/s00213-017-4654-1.

Berro LF, Perez Diaz M, Maltbie E, Howell LL. Effects of the serotonin 2C receptor agonist WAY163909 on the abuse-related effects and mesolimbic dopamine neurochemistry induced by abused stimulants in rhesus Monkeys. Psychopharmacology. 2017;234(17):2607-2617. doi: 10.1007/s00213-017-4653-2.

Berti PH, Araujo P, Tufik S, Andersen ML. Impact of sleep disorders in cognitive function of thyroid cancer survivors. Support Care Cancer. 2017;25(9):2675-2676. doi: 10.1007/s00520-017-3765-x.

Bittencourt S, Ferrazoli E, Valente MF, Romariz S, Janisset NRLL, Macedo CE, Antonio BB, Barros V, Mundim M, Porcionato M, Aarão MC, Miranda MF, Rodrigues AM, de Almeida AG, Longo BM, Mello LE. Modification of the natural progression of epileptogenesis by means of biperiden in the pilocarpine model of epilepsy. Epilepsy Res. 2017;138:88-97. doi: 10.1016/j.eplepsyres.2017.10.019.

Bueno VF, da Silva MA, Alves TM, Louzã MR, Pompeia S. Fractionating Executive Functions of Adults With ADHD. J Atten Disord. 2017;21(11):944-55. doi: 10.1177/1087054714545537.

Cabañas-Pedro AC, Roizenblatt S, de Souza AAL, Tufik S, Figueiredo MS. Periodic limb movement in sleep and sickle cell disease: a neglected association? Br J Haematol. 2017;179(1):154-7. doi: 10.1111/bjh.14811.

Campos RM, Masquio DC, Corgosinho FC, De Lima Sanches P, De Piano A, Carnier J, Da Silva PL, Clemente AP, Vicente SE, Oyama LM, Do Nascimento CM, Tock L, Tufik S, De Mello MT, Damaso AR. Homeostasis Model Assessment-Adiponectin: the role of different types of physical exercise in obese adolescents. J Sports Med Phys Fitness. 2017;57(6):831-8. doi: 10.23736/S0022-4707.16.06235-6.

Campos RMS, Oyama LM, Masquio DCL, Vicente SECF, Corgosinho FC, Kravchychyn ACP, Tock L, Tufik S, De Mello MT, Dâmaso AR. The role of insulin resistance on FGF-21 and inflammatory markers in obese adolescents undergoing multicomponent long-term weight loss therapy. Eur Med J. 2017;2(4):97-105.

Caris AV, Da Silva ET, Dos Santos SA, Tufik S, Dos Santos RVT. Effects of Carbohydrate and Glutamine Supplementation on Oral Mucosa Immunity after Strenuous Exercise at High Altitude: A Double-Blind Randomized Trial. Nutrients. 2017;9(7):E692. doi: 10.3390/nu9070692.

Caris AV, Ysis W, Lemos VA, Bottura R, Santos RVT. Nutrition and exercise can attenuate inflammatory and psychobiological changes in hypoxia? Asian Pac J Trop Biomed. 2017;7(1):86–90. doi: 10.1016/j.apjtb.2016.11.005.

Chaves Jr CM, Dal Fabbro C, Machado MAC, De Bruin VMS, De Bruin PFC, Gurgel ML, Togeiro SMGP, Cevidanes L, Haddad FLM, Bittencourt L. Use of mandibular advancement devices for Obstructive Sleep Apnoea Treatment in adults. Int Arch Med Dental Med. 2017;10(232):1-10. doi: 10.3823/2502.

Chaves Jr CM, Guimarães MLR, Guimarães TM, Dal Fabbro C, Bittencourt L. Qual modalidade de aparelho intraoral devo usar no tratamento de adultos com apneia do sono? Rev Clin Ortodont Dental Press. 2017;16(2):68-74. doi: 10.14436/ 1676-6849.16.2.068-074.art.

Coelho FM, Castro LH, Fukujima MM, Adoni T, Rieder CRM, Bichuetti DB, Prado GFD, Gagliardi RJ. Brazilian Academy of Neurology (2006 – 2016). Arq Neuropsiquiatr. 2017;75(9):635-8. doi: 10.1590/0004-282X20170095.

Coelho LF, Barbosa DLF, Rizzutti S, Bueno OFA, Miranda MC. Group cognitive behavioral therapy for children and adolescents with ADHD. Psicol Reflex Crít. 2017;30:11. doi: 10.1186/s41155-017-0063-y.

Corgosinho FC, Almeida SS, Tock L, Pesquero JB, Araújo RC, Clemente APG, Dal'Molin Netto B, da Silveira Campos RM, Masquio DCL, de Carvalho Ferreira JP, de Lima Sanches P, de Piano Ganen A, Rogero MM, Oyama LM, Tufik S, de Mello MT, Dâmaso AR. LEPR polymorphism may affect energy balance during weight loss among Brazilians obese adolescentes. Neuropeptides. 2017;66:18-24. doi: 10.1016/j.npep.2017.07.007.

Costa PRF, Kinra S, D'Almeida V, Oliveira AM. Serum homocysteine and cysteine levels and associated factors in children and adolescentes. Nutr Clin Diet Hosp. 2017;37(1):106-16. doi: 10.12873/371ribasdefarias.

Costa PRF, Kinra S, D'Almeida V, Oliveira Assis AM. Serum homocysteine and cysteine levels and changes in the lipid profile of children and adolescents over a 12-month follow-up period. Clin Nutr ESPEN. 2017;21:13-19. doi: 10.1016/j.clnesp.2017.07.003.

Cremaschi RC, Hirotsu C, Tufik S, Coelho FM. Narcolepsy type 1 and type 2 - a 10-year follow-up: body mass index and comorbidities. Sleep Med. 2017;32:285-286. doi: 10.1016/j.sleep.2016.12.003.

Cunha TCA, Guimarães TM, Schultz TCB, Almeida FR, Cunha TM, Simamoto PC Junior, Bittencourt LRA. Predictors of success for mandibular repositioning appliance in obstructive sleep apnea syndrome. Braz Oral Res. 2017;31:e37. doi: 10.1590/1807-3107BOR-2017.vol31.0037.

Curiati MA, Aranda CS, Kyosen SO, Varela P, Pereira VG, D'Almeida V, Pesquero JB, Martins AM. The challenge of diagnosis and indication for treatment in Fabry Disease. J Inborn Errors Metab Screen. 2017;5:1–7. doi: 10.1177/2326409816685735.

Danucalov MA, Kozasa EH, Afonso RF, Galduroz JC, Leite JR. Yoga and compassion meditation program improve quality of life and self-compassion in family caregivers of Alzheimer's disease patients: A randomized controlled trial. Geriatr Gerontol Int. 2017;17(1):85-91. doi: 10.1111/ggi.12675.

De Melo CM, Taranto-Montemurro L, Butler JP, White DP, Loring SH, Azarbarzin A, Marques M, Berger PJ, Wellman A, Sands SA. Stable breathing in patients with obstructive sleep apnea is associated with increased effort but not lowered metabolic rate. Sleep. 2017;40(10). doi: 10.1093/sleep/zsx128.

Del Re MP, Melo CM, Santos MV, Tufik S, Mello MT. Applicability of predictive equations for resting energy expenditure in obese patients with obstructive sleep apnea. Arch Endocrinol Metab. 2017;61(3):257-62. doi: 10.1590/2359-3997000000228.

Delattre AM, Carabelli B, Mori MA, Kempe PG, Rizzo de Souza LE, Zanata SM, Machado RB, Suchecki D, Andrade da Costa BL, Lima MM, Ferraz AC. Maternal Omega-3 Supplement Improves Dopaminergic System in Pre- and Postnatal Inflammation-Induced Neurotoxicity in Parkinson's Disease Model. Mol Neurobiol. 2017;54(3):2090-196. doi: 10.1007/s12035-016-9803-8.

Diaféria G, Santos-Silva R, Truksinas E, Haddad FL, Santos R, Bommarito S, Gregório LC, Tufik S, Bittencourt LRA. Myofunctional therapy improves adherence to continuous positive airway pressure treatment. Sleep Breath. 2017;21(2):387-95. doi: 10.1007/s11325-016-1429-6.

Favoretto CA, Macedo GC, Quadros IM. Effects of ethanol on social avoidance induced by chronic social defeat stress in mice. Stress. 2017;20(1):68-74. doi: 10.1080/10253890.2017.1280667.

Felix RH, Almeida CB, Cremaschi RC, Coelho FM, Santos FC. Pain-induced depression is related to overestimation of sleep quality in a very elderly population with pain. Arq Neuropsiquiatr. 2017;75(1):25-29. doi: 10.1590/0004-282X20160186.

Fernandes GB, Cremaschi RC, Tufik S, Coelho FM. Grey zone between narcolepsy type 1 and type 2. Arq Neuropsiquiatr. 2017;75(9):682-3. doi: 10.1590/0004-282X20170106.

Fernandes GB, Cremaschi RC, Poyares D, Tufik S, Coelho FM. Prevalence of nocturnal sleep onset rapid movement sleep period (SOREMP) in narcolepsy type 1 and type 2. Sleep Med. 2017;38:162-3. doi: 10.1016/j.sleep. 2017.08.004.

Fernandes GL, Araujo P, Tufik S, Andersen ML. The role of IL-6 and STAT in sleep and neuroinflammation (Letter to the Editor). Clin Immunol. 2017;180:58-9. doi: 10.1016/j.clim.2017.04.004.

Ferreira LBT, Oliveira SLB, Raya J, Esumi LA, Hipolide DC. Bombesin administration impairs memory and does not reverse memory déficit caused by sleep deprivation. Behav Brain Res. 2017;331:20-4. doi: 10.1016/j.bbr.2017.05.027.

Ferri CP, Jacob KS. Dementia in low-income and middle-income countries: Different realities mandate tailored solutions. PLoS Med. 2017;14(3):e1002271. doi: 10.1371/journal.pmed.1002271.

Fisberg M, Kovalskys I, Salas GG, Pareja Torres RG, Yépez García MC, Cortés Sanabria LY, Herrera-Cuenca M, Rigotti A, Guajardo V, Zimberg IZ, Previdelli AN, Moreno LA, Pratt M, Koletzko B, Tucker KL, Elans Study Group. Developing a Cooperative Multicenter Study in Latin America: Lessons Learned From the Latin American Study of Nutrition and Health Project. Rev Panam Salud Publica. 2017;41:e111. doi: 10.26633/RPSP.2017.111.

Frange C, Naufel MF, Andersen ML, Beraldi E, Girão MJBC, Tufik S, Hachul H. Impact of insomnia on pain in postmenopausal women. Climacteric. 2017;20(3):262-7. doi: 10.1080/13697137.2017.1309381.

Frange C, Alves J, Andersen ML, Tufik S, Hachul H. More sleep? An adaptive response to control pain after traumatic brain injury: Comments on article titled "Individuals with pain need more sleep in the early stage of mild traumatic brain injury". Sleep Med. 2017;37:218. doi: 10.1016/j.sleep.2017.07.002.

Frange C, Banzoli CV, Colombo AE, Siegler M, Coelho G, Bezerra AG, Csermak M, Naufel MF, Cesar-Netto C, Andersen ML, Girão MJBC, Tufik S, Hachul H. Women's Sleep Disorders: Integrative Care. Sleep Sci. 2017 Oct-Dec;10(4):174-180. doi: 10.5935/1984-0063.20170030.

Galanjauskas H, Araujo P, Tufik S, Andersen ML. Sleep disturbance as a stressor event in elderly's life. Neurobiol Aging. 2017;60:203-4. doi: 10.1016/j.neurobiolaging.2017.08.018.

Gebara CFP, Ferri CP, Bhona FMC, Vieira MT, Lourenço LM, Noto AR. Psychosocial factors associated with mother-child violence: a household survey. Soc Psychiatry Psychiatr Epidemiol. 2017;52(1):77-86. doi: 10.1007/s00127-016-1298-0.

Giampá SQC, Mônico-Neto M, Souza HS, De Mello MT, Tufik S, Portes LA, Serra AJ, Tucci PJF, Antunes HKM. Effect of resistance training on myocardial contractility in vitro after sleep deprivation. Int J Cardiovasc Sci. 2017;30(1):20-31. doi: 10.5935/2359-4802.20170019.

Gilchrist G, Radcliffe P, Noto AR, d'Oliveira AF. The prevalence and factors associated with ever perpetrating intimate partner violence by men receiving substance use treatment in Brazil and England: A cross-cultural comparison. Drug Alcohol Rev. 2017;36(1):34-51. doi: 10.1111/dar.12436.

Ginani GE, Pradella-Hallinan M, Pompeia S. Identification of emotional expressiveness in facial photographs over 36 h of extended vigilance in healthy young men-a preliminary study. Cognit Emot. 2017;31(2):339-48. doi: 10.1080/02699931.2015.1121863.

Godoy LBM, Palombini L, Poyares D, Dal Fabbro C, Guimarães TM, Klichouvicz PC, Tufik S, Togeiro SM. Long term oral appliance therapy improves daytime function and mood in Upper Airway Resistance Syndrome patients. Sleep. 2017;40(12):zsx175. doi: 10.1093/sleep/zsx175.

Gonçalves-Pereira M, Cardoso A, Verdelho A, Alves da Silva J, Caldas de Almeida M, Fernandes A, Raminhos C, Ferri CP, Prina AM, Prince M, Xavier M. The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. BMC Geriatr. 2017;17(1):261. doi: 10.1186/s12877-017-0647-5.

Grassmann V, Alves MV, Santos-Galduroz RF, Galduroz JC. Possible Cognitive Benefits of Acute Physical Exercise in Children With ADHD: A Systematic Review. J Atten Disord. 2017;21(5):367-71. doi: 10.1177/1087054714526041.

Guarnieri RV, Buratto LG, Gomes CFA, Ribeiro RL, Souza AAL, Stein LM, Galduroz JCF, Bueno OFA. Haloperidol increases false recognition memory of thematically-related pictures in healthy volunteers. Human Psychopharmacol Clin Exp. 2017;32(1):e2563. doi: 10.1002/hup.2563.

Hachul H, Polesel DN, Tufik S, Andersen ML. Face-to-face: The importance of the human factor in the treatment of insomnia. J Affect Disord. 2017;211:116-117. doi: 10.1016/j.jad.2017.01.015.

Hachul H, Polesel DN. Insomnia pharmacotherapy: a review of current treatment options for insomnia in menopause. Curr Sleep Med Rep. 2017;3(4):299-305. doi: 10.1007/s40675-017-0090-3.

Hirotsu C, Albuquerque RG, Nogueira H, Hachul H, Bittencourt L, Tufik S, Andersen ML. The relationship between sleep apnea, metabolic dysfunction and inflammation: the gender influence. Brain Behav Immun. 2017;59:211-8. doi: 10.1016/j.bbi.2016.09.005.

Hirotsu C, Soterio-Pires JH, Tufik S, Andersen ML. Sleep disturbance and sexual dysfunction in postmenopausal women. Int J Impotence Res. 2017;29(3):126. doi:10.1038/ijir.2017.1.

Iftikhar IH, Bittencourt LRA, Youngstedt S, Ayas N, Cistulli P, Schwab RJ, Durkin M, Magalang UJ. Comparative efficacy of CPAP, MADs, exercise-training and dietary weight loss for sleep apnea: a network meta-analysis. Sleep Med. 2017;30:7-14. doi: 10.1016/j.sleep.2016.06.001.

Kim LJ, Tufik S, Andersen ML. Sleep awareness and education among clinical practitioners. Clin Med. 2017;17(4):380. doi: 10.7861/clinmedicine.17-4-380.

Kishi A, Van Dongen HP, Natelson BH, Bender AM, Palombini LO, Bittencourt L, Tufik S, Ayappa I, Rapoport DM. Sleep continuity is positively correlated with sleep duration in laboratory nighttime sleep recordings. PLoS One. 2017;12(4):e0175504. doi: 10.1371/journal.pone.0175504.

Leite Filho CA, Silva FFD, Pradella-Hallinan M, Xavier SD, Miranda MC, Pereira LD. Auditory behavior and auditory temporal resolution in children with sleep-disordered breathing. Sleep Med. 2017;34:90-5. doi: 10.1016/j.sleep.2017.03.009.

Lima C, Arida RM, Andersen ML, Polesel DN, de Alvarenga TAF, Vancini RL, Matos G, Tufik S. Effects of acute physical exercise in the light phase of sleep in rats with temporal lobe epilepsy. Epilepsy Res. 2017;136:54-61. doi: 10.1016/j.eplepsyres.2017.07.012.

Lira FS, De Aquino Lemos V, Bittar IG, Caris AV, Dos Santos RV, Tufik S, Moura Zagatto A, De Souza CT, Pimentel GD, De Mello MT. Physiological and cytokine response to acute exercise under hypoxic conditions: a study pilot. J Sports Med Phys Fitness. 2017;57(4):461-8. doi: 10.23736/S0022-4707.16.06073-X.

Machado MP, Opaleye DC, Pereira TV, Padilla I, Noto AR, Prince M, Ferri CP. Alcohol and tobacco consumption concordance and its correlates in older couples in Latin America. Geriatr Gerontol Int. 2017;17(11):1849-57. doi: 10.1111/ggi.12974.

Machado RB, Rocha MR, Suchecki D. Brain prolactin is involved in stress-induced REM sleep rebound. Horm Behav. 2017;89:38-47. doi: 10.1016/j.yhbeh.2016.12.004.

Machado P, Caris A, Santos S, Silva E, Oyama L, Tufik S, Santos R. Moderate exercise increases endotoxin concentration in hypoxia but not in normoxia: A controlled clinical trial. Medicine (Baltimore). 2017;96(4):e5504. doi: 10.1097/MD.0000000000005504.

Marchi NC, Scherer JN, Pachado MP, Guimarães LS, Siegmund G, de Castro MN, Halpern S, Benzano D, Formigoni ML, Cruz M, Pechansky F, Kessler FH. Crack-cocaine users have less family cohesion than alcohol users. Rev Bras Psiquiatr. 2017;39(4):361. doi:10.1590/1516-4446-2016-2091.

Marinho EAV, Oliveira-Lima AJ, Yokoyama TS, Santos-Baldaia R, Ribeiro LTC, Baldaia MA, da Silva RW, Hollais AW, Talhati F, Longo BM, Berro LF, Frussa-Filho R. Post-sensitization treatment with rimonabant blocks the expression of cocaine-induced behavioral sensitization and c-Fos protein in mice. Pharmacol Biochem Behav. 2017;156:16-23. doi: 10.1016/j.pbb.2017.03.006.

Marques M, Genta PR, Sands SA, Azarbazin A, De Melo C, Taranto-Montemurro L, White DP, Wellman A. Effect of sleeping position on upper airway patency in Obstructive Sleep Apnea is determined by the pharyngeal structure causing collapse. Sleep. 2017;40(3):1-8. doi: 10.1093/sleep/zsx005.

Martinelli EO, Haddad FLM, Stefanini R, Moreira GA, Rapoport PB, Gregório LC, Tufik S, Bittencourt LRA. Clinicals and upper airway characteristics in obese children with obstructive sleep apnea. Sleep Sci. 2017;10(1):1-6. doi: 10.5935/1984-0063.20170001.

Matsuzaka CT, Christofolini D, Ota VK, Gadelha A, Berberian AA, Noto C, Mazzotti DR, Spindola LM, Moretti PN, Smith MA, Melaragno MI, Belangero SI, Bressan RA. Catechol-O-methyltransferase (COMT) polymorphisms modulate working memory in individuals with schizophrenia and healthy controls. Rev Bras Psiquiatr. 2017;39(4):302-8. doi:10.1590/1516-4446-2016-1987.

Maurya PK, Rizzo LB, Xavier G, Tempaku PF, Zeni-Graiff M, Santoro ML, Mazzotti DR, Zugman A, Pan P, Noto C, Maes M, Asevedo E, Mansur RB, Cunha GR, Gadelha A, Bressan RA, Belangero SI, Brietzke E. Shorter leukocyte telomere length in patients at ultra high risk for psychosis. Eur Neuropsychopharmacol. 2017;27(5):538-42. doi: 10.1016/j.euroneuro.2017.02.008.

Mick I, Ramos AC, Myers J, Stokes PR, Chandrasekera S, Erritzoe D, Mendez MA, Gunn RN, Rabiner EA, Searle GE, Galduroz JC, Waldman AD, Bowden-Jones H, Clark L, Nutt DJ, Lingford-Hughes AR. Evidence for GABA-A receptor dysregulation in gambling disorder: correlation with impulsivity. Addict Biol. 2017;22(6):1601-9. doi: 10.1111/adb.12457.

Minari ALA, Oyama LM, Dos Santos RVT. The Secretory Leukocyte Protease Inhibitor mRNA expression is involved with inflammatory control after downhill exercise in the triceps brachii intermediary head in Wistar rats. J Muscle Res Cell Motil. 2017;38(2):231-9. doi: 10.1007/s10974-017-9475-7.

Mônico-Neto M, Dáttilo M, Ribeiro DA, Lee KS, de Mello MT, Tufik S, Antunes HKM. REM sleep deprivation impairs muscle regeneration in rats. Growth Factors. 2017;35(1):12-18. doi: 10.1080/08977194.2017.1314277.

Morais RL, Hilzendeger AM, Visniauskas B, Todiras M, Alenina N, Mori MA, Araújo RC, Nakaie CR, Chagas JR, Carmona AK, Bader M, Pesquero JB. High aminopeptidase A activity contributes to blood pressure control in ob/ob mice by AT2 receptor-dependent mechanism. Am J Physiol Heart Circ Physiol. 2017;312(3):H437-H445. doi: 10.1152/ajpheart.00485.2016.

Moreira GA, Pradella-Hallinan M. Sleepiness in Children: An Update. Sleep Med Clin. 2017 Sep;12(3):407-413. doi: 10.1016/j.jsmc.2017.03.013.

Müller CJ, Quintino-Dos-Santos JW, Schimitel FG, Tufik S, Beijamini V, Canteras NS, Schenberg LC. On the verge of a respiratory-type panic attack: selective activations of rostrolateral and caudoventrolateral periaqueductal gray matter following short-lasting escape to a low dose of potassium cyanide. Neuroscience. 2017;348:228-40. doi: 10.1016/j.neuroscience.2017.02.022.

Muszkat M. Poor school performance: importance of child self-report. Rev Paul Pediatr. 2017;35(4):366. doi: 10.1590/1984-0462/;2017;35;4;00017.

Nascimento MA, Lira FS, Punaro GR, De Mello MT, Tufik S, Higa EMS. Short-term l-arginine supplementation attenuates elevation of interleukin 6 level after resistance exercise in overweight men. Clin Nutr ESPEN. 2017;22:43-7. doi: 10.1016/j.clnesp.2017.09.001.

Nicolau ZFM, Bezerra AG, Polesel DN, Andersen ML, Tufik S, Hachul H. Plasma Leptin and Premenstrual Syndrome: A Review. Obstet Gynecol Surv. 2017;72(11):659-662. doi: 10.1097/OGX.0000000000000502.

Nozoe KT, Kim LJ, Polesel DN, Hirotsu C, Souza AL, Hachul H, Tufik SB, Tufik S, Andersen ML, Moreira GA. Sleep pattern and spectral analysis of caregiver-mothers of sons with Duchenne Muscular Dystrophy, and an examination of differences between carrier and non-carriers. Sleep Med. 2017;32:114-31. doi: 10.1016/j.sleep.2016.11.020.

Nozoe KT, Araújo P, Tufik S, Moreira GA, Andersen ML. Caregivers sleep of Duchenne Muscular Dystrophy's patients: a short review. Translat Brain Rhythmicity. 2017;2(2):1-4. doi: 10.15761/TBR.1000116.

Nunes RA, Mazzotti DR, Hirotsu C, Andersen ML, Tufik S, Bittencourt LRA. The association between caffeine consumption and objective sleep variables is dependent on ADORA2A c.1083T>C genotypes. Sleep Med. 2017;30:210-5. doi: 10.1016/j.sleep.2016.06.038.

Oliveira AB, Bachi ALL, Ribeiro RT, Mello MT, Tufik S, Peres MFP. Unbalanced plasma TNF-α and IL-12/IL-10 profile in women with migraine is associated with psychological and physiological outcomes. J Neuroimmunol. 2017;313:138-44. doi: 10.1016/j.jneuroim.2017.09.008.

Oliveira DL, Hirotsu C, Tufik S, Andersen ML. The interfaces between vitamin D, sleep and pain. J Endocrinol. 2017;234(1):R23-R36. doi: 10.1530/JOE-16-0514.

Oliveira E, Visniauskas B, Tufik S, Andersen M, Chagas J, Campa A. Serum amyloid A production is triggered by sleep deprivation in mice and humans: Is that the link to obesity? Nutrients. 2017; 9:311. doi:10.3390/nu9030311.

Oliveira GDP, Vago ERL, Prado GFD, Coelho FMS. The critical influence of nocturnal breathing complaints on the quality of sleep after stroke: the Pittsburgh Sleep Quality Index and STOP-BANG. Arq Neuropsiquiatr. 2017;75(11):785-8. doi: 10.1590/0004-282X20170137.

Oliveira-Lima AJ, Marinho EAV, Santos-Baldaia R, Hollais AW, Baldaia MA, Talhati F, Ribeiro LT, Wuo-Silva R, Berro LF, Frussa-Filho R. Context-dependent efficacy of a counter-conditioning strategy with atypical neuroleptic drugs in mice previously sensitized to cocaine. Progr Neuropsychopharmacol Biol Psychiatry. 2017;73:49-55. doi: 10.1016/j.pnpbp.2016.10.004.

Orsi KCSC, Avena MJ, Pradella-Hallinan MLC, Pedreira MLG, Tsunemi MH, Avelar AFM, Pinheiro EM. Effects of handling and environment on preterm newborns sleeping in incubators. J Obstet Gynecol Neonatal Nurs. 2017;46(2):238-47. doi: 10.1016/j.jogn.2016.09.005.

Paschoal RP, Campana EH, Corrêa LL, Montezzi LF, Barrueto LRL, da Silva IR, Bonelli RR, Castro LS, Picão RC. Concentration and Variety of Carbapenemase Producers in Recreational Coastal Waters Showing Distinct Levels of Pollution. Antimicrob Agents Chemother. 2017;61(12):e01963-17. doi: 10.1128/AAC.01963-17.

Passos GS, Santana MG, Poyares D, D'Aurea CVR, Teixeira AAS, Tufik S, De Mello MT. Chronotype and anxiety are associated in patients with chronic primary insomnia. Rev Bras Psiquiatria. 2017;39(2):183-6. doi:10.1590/1516-4446-2016-2007.

Patricio RR, Soares JC, Oliveira MG. M1 muscarinic receptors are necessary for retrieval of remote context fear memory. Physiol Behav. 2017;169:202-7. doi:10.1016/j.physbeh.2016.12.008.

Pedroni MN, Hirotsu C, Porro AM, Tufik S, Andersen ML. The role of sleep in pemphigus: a review of mechanisms and perspectives. Arch Dermatol Res. 2017;309(8):659-64. doi: 10.1007/s00403-017-1765-9.

Pereira Jr JC, Pradella-Hallinan M, Alves RC. Secondary to excessive melatonin synthesis, the consumption of tryptophan from outside the blood-brain barrier and melatonin oversignaling in the pars tuberalis may be central to the pathophysiology of winter depression. Med Hypotheses. 2017;98:69–75. doi: 10.1016/j.mehy.2016.11.020.

Perez Diaz M, Andersen ML, Rice KC, Howell LL. Effects of a Serotonin 2C Agonist and a 2A Antagonist on Actigraphy-Based Sleep Parameters Disrupted by Methamphetamine Self-Administration in Rhesus Monkeys. Neuropsychopharmacology. 2017;42(7):1531–8. doi:10.1038/npp.2016.280.

Perucha VFR, de Aquino RC, Gaspareto N, Guerra-Shinohara EM, Amorim PMS, D'Almeida V. Folate and synthetic folic acid intake, serum B vitamin and homocysteine concentrations, and cognitive impairment in elderly Brazilians. J Aging Res Clin Practice. 2017;6:48-55. doi: 10.14283/jarcp.2017.5.

Pino JMV, da Luz MHM, Antunes HKM, Giampá SQC, Martins VR, Lee KS. Iron-Restricted Diet Affects Brain Ferritin Levels, Dopamine Metabolism and Cellular Prion Protein in a Region-Specific Manner. Front Mol Neurosci. 2017;10:145. doi: 10.3389/fnmol.2017.00145.

Pinski I, Noto AR, Moraes MCB, Santos EL, Sparks R, O'Brien K. Alcohol industry sponsorship of university student sports clubs in Brazil. J Studies Alcohol Drugs. 2017;78(2):306-12. doi: 10.15288/jsad.2017.78.306.

Piovezan RD, Kase C, Moizinho R, Tufik S, Poyares D. Gabapentin acutely increases the apnea-hypopnea index in older men: data from a randomized, double-blind, placebo-controlled study. J Sleep Res. 2017;26(2):166-70. doi: 10.1111/jsr.12495.

Piovezan RD, Hirotsu C, Feres MC, Cintra FD, Andersen ML, Tufik S, Poyares D. Obstructive sleep apnea and objective short sleep duration are independently associated with the risk of serum vitamin D deficiency. PLoS One. 2017;12(7):e0180901. doi: 10.1371/journal.pone.0180901.

Pires GN, Tufik S, Andersen M. Michel Jouvet and his importance for brazilian preclinical sleep research. Sleep Sci. 2017;10(4):181-182. doi: 10.5935/1984-0063.20170031.

Polesel DN, Nozoe KT, Tufik S, Andersen ML, Hachul H. Lack of sleep can jeopardize vaccine effectiveness. Am J Infect Control. 2017;45(1):96-97. doi: 10.1016/j.ajic.2016.10.003.

Polesel DN, Nozoe KT, Sanchez ZM, Prado MCO, Bittencourt L, Tufik S, Andersen ML, Hachul H. The follicle-stimulating hormone as best classifier for diagnosis of natural menopause. J Gynecol Surg. 2017;33(6):236-42. doi: 10.1089/gyn.2017.0040.

Poloni S, Spritzer PM, Mendes RH, D'Almeida V, Castro K, Sperb-Ludwig F, Kugele J, Tucci S, Blom HJ, Schwartz IVD. Leptin concentrations and SCD-1 indices in classical homocystinuria: Evidence for the role of sulfur amino acids in the regulation of lipid metabolismo. Clin Chim Acta. 2017;473:82-8. doi: 10.1016/j.cca.2017.08.005.

Quelch DR, Mick I, McGonigle J, Ramos AC, Flechais RSA, Bolstridge M, Rabiner E, Wall MB, Newbould RD, Steiniger-Brach B, van den Berg F, Boyce M, Østergaard Nilausen D, Breuning Sluth L, Meulien D, von der Goltz C, Nutt D, Lingford-Hughes A. Nalmefene Reduces Reward Anticipation in Alcohol Dependence: An Experimental Functional Magnetic Resonance Imaging Study. Biol Psychiatry. 2017;81(11):941-948. doi: 10.1016/j.biopsych.2016.12.029.

Rocha M, Ferraz RCM, Chen VG, Moreira GA, Fujita RR. Clinical variables determining the success of adenotonsillectomy in children with Down syndrome. Int J Pediatr Otorhinolaryngol. 2017;102:148-153. doi: 10.1016/j.ijporl.2017.09.017.

Rodrigues DF, Silva A, Rosa JPP, Ruiz FS, Veríssimo AW, Winckler C, Rocha EA, Parsons A, Tufik S, de Mello MT. Profiles of mood states, depression, sleep quality, sleepiness, and anxiety of the Paralympic athletics team: A longitudinal study. Apunts. 2017;52(195):93-101. doi: 10.1016/j.apunts.2016.11.002.

Ruiz FS, Andersen ML, Guindalini C, Araújo LP, Lopes JD, Tufik S. Sleep influences the immune response and rejection process alters sleep pattern: evidence from a skin allograft model in mice. Brain Behav Immun. 2017;61:274-88. doi:10.1016/j.bbi.2016.12.027.

Santana MG, Passos GS, Boscolo RA, Viana VR, Grassmann V, Tufik S, De Mello MT. Does Obstructive Sleep Apnea impact the sleep quality, physical capacity, mood and quality of life of elderly lean men? Sleep Med Disord Int J 2017;1(3):00014. doi: 10.15406/smdij.2017.01.00014.

Santos TB, Soares JCK, Favaro VM, Oliveira MGM. Involvement of the prelimbic cortex in contextual fear conditioning with temporal and spatial discontinuity. Neurobiol Learn Mem. 2017;144:1-10. doi: 10.1016/j.nlm.2017.05.003.

Scorza FA, Tufik S, Scorza CA, Andersen ML, Cavalheiro EA. Sudden unexpected death in Parkinson's disease (SUDPAR): sleep apnea increases risk of heart attack. Sleep Breath. 2017;21(4):965-6. doi: 10.1007/s11325-017-1511-8.

Siegler M, Frange C, Andersen ML, Tufik S, Hachul H. Effects of Bach flower remedies on menopausal symptoms and sleep pattern: a case report. Alternat Ther Health Med. 2017;23(2):44-48.

Siervo GE, Ogo FM, Valério AD, Silva TN, Staurengo-Ferrari L, Alvarenga TA, Cecchini R, Verri WA, Guarnier FA, Andersen ML, Fernandes GS. Sleep restriction in Wistar rats impairs epididymal postnatal development and sperm motility in association with oxidative stress. Reprod Fertil Dev. 29(9):1813-20. doi: 10.1071/RD15535.

Silva BC, Santos RSS, Drager LF, Coelho FM, Elias RM. Impact of Compression Stockings vs. Continuous Positive Airway Pressure on overnight fluid shift and Obstructive Sleep Apnea among patients on hemodialysis. Front Med (Lausanne). 2017;4:57. doi: 10.3389/fmed.2017.00057.

Silva LC, Viana MB, Andrade JS, Souza MA, Céspedes IC, D'Almeida V. Tryptophan overloading activates brain regions involved with cognition, mood and anxiety. An Acad Bras Cienc. 2017;89(1):273-83. doi: 10.1590/0001-3765201720160177.

Silva-Batista C, Mattos EC, Corcos DM, Wilson JM, Heckman CJ, Kanegusuku H, Piemonte ME, de Mello MT, Forjaz CL, Roschel H, Tricoli VA, Ugrinowitsch C. Resistance training with instability is more effective than resistance training in improving spinal inhibitory mechanisms in Parkinson's disease. J Appl Physiol. 2017;122(1):1-10. doi: 10.1152/japplphysiol.00557.2016.

Silva-Batista C, Corcos DM, Barroso R, David FJ, Kanegusuku H, Forjaz C, de Mello MT, Roschel H, Tricoli V, Ugrinowitsch C. Instability Resistance Training Improves Neuromuscular Outcome in Parkinson's Disease. Med Sci Sports Exerc. 2017;49(4):652-60. doi: 10.1249/MSS.0000000000001159.

Silva-Batista C, Brito LC, Corcos DM, Roschel H, De Mello MT, Piemonte MEP, Tricoli V, Ugrinowitsch C. Resistance training improves sleep quality in subjects with moderate Parkinson's Disease. J Strength Cond Res. 2017;31(8):2270-7. doi: 10.1519/JSC.0000000000001685.

Siqueira JT, Camparis CM, de Siqueira SR, Teixeira MJ, Bittencourt L, Tufik S. Effects of localized versus widespread TMD pain on sleep parameters in patients with bruxism: A single-night polysomnographic study. Arch Oral Biol. 2017;76:36-41. doi: 10.1016/j.archoralbio.2016.06.027.

Siqueira US, Orsini Valente LG, de Mello MT, Szejnfeld VL, Pinheiro MM. Effectiveness of Aquatic Exercises in Women With Rheumatoid Arthritis: A Randomized, Controlled, 16-Week Intervention-The HydRA Trial. Am J Phys Med Rehabil. 2017;96(3):167-175. doi: 10.1097/PHM.0000000000000564.

Soterio-Pires JH, Hirotsu C, Kim LJ, Bittencourt L, Tufik S, Andersen ML. The interaction between erectile dysfunction complaints and depression in men: a cross-sectional study about sleep, hormones and quality of life. Int J Impot Res. 2017;29(2):70-5. doi:10.1038/ijir.2016.49.

Souza JFT, Dáttilo M, de Mello MT, Tufik S, Antunes HKM. High-intensity interval training attenuates insulin resistance induced by sleep deprivation in healthy males. Front Physiol. 2017;8:992. doi: 10.3389/fphys.2017.00992. eCollection 2017.

Souza RT, Campanharo FF, Araujo Júnior E, Moreira GA, Mazzotti DR, Mattar R, Moron AF, Coelho FM. Challenges in congenital central hypoventilation syndrome (Ondine's curse) on pregnancy: a case report. J Obstet Gynaecol. 2017;37(1):107-108. doi: 10.1080/01443615.2016.1233944.

Souza-Talarico JN, Marcourakis T, Barbosa F Jr, Moraes Barros SB, Rivelli DP, Pompeia S, Caramelli P, Plusquellec P, Lupien SJ, Catucci RF, Alves AR, Suchecki D. Association between heavy metal exposure and poor working memory and possible mediation effect of antioxidant defenses during aging. Sci Total Environ. 2017;575:750-7. doi:10.1016/j.scitotenv.2016.09.121.

Souza-Talarico JN, Suchecki D, Juster RP, Plusquellec P, Barbosa Junior F, Bunscheit V, Marcourakis T, de Matos TM, Lupien SJ. Lead exposure is related to hypercortisolemic profiles and allostatic load in Brazilian older adults. Environ Res. 2017;154:261-268. doi: 10.1016/j.envres.2017.01.012.

Stein AT, Ferri CP. Innovation and achievement for primary care in Brazil: new challenges. BJGP Open 18 April 2017. doi: https://doi.org/10.3399/bjgpopen17X100857.

Suchecki D, Elias CF. Editorial: Neuropeptides and behavior: from motivation to psychopathology. Front Endocrinol (Lausanne). 2017;8:210. doi: 10.3389/fendo.2017.00210.

Tanaka MN, Santos STS, Gouveia M, Santos Filho M, Cosentino IC, Barbosa Neto JB, Tufik S, Matos JR, Mercuri LP. Encapsulation study of citalopram and risperidone into nanostructured silica SBA-15 for in vitro release evaluation. J Therm Anal Calorim. 2017;127(2):1725-32. doi: 10.1007/s10973-016-5995-4.

Taranto-Montemurro L, Sands SA, Azarbarzin A, Marques M, de Melo CM, Edwards BA, Eckert DJ, Messineo L, White DP, Wellman A. Effect of 4-Aminopyridine on Genioglossus Muscle Activity during Sleep in Healthy Adults. Ann Am Thorac Soc. 2017;14(7):1177-1183. doi: 10.1513/AnnalsATS.201701-006OC.

Tavares Jr AR, Cremaschi RMC, Coelho FMS. Narcolepsia: o despertar para uma realidade subestimada. Rev Debates Psiquiatr. 2017;7(3):22-32. doi: 10.25118/2236-918X-7-3-4.

Tempaku PF, Arruda JR, Mazotti DR, Gonçalves BSB, Pedrazzoli M, Bittencourt L, Tufik S. Characterization of bimodal chronotype and its association with sleep: a population-based study. Chronobiol Int. 2017;34(4):504-10. doi: 10.1080/07420528.2017.1306707.

Tempaku PF, Tufik S, Hirotsu C. Commentary: Stress signal network between hypoxia and ER stress in chronic kidney disease. Front Physiol. 2017;8:243. doi: 10.3389/fphys.2017.00243.

Truzzi GM, Cremaschi RC, Tufik S, Coelho FM. Human hypocretin-deficient narcolepsy - aberrant food choice due to impaired taste? Sleep Sci. 2017;10(2):78-9. doi: 10.5935/1984-0063.20170014.

Tufik S, Pires GN, Kim LJ, Tempaku P, Albuquerque R, Andersen ML. Revisão sistemática sobre a epidemiologia das doenças cardiovasculares e respiratórias e suas associações com a poluição do ar em Vitória/ES. Clin Biomed Res. 2017;37(2):97-124. doi: 10.4322/2357-9730.70489.

Viana GM, do Nascimento CC, Paredes-Gamero EJ, D'Almeida V. Altered Cellular Homeostasis in Murine MPS I Fibroblasts: Evidence of Cell-Specific Physiopathology. JIMD Rep. 2017;36:109-16. doi: 10.1007/8904_2017_5.

Vicente SECF, Corgosinho FC, Campos RMS, Masquio DCL, Silva LO, Kravchychyn ACP, Sanches PL, Ganen AP, Oyama LM, Tock L, Tufik S, De Mello MT, Dâmaso AR. The impact of adiponectin levels on biomarkers of inflammation among adolescents with obesity. Obesity Med. 2017;5:4-10. doi: 10.1016/j.obmed.2016.12.002.

Vieira PM, Kim LJ, Tufik S, Coelho FM. On the importance of polysomnography after stroke. Sleep Breath. 2017;21(2):483-4. doi: 10.1007/s11325-016-1423-z.

Zimberg IZ, Melo CM, Del Re M, Santos MV, Crispim SA, Lopes TVC, Tufik S, De Mello MT. Relação entre Apneia Obstrutiva do Sono e obesidade: uma revisão sobre aspectos endócrinos, metabólicos e nutricionais. Rev Bras Obesidade Nutr Emagrecimento. 2017;11(64):250-60.

2016.....

Afonso RF, Kozasa EH, Rodrigues D, Leite JR, Tufik S, Hachul H. Yoga increased serum estrogen levels in postmenopausal women - a case report. Menopause. 2016;23(5):584-6. doi: 10.1097/GME.0000000000000593.

Almeida RP, Toledo Piza CJM, Cardoso TSG, Miranda MC. Prevenção e remediação das dificuldades de aprendizagem: adaptação do modelo de resposta à intervenção em uma amostra brasileira. Rev Bras Educ. 2016;21(66):611-30. doi: 10.1590/S1413-24782016216632.

Andrade ALM, Bedendo A, Scatena A, De Micheli D. Teaching neuroanatomophysiology in psychology undergraduate courses: experience report and integral proposal. Int J Psychol Neurosci. 2016;2(1):321-36.

Andrade AL, de Lacerda RB, Gomide HP, Ronzani TM, Sartes LM, Martins LF, Bedendo A, Souza-Formigoni ML, on behalf of The WHO e-health project on Alcohol and Health Investigators Group. Web-based self-help intervention reduces alcohol consumption in both heavy-drinking and dependent alcohol users: a pilot study. Addict Behav. 2016;63:63-71. doi: 10.1016/j.addbeh.2016.06.027.

Antunes HKM, Leite GSF, Lee KS, Barreto AT, Santos RVT, Souza HS, Tufik S, De Mello MT. Exercise deprivation increases negative mood in exercise-addicted subjects and modifies their biochemical markers. Physiol Behav. 2016;156:182-90. doi: 10.1016/j.physbeh.2016.01.028.

Aquino-Lemos V, Santos RV, Antunes HK, Lira FS, Luz Bittar IG, Caris AV, Tufik S, de Mello MT. Acute physical exercise under hypoxia improves sleep, mood and reaction time. Physiol Behav. 2016;154:90-9. doi: 10.1016/j.physbeh.2015.10.028.

Argeri R, Nishi EE, Palma BD, Tufik S, Gomes GN. Sleep restriction during pregnancy and its effects on blood pressure and renal function among female offspring. Physiol. Rep. 2016;4(16): e12888. doi: 10.14814/phy2.12888.

Azevedo E, Silva A, Martins R, Andersen ML, Tufik S, Manzano GM. Activation of C-fiber nociceptors by low-power diode laser. Arq Neuropsiquiatr. 2016;74(3):223-7. doi: 10.1590/0004-282X20160018.

Barbosa AA, Miguel MAL, Tufik S, Sabino FC, Cendoroglo MS, Pedrazzoli M. Sleep disorder or simple sleep ontogeny? Tendency for morningness is associated with worse sleep quality in the elderly. Braz J Med Biol Res. 2016;49(10): e5311. doi: 10.1590/1414-431X20165311.

Barreiro-Ribeiro F, Vasques AC, da Silva CC, Zambon MP, Rodrigues AM, Camilo DF, Antonio MÂ, Dâmaso AR, Campos RM, Tufik S, De Mello MT, Geloneze B. Hypertriglyceridemic Waist Phenotype Indicates Insulin Resistance in Adolescents According to the Clamp Technique in the BRAMS Study. Child Obes. 2016;12(6):446-54. doi: 10.1089/chi.2016.0180.

Batistela S, Bueno OFA, Vaz LJ, Galduroz JCF. Methylphenidate as a cognitive enhancer in healthy young people. Dement Neuropsychol. 2016;10(2):134-42. doi: 10.1590/S1980-5764-2016DN1002009.

Bedendo A, Noto AR. Studying an unreal world: incentives on internet-based interventions for alcohol use. Addiction. 2016;111(2):373-4. doi: 10.1111/add.13171.

Bedendo A, Noto AR, Andrade ALM. Assessment of the effects of physical activity on cognitive functions: An integrative review. Int J Psychol Neurosci. 2016;2(1):251-67.

Berro LF, Andersen ML, Tufik S, Howell LL. Actigraphy-based sleep parameters during the reinstatement of methamphetamine self-administration in rhesus monkeys. Exp Clin Psychopharmacol. 2016;24(2):142-146. doi: 10.1037/pha0000064.

Bezerra AG, Negri G, Duarte-Almeida JM, Smaili SS, Carlini EA. Phytochemical analysis of hydroethanolic extracts from powdered roots of *Panax ginseng C.A. Meyer* and *Heteropterys tomentosa A. Juss* and evaluation of their effects on astrocyte cell death. Quím Nova. 2016;39(5):581-7. doi: 10.5935/0100-4042.20160069.

Biondo LA, Lima Junior EA, Souza CO, Cruz MM, Cunha RD, Alonso-Vale MI, Oyama LM, Nascimento CM, Pimentel GD, Dos Santos RV, Lira FS, Rosa Neto JC. Impact of Doxorubicin treatment on the physiological functions of white adipose tissue. PLoS One. 201625;11(3):e0151548. doi: 10.1371/journal.pone.0151548.

Bitancourt T, Tissot MC, Fidalgo TM, Galduroz JC, da Silveira Filho DX. Factors associated with illicit drugs' lifetime and frequent/heavy use among students results from a population survey. Psychiatry Res. 2016;237:290-5. doi: 10.1016/j.psychres.2016.01.026.

Borrow AP, Stranahan AM, Suchecki D, Yunes R. Neuroendocrine Regulation of Anxiety: Beyond the Hypothalamic-Pituitary-Adrenal Axis. J Neuroendocrinol. 2016;28(7). doi: 10.1111/jne.12403.

Brown RM, Kim AK, Khoo SY, Kim JH, Jupp B, Lawrence AJ. Orexin-1 receptor signalling in the prelimbic cortex and ventral tegmental area regulates cue-induced reinstatement of ethanol-seeking in iP rats. Addict Biol. 2016;21(3):603-12. doi: 10.1111/adb.12251.

Calegare BF, Costa A, Fernandes L, Dias AL, Torterolo P, D' Almeida V. Subchronical treatment with Fluoxetine modifies the activity of the MCHergic and hypocretinergic systems. Evidences from peptide CSF concentration and gene expression. Sleep Sci. 2016;9(2):89-93. doi: 10.1016/j.slsci.2016.05.010.

Careaga MB, Girardi CE, Suchecki D. Understanding posttraumatic stress disorder through fear conditioning, extinction and reconsolidation. Neurosci Biobehav Rev. 2016;71:48-57. doi: 10.1016/j.neubiorev.2016.08.023.

Caris AV, Da Silva ET, Dos Santos SA, Lira FS, Oyama LM, Tufik S, Dos Santos RV. Carbohydrate supplementation influences serum cytokines after exercise under hypoxic conditions. Nutrients. 2016;8(11):E706. doi:10.3390/nu8110706.

Carvalho DS, Diniz MM, Haidar AA, Cavanal MF, da Silva Alves E, Carpinelli AR, Gil FZ, Hirata AE. L-Arginine supplementation improves insulin sensitivity and beta cell function in the offspring of diabetic rats through AKT and PDX-1 activation. Eur J Pharmacol. 2016;791:780-7. doi: 10.1016/j.ejphar.2016.10.001.

Cassilhas RC, Tufik S, De Mello MT. Physical exercise, neuroplasticity, spatial learning and memory. Cell Mol Life Sci. 2016;73(5):975-83. doi: 10.1007/s00018-015-2102-0.

Cesar-Netto CA, Colombo AE, Frange C, Andersen ML, Tufik S, Hachul H. Integrative medicine, quality of life and gynecological cancer. Support Care Cancer. 2016;24(4):1455-6. doi: 10.1007/s00520-015-3022-0.

Clemente AP, Netto B, de Carvalho-Ferreira J, Campos R, Ganen A, Tock L, de Mello MT, Dâmaso A. Waist circumference as a marker for screening nonalcoholic fatty liver disease in obese adolescents. Rev Paul Pediatria. 2016;34(1):47-55. doi: 10.1016/j.rpped.2015.05.007.

Contó MB, Venditti MAC. Relationship Between Susceptibility to DMCM-Induced Generalized Motor Convulsions and Low-Affinity [3H]-Ouabain Binding in Membranes in Rat Brain. Curr Mol Pharmacol. 2016;9(4):332-6. doi: 10.2174/1874467209666160408152558.

Dagli-Hernandez C, Lucchetta RC, de Nadai TR, Galduroz JC, Mastroianni PC. Self-perception of knowledge and adherence reflecting the effectiveness of antiretroviral therapy. Patient Prefer Adherence. 2016;10:1787-93. doi: 10.2147/PPA.S112108.

De Godoy LB, Luz GP, Palombini LO, E Silva LO, Hoshino W, Guimarães TM, Tufik S, Bittencourt L, Togeiro SM. Upper airway resistance syndrome patients have worse sleep quality compared to mild obstructive sleep apnea. PLoS One. 2016;11(5):e0156244. doi: 10.1371/journal.pone.0156244.

De Queiroz MT, Pereira VG, do Nascimento CC, D'Almeida V. The Underexploited Role of Non-Coding RNAs in Lysosomal Storage Diseases. Front Endocrinol (Lausanne). 2016;7:133. doi: 10.3389/fendo.2016.00133.

De Souza JFT, Santos MVL, Mônico-Neto M, Antunes HKM. High intensity interval training: a strategy to minimize the impacts of sleep debt. J Aerobics Fitness. 2016;1(2):1000e107.

Dokkedal V, Scorza F, Galduroz JC, Tufik S, Andersen ML. Epilepsy comorbidities: is clonazepam a friend or a foe? Epilepsy Behav. 2016;62:309-10. doi: 10.1016/j.yebeh.2016.06.031.

Dualibi AP, Martins AM, Moreira GA, Azevedo MF, Fujita RR, Pignatari SS. The impact of laronidase treatment in otolaryngological manifestations of patients with mucopolysaccharidosis. Braz J Otorhinolaryngol. 2016;82(5):522-8. doi: 10.1016/j.bjorl.2015.09.006.

Dunsmoor JE, Kubota JT, Li J, Coelho CAO, Phelps EA. Racial stereotypes impair flexibility of emotional learning. Soc Cogn Affect Neurosci. 2016;11(9):1363-73. doi: 10.1093/scan/nsw053.

Ekuni R, Pompeia S. O impacto da divulgação científica na perpetuação de neuromitos na educação. Rev Biol. 2016;15(1):21-8. doi: 10.7594/revbio.15.01.02.

Ekuni R, Pompeia S. Na era da educação baseada em evidências, resenha do livro "*Make it Stick: The science of successful learning*". Ciências Cognição. 2016;21(2):198-201. [citado 2017 jan 19]. Disponível em: http://www.cienciasecognicao.org/revista/index.php/cec/article/view/1363/pdf_86

Esteves AM, Lopes C, Frank MK, Arida RM, Frussa-Filho R, Tufik S, De Mello MT. Can physical exercise have a protective effect in an animal model of sleep-related movement disorder? Brain Res. 2016;1639:47-57. doi: 10.1016/j.brainres.2016.02.036.

Feijó MR, Noto AR, Silva EA, Locatelli DP, Camargo ML, Gebara CFP. Álcool e violência nas relações conjugais: um estudo qualitativo com casais. Psicol Estudo (Maringá). 2016;21(4):581-92. doi: 10.4025/psicolestud.v21i4.31556.

Fernandes J, Soares JCK, Baliego LG, Arida RM. A single bout of resistance exercise improves memory consolidation and increases the expression of synaptic proteins in the hippocampus. Hippocampus. 2016;26(8):1096-103. doi: 10.1002/hipo.22590.

Fernandes-Junior SA, Ruiz FS, Antonietti LS, Tufik S, Túlio de Mello M. Sleep, fatigue and quality of life: a comparative analysis among night shift workers with and without children. PLoS One. 2016;11(7):e0158580. doi: 10.1371/journal.pone.0158580.

Ferraz O, Guimarães TM, Rossi RR, Cunali PA, Dal Fabbro C, Chaves CM, Maluly M, Bittencourt L, Tufik S. Effectiveness of Maxillomandibular advancement (MMA) surgery in sleep apnea treatment: Case report. Sleep Sci. 2016;9(3):134-9. doi: 10.1016/j.slsci.2016.07.005.

Fisberg M, Kovalskys I, Gómez G, Rigotti A, Cortés LY, Herrera-Cuenca M, Yépez MC, Pareja RG, Guajardo V, Zimberg IZ, Chiavegatto Filho ADP, Pratt M, Koletzko B, Tucker KL; ELANS Study Group. Latin American Study of Nutrition and Health (ELANS): Rationale and Study Design. BMC Public Health. 2016;16:93. doi: 10.1186/s12889-016-2765-y.

Frange C, Hirotsu C, Hachul H, Pires JS, Bittencourt L, Tufik S, Andersen ML. Musculoskeletal pain and the reproductive life stage in women: is there a relationship? Climacteric. 2016;19(3):279-84. doi: 10.3109/13697137.2016.1163332.

Frank MK, De Mello MT, Lee KS, Daubian-Nosé P, Tufik S, Esteves AM. Sleep-related movement disorder symptoms in SHR are attenuated by physical exercise and an angiotensin-converting enzyme inhibitor. Physiol Behav. 2016;154:161–8. doi: 10.1016/j.physbeh.2015.11.026.

Gadelha A, Coleman J, Breen G, Mazzoti DR, Yonamine CM, Pellegrino R, Ota VK, Belangero SI, Glessner J, Sleiman P, Hakonarson H, Hayashi MA, Bressan RA. Genome-wide investigation of schizophrenia associated plasma Ndel1 enzyme activity. Schizophr Res. 2016;172(1-3):60-7. doi: 10.1016/j.schres.2016.01.043.

Gatti RC, Otuyama LJ, Burke PR, Almeida DR, Tufik S, Poyares D. Effects of Zolpidem CR® on sleep and nocturnal ventilation in patients with heart failure of ischemic etiology. Sleep. 2016;39(8):1501-5. doi: 10.5665/sleep.6006.

Giampá SQ, Mônico-Neto M, de Mello MT, Souza HS, Tufik S, Lee KS, Koike MK, Dos Santos AA, Antonio EL, Serra AJ, Tucci PJ, Antunes HK. Paradoxical Sleep Deprivation Causes Cardiac Dysfunction and the Impairment Is Attenuated by Resistance Training. PLoS One. 2016;11(11):e0167029. doi: 10.1371/journal.pone.0167029.

Gonçalves B, Castro J, Zanini MA, Bittencourt L, Gadelha A, Cunha GR, Coelho FM, Tufik S, Bressan RA, Brietzke E. Circadian rhythm disturbances and conversion to psychosis in ultra high-risk youth. Rev Bras Psiquiatr. 2016;38(2):178-9. doi: 10.1590/1516-4446-2015-1859.

Gonçalves-Pereira M, Cardoso A, Verdelho A, Da Silva JA, De Almeida MC, Fernandes A, Raminhos C, Ferri CP, Prince M, Xavier M e em representação do 10/66 Dementia Research Group. Implementação em Portugal de um estudo de prevalência da demência e da depressão geriátrica: a metodologia do 10/66 Dementia Research Group. Rev Port Saúde Pública. 2016;34(2):134-43. doi: 10.1016/j.rpsp.2016.03.002.

Gracitelli CP, Duque-Chica GL, Moura AL, Roizenblatt M, Nagy BV, de Melo GR, Borba PD, Teixeira SH, Tufik S, Ventura DF, Paranhos A Jr. Relationship between Daytime Sleepiness and Intrinsically Photosensitive Retinal Ganglion Cells in Glaucomatous Disease. J Ophthalmol. 2016;2016:5317371. doi: 10.1155/2016/5317371.

Guarnieri RV, Ribeiro RL, de Souza AA, Galduroz JC, Covolan L, Bueno OF. Effects of Sulpiride on true and false memories of thematically related pictures and associated words in healthy volunteers. Front Psychiatry. 2016;7:28. doi: 10.3389/fpsyt.2016.00028.

Guerra M, Prina AM, Ferri CP, Acosta D, Gallardo S, Huang Y, Jacob KS, Jimenez-Velazquez IZ, Llibre Rodriguez JJ, Liu Z, Salas A, Sosa AL, Williams JD, Uwakwe R, Prince M. A comparative cross-cultural study of the prevalence of late life depression in low and middle income countries. J Affect Disord. 2016;190:362-368. doi: 10.1016/j.jad.2015.09.004.

Guimarães TM, Tavares CD, Almeida FR, Cunali PA, Ferraz O, Dal Fabbro C, Chaves Jr CM, Rossi R, Tufik S, Bittencourt L. Mandibular exercises for the prevention of temporomandibular disorder during mandibular advancement device therapy in Obstructive Sleep Apnea Patients: a randomized controlled trial. Int Arch Med. 2016;9(163):1-9. doi: 10.3823/2034.

Guimarães TM, Ferraz O, Rossi RRP, Cunali PA, Silva LO, Chaves Jr CM, Dal-Fabbro C, Maluly M, Bittencourt LRA, Tufik S. Pharyngeal airway volume as a predictor of the efficacy of obstructive sleep apnea treatment with a mandibular advancement device. Int Arch Med. 2016;9(357):1-6. doi: 10.3823/2228.

Gutiérrez VL, Hirotsu C, Andersen ML, Tufik S. Does sleep play a role in the relationship between depression, anxiety and mortality in lung transplanted patients? Am J Transplant. 2016;16(8):2494. doi: 10.1111/ajt.13825.

Hachul H, Polesel DN, Nozoe KT, Sanchez ZM, Prado MCO, Andersen ML, Bittencourt L, Tufik S. The Age of Menopause and their Associated Factors: A Cross-Sectional Population-Based Study. J Women's Health Care. 2016;5:335. doi: 10.4172/2167-0420.1000335.

Hazin I, Leite G, Oliveira RM, Alencar JC, Fichman HC, Marques PN, Mello CB. Brazilian normative data on letter and category fluency tasks: effects of gender, age, and geopolitical region. Front Psychol. 2016 May 10;7:684. doi: 10.3389/fpsyg.2016.00684.

Izumi S, Ribeiro-Filho FF, Carneiro G, Togeiro SM, Tufik S, Zanella MT. IGF-1 levels are inversely associated with metabolic syndrome in Obstructive Sleep Apnea. J Clin Sleep Med. 2016;12(4):487-93. doi: 10.5664/jcsm.5672.

Jeronimo G, Nozoe KT, Polesel DN, Tufik S, Andersen ML, Moreira GA. The impact of corticotherapy, nutrition, and sleep disorder upon the quality of life in patients with Duchenne Muscular Dystrophy. Nutrition. 2016;32(3):391-3. doi: 10.1016/j.nut.2015.09.004.

Julian GS, Oliveira RW, Tufik S, Chagas JR. Analysis of the stability of housekeeping gene expression in the left cardiac ventricle of rats submitted to chronic intermittent hypoxia. J Bras Pneumol. 2016;42(3):211-214. doi: 10.1590/S1806-37562015000000133.

Kawakami SE, Quadros IM, Suchecki D. Naltrexone Prevents in Males and Attenuates in Females the Expression of Behavioral Sensitization to Ethanol Regardless of Maternal Separation. Front Endocrinol (Lausanne). 2016;7:135. doi: 10.3389/fendo.2016.00135.

Kim LJ, Coelho FM, Araujo P, Tedesco RC, Souza RB, Tufik S, Andersen ML. Sleep restriction reduces the survival time and aggravates the neurological dysfunction and memory impairments in an animal model of cerebral hypoperfusion. Brain Res. 2016;1644:213-21. doi: 10.1016/j.brainres.2016.05.010.

Lanini J, Galduroz JCF, Pompeia S. Acute personalized habitual caffeine doses improve attention and have selective effects when considering the fractionation of executive functions. Hum Psychopharmacol. 2016;31(1):29-43. doi: 10.1002/hup.2511.

Leite GSF, De Mello MT, Tufik S, Antunes HKM. Férias do treino? Cuidado, 2 semanas de interrupção provocam alterações fisiológicas e psicobiológicas! Motricidade. 2016;12(1):106-14. doi: 10.6063/motricidade.6522.

Lemos VA, Alves ED, Schwingel PA, Rosa JP, Silva AD, Winckler C, Vital R, de Almeida AA, Tufik S, de Mello MT. Analysis of the body composition of Paralympic athletes: Comparison of two methods. Eur J Sport Sci. 2016;16(8):955-64. doi: 10.1080/17461391.2016.1194895.

Lima FF, Mazzotti DR, Tufik S, Bittencourt L. The role inflammatory response genes in obstructive sleep apnea syndrome: a review. Sleep Breath. 2016;20(1):331-8. doi: 10.1007/s11325-015-1226-7.

Lira FS, Esteves AM, Pimentel GD, Rosa JC, Frank MK, Mariano MO, Budni J, Quevedo J, Santos RV, De Mello MT. Sleep pattern and locomotor activity are impaired by doxorubicin in nontumor-bearing rats. Sleep Sci. 2016;9(3):232-5. doi: 10.1016/j.slsci.2016.07.005.

Lungato L, Nogueira-Pedro A, Carvalho Dias C, Paredes-Gamero EJ, Tufik S, D'Almeida V. Effects of Sleep Deprivation on Mice Bone Marrow and Spleen B Lymphopoiesis. J Cell Physiol. 2016;231(6):1313-20. doi: 10.1002/jcp.25231.

Luz GP, Guimaraes T, Weaver TE, Nery LE, Silva LO, Coelho G, Badke L, Millani A, Tufik S, Bittencourt L. Impaired sustained attention and lapses are present in patients with mild obstructive sleep apnea. Sleep Breath. 2016;20(2):681-7. doi: 10.1007/s11325-015-1279-7.

Luz MH, Glezer I, Xavier AM, da Silva MA, Pino JM, Zamith TP, Vieira TF, Antonio BB, Antunes HK, Martins VR, Lee KS. Expression of Tyrosine Hydroxylase is Negatively Regulated Via Prion Protein. Neurochem Res. 2016;41(7):1691-9. doi: 10.1007/s11064-016-1885-1.

Machado RB, Suchecki D. Neuroendocrine and Peptidergic Regulation of Stress-Induced REM Sleep Rebound. Front Endocrinol (Lausanne). 2016;7:163. doi: 10.3389/fendo.2016.00163.

Magalang UJ, Arnardottir E, Chen N, Cistulli P, Gíslason T, Lim D, Penzel T, Schwab R, Tufik S, Pack AI for the SAGIC Investigators. Agreement in the Scoring of Respiratory Events Among International Sleep Centers for Home Sleep Testing. J Clin Sleep Med. 2016;12(1):71-7. doi: 10.5664/jcsm.5398.

Marengo L, Ferreir, LN, Rivero TS, Godoy C. A critical view of a treatment intervention for stuttering based on video games. Int J Psychol Neurosci. 2016;2(1):235-50.

Marti-Soler H, Hirotsu C, Marques-Vidal P, Vollenweider P, Waeber G, Preisig M, Tafti M, Tufik SB, Bittencourt L, Tufik S, Haba-Rubio J, Heinzer R. The NoSAS score for screening of sleep-disordered breathing: a derivation and validation study. Lancet Respir Med. 2016;4(9):742-8. doi: 10.1016/S2213-2600(16)30075-3.

Masquio DCL, De Piano-Ganen A, Oyama LM, Campos RM, Santamarina AB, Souza GI, Gomes AD, Moreira RG, Corgosinho FC, Nascimento CMO, Tock L, Tufik S, De Mello MT, Dâmaso AR. The role of free fatty acids in the inflammatory and cardiometabolic profile in adolescents with metabolic syndrome engaged in interdisciplinary therapy. J Nutrit Biochem. 2016;33:136-44. doi: 10.1016/j.jnutbio.2016.03.017.

Matta ANB, Locatelli D, Silva EA, Contreras MV, Bittencourt BA, Noto AR. Processos formativos em álcool e outras drogas para trabalhadores da rede pública do município de São Paulo: a experiência do CRR-DIMESAD-UNIFESP. Pesqui Prat Psicossociais. 2016;11(3):637-49.

Medeiros RM, Alves ES, Lemos VA, Schwingel PA, da Silva A, Vital R, Vieira AS, Barreto MM, Rocha EA, Tufik S, De Mello MT. Assessment of Body Composition and Sport Performance of Brazilian Paralympic Swim Team Athletes. J Sport Rehabil. 2016;25(4):364-370. doi: 10.1123/jsr.2015-0036.

Mick I, Myers J, Ramos AC, Stokes PR, Erritzoe D, Colasanti A, Gunn RN, Rabiner EA, Searle GE, Waldman AD, Parkin MC, Brailsford AD, Galduroz JC, Bowden-Jones H, Clark L, Nutt DJ, Lingford-Hughes AR. Blunted Endogenous Opioid Release Following an Oral Amphetamine Challenge in Pathological Gamblers. Neuropsychopharmacology. 2016;41(7):1742-50. doi: 10.1038/npp.2015.340.

Modesto IF, Avelar AFM, Pedreira MLG, Pradella-Hallinan M, Avena MJ, Pinheiro EM. Effect of sleeping position on arousals from sleep in preterm infants. J Spec Pediatr Nurs. 2016;21(3):131–8. doi: 10.1111/jspn.12147.

Mota MC, Waterhouse J, De-Souza DA, Rossato LT, Silva CM, Araújo MB, Tufik S, de Mello MT, Crispim CA. Association between chronotype, food intake and physical activity in medical residents. Chronobiol Int. 2016;33(6):730-9. doi: 10.3109/07420528.2016.1167711.

Narciso FV, Barela JA, Aguiar SA, Carvalho AN, Tufik S, de Mello MT. Effects of shift work on the postural and psychomotor performance of night workers. PLoS One. 2016;11(4):e0151609. doi: 10.1371/journal.pone.0151609.

Naufel MF, Frange C, Tufik S, Hachul H. Menopausal symptoms and obesity: Is there a relationship? J Pharm Bioallied Sci. 2016;8(4):346-347. doi: 10.4103/0975-7406.199338.

Nozoe KT, Polesel DN, Moreira GA, Pires GN, Akamine RT, Tufik S e Andersen ML. Sleep quality of mother-caregivers of Duchenne Muscular Dystrophy patients. Sleep Breath. 2016;20(1):129-34. doi: 10.1007/s11325-015-1196-9.

Nozoe KT, Akamine RT, Mazzotti DR, Polesel DN, Grossklauss LF, Tufik S, Andersen ML, Moreira GA. Phenotypic contrasts of Duchenne Muscular Dystrophy in women: two case reports. Sleep Sci. 2016;9(3):129-33. doi: 10.1016/j.slsci.2016.07.004.

O'Sullivan SS, Poyares D. Augmentation and Impulsivity in restless legs syndrome patients: A complex interaction. Neurology. 2016;87(1):15-6. doi: 10.1212/WNL.0000000000002816.

Oliveira DL, Albuquerque RG, Hirotsu C. Vitamin D and obstructive sleep apnea: an unexplored relationship in PCOS patients. Endocrine. 2016;53(2):617-8. doi: 10.1007/s12020-016-0904-y.

Oliveira JP, Hirotsu C, Tufik S, Andersen ML. Comment on: Use of a Fitness Tracker to Promote Physical Activity in Children with Acute Lymphoblastic Leukemia. Pediatr Blood Cancer. 2016;63(9):1685. doi: 10.1002/pbc.26037.

Oliveira PWB, Gregorio LL, Silva RS, Bittencourt LRA, Tufik S, Gregório LC. Orofacial-cervical alterations in individuals with upper airway resistance syndrome. Braz J Otorhinolaryngol. 2016;82(4):377-84. doi:10.1016/j.bjorl.2015.05.015.

Paninka RM, Mazzotti DR, Kizys MM, Vidi AC, Rodrigues H, Silva SP, Kunii IS, Furuzawa GK, Arcisio-Miranda M, Dias-da-Silva MR. Whole genome and exome sequencing realignment supports the assignment of KCNJ12, KCNJ17, and KCNJ18 paralogous genes in thyrotoxic periodic paralysis locus: functional characterization of two polymorphic Kir2.6 isoforms. Mol Genet Genomics. 2016;291(4):1535-44. doi: 10.1007/s00438-016-1185-0.

Paula-Freire LI, Molska GR, Andersen ML, Carlini EL. Ocimum gratissimum Essential Oil and Its Isolated Compounds (Eugenol and Myrcene) Reduce Neuropathic Pain in Mice. Planta Med. 2016;82(3):211-6. doi: 10.1055/s-0035-1558165.

Pereira VG, de Queiroz MT, D'Almeida V. Differential expression of microRNAs from miR-17 family in the cerebellum of mucopolysaccharidosis type I mice. Gene. 2016;595(2):207-11. doi: 10.1016/j.gene.2016.10.007.

Peres FF, Levin R, Suiama MA, Diana MC, Gouvea DA, Almeida V, Santos CM, Lungato L, Zuardi AW, Hakkak JEC, Crippa JA, D'Almeida V, Silva RH, Abílio VC. Cannabidiol Prevents Motor and Cognitive Impairments Induced by Reserpine in Rats. Front Pharmacol. 2016;7:343. doi: 10.3389/fphar.2016.00343.

Peron TC, Togeiro SM, Nakaema KE, Araujo LMQ, Tufik S, Cendoroglo MS. Fatores associados à polissonografia em idosos independentes. Geriatr Gerontol Aging. 2016;10(4):182-8. doi: 10.5327/Z2447-211520162016007.

Pimenta FC, Alves MF, Pimenta MB, Melo SA, Almeida AA, Leite JR, Pordeus LC, Diniz MF, Almeida RN. Anxiolytic effect of Citrus aurantium L. on patients with Chronic Myeloid Leukemia. Phytother Res. 2016;30(4):613-7. doi: 10.1002/ptr.5566.

Pinheiro BO, Andrade ALM, De Micheli D. Relationship between levels of physical activity and quality of life in drug use in teenagers. SMAD Rev Eletrônica Saúde Mental Álcool Drog. 2016;12(3):178-87. doi: 10.11606/issn.1806-6976.v12i3p178-187.

Pinto LR Jr, Bittencourt LR, Treptow EC, Braga LR, Tufik S. Eszopiclone versus zopiclone in the treatment of insomnia. Clinics (Sao Paulo). 2016;71(1):5-9. doi: 10.6061/clinics/2016(01)02.

Pires GN, Bezerra AG, Tufik S, Andersen ML. Effects of experimental sleep deprivation on anxiety-like behavior in animal research: systematic review and meta-analysis. Neurosci Biobehav Rev. 2016;68:575-89. doi: 10.1016/j.neubiorev.2016.06.028.

Pires GN, Bezerra AG, Tufik S, Andersen ML. Effects of acute sleep deprivation on state anxiety levels: a systematic review and meta-analysis. Sleep Med. 2016;24:109-18. doi: 10.1016/j.sleep.2016.07.019.

Quadros IMH, Macedo GC, Domingues LP, Favoretto CA. An update on CRF mechanisms underlying alcohol use disorders and dependence. Front Endocrinol. 2016;7:134. doi: 10.3389/fendo.2016.00134.

Raimundo JR, Bergamaschi CT, Campos RR, Palma BD, Tufik S, Gomes GN. Autonomic and renal alterations in the offspring of sleep-restricted mothers during late pregnancy. Clinics (Sao Paulo). 2016;71(9):521-7. doi: 10.6061/clinics/2016(09)07.

Ramos AT, Tufik S, Troncone LR. Control of stress-induced ACTH secretion by vasopressin and CRH: additional evidence. Neuropsychobiology. 2016;73(3):184-90. doi: 10.1159/000445480.

Raso V, Cassilhas RC, Santana MG, Boscolo RA, Viana VAR, Grassmann V, Tufik S, De Mello MT. Predictors of muscle strength in older individuals. MedicalExpress. 2016;3(2):M160302. doi: 10.5935/MedicalExpress.2016.03.02.

Raso V, Matsudo SMM, Santana MG, Boscolo RA, Viana VAR, Grassmann V, Tufik S, De Mello MT. Exercise and non-exercise aerobic power prediction models using six-minute walk test. MedicalExpress (Sao Paulo, online). 2016;3(5):M160502. doi: 10.5935/MedicalExpress.2016.05.02.

Ribeiro-Silva N, Nejm MB, da Silva SM, Suchecki D, Luz J. Restriction of rapid eye movement sleep during adolescence increases energy gain and metabolic efficiency in young adult rats. Exp Physiol. 2016;101(2):308-18. doi: 10.1113/EP085323.

Rivero TS, Pires EU, Alves MVC, Silva JF, Schlottfeldt CG, Bolognani SAP, Frison TB, Teixeira NO, Pereira DA, Malloy-Diniz LF, Bueno OFA. Translation and cultural adaptation of a questionnaire to evaluate player experience. Int J Psychol Neurosci. 2016;2(1):206-34.

Rivero TS, Herrera Núñez LM, Pires EU, Amodeo Bueno OF. Corrigendum: ADHD Rehabilitation through Video Gaming: A Systematic Review Using PRISMA Guidelines of the Current Findings and the Associated Risk of Bias. Front Psychiatry. 2016;7:173. doi: 10.3389/fpsyt.2016.00173.

Rosário JL, Diógenes MS, Mattei R, Leite JR. Angry posture. J Bodyw Mov Ther. 2016;20(3):457-60. doi: 10.1016/j.jbmt.2016.01.002.

Rueda AD, Pedroso JL, Truksinas E, Do Prado GF, Coelho FM, Barsottini OG. Polysomnography findings in spinocerebellar ataxia type 6. J Sleep Res. 2016;25(6):720-3. doi: 10.1111/jsr.12439.

Russo R, Zillmer LR, Nascimento OA, Manzano B, Ivanaga IT, Fritscher L, Lundgren F, Miravitlles M, Gondim HD, Santos G Junior, Alves MA, Oliveira MV, Souza AA, Sales MP, Jardim JR. Prevalence of alpha-1 antitrypsin deficiency and allele frequency in patients with COPD in Brazil. J Bras Pneumol. 2016;42(5):311-316. doi: 10.1590/S1806-37562015000000180.

Sá-Nunes A, Bizzarro B, Egydio F, Barros MS, Sesti-Costa R, Soares EM, Pina A, Russo M, Faccioli LH, Tufik S, Andersen ML. The dual effect of paradoxical sleep deprivation on murine immune functions. J Neuroimmunol. 2016;290:9-14. doi:10.1016/j.jneuroim.2015.11.013.

Salas A, Acosta D, Ferri CP, Guerra M, Huang Y, Jacob KS, Jimenez-Velazquez IZ, Llibre Rodriguez JJ, Sosa AL, Uwakwe R, Williams JD, Jotheeswaran AT, Liu Z, Lopez Medina AM, Salinas-Contreras RM, Prince MJ. The prevalence, correlates, detection and control of diabetes among older people in low and middle income countries. A 10/66 Dementia Research Group Population-Based Survey. PLoS One. 2016;11(2):e0149616. doi: 10.1371/journal.pone.0149616.

Santos C, Moreira G, Togeiro SM, Tufik S. Gender and asthma-severity differences in sleep disordered breathing in children with asthma. Pediatr Pulmonol. 2016;51(1):89-90. doi: 10.1002/ppul.23258.

Santos CF, Pereira Togeiro SM, Moreira GA, Tufik S. In reference to: Is the OSA-18 predictive of obstructive sleep apnea: Comparison to polysomnography. Laryngoscope. 2016;126(6):E227. doi: 10.1002/lary.25436.

Santos MVL, Melo CM, Rosa JPP, Silva, EVA, Lima GHO, Del Re MP, Tufik S, De Mello MT. Emotional eating is related to carbohydrate intake in active women. Motriz. 2016;22(4):346-52. doi: 10.1590/S1980-6574201600040020.

Santos SA, Silva ET, Caris AV, Lira FS, Tufik S, Dos Santos RV. Vitamin E supplementation inhibits muscle damage and inflammation after moderate exercise in hypoxia. J Hum Nutr Diet. 2016;29(4):516-22. doi: 10.1111/jhn.12361.

Santos-Camilo M, Arães SP, Hirotsu C, Tufik S, Andersen ML. Correlation between obesity and chronic kidney disease: is obstructive sleep apnea an interfering factor? Ther Clin Risk Manag. 2016;12:1093-4. eCollection 2016. doi: 10.2147/TCRM.S112442.

Scorza FA, Andersen ML, Cysneiros RM. Echoes of the association between autism and epilepsy: A long translational research explanation. Epilepsy Behav. 2016;62:12-3. doi: 10.1016/j.yebeh.2016.05.031.

Scorza FA, Scorza CA, Cavalheiro EA, Tufik S, Andersen ML. Obstructive sleep apnea: Underestimated risk factor in sudden cardiac death in schizophrenia. Sleep Sci. 2016;9(2):57-8. doi: 10.1016/j.slsci.2016.08.002.

Sguillar DA, de Aguiar Vidigal T, Mangussi JP, Bittencourt L, Gregório LC, Tufik S, Haddad FL. Inter-examiner agreement of the systematic physical examination in patients with obstructive sleep disorders. Sleep Breath. 2016;20(4):1263-8. doi: 10.1007/s11325-016-1356-6.

Silva MS, Bazzana CM, Souza AL, Ramos LR, Tufik S, Lucchesi LM, Lopes GS. Corrigendum to "Relationship between perceived sleep and polysomnography in older adult patients" [Sleep Sci. 8 (2015) 75-81]. Sleep Sci. 2016;9(1):55. doi: 10.1016/j.slsci.2016.04.004.

Silva-Batista C, Corcos DM, Roschel H, Kanegusuku H, Gobbi LT, Piemonte ME, Mattos EC, de Mello MT, Forjaz CL, Tricoli V, Ugrinowitsch C. Resistance Training with Instability for Patients with Parkinson's Disease. Med Sci Sports Exerc. 2016;48(9):1678-87. doi: 10.1249/MSS.0000000000000945.

Silveira LS, Antunes Bde M, Minari AL, Dos Santos RV, Neto JC, Lira FS. Macrophage polarization: implications on metabolic diseases and the role of exercise. Crit Rev Eukaryot Gene Expr. 2016;26(2):115-32. doi: 10.1615/CritRevEukaryotGeneExpr.2016015920.

Soares JC, Perfetto JG, Antonio BB, Oliveira MG. Effects of the M1 muscarinic antagonist dicyclomine on emotional memory retrieval. Behav Neurosci. 2016;130(1):29-35. doi: 10.1037/bne0000113.

Souza HS, Antunes HKM, Dáttilo M, Lee KS, Monico-Neto M, Giampa SQC, Phillips SM, Tufik S, De Mello MT. Leucine supplementation is anti-atrophic during paradoxical sleep deprivation in rats. Amino Acids. 2016;48(4):949-57. doi: 10.1007/s00726-015-2142-7.

Souza HS, da Silva Alves E, Ortega L, Silva A, Esteves AM, Schwingel PA, Vital R, Alves da Rocha E, Rodrigues B, Lira FS, Tufik S, de Mello MT. Incremental exercise test for the

evaluation of peak oxygen consumption in paralympic swimmers: case studies. J Sports Med Phys Fitness. 2016;56(4):368-75.

Targa AD, Rodrigues LS, Noseda AC, Aurich MF, Andersen ML, Tufik S, da Cunha C, Lima MM. Unraveling a new circuitry for sleep regulation in Parkinson's disease. Neuropharmacology. 2016;108:161-71. doi: 10.1016/j.neuropharm.2016.04.018.

Tempaku PF, Hirotsu C, Tufik S. The importance of sleep in the association between perceived stress and telomere length. Brain Behav Immun. 2016;56:412. doi: 10.1016/j.bbi.2016.04.010.

Tempaku PF, Hirotsu C, Silva VD, Tufik S. Letter to the editor: Sleep as a contributing factor in the relationship between depression and cell aging. J Psychiatr Res. 2016;82:48-49. doi: 10.1016/j.jpsychires.2016.07.014.

Tempaku PF, de Oliveira DL, Hirotsu C, Andersen ML, Tufik S. RE: "25-Hydroxyvitamin D concentration and leukocyte telomere length in young adults: findings from the Northern Finland Birth Cohort 1966". Am J Epidemiol. 2016;184(9):701-2. doi: 10.1093/aje/kww132.

Tempaku PF, Mazzotti DR, Hirotsu C, Andersen ML, Xavier G, Maurya PK, Rizzo LB, Brietzke E, Belangero SI, Bittencourt L, Tufik S. The effect of the severity of obstructive sleep apnea syndrome on telomere length. Oncotarget. 2016;7(43):69216-24. doi: 10.18632/oncotarget.12293.

Treptow E, Oliveira MF, Soares A, Ramos RP, Medina L, Lima R, Alencar MC, Ferreira EV, Ota-Arakaki JS, Tufik S, Nery LE, Bittencourt LR, Neder JA. Cerebral microvascular blood flow and CO2 reactivity in pulmonary arterial hypertension. Respir Physiol Neurobiol. 2016;233:60-5. doi: 10.1016/j.resp.2016.08.001.

Utsumi DA, Miranda MC, Muszkat M. Temporal discounting and emotional self-regulation in children with attention-deficit/hyperactivity disorder. Psychiatry Res. 2016;246:730-7. doi: 10.1016/j.psychres.2016.10.056.

Viana GM, Buri MV, Paredes-Gamero EJ, Martins AM, D'Almeida V. Impaired Hematopoiesis and Disrupted Monocyte/Macrophage Homeostasis in Mucopolysaccharidosis Type I Mice. J Cell Physiol. 2016;231(3):698-707. doi: 10.1002/jcp.25120.

Vilela TS, Bittencourt LR, Tufik S, Moreira GA. Factors influencing excessive daytime sleepiness in adolescents. J Pediatria. 2016;92(2):149-55. doi: 10.1016/j.jped.2015.05.006.

Watson R, Morris J, Isitt J, Barrio P, Ortega L, Gual A, Conner K, Stecker T, Maisto S, Paroz S, Graap C, Grazioli VS, Daeppen JB, Collins SE, Bertholet N, McNeely J, Kushnir V, Cunningham JA, Crombie IK, Cunningham KB, Irvine L, Williams B, Sniehotta FF, Norrie J, Melson A, Jones C, Briggs A, Rice P, Achison M, McKenzie A, Dimova E, Slane PW, Grazioli VS, Collins SE, Paroz S, Graap C, Daeppen JB, Baggio S, Dupuis M, Studer J, Gmel G, Magill M, Grazioli VS, Tait RJ, Teoh L, Kelty E, Geelhoed E, Mountain D, Hulse GK, Renko E, Mitchell SG, Lounsbury D, Li Z, Schwartz RP, Gryczynski J, Kirk AS, Oros M, Hosler C, Dusek K, Brown BS, Finnell DS, Holloway A, Wu LT, Subramaniam G, Sharma G, Wallhed Finn S, Andreasson S, Dvorak RD, Kramer MP, Stevenson BL, Sargent EM, Kilwein TM, Harris SK, Sherritt L, Copelas S, Knight JR; The Partnership for Adolescent Substance Use Research; Mdege ND, McCambridge J, Bischof G, Bischof A, Freyer-Adam J, Rumpf HJ, Fitzgerald N, Schölin L, Toner P, Böhnke JR, Veach LJ, Currin O, Dongre LZ, Miller PR, White E, Williams EC, Lapham GT, Bobb JJ, Rubinsky AD, Catz SL, Shortreed S, Bensley KM, Bradley KA, Milward J, Deluca P, Khadjesari Z, Watson R,... Souza-Formigoni MLO, ... Proceedings of the 13th Annual Conference of INEBRIA. Addict Sci Clin Pract. 2016 Sep 19;11(Suppl 1):13. doi: 10.1186/s13722-016-0062-9.

Werli KS, Otuyama LJ, Bertolucci PH, Rizzi CF, Guilleminault C, Tufik S, Poyares D. Neurocognitive function in patients with residual excessive sleepiness from obstructive sleep apnea: a prospective, controlled study. Sleep Med. 2016;26:6-11. doi: 10.1016/j.sleep.2016.06.028.

Wertheimer GS, Girardi CE, de Oliveira AS, Monteiro Longo B, Suchecki D. Maternal deprivation alters growth, food intake, and neuropeptide Y in the hypothalamus of adolescent male and female rats. Dev Psychobiol. 2016;58(8):1066-75. doi: 10.1002/dev.21440.

Wuo-Silva R, Fukushiro D, Hollais A, Baldaia R, Kawamoto E, Berro LF, Yokoyama T, Lopes-Silva L, Bizerra C, Procópio-Souza R, Hashiguchi D, Figueiredo L, Costa JL, Frussa-Filho R, Longo BM. Modafinil induces rapid-onset behavioral sensitization and cross-senstization with cocaine in mice: implications for the addictive potential of modafinil. Front Pharmacol. 2016;7:420. eCollection 2016. doi: 10.3389/fphar.2016.00420.

Zaparoli JX, Sugawara EK, de Souza AA, Tufik S, Galduroz JC. Omega-3 levels and nicotine dependence: a cross-sectional study and clinical trial. Eur Addict Res. 2016;22(3):153-62. doi: 10.1159/000439525.

2015.....

Agamme ALDA, Aguilar Calegare BF, Fernandes L, Costa A, Lagos P, Torterolo P, D'Almeida V. MCH levels in the CSF, brain preproMCH and MCHR1 gene expression during paradoxical sleep deprivation, sleep rebound and chronic sleep restriction. Peptides. 2015;74:9-15. doi: 10.1016/j.peptides.2015.10.001.

Akamine RT, Hirotsu C, Andersen ML, Tufik S. Musicians and Dystonia: Is Sleep Part of the Problem? Med Probl Perform Art. 2015;30(2):117. doi: 10.21091/mppa.2015.2021.

Albuquerque RG, Okasaki K, Hirotsu C, Tomimori J, Tufik S, Andersen ML. Sleep, Hansen's disease and the immune system - a not so harmonic triad. Med Hypotheses. 2015;84(5):456-9. doi: 10.1016/j.mehy.2015.01.045.

Albuquerque RG, Hirotsu C, Tufik S, Andersen ML. Sleep assessment for better understanding skin composition. Brain Behav Immun. 2015;49:337-8. doi: 10.1016/j.bbi.2015.07.028.

Albuquerque RG, Rocha MAD, Hirotsu C, Hachul H, Bagatin E, Tufik S, Andersen ML. A randomized comparative trial of a combined oral contraceptive and azelaic acid to assess their effect on sleep quality in adult female acne patients. Arch Dermatol Res. 2015;307:905-15. doi: 10.1007/s00403-015-1600-0.

Alvarenga TA, Hirotsu C, Mazaro-Costa R, Andersen ML, Tufik S. Impairment of male reproductive function after sleep deprivation. Fertil Steril. 2015;103(5):1355-1362.e1. doi: 10.1016/j.fertnstert.2015.02.002.

Amaral C, Antonio B, Oliveira MG, Hamani C, Guinsburg R, Covolan L. Early postnatal nociceptive stimulation results in deficits of spatial memory in male rats. Neurobiol Learn Mem. 2015;125:120-5. doi: 10.1016/j.nlm.2015.08.012 1074-7427.

Andaku D, D'Almeida V, Carneiro G, Hix S, Tufik S, Togeiro S. Sleepiness, inflammation and oxidative stress markers in middle-aged males with obstructive sleep apnea without metabolic syndrome: a cross-sectional study. Respir Res. 2015;16(1):3. doi: 10.1186/s12931-015-0166-x.

Andersen ML, Tufik S. Sleep and the modern society. J Sleep Disord Ther. 2015;4:5. doi: 10.4172/2167-0277.1000e131.

Andersen ML. Editorial. Sleep Sci. 2015;8(3):107. doi: 10.1016/j.slsci.2015.12.001.

Andrade e Silva B, Cassilhas RC, Attux C, Cordeiro Q, Gadelha AL, Telles BA, Bressan RA, Ferreira FN, Rodstein PH, Daltio CS, Tufik S, de Mello MT. A 20-week program of resistance or concurrent exercise improves symptoms of schizophrenia: results of a blind, randomized controlled trial. Rev Bras Psiquiatria. 2015;37(4):271-9. doi:10.1590/1516-4446-2014-1595.

Antunes HKM, De Mello MT, Lemos VA, Santos-Galduroz RF, Galdieri LC, Bueno OFA, Tufik S, D'Almeida V. Aerobic physical exercise improved the cognitive function of elderly males but did not modify their blood homocysteine levels. Dement Geriatr Cogn Disord. 2015;5:13-24. doi: 10.1159/000369160.

Antunes HKM, Santos-Galduroz RF, Lemos VA, Bueno OFA, Rzezak P, Santana MG, De Mello MT. The influence of physical exercise and leisure activity on neuropsychological functioning in older adults. Age. 2015;37(4):9815. doi: 10.1007/s11357-015-9815-8.

Antunes HK, De Mello MT, Santos-Galduroz RF, Galduroz JC, Lemos VA, Tufik S, Bueno OF. Effects of a physical fitness program on memory and blood viscosity in sedentary elderly men. Braz J Med Biol Res. 2015;48(9):805-12. doi: 10.1590/1414-431X20154529.

Aoike DT, Baria F, Kamimura MA, Ammirati A, De Mello MT, Cuppari L. Impact of home-based aerobic exercise on the physical capacity of overweight patients with chronic kidney disease. Int Urol Nephrol. 2015;47(2):359-67. doi: 10.1007/s11255-014-0894-8.

Armini RS, Bernabé CS, Rosa CA, Siller CA, Schimitel FG, Tufik S, Klein DF, Schenberg LC. In a rat model of panic, corticotropinresponses to dorsal periaqueductal graystimulation depend on physical exertion. Psychoneuroendocrinology. 2015;53C:136-47. doi: 10.1016/j.psyneuen.2014.12.022.

At J, Bryce R, Prina M, Acosta D, Ferri CP, Guerra M, Huang Y, Rodriguez JJ, Salas A, Sosa AL, Williams JD, Dewey ME, Acosta I, Liu Z, Beard J, Prince M. Frailty and the prediction of dependence and mortality in low- and middle-income countries: a 10/66 population-based cohort study. BMC Med. 2015;13:138. doi: 10.1186/s12916-015-0378-4.

Attarian H, Hachul H, Guttuso T, Phillips B. Treatment of chronic insomnia disorder in menopause: evaluation of literature. Menopause. 2015;22(6):674-84. doi: 10.1097/gme.0000000000000348.

Barbosa T, Rodrigues CC, Toledo-Piza CM, Navas AL, Bueno OF. Perfil de linguagem e funções cognitivas em crianças com dislexia falantes do Português Brasileiro. Codas. 2015;27(6):565-74. doi: 10.1590/2317-1782/20152015043.

Barreto S, Santos-Silva R, Tufik S, Bittencourt L. Continuous Positive Airway Pressure treatment can unmask Periodic Limb Movements in patients with Obstructive Sleep Apnea. J Sleep Med Disord. 2015;2(4):1-6.

Barros LA, Tufik S, Andersen ML. The role of progesterone in memory: An overview of three decades. Neurosci Biobehav Rev. 2015;49C:193-204. doi: 10.1016/j.neubiorev.2014.11.015.

Barros VV, Kozasa EH, Formagini TD, Pereira LH, Ronzani TM. Smokers Show Lower Levels of Psychological Well-Being and Mindfulness than Non-Smokers. PLoS ONE. 2015;10(8):e0135377. doi: 10.1371/journal.pone.0135377.

Bedendo A, Noto AR. Sports practices related to alcohol and tobacco use among high school students. Rev Bras Psiquiatria. 2015;37(2):99-105. doi:10.1590/1516-4446-2014-1389.

Bedendo A, Andrade ALM, Noto AR. Sports and substance use in high school students: different perspectives of this relationship. SMAD - Rev. Eletrônica Saúde Mental Álcool Drog. 2015;11(2):85-96. doi: 10.11606/issn.1806-6976.v11i2p85-96.

Berro LF, Tufik S, Andersen ML. Sleep impairment: the possible link between childhood ADHD, sensation seeking, and cocaine dependence. J Atten Disord. 2015;19(4):351. doi: 10.1177/1087054714550397.

Bezerra AG, Pires GN, Andersen ML, Tufik S, Hachul H. Acupuncture to treat sleep disorders in postmenopausal women: a systematic review. Evid Based Complement Alternat Med. 2015(2015), Article ID 563236. doi: 10.1155/2015/563236.

Bolognani SAP, Miranda MC, Martins M, Rzezak P, Bueno OFA, de Camargo CHP, Pompeia S. Development of alternative versions of the Logical Memory subtest of the WMS-R for use in Brazil. Dement Neuropsychol. 2015;9(2):136-48. doi: 10.1590/1980-57642015DN92000008.

Borçoi AR, Patti CL, Zanin KA, Hollais AW, Santos-Baldaia R, Ceccon LM, Berro LF, Wuo-Silva R, Grapiglia SB, Ribeiro LT, Lopes-Silva LB, Frussa-Filho R. Effects of prenatal immune activation on amphetamine-induced addictive behaviors: Contributions from animal models. Prog Neuropsychopharmacol Biol Psychiatry. 2015;63:63-9. doi: 10.1016/j.pnpbp.2015.05.015.

Braga IL, Silva PN, Furuya TK, Santos LC, Pires BC, Mazzotti DR, Bertolucci PH, Cendoroglo MS, Smith MC. Effect of APOE and CHRNA7 genotypes on the cognitive response to cholinesterase inhibitor treatment at different stages of Alzheimer's disease. Am J Alzheimers Dis Other Demen. 2015;30(2):139-44. doi: 10.1177/1533317514539540.

Buehler AM, Flato UP, Ferri C, Fernandes JG. Is there evidence for recommending specific intravenous immunoglobulin formulations? A systematic review of head-to-head randomized controlled trials. Eur J Pharmacol. 2015;747:96-104. doi: 10.1016/j.ejphar.2014.11.033.

Buehler AM, Ferri C, Flato UA, Fernandes JG. Robotically assisted coronary artery bypass grafting: a systematic review and meta-analysis. Int J Med Robot. 2015;11(2):150-8. doi: 10.1002/rcs.1611.

Bueno VF, Kozasa EH, Da Silva MA, Alves TM, Louzã MR, Pompeia S. Mindfulness meditation improves mood, quality of life, and attention in adults with Attention Deficit Hyperactivity Disorder. BioMed Res Int. 2015;2015:Article ID 962857, 14 pages. doi: 10.1155/2015/962857.

Buman MP, Kline CE, Youngstedt SD, Phillips B, de Mello MT, Hirshkowitz M. Sitting and television viewing: novel risk factors for sleep disturbance and apnea risk? Results from the 2013 National Sleep Foundation *Sleep in America* Poll. Chest. 2015;147(3):728-34. doi:10.1378/chest.14-1187.

Caixêta JAS, Saramago AM, de Cácia Pradella-Hallinan ML, Moreira GA, Tufik S, Fujita RR. Waist-to-height ratio distinguish obstructive sleep apnea from primary snoring in obese children. Sleep Breath. 2015;19(1):231-7. doi: 10.1007/s11325-014-1001-1.

Campos RM, Masquio DC, Corgosinho FC, Carvalho-Ferreira JP, Netto BD, Ackel-D'Elia C, Tock L, Tufik S, De Mello MT, Damaso AR. Low vitamin D intake is associated with increase in cardiovascular risk factors in obese adolescents. Endocr Regul. 2015;49:11-9. doi:10.4149/endo_2015_01_11.

Carabelli B, Delattre AM, Pudell C, Mori MA, Suchecki D, Machado RB, Venancio DP, Piazzetta SR, Hammerschmidt I, Zanata SM, Lima MM, Zanoveli JM, Ferraz AC. The antidepressant-like

effect of fish oil: possible role of ventral hippocampal 5-HT1A post-synaptic receptor. Mol Neurobiol. 2015;52(1):206-15. doi: 10.1007/s12035-014-8849-8.

Careaga MB, Tiba PA, Ota SM, Suchecki D. Pre-test metyrapone impairs memory recall in fear conditioning tasks: lack of interaction with b-adrenergic activity. Front Behav Neurosci. 2015;9:51. doi: 10.3389/fnbeh.2015.00051.

Careaga MB, Tiba PA, Ota SM, Suchecki D. Corrigendum: Pre-test metyrapone impairs memory recall in fear conditioning tasks: lack of interaction with β-adrenergic activity. Front Behav Neurosci. 2015;9:123. doi: 10.3389/fnbeh.2015.00123.

Carvalho-Ferreira JP, Masquio DC, Campos RM, Netto BD, Corgosinho FC, Sanches PL, Tock L, Tufik S, Mello MT, Finlayson G, Dâmaso AR. Is there a role for leptin in the reduction of depression symptoms during weight loss therapy in obese adolescent girls and boys? Peptides. 2015;65:20-8. doi:10.1016/j.peptides.2014.11.010.

Castro JV, Zanini M, Gonçalves BSB, Coelho FMS, Bressan R, Bittencourt L, Gadelha A, Brietzke E, Tufik S. Circadian rest-activity rhythm in individuals at risk for psychosis and bipolar disorder. Schizophrenia Res. 2015;168(1-2):50-5. doi: 10.1016/j.schres.2015.07.024.

Chagas JR, Visniauskas B, Gomes GN, Bueno V. Evaluation of Myeloid-derived Suppressor Cells and Components of Renin Angiotensin System in Urethane-induced Lung Cancer. J Immun Res. 2015;2(2):1018.

Chaves Jr CM, Teles MP, De Bruin PFC, De Bruin VMA, Gurgel ML, Rossi RRP, Cunali PA, Ferraz O, Bittencourt LRA. Assessment of the craniofacial and cervical parameters using standardized photography in individuals with obstructive sleep apnea. Int Arch Med. 2015;8(173):1-9. doi: 10.3823/1772.

Chen VC, Kuo CJ, Wang TN, Lee WC, Chen WJ, Ferri CP, Tsai D, Lai TJ, Huang MC, Stewart R, Ko YC. Suicide and other-cause mortality after early exposure to smoking and second hand smoking: a 12-year population-based follow-up study. PLoS One. 2015;10(7):e0130044. doi: 10.1371/journal.pone.0130044.

Chiari BM, Grossi DB, Fernandes FD, Ferreira LP, De Mello MT, Hallal PR, Fonseca ST. Guest Editorial: Productivity fellowships for research: physical education, physical therapy, speech language pathology and audiology and occupational therapy. Codas. 2015;27(6):511-3. doi: 10.1590/2317-1782/20152276.

Cobayashi F, Tomita LY, Augusto RA, D'Almeida V, Cardoso MA. Genetic and environmental factors associated with vitamin B12 status in Amazonian children. Public Health Nutr. 2015; 18(12):2202-10. doi: 10.1017/S1368980014003061.

Coelho CAO, Dunsmoor JE, Phelps EA. Compound stimulus extinction reduces spontaneous recovery in humans. Learn Mem. 2015;22(12):589-93. doi: 10.1101/lm.039479.115.

Coelho FMS, Kim LJ, Cremaschi RC, Pereira DD, Tufik S. Continuous positive airway pressure treatment associated with face injury during REM behavior disorder. Sleep Med. 2015;16(6):805-6. doi: 10.1016/j.sleep.2014.11.021.

Coelho G, Frange C, Siegler M, Andersen ML, Tufik S, Hachul H. Menopause Transition Symptom Clusters: sleep disturbances and sexual dysfunction. J Women's Health. 2015;24(11):958-9. doi: 10.1089/jwh.2015.5537.

Coelho LF, Barbosa DLF, Rizzutti S, Muszkat M, Bueno OFA, Miranda MC. Use of cognitive behavioral therapy and Token economy to alleviate dysfunctional behavior in children with

Attention-Deficit Hyperactivity Disorder. Front Psychiatry. 2015;6:167. doi:10.3389/fpsyt.2015.00167.

Colantonio E, Dâmaso AR, Caranti DA, Pinheiro MM, Tufik S, De Mello MT. Clinical performance of 3-body fat measurements in obese adolescents 15 to 18 years-old. Rev Bras Med. 2015;72(3):77-82.

Coppini LP, Visniauskas B, Costa EF, Filho MN, Rodrigues EB, Chagas JR, Farah ME, Barros NM, Carmona AK. Corneal angiogenesis modulation by cysteine cathepsins: *In vitro* and *in vivo* studies. Exp Eye Res. 2015;134:39-46. doi: 10.1016/j.exer.2015.03.012.

Corgosinho FC, Ackel-D'Elia C, Tufik S, Dâmaso AR, de Piano A, Sanches PL, Campos RM, Silva PL, Carnier J, Tock L, Andersen ML, Moreira GA, Pradella-Hallinan M, Oyama LM, de Mello MT. Beneficial Effects of a Multifaceted 1-Year Lifestyle Intervention on Metabolic Abnormalities in Obese Adolescents With and Without Sleep-Disordered Breathing. Metab Syndr Relat Disord. 2015;13(3):110-8. doi: 10.1089/met.2014.0110.

Corgosinho FC, Dâmaso AR, Tufik S, Piano A, Sanches PL, Campos RMS, Silva PL, Carnier J, Tock L, Andersen ML, Moreira GA, Pradella-Hallinan M, Oyama LM, De Mello MT. One year of interdisciplinary therapy decreases predictors and prevalence of sleep-breathing disorder in obese adolescents. J Health Biol Sci. 2015;3(1):10-7. doi:10.12622/2317-3076jhbs.v3i1.115p.10.2015.

Cremaschi RC, Tufik S, Coelho FM. Can psychomotor vigilance task improve the diagnosis of excessive daytime sleepiness in stroke patients? J Clin Sleep Med. 2015;11(1):79. doi: 10.5664/jcsm.4376.

Cremaschi RC, Marques MS, Tufik S, Coelho FM. Stroke and Obstructive Sleep Apnea. Austin J Sleep Disord. 2015;2(2):1-2.

Czermainski FR, Bosa CA, Mina CS, Meimes MA, Miranda MC, Carim D, De Salles JF. Performance of children/adolescents with autism spectrum disorders in executive function: study of case series. Psychol Neurosci. 2015;8(3):305-20. doi: 10.1037/h0101279.

D'Aurea C, Poyares D, Piovezan RD, Passos G, Tufik S, De Mello MT. Objective short sleep duration is associated with the activity of the hypothalamic-pituitary-adrenal axis in insomnia. Arq Neuropsiquiatr 2015;73(6):516-519. doi: 10.1590/0004-282X20150053.

De Lorenzo BH, de Oliveira Marchioro L, Greco CR, Suchecki D. Sleep-deprivation reduces NK cell number and function mediated by β-adrenergic signalling. Psychoneuroendocrinology. 2015;57:134-43. doi: 10.1016/j.psyneuen.2015.04.006.

De Mello MT, Narciso FV, Silva A, Ruiz FS. Transtornos do sono e segurança no trabalho. Rev Tribunal Regional do Trabalho da 15. Região. 2015;46:85-98.

Esteves AM, Silva A, Barreto A, Cavagnolli DA, Ortega LSA, Parsons A, Tubiba ER, Barreto M, Oliveira Filho CW, Tufik S, De Mello MT. Avaliação da qualidade de vida e do sono de atletas paralímpicos brasileiros. Rev Bras Med Esporte. 2015;21(1):53-6. doi: 10.1590/1517-86922015210101980.

Favaro VM, Yonamine M, Soares JC, Oliveira MGM. Effects of long-term Ayahuasca administration on memory and anxiety in rats. PLoS One. 2015;10(12):e0145840. doi: 10.1371/journal.pone.0145840.

Feres MC, Fonseca FA, Cintra FD, Mello-Fujita L, de Souza AL, De Martino MC, Tufik S, Poyares D. An assessment of oxidized LDL in the lipid profiles of patients with obstructive sleep apnea and its association with both hypertension and dyslipidemia, and the impact of

treatment with CPAP. Atherosclerosis. 2015;241(2):342-349. doi: 10.1016/j.atherosclerosis.2015.05.008.

Fernandes GBP, Tufik S, Coelho FMS. Influenza A (H1N1) pandemic vaccination – an underlying risk factor for many CNS complications in Brazil. Arq Neuropsiquiatria. 2015;73(1):72. doi: 10.1590/0004-282X20140175.

Fernandes HA, Zanin KA, Patti CL, Lopes-Silva LB, Bizerra CS, Bittencourt LR, Tufik S, Frussa-Filho R. Effects of post-training modafinil administration in a discriminative avoidance task in mice. Acta Neuropsychiatr. 2015;27(4):235-41. doi: 10.1017/neu.2015.16.

Fernandes L, Calegare BF, Cavalcante-Silva V, D'Almeida V. Detraining in pregnancy and/or lactation modulates neuropeptidergic hypothalamic systems in offspring mice. Endocrine. 2015;50(3):715-24. doi: 10.1007/s12020-015-0612-z.

Fernando RC, de Carvalho F, Mazzotti DR, Evangelista AF, Braga WM, de Lourdes Chauffaille M, Paes Leme AF, Colleoni GW. Multiple myeloma cell lines and primary tumors proteoma: protein biosynthesis and immune system as potential therapeutic targets. Genes Cancer. 2015;6(11-12):462-71. doi: 10.18632/genesandcancer.88.

Ferraz O, Guimarães TM, Maluly Filho M, Dal-Fabbro C, Cunha TAC, Lotaif AC, Schütz TCB, Santos-Silva R, Tufik S, Bittencourt L. Assessment of interobserver concordance in polysomnography scoring of sleep bruxism. Sleep Sci. 2015;8(3):121-3. doi: 10.1016/j.slsci.2015.08.002.

Ferreira L, Tanaka K, Santos-Galduroz RF, Galduroz JC. Respiratory training as strategy to prevent cognitive decline in aging: a randomized controlled Trial. Clin Interv Aging. 2015;10:593-603. doi: 10.2147/CIA.S79560.

Frange C, Hachul H, Tufik S, Andersen ML. Circadian rhythms, insomnia and osteoarthritis pain. Chronobiol Int. 2015;32(9):1323-4. doi: 10.3109/07420528.2015.1082482.

Freitas IGA, De Bruin PFC, Bittencourt L, De Bruin VMS, Tufik S. What can blood biomarkers tell us about cardiovascular risk in Obstructive Sleep Apnea? Sleep Breath. 2015;19(3):755-68. doi: 10.1007/s11325-015-1143-9.

Fröhlich AC, Eckeli AL, Bacelar A, Poyares D, Pachito DV, Stelzer FG, Coelho FM, Rizzo GN, Prado GF, Sander HH, Goulart LI, Lucchesi LM, Gitai LL, Prado LB, Ataíde-Junior L, Bezerra ML, Lopes MC, Trentin MM, Rodrigues RN. Brazilian consensus on guidelines for diagnosis and treatment for restless legs syndrome. Arq Neuropsiquiatr. 2015;73(3):260-80. doi: 10.1590/0004-282X20140239.

Galduroz JC, Ramos AC, Santos-Galduroz RF, Liang JW, Shanker VL, Groves M, Weintraub D, Papay K, Xie SX. Naltrexone for impulse control disorders in Parkinson disease: A placebo-controlled study. Neurology. 2015;84(13):1386-7. doi: 10.1212/WNL.0000000000001458.

Galduroz JCF, Prior PL, Ramos AC. Alcohol Withdrawal Syndrome: the importance of glutamatergic system. Int Arch Addict Res Med. 2015;1:006e.

Galduroz JCF, Piovezan R, Ferri CP. Does risk of intracranial haemorrhage following the combined use of antidepressants and NSAIDs vary between selective and non-selective NSAIDs? BMJ. 2015;351:h3517. Disponível em: http://www.bmj.com/content/351/bmj.h3517/rr

Gama RL, Bruin VM, Bruin PF, Távora DG, Lopes EM, Jorge IF, Bittencourt LR, Tufik S. Risk factors for visual hallucinations in patients with Parkinson's disease. Neurol Res. 2015;37(2):112-6. doi: 10.1179/1743132814Y.0000000418.

Gandolphi LR, Okazaki KM, Nozoe KT, Polesel DN, Andersen ML, Tufik S. Influence of sleep disorders on television viewing time, diabetes and obesity. Diabet Med. 2015;32(1):141-2. doi: 10.1111/dme.12603.

Gebara CF, Ferri CP, Lourenço LM, Vieira MT, Bhona FM, Noto AR. Patterns of domestic violence and alcohol consumption among women and the effectiveness of a brief intervention in a household setting: a protocol study. BMC Womens Health. 2015;15(1):78. doi: 10.1186/s12905-015-0236-8.

Gimenes AC, Bravo DM, Napolis LM, Mello MT, Oliveira AS, Neder JA, Nery LE. Effect of L-carnitine on exercise performance in patients with mitochondrial myopathy. Braz J Med Biol Res. 2015;48(4):354-62. doi: 10.1590/1414-431X20143467.

Global Burden of Disease Study 2013 Collaborators (Ferri CP) Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet. 2015;386(9995):743-800. doi: 10.1016/S0140-6736(15)60692-4.

Global Burden of Disease Study 2013 Risk Factors Collaborators, Forouzanfar MH, Alexander L, Anderson HR, Bachman VF, Biryukov S, Brauer M,……Ferri CP,…….. Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet. 2015;386(10010):2287-323. doi: 10.1016/S0140-6736(15)00128-2.

Godoy LBM, Palombini LO, Guilleminault C, Poyares D, Tufik S, Togeiro SM. Treatment of upper airway resistance syndrome in adults:Where do we stand? Sleep Sci. 2015;8(1):42-8. doi: 10.1016/j.slsci.2015.03.001.

Godoy LB, Palombini LO, Martinho Haddad FL, Rapoport DM, de Aguiar Vidigal T, Klichouvicz PC, Tufik S, Togeiro SM. New insights on the pathophysiology of inspiratory flow limitation during sleep. Lung. 2015;193(3):387-92. doi: 0.1007/s00408-015-9714-x.

Gracitelli CP, Duque-Chica GL, Roizenblatt M, Moura AL, Nagy BV, Ragot de Melo G, Borba PD, Teixeira SH, Tufik S, Ventura DF, Paranhos A Jr. Intrinsically photosensitive retinal ganglion cell activity is associated with decreased sleep quality in glaucoma patients. Ophthalmology. 2015;122(6):1139-48. doi: 10.1016/j.ophtha.2015.02.030.

Guerra M, Ferri C, Llibre J, Prina AM, Prince M. Psychometric properties of EURO-D, a geriatric depression scale: a cross-cultural validation study. BMC Psychiatry. 2015;15:12. doi: 10.1186/s12888-015-0390-4.

Guerreiro RB, Bittencourt L, Reis RC, Rotta JM, Tufik S, Botelho RV. Upper airway dimensions in patients with craniocervical junction malformations with and without sleep apnea. A pilot case-control study. Arq Neuropsiquiatria. 2015;73(4):336-41. doi: 10.1590/0004-282X20150008.

Guimarães TM, Colen S, Cunali PA, Rossi R, Dal-Fabbro C, Ferraz O, Tufik S, Bittencourt L. Treatment of obstructive sleep apnea with mandibular advancement appliance over prostheses: a case report. Sleep Sci. 2015;8(2):103-6. doi: 10.1016/j.slsci.2015.05.002.

Hachul H, Frange C, Bezerra AG, Hirotsu C, Pires GN, Andersen ML, Bittencourt LR, Tufik S. The effect of menopause on objective sleep parameters: data from an epidemiologic study in São Paulo, Brazil. Maturitas. 2015;80(2):170-8. doi: 10.1016/j.maturitas.2014.11.002.

Haddad FL, Vidigal T, Mello-Fujita L, Cintra FD, Gregório LC, Tufik S, Bittencourt LR. The influence of nasal abnormalities in adherence to continuous positive airway pressure device therapy in obstructive sleep apnea patients. What role does the nose play? Sleep Breath. 2015;19(1):5-6. doi: 10.1007/s11325-014-0970-4.

Hirotsu C, Kim LJ, Coelho FM, Andersen ML, Tufik S. Commentary: Napping and sleep extension: possible effects over stroke risk in long sleepers. Neurology (Online 18 March 2015). Disponível em: http://www.neurology.org/content/84/11/1072/reply#neurology_el;63527

Hirotsu C, Nogueira HN, Albuquerque RG, Tomimori J, Tufik S, Andersen ML. The bidirectional interactions between psoriasis and obstructive sleep apnea. Int J Dermatol. 2015;54(12):1352-8. doi: 10.1111/ijd.13026.

Hirotsu C, Tufik S, Andersen ML. Interactions between sleep, stress, and metabolism: from physiological to pathological conditions. Sleep Sci. 2015;8(3):143-52. doi: 10.1016/j.slsci.2015.09.002.

Huamaní C, Rey de Castro J, González-Alcaide G, Polesel DN, Tufik S, Andersen ML. Scientific research in obstructive sleep apnea syndrome: bibliometric analysis in SCOPUS, 1991-2012. Sleep Breath. 2015;19(1):109-14. doi: 10.1007/s11325-014-0969-x.

Iatallese GS, Cremaschi RC, de Carvalho LB, Tufik S, Coelho FM. Deficits of attention and cognition in narcoleptic patients – is is hypocretin dependent? Sleep Med. 2015;16(8):1024. doi: 10.1016/j.sleep.2015.04.009.

Inoue DS, De Mello MT, Foschini D, Lira FS, Ganen AP, Campos RMS, Sanches PL, Silva PL, Corgosinho FC, Rossi FE, Tufik S, Dâmaso AR. Linear and undulating periodized strength plus aerobic training promote similar benefits and lead to improvement of insulin resistance on obese adolescents. J Diabetes Complications. 2015;29(2):258-64. doi: 10.1016/j.jdiacomp.2014.11.002.

Julian GS, de Oliveira RW, Favaro VM, de Oliveira MG, Perry JC, Tufik S, Chagas JR. Chronic intermittent hypoxia increases encoding pigment epithelium-derived factor gene expression, although not that of the protein itself, in the temporal cortex of rats. J Bras Pneumol. 2015;41(1):39-47. doi: 10.1590/S1806-37132015000100006.

Kanegusuku H, Queiroz ACC, Silva VJD, De Mello MT, Ugrinowitsch C, Forjaz CLM. High-intensity progressive resistance training increases strength with no change in cardiovascular function and autonomic neural regulation in older adults. J Aging Physical Activity. 2015;23(3):339-45. doi: 10.1123/japa.2012-0324.

Kelmann SV, Quaio CR, Honjo RS, Bertola DR, Rosa Neto NS, Lourenço CM, d'Almeida V, Lellis RF, Rivitti-Machado MC, Enokihara MM, Michalany NS, Kim CA. Multicentric study on the diagnosis of Fabry's disease using angiokeratoma biopsy registries. Int J Dermatol. 2015;54(6):e241-4. doi: 10.1111/ijd.12713.

Kim LJ, Okazaki KM, Gandolphi LRC, Coelho FM, Tufik S, Andersen ML. Evaluating the underestimated risk factors associated with carotid artery stenosis. Swiss Med Wkly. 2015;145:w14088. doi:10.4414/smw.2015.14088.

Kim LJ, Coelho FM, Hirotsu C, Bittencourt L, Tufik S, Andersen ML. Is the chronotype associated with obstructive sleep apnea? Sleep Breath. 2015;19(2):645-51. doi: 10.1007/s11325-014-1070-1.

Kim LJ, Coelho FM, Hirotsu C, Araujo P, Bittencourt L, Tufik S, Andersen ML. Frequencies and associations of narcolepsy-related symptoms: a cross-sectional study. J Clin Sleep Med. 2015;11(12):1377-84. doi: 10.5664/jcsm.5268.

Kovalskys I, Fisberg M, Gómez G, Rigotti A, Cortés LY, Yépez MC, Pareja RG, Herrera-Cuenca M, Zimberg IZ, Tucker KL, Koletzko B, Pratt M; ELANS Study Group. Standardization of the Food Composition Database Used in the Latin American Nutrition and Health Study (ELANS). Nutrients. 2015;7(9):7914-24. doi: 10.3390/nu7095373.

Lopes DA, Coelho FM, Pradella-Hallinan M, Melo MHA, Tufik S. Infancy narcolepsy: Streptococcus infection as a causal factor. Sleep Sci. 2015;8(1):49-52. doi: 10.1016/j.slsci.2015.02.002.

Lungato L, Gazarini ML, Paredes-Gamero EJ, Tufik S, D'Almeida V. Paradoxical sleep deprivation impairs mouse survival after infection with malaria parasites. Malar J. 2015;14(1):183. doi: 10.1186/s12936-015-0690-7.

Mancuso FJ, Moisés VA, Almeida DR, Poyares D, Storti LJ, Oliveira WA, Brito FS, Paola AA, Carvalho AC, Campos O. Left Atrial Volume Determinants in Patients with Non-Ischemic Dilated Cardiomyopathy. Arq Bras Cardiol. 2015;105(1):65-70. doi: 10.5935/abc.20150042.

Marchiori MFR, Kozasa EH, Miranda RD, Monezi Andrade AL, Perrotti TC, Leite JR. Decrease in blood pressure and improved psychological aspects through meditation training in hypertensive older adults: A randomized control study. Geriatr Gerontol Int. 2015;15(10): 1158-64. doi: 10.1111/ggi.12414.

Marinho EAV, Oliveira-Lima AJ, Santos R, Hollais AW, Baldaia MA, Wuo-Silva R, Yokoyama TS, Takatsu-Coleman AL, Patti CL, Longo BM, Berro LF, Frussa-Filho R. Effects of rimonabant on the development of single dose-induced behavioral sensitization to ethanol, morphine and cocaine in mice. Progr Neuropsychopharmacol Biol Psychiatry. 2015;58:22-31. doi: 10.1016/j.pnpbp.2014.11.010.

Martinez D, Silva RP, Cassol CM, Pires GN. Scores of a web-based version of the seasonal pattern assessment questionnaire in Brazil. Clin Biomed Res. 2015;35(4):200-10. doi: 10.4322/2357-9730.59646.

Martins MR, Bolognani SAP, Pompeia S, Bueno OFA, Miranda MC. Versões alternativas do subteste memória lógica da WMS-R: análise de desempenho de uma amostra saudável da cidade de São Paulo. Psicol Reflex Crit. 2015;28(3):444-53. doi: 10.1590/1678-7153.201528303.

Masquio CL, Ganen AP, Campos RMS, Sanches PL, Corgosinho FC, Caranti D, Tock L, De Mello MT, Tufik S, Dâmaso AR. Cut-off values of waist circumference to predict metabolic syndrome in obese adolescents. Nutr Hosp. 2015;31(4):1540-50. doi: 10.3305/nh.2015.31.4.8442.

Masquio DC, de Piano A, Campos RM, Sanches PL, Carnier J, Corgosinho FC, Netto BD, Carvalho-Ferreira JP, Oyama LM, Oller do Nascimento CM, Tock L, de Mello MT, Tufik S, Dâmaso AR. Reduction in saturated fat intake improves cardiovascular risks in obese adolescents during interdisciplinary therapy. Int J Clin Pract. 2015;69(5):560-70. doi: 10.1111/ijcp.12573.

Masquio DC, de Piano A, Campos RM, Sanches PL, Carnier J, Corgosinho FC, Netto BD, Carvalho-Ferreira JP, Oyama LM, Nascimento CM, de Mello MT, Tufik S, Dâmaso AR. The role of multicomponent therapy in the metabolic syndrome, inflammation and cardiovascular risk in obese adolescents. Br J Nutrit. 2015;113:1920-30. doi:10.1017/S0007114515001129.

Masuko AH, Vago EL, Tufik S, Coelho FM. Relationship between sleep bruxism and migraine in children-is it a different history? Headache. 2015;55(2):326. doi: 10.1111/head.12509.

Mello-Fujita L, Kim LJ, Palombini LO, Rizzi C, Tufik S, Andersen ML, Coelho FM. Treatment of obstructive sleep apnea syndrome associated with stroke. Sleep Med. 2015;16(6):691-6. doi: 10.1016/j.sleep.2014.12.017.

Mograbi DC, Ferri CP, Stewart R, Psych M, Sosa AL, Brown RG, Laks J, Morris RG. Neuropsychological and behavioral disturbance correlates of unawareness of memory impairment in dementia: a population-based study. J Geriatr Psychiatry Neurol. 2015;28(1):3-11. doi: 10.1177/0891988714541868.

Mônico-Neto M, Giampá SQC, Lee KS, De Melo CM, Souza HS, Dáttilo M, Minali PA, Prado PHS, Tufik S, De Mello MT, Antunes HKM. Negative energy balance induced by paradoxical sleep deprivation causes multicompartmental changes in adipose tissue and skeletal muscle. Int J Endocrinol. 2015;2015: Article ID 908159. doi: 10.1155/2015/908159.

Mônico-Neto M, Antunes HK, Lee KS, Phillips SM, Giampá SQ, Souza Hde S, Dáttilo M, Medeiros A, de Moraes WM, Tufik S, de Mello MT. Resistance training minimizes catabolic effects induced by sleep deprivation in rats. Appl Physiol Nutr Metab. 2015;40(11):1143-50. doi: 10.1139/apnm-2015-0061.

Monteiro J, Inoue FM, Lobo AP, Sugawara EK, Boaretti FM, Tufik S. Fast and reliable bacterial identification direct from positive blood culture using a new TFA sample preparation protocol and the Vitek® MS system. J Microbiol Methods. 2015;109:157-9. doi: 10.1016/j.mimet.2014.12.009.

Moreira A, Vovio CL, De Micheli D. Drug abuse prevention in school: challenges and possibilities for the role of the educator. Educ Pesquisa. 2015;41(1):119-34. doi: 10.1590/S1517-97022015011670.

Moysés-Oliveira M, Guilherme RS, Meloni VA, Di Battista A, De Mello CB, Bragagnolo S, Moretti-Ferreira D, Kosyakova N, Liehr T, Carvalheira GM, Melaragno MI. X-linked intellectual disability related genes disrupted by balanced X-autosome translocations. Am J Med Genet B Neuropsychiatr Genet. 2015;168(8):669-77. doi: 10.1002/ajmg.b.32355.

Muszkat M, De Mello CB, Muñoz Pde O, Lucci TK, David VF, Siqueira Jde O, Otta E Face Scanning in Autism Spectrum Disorder and Attention Deficit/Hyperactivity Disorder: Human Versus Dog Face Scanning. Front Psychiatry. 2015;6:150. doi: 10.3389/fpsyt.2015.00150.

Nakamura AE, Opaleye D, Tani G, Ferri CP. Dementia: underdiagnosis in Brazil. Lancet. 2015;385:418-9. doi:10.1016/S0140-6736(15)60153-2.

Nascimento MO, De Micheli D. Evaluation of different school-based preventive interventions for reducing the use of psychotropic substances among students: a randomized study. Ciênc. saúde coletiva. 2015;20(8):2499-510. doi: 10.1590/1413-81232015208.15152014.

Negri G, Soares Neto JA, de Araujo Carlini EL. Chemical Analysis of Suspected Unrecorded Alcoholic Beverages from the States of São Paulo and Minas Gerais, Brazil. J Anal Methods Chem. 2015;2015:230170. doi: 10.1155/2015/230170.

Nicolau ZF, Bezerra AG, Andersen ML, Tufik S, Hachul H. Letter to the editor. Menopause. 2015;22(1):122-3. doi: 10.1097/gme.0000000000000394.

Nicolau ZF, Andersen ML, Tufik S, Hachul H. Can sleep hygiene behaviors improve sleep quality in midlife women? J Womens Health. 2015;24(3):252-3. doi: 10.1089/jwh.2014.5163.

Nicolau ZFM, Tufik S, Hachul H. Letter: Biopsychosocial context may influence hot flashes as well as mood, cognitive performance and sleep. Maturitas. 2015;82(4):441. doi: 10.1016/j.maturitas.2015.08.004.

Nogueira AML, Bueno OFA, Manzano GM, Kohn AF, Pompeia S. Late positive slow waves as markers of chunking during encoding. Front Psychol. 2015;6:1032. doi: 10.3389/fpsyg.2015.01032.

Noguti J, Alvarenga TA, Marchi P, Oshima CT, Andersen ML, Ribeiro DA. The influence of sleep restriction on expression of apoptosis regulatory proteins p53, Bcl-2 and Bax following rat tongue carcinogenesis induced by 4-nitroquinoline 1-oxide. J Oral Pathol Med. 2015;44(3):222-8. doi: 10.1111/jop.12225.

Noto AR, Botéquio MC, Lucas Dos Santos E, Bedendo A, Pinsky I. The hidden role of the alcohol industry in youth drinking in Brazil. J Stud Alcohol Drugs. 2015 Nov;76(6):981. doi: 10.15288/jsad.2015.76.981.

Nozoe KT, Moreira GA, Tolino JR, Pradella-Hallinan M, Tufik S, Andersen ML. The sleep characteristics in symptomatic patients with Duchenne muscular dystrophy. Sleep Breath. 2015;19(3):1051-6. doi: 10.1007/s11325-014-1103-9.

Nozoe KT, Polesel DN, Jeronimo G, Moreira GA, Tufik S, Andersen ML. Letter to the editor: Sleep disturbance in people with dementia and its effect on caregivers. Australasian J Ageing. 2015;34(4):277–8. doi: 10.1111/ajag.12230.

Oliveira ALG, De Mello MT, Tufik S, Antunes HKM. Dependência de exercício físico em atletas de endurance prolongada: corrida de aventura e triatletas. Rev Psicol Saúde. 2015;7(1):56-64. doi: 10.20435/pssa.v7i1.404.

Oliveira DL, Hirotsu C, Tufik S, Andersen ML. Vitamin D and sleep Apnea: beyond a simple association. J Clin Sleep Med. 2015;11(11):1345. doi: 10.5664/jcsm.5206.

Oliveira EM, Visniauskas B, Sandri S, Migliorini S, Andersen ML, Tufik S, Fock RA, Chagas JR, Campa A. Late effects of sleep restriction: Potentiating weight gain and insulin resistance arising from a high-fat diet in mice. Obesity. 2015;23(2):391-8. doi: 10.1002/oby.20970.

Oliveira MCS, Tufik S, Haddad FLM, Santos-Silva R, Gregório LC, Bittencourt L. Systematic evaluation of the upper airway in a sample population: factors associated with Obstructive Sleep Apnea Syndrome. Otolaryngol Head Neck Surg. 2015;153(4):663-70. doi: 10.1177/0194599815577598.

Oliveira MG, Treptow EC, Fukuda C, Nery LE, Valadares RM, Tufik S, Bittencourt L, Togeiro SM. Diagnostic accuracy of home-based monitoring system in morbidly obese patients with high risk for sleep apnea. Obes Surg. 2015;25(5):845-51. doi: 10.1007/s11695-014-1469-6.

Oliveira-Lima AJ, Santos R, Hollais AW, Gerardi-Junior CA, Baldaia MA, Wuo-Silva R, Yokoyama TS, Costa JL, Malpezzi-Marinho EL, Ribeiro-Barbosa PC, Berro LF, Frussa-Filho R, Marinho EA. Effects of ayahuasca on the development of ethanol-induced behavioral sensitization and on a post-sensitization treatment in mice. Physiol Behav. 2015;142:28-36. doi:10.1016/j.physbeh.2015.01.032.

Palma SM, Natale AC, Calil HM. A 4-year follow-up study of attention-deficit hyperactivity symptoms, comorbidities, and psychostimulant use in a Brazilian sample of children and adolescents with Attention-Deficit/Hyperactivity Disorder. Front Psychiatry. 2015;6:135. doi: 10.3389/fpsyt.2015.00135.

Palma SM, Natale AC, Calil HM. A four-year follow-up controlled study of stress response and symptom persistence in Brazilian children and adolescents with attention deficit disorder and hyperactivity (ADHD). Psychiatry Res. 2015;230(2):227-32. doi: 10.1016/j.psychres.2015.08.044.

Pinheiro ECM, Barbosa T, Miranda MC, Baddeley A, Navas ALGP, Bueno OFA. Adaptation of the Word Subtest of the Reading Decision Test (RDT) for Brazilian Portuguese. Psicol Reflex Crít. 2015;28(1):31-40. doi: 10.1590/1678-7153.201528104.

Piovezan RD, Tufik S, Poyares D. OSACS score - a new simple tool for identifying high risk for obstructive sleep apnea syndrome based on clinical parameters. Anatol J Cardiol 2015;15:676-7. doi: 10.5152/AnatolJCardiol.2015.6370.

Piovezan RD, Abucham J, Santos RVT, Mello MT, Tufik S, Poyares D. The impact of sleep on age-related sarcopenia: possible connections and clinical implications. Ageing Res Rev. 2015;23(Pt B):210-20. doi: 10.1016/j.arr.2015.07.003.

Pires GN, Tufik S, Andersen ML. Sleep deprivation and anxiety in humans and rodents-translational considerations and hypotheses. Behav Neurosci. 2015;129(5):621-33. doi: 10.1037/bne0000076.

Pires GN, Tufik S, Andersen ML. Effects of REM sleep restriction during pregnancy on rodent maternal behavior. Rev Bras Psiquiatria. 2015;37(4):331-3. doi: 10.1590/1516-4446-2015-1668.

Polesel DN, Hirotsu C, Hachul H, Nozoe KT, Boin AC, Bittencourt L, Tufik S, Andersen ML. Waist circumference and postmenopausal stages as the main associated factors for sleep apnea in women: a cross-sectional population-based study. Menopause. 2015;22(8):835-44. doi: 10.1097/GME.0000000000000406.

Poyares D, Hirotsu C, Tufik S. Editorial: Fitness tracker to assess sleep: beyond the market. Sleep. 2015;38(9):1351-2. doi: 10.5665/sleep.4966.

Prescinotto R, Haddad FL, Fukuchi I, Gregório LC, Cunali PA, Tufik S, Bittencourt LR. Impact of upper airway abnormalities on the success and adherence to mandibular advancement device treatment in patients with Obstructive Sleep Apnea Syndrome. Braz J Otorhinolaryngol. 2015;81(6):663-70. doi: 10.1016/j.bjorl.2015.08.005.

Prior PL, Vaz MJ, Ramos AC, Galduroz JC. Influence of microelement concentration on the intensity of alcohol withdrawal syndrome. Alcohol Alcohol. 2015;50(2):152-6. doi: 10.1093/alcalc/agu094.

Prior PL, Ramos AC, Eserian JK, Zaparoli J, Galduroz JCF. Flaxseed oil decreases craving for chocolate: preliminary results. Int Arch Addict Res Med. 2015;1:010.

Rivero TS, Nuñez LMH, Pires EU, Bueno OFA. ADHD rehabilitation through video gaming: a systematic review using PRiSMA guidelines of the current findings and the associated risk of bias. Front Psychiatry. 2015;6:151. doi: 10.3389/fpsyt.2015.00151.

Rizzutti S, Schuch V, Augusto BM, Coimbra CC, Pereira JP, Bueno OFA. Neuropsychological profiles correlated with clinical and behavioral impairments in a sample of Brazilian children with Attention-Deficit Hyperactivity Disorder. Front Psychiatry. 2015;6:163. doi: 10.3389/fpsyt.2015.00163.

Rodrigues DF, Silva A, Rosa JPP, Ruiz FS, Veríssimo AW, Winckler C, Rocha EA, Parsons A, Tufik S, De Mello MT. Sleep quality and psychobiological aspects of Brazilian paralympic

athletes in the London 2012 pre-paralympics period. Motriz. 2015;21(2):168-76. doi: 10.1590/S1980-65742015000200007.

Roizenblatt S, Souza AL, Palombini L, Godoy LM, Tufik S, Bittencourt LR. Musculoskeletal pain as a marker of health quality. findings from the epidemiological sleep study among the adult population of São Paulo City. PLoS One. 2015;10(11):e0142726. doi: 10.1371/journal.pone.0142726.

Rosa JPP, De Souza AAL, de Lima GHO, Rodrigues DF, Lemos VA, Alves ES, Tufik S, De Mello MT. Motivational and evolutionary aspects of a physical exercise training program: a longitudinal study. Front Psychol. 2015;6:Article 648. doi: 10.3389/fpsyg.2015.00648.

Rossi ASU, Moura LM, Mello CB, Souza AAL, Muszkat M, Bueno OFA. Attentional profiles and white matter correlates in Attention-Deficit/Hyperactivity Disorder predominantly inattentive type. Front Psychiatry. 2015;6:122. doi: 10.3389/fpsyt.2015.00122.

Ruiz FS, Souza JC, Narciso FV, Esteves AM, Soares Junior RC, Barreto A, Raso V, Tufik S, De Mello MT. Accident risk factors among Brazilian shift-working truck drivers. Health Sci J. 2015;9(6):13.

Rzezak P, Caxa L, Santolia P, Antunes HK, Suriano I, Tufik S, de Mello MT. Affective responses after different intensities of exercise in patients with traumatic brain injury. Front Psychol. 2015;6:839. eCollection 2015. doi: 10.3389/fpsyg.2015.00839.

Santana A, Santamarina A, Souza G, Mennitti L, Okuda M, Venancio D, Seelaender M, do Nascimento CO, Ribeiro E, Lira F, Oyama L. Decaffeinated green tea extract rich in epigallocatechin-3-gallate improves insulin resistance and metabolic profiles in normolipidic diet--but not high-fat diet-fed mice. J Nutr Biochem. 2015;26(9):893-902. doi: 10.1016/j.jnutbio.2015.03.001.

Schuch V, Utsumi DA, Costa TV, Kulikowski LD, Muszkat M. Attention Deficit Hyperactivity Disorder in the Light of the Epigenetic Paradigm. Front Psychiatry. 2015;6:126. doi: 10.3389/fpsyt.2015.00126.

Scorza FA, Cavalheiro EA, Scorza CA, Tufik S, Andersen ML. New avenues to prevent sudden unexpected death in nocturnal frontal lobe epilepsy: follow the route established by omega-3 polyunsaturated fatty acids. Sleep Med. 2015;16(8):1020-1. doi: 10.1016/j.sleep.2015.04.004.

Sepulveda-Diaz JE, Alavi Naini SM, Huynh MB, Ouidja MO, Yanicostas C, Chantepie S, Villares J, Lamari F, Jospin E, van Kuppevelt TH, Mensah-Nyagan AG, Raisman-Vozari R, Soussi-Yanicostas N, Papy-Garcia D. HS3ST2 expression is critical for the abnormal phosphorylation of tau in Alzheimer's disease-related tau pathology. Brain. 2015 Apr 4. pii: awv056. doi:10.1093/brain/awv056.

Shayer B, Carvalho C, Mota M, Argollo N, Abreu N, Bueno OFA. Desempenho de escolares em atenção e funções executivas no Nepsy e inteligência. Psicol teor prat. 2015;17(1):120-35. doi: 10.15348/1980-6906/psicologia.v17n1p120-135.

Siegler M, Frange C, Andersen ML, Tufik S, Hachul H. Sleep, pain and exercise: an integrative perspective on neuroscience education. Manual Ther. 2015;20(1):e1-2. doi: 10.1016/j.math.2014.10.016.

Silva A, Zanca G, Alves ES, de Aquino Lemos V, Gávea SA, Winckler C, Mattiello SM, Peterson R, Vital R, Tufik S, De Mello MT. Isokinetic Assessment and Musculoskeletal Complaints in Paralympic Athletes: A Longitudinal Study. Am J Phys Med Rehabil. 2015;94(10):768-74. doi: 10.1097/PHM.0000000000000244.

Silva A, Mello MT, Serrão PR, Luz RP, Bittencourt LR, Mattiello SM. Influence of obstructive sleep apnea syndrome in the fluctuation of the submaximal isometric torque of knee extensors in patients with early-grade osteoarthritis. Braz J Phys Ther. 2015;19(4):271-8. doi: 10.1590/bjpt-rbf.2014.0106.

Silva A, De Mello MT, Gávea Junior SA, Queiroz SS, Tufik S, Mattiello SM. Therapeutic modalities and postural balance of patients with knee osteoarthritis: systematic review. Fisioter Mov. 2015;28(3):605-16. doi: 10.1590/0103-5150.028.003.AR01.

Silva EA; Rodrigues TP, De Micheli D, Andrade ALM. Estratégias utilizadas no tratamento de famílias com usuários de substâncias. Psicol Pesq. 2015;9(2):198-204. doi: 10.5327/Z1982-1247201500020010.

Silva MS, Bazzana CM, Ramos LR, Tufik S, Lucchesi LM, Lopes GS. Is high body mass index in elderly harmless? J Geriatr Palliat Care. 2015;3(1):4.

Silva MS, Bazzana CM, Souza AL, Ramos LR, Tufik S, Lucchesi LM, Lopes GS. Relationship between perceived sleep and polysomnography in older adult patients. Sleep Sci. 2015;8(2):75-81. doi: 10.1016/j.slsci.2015.04.002.

Silva MS, Ramos LR, Tufik S, Togeiro SM, Lopes GS. Influence of inspiratory muscle training on changes in fasting hyperglycemia in the older adult: The Epidoso Project. J Diabetes Sci Technol. 2015;9(6):1352-3. doi: 10.1177/1932296815599006.

Silva MS, Ramos LR, Tufik S, Togeiro SM, Lopes GS. Influence of inspiratory muscle training on changes in sleep architecture in older adult - Epidoso Projects. Aging Sci. 2015;3(2):5. doi: 10.4172/2329-8847.1000137.

Silva VHP, Antonio RL, Pompeia S, Ribeiro DA. Cytogenetic Biomonitoring in Buccal Mucosa Cells from Young Smokers. Acta Cytol. 2015;59(6):474-8. doi: 10.1159/000443761.

Soares RG, Silveira PS, Noto AR, Boyd JE, Ronzani TM. Validação da versão brasileira da Escala ISMI adaptada para dependentes de substâncias. Psicol Teoria Pesq. 2015;31(2):229-38. doi: 10.1590/0102-37722015021093229238.

Soterio-Pires JH, Tufik S, Andersen ML. Sleep, mood, and sexual behavior. Sleep Breath. 2015;19(2):729-30. doi: 10.1007/s11325-014-1043-4.

Souza CC, Hirotsu C, Neves ELA, Santos LCL, Costa IMPF, Garcez CA, Nunes PS, Araújo AAS. Sleep pattern in Charcot-Marie-Tooth disease type 2: report of family case series. J Clin Sleep Med. 2015;11(3):205-11. doi: 10.5664/jcsm.4526.

Souza FB, Andrade ALM, Rodrigues TP, Nascimento MO, De Micheli D. Avaliação das concepções de educadores de escolas públicas e particulares sobre uso de drogas: um estudo exploratório. Estudos Pesq Psicol. 2015;15(3):1081-95.

Souza IW, Barros VV, Gomide HP, Miranda TCM, Menezes VP, Kozasa EH, Noto AR. Mindfulness-based interventions for the treatment of smoking: a systematic literature review. J Altern Complement Med. 2015;21(3):129-40. doi: 10.1089/acm.2013.0471.

Souza JFT, Giampá SQC, Lemos VA, Santos AS, Silva ET, De Mello MT, Tufik S, Santos RVT, Antunes HKM. Exercise performed at hypoxia influences mood state and anxiety symptoms. Motriz. 2015;21(2):177-84. doi: 10.1590/S1980-65742015000200008.

Stilhano RS, Martin PK, de Melo SM, Samoto VY, Peres GB, Michelacci YM, da Silva FH, Pereira VG, D'Almeida V, da Cruz AT, Jasiulionis MG, Han SW. α-L-iduronidase gene-based therapy

using phiC31 system to treat Mucopolysaccharidose type I mice. J Gene Med. 2015;17(1-2):1-13. doi: 10.1002/jgm.2818.

Storti LJ, Servantes DM, Borges M, Bittencourt LR, Maroja FU, Poyares D, Burke PR, Santos VB, Moreira RSL, Mancuso FJN, De Paola AAV, Tufik S, Carvalho ACC, Cintra FD. Validation of a novel sleep quality questionnaire to assess sleep in the coronary care unit: a polysomnography study. Sleep Med. 2015;16(8):971-5. doi: 10.1016/j.sleep.2015.03.014.

Streck EL, Scaini G, Jeremias GC, Rezin GT, Gonçalves CL, Ferreira GK, Réus GZ, Resende WR, Valvassori SS, Kapczinski F, Andersen ML, Quevedo J. Effects of Mood Stabilizers on Brain Energy Metabolism in Mice Submitted to an Animal Model of Mania Induced by Paradoxical Sleep Deprivation. Neurochem Res. 2015;40(6):1144-52. doi: 10.1007/s11064-015-1575-4.

Tempaku PF, Mazzotti DR, Tufik S. Telomere length as a marker of sleep loss and sleep disturbances: a potential link between sleep and cellular senescence. Sleep Med. 2015;16(5):559-563. doi: 10.1016/j.sleep.2015.02.519.

Tondowski CS, Bedendo A, Zuquetto C, Locatelli DP, Opaleye ES, Noto AR. Parenting styles as a tobacco-use protective factor among Brazilian adolescents. Cad Saude Publica. 2015;31(12):2514-22. doi: 10.1590/0102-311X00168614.

Treptow E, Oliveira MG, Moreira GA, Togeiro S, Nery LE, Tufik S, Bittencourt LR. Update on the use of portable monitoring system for the diagnosis of sleep apnea in specific population. World J Respirol. 2015;5(1):17-27. doi:10.5320/wjr.v5.i1.17.

Tufik SB, Berro LF, Tufik S**.** Do naps and nocturnal sleep impact gastroesophageal reflux disease differently? Clin Gastroenterol Hepatol. 2015;13(2):410-1. doi: 10.1016/j.cgh.2014.06.010.

Tufik SB, Berro LF, Andersen ML,Tufik S. Prevalence and classification of sleep disordered breathing. Lancet Respir Med. 2015;3(4):263-4. doi: 10.1016/S2213-2600(15)00054-5.

Turaça LT, de Faria DO, Kyosen SO, Teixeira VD, Motta FL, Pessoa JG, Rodrigues E Silva M, de Almeida SS, D'Almeida V, Muñoz VM, Martins AM, Pesquero JB. Novel GAA mutations in patients with Pompe disease. Gene. 2015;561(1):124-31. doi:10.1016/j.gene.2015.02.023.

Valvassori SS, Tonin PT, Varela RB, Carvalho AF, Mariot E, Amboni RT, Bianchini G, Andersen ML, Quevedo J. Lithium modulates the production of peripheral and cerebral cytokines in an animal model of mania induced by dextroamphetamine. Bipolar Disord. 2015;17(5):507-17. doi: 10.1111/bdi.12299.

Vancini RL, Lira CAB, Andrade MS, Lima C, Arida RM. Low levels of maximal aerobic power impair the profile of mood state in individuals with temporal lobe epilepsy. Arq Neuropsiquiatria. 2015;73(1):7-11. doi: 10.1590/0004-282X20140188.

Venancio DP, Suchecki D. Prolonged REM sleep restriction induces metabolic syndrome-related changes: Mediation by pro-inflammatory cytokines. Brain Behav Immun. 2015;47:109-17. doi: 10.1016/j.bbi.2014.12.002.

Vicari P, Adegoke SA, Mazzotti DR, Cançado RD, Nogutti MA, Figueiredo MS. Interleukin-1β and interleukin-6 gene polymorphisms are associated with manifestations of sickle cell anemia. Blood Cells Mol Dis. 2015;54(3):244-9. doi: 10.1016/j.bcmd.2014.12.004.

Zanini MA, Castro J, Cunha GR, Asevedo E, Pan PM, Bittencourt L, Coelho FM, Tufik S, Gadelha A, Bressan RA, Brietzke E. Abnormalities in sleep patterns in individuals at risk for

psychosis and bipolar disorder. Schizophr Res. 2015;169(1-3):262–7. doi: 10.1016/j.schres.2015.08.023.

2014.....

Aboulafia-Brakha T, Suchecki D, Gouveia-Paulino F, Nitrini R, Ptak R. Cognitive–behavioural group therapy improves a psychophysiological marker of stress in caregivers of patients with Alzheimer's disease. Aging Ment Health. 2014;18(6):801-8. doi: 10.1080/13607863.2014.880406.

Abrahao KP, Oliveira Goeldner F, Souza-Formigoni ML. Individual differences in ethanol locomotor sensitization are associated with dopamine D1 receptor intra-cellular signaling of DARPP-32 in the nucleus accumbens. PLoS One. 2014;9(6):e98296. doi: 10.1371/journal.pone.0098296.

Ackel-D'Elia C, Carnier J, Bueno Jr CR, Campos RMS, Sanches PL, Clemente APG, Tufik S, De Mello MT, Dâmaso AR. Effects of different physical exercises on leptin concentration in obese adolescents. Int J Sports Med. 2014;35:164-71. doi: 10.1055/s-0033-1345128.

Ackel-D'Elia C, Campos RMS, Masquio DCL, Netto BM, Sanches PL, Corgosinho FC, Clemente APG, Ferreira JPC, Tock L, Tufik S, De Mello MT, Dâmaso AR. Aerobic plus resistance training on pro-anti-inflammatory adipokinesin obese adolescents. Eur J Sports Exerc Sci. 2014;3(1):5-17.

Akamine RT, Grossklauss LF, Moreira GA, Pradella- Hallinan M, Chiéia MA, Mesquita D, Oliveira ASB, Tufik S. Treatment of sleep central apnea with non-invasive mechanical ventilation with 2 levels of positive pressure (bilevel) in a patient with myotonic dystrophy type 1. Sleep Sci. 2014;7(2):117-21. doi: org/10.1016/j.slsci.2014.09.002.

Akamine RT, Grossklauss LF, Nozoe KT, Moreira GA, Oliveira ASB, Chieia MAT, Andersen ML, Tufik S. Restless leg syndrome exacerbated by amytriptiline in a patient with Duchenne Muscular Dystrophy. Sleep Sci. 2014;7(3):178-80. doi: 10.1016/j.slsci.2014.09.010.

Albuquerque RGR, Tufik S, Andersen ML. Sleep quality implicates in life quality: an analysis about children who suffered burns. Burns. 2014;40(4):774-5. doi: 10.1016/j.burns.2013.12.026.

Albuquerque RGR, Rocha MAD, Bagatin E, Tufik S, Andersen ML. Could adult female acne be associated with modern life? Arch Dermatol Res. 2014;306(8):683-8. doi: 10.1007/s00403-014-1482-6.

Albuquerque RGR, Hachul H, Andersen ML, Tufik S. The importance of quality of sleep in menopause. Climacteric. 2014;17(5):613. doi: 10.3109/13697137.2014.888713.

Almeida FR, Perry JC, Futuro-Neto HA, Almeida VR, Sebastião RM, Andersen ML, Tufik S, Campos RR, Bergamaschi CT. Cardiovascular function alterations induced by acute paradoxical sleep deprivation in rats. Clin Exp Hypertens. 2014;36(8):567-71. doi: 10.3109/10641963.2014.881843.

Almeida WAO, Esteves AM, Almeida-Junior CL, Lee KS, Frank MK, Mariano MO, Frussa-Filho R, Tufik S, De Mello MT. The effects of long-term dopaminergic treatment on locomotor behavior in rats. Sleep Sci. 2014;7(4):203-8. doi: 10.1016/j.slsci.2014.10.003.

Alvarenga TA, Polesel DN, Matos G, Garcia VA, Costa JL, Tufik S, Andersen ML. Can Ayahuasca and sleep loss change sexual performance in male rats? Behav Processes. 2014;108:110-6. doi: 10.1016/j.beproc.2014.09.024.

Amaral Júnior R, Kim LJ, Tufik S, Andersen ML. Is it possible to prevent obstructive sleep apnea with maxillomandibular orthopedic treatment during childhood? Sleep Breath. 2014;18(4):675-6. doi: 10.1007/s11325-014-0948-2.

Andersen ML, Tufik S. Could sleep exert a relevant role on sexual problems in young men recruited to military service? J Adolesc Health. 2014;55(6):848-9. doi: 10.1016/j.jadohealth.2014.08.009.

Andrade NC, Abreu N, Menezes I, De Mello CB, Duran VR, Moreira NA. Adaptação transcultural do Teste de Conhecimento Emocional: avaliação neuropsicológica das emoções. Psico-USF. 2014;19(2):297-306. doi: 10.1590/1413-82712014019002001.

Antunes HKM, Santos-Galduroz RF, Miranda REE, Cassilhas RC, Bueno OFA, De Mello MT. O baixo consumo de oxigênio tem reflexos nos escores de depressão em idosos. Rev Bras Geriatr Gerontol. 2014;17(3):505-15. doi: 10.1590/1809-9823.2014.13071.

Arães SP, Hirotsu C, Tufik S, Andersen ML. Letter to the editor: Cerebro–renal interactions and cognitive function: The important role of sleep. Neurotoxicology. 2014;45:208. doi: 10.1016/j.neuro.2014.10.005.

Araujo P, Tufik S, Andersen ML. Sleep and pain: a relationship that begins in early life. Pain Physician. 2014;17(6):E787-E798.

Araujo P, Tufik S, Andersen ML. Neonatal caffeine therapy and sleep: important findings to guide new approaches and reduce concerns. Am J Respir Crit Care Med. 2014;190(11):1323-4. doi: 10.1164/rccm.201409-1682LE.

Armani F, Andersen ML, Galduroz JC. Tamoxifen use for the management of mania: a review of current preclinical evidence. Psychopharmacology. 2014;231(4):639-49. doi: :10.1007/s00213-013-3397-x.

Barbosa DLF, Miranda MC, Bueno OFA. Tradução e adaptação do Pay Attention - um programa de treinamento dos processos da atenção para crianças. Psicol Reflex Crit. 2014;27(4):775-83. doi: 10.1590/1678-7153.201427418.

Barbosa Neto JB, Germain A, Mattos PF, Serafim PM, Santos RCM, Martini LC, Suchecki D, Mello MF. Psychometric properties of the Brazilian version of the Pittsburgh Sleep Quality Index Addendum for PTSD (PSQI-A). Rev Bras Psiquiatr. 2014;36(4):330-5. doi: 10.1590/1516-4446-2013-1225.

Baria F, Kamimura MA, Aoike DT, Ammirati A, Leister Rocha M, De Mello MT, Cuppari L. Randomized controlled trial to evaluate the impact of aerobic exercise on visceral fat in overweight chronic kidney disease patients. Nephrol Dial Transplant. 2014;29(4):857-64. doi: 10.1093/ndt/gft529.

Barros EL, Pradella-Hallinan M, Moreira GA, Stefanini DO, Tufik S, Fujita RR. Follow-up of obstructive sleep apnea in children. Braz J Otorhinolaryngol. 2014;80(4):277-84. doi: 10.1016/j.bjorl.2014.05.008.

Behrens NSCS, Lopes E, Pereira D, Fonseca HA, Cavalcanti PO, Lima TFA, Pradella-Hallinan M, Castro J, Tufik S, Coelho FMS. Experience with the use of modafinil in the treatment of narcolepsy in a outpatient facility specialized in diurnal excessive sleepiness in São Paulo. Sleep Sci. 2014;7(1):65-8. doi: 10.1016/j.slsci.2014.07.017.

Berro LF, Frussa-Filho R, Tufik S, Andersen ML. Treatment of cocaine addiction with amphetamine, a sleep-suppressant drug: associative learning, sleep patterns and clinical perspectives. Psychopharmacology. 2014;231:457-8. doi: 10.1007/s00213-013-3365-5.

Berro LF, Frussa-Filho R, Tufik S, Andersen ML. Relationships between sleep and addiction: the role of drug-environment conditioning. Med Hypotheses. 2014;82(3):374-6. doi: 10.1016/j.mehy.2013.12.026.

Berro LF. Obituary: Roberto Frussa-Filho (1960–2013). Psychopharmacology. 2014;231:1863-4. doi: 10.1007/s00213-014-3502-9.

Berro LF, Hollais AW, Patti CL, Fukushiro DF, Mári-Kawamoto E, Talhati F, Costa JM, Zanin KA, Lopes-Silva LB, Ceccon LM, Santos R, Procópio-Souza R, Trombin TF, Yokoyama TS, Wuo-Silva R, Tufik S, Andersen ML, Frussa-Filho R. Sleep deprivation impairs the extinction of cocaine-induced environmental conditioning in mice. Pharmacol Biochem Behav. 2014;124:13-8. doi: 10.1016/j.pbb.2014.05.001.

Berro LF, Santos R, Hollais AW, Wuo-Silva R, Fukushiro DF, Mári-Kawamoto E, Costa JM, Trombin TF, Patti CL, Grapiglia SB, Tufik S, Andersen ML, Frussa-Filho R. Acute total sleep deprivation potentiates cocaine-induced hyperlocomotion in mice. Neurosci Lett. 2014;579:130-3. doi: 10.1016/j.neulet.2014.07.028.

Berro LF, Frussa-Filho R, Tufik S, Andersen ML. Cocaine-induced environmental conditioning: Sleep deprivation as a neglected contributor. Med Hypotheses. 2014;83(3):419-20. doi: 10.1016/j.mehy.2014.07.003.

Berro LF, Tufik SB, Tufik S. A journey through narcolepsy diagnosis: From ICSD 1 to ICSD 3. Sleep Sci. 2014;7(1):3-4. doi: 10.1016/j.slsci.2014.07.025.

Bhona FMC, Gebara CFP, Noto AR, Vieira MT, Lourenço LM. Inter-relações da violência no sistema familiar: estudo domiciliar em um bairro de baixa renda. Psicol Reflex Crit. 2014;27(3):591-8. doi: 10.1590/1678-7153.201427321.

Boersma GJ, Bale TL, Casanello P, Lara HE, Lucion AB, Suchecki D, Tamashiro KL. Long-term impact of early life events on physiology and behaviour. J Neuroendocrinol. 2014;26(9):587-602. doi: 10.1111/jne.12153.

Boin AC, Nozoe KT, Polesel DN, Andersen ML, Tufik S. The possible influence of sleep in childhood obesity. Eur J Clin Nutr. 2014;68(2):281. doi: 10.1038/ejcn.2013.247.

Boin AC, Nozoe KT, Polesel DN, Andersen ML, Tufik S. The potential role of sleep in sexual dysfunction in patients with schizophrenia. Schizophrenia Res. 2014;154(1-3):126-7. doi: 10.1016/j.schres.2014.01.042.

Boin AC, Hirotsu C, Andersen ML, Tufik S. Depressive symptoms and cognitive decline in aging: is sleep a possible modulator? (Commentary). Neurology (Online 24 Nov 2014). Disponível em: https://www.neurology.org/content/83/8/702.abstract/reply

Campos RM, de Mello MT, Tock L, Silva PL, Masquio DC, de Piano A, Sanches PL, Carnier J, Corgosinho FC, Foschini D, Tufik S, Dâmaso AR. Aerobic Plus Resistance Training Improves Bone Metabolism and Inflammation in Adolescents who Are Obese. J Strength Cond Res. 2014;28(3):758-66. doi: 10.1519/JSC.0b013e3182a996df.

Caris AV, Lira FS, de Mello MT, Oyama LM, Dos Santos RV. Carbohydrate and glutamine supplementation modulates the Th1/Th2 balance after exercise performed at a simulated altitude of 4500 m. Nutrition. 2014;30(11-12):1331-6. doi: 10.1016/j.nut.2014.03.019.

Carvalho RS, Perry JC, Campos RR, Andersen ML, Tufik S, Bergamaschi CT. Paradoxical sleep deprivation increases mortality in myocardial infarcted rats. Sleep Biol Rhythms. 2014;12(3):216-9. doi:10.1111/sbr.12062.

Cavagnolli DA, Esteves AM, Ackel-D'Elia C, Maeda MY, Faria AP, Tufik S, De Mello MT. Aerobic exercise does not change C-reactive protein levels in non-obese patients with obstructive sleep apnoea. Eur J Sport Sci. 2014;14(suppl 1):S142-S147. doi: 10.1080/17461391.2012.663412.

Chagas MHN, Moriyama TS, Felício AC, Sosa AL, Bressan RA, Ferri CP. Depression increases in patients with Parkinson?s disease according to the increasing severity of the cognitive impairment. Arq Neuropsiquiatria. 2014;72(6):426-9. doi: 10.1590/0004-282X20140049.

Chaves Jr CM, Moro A, Dal Fabbro C, Bittencourt LRA. Ronco e apneia do sono: tratando com aparelho intraoral ajustável. Dicas. 2014;3(1):58-61.

Chaves Junior CM, Dal-Fabbro C, Rossi RRP, Ferraz OL, Moro A, Bittencourt LRA. Tratamento do ronco primário - Quando e como usar aparelhos retentores de língua. Ortho Sci. 2014;7(26):131-135.

Cintra FD, Leite RP, Storti LJ, Bittencourt LA, Poyares D, Castro LD, Tufik S, Paola AD. Sleep Apnea and Nocturnal Cardiac Arrhythmia: a populational study. Arq Bras Cardiol. 2014;103(5):368-74. doi: 10.5935/abc.20140142.

Coelho FMS. Narcolepsy – Between the dream and reality. Sleep Sci. 2014;7(1):1-2. doi: 10.1016/j.slsci.2014.07.019. doi: 10.1016/j.slsci.2014.07.019.

Coimbra RS, Calegare BF, Candiani TM, D'Almeida V. A putative role for homocysteine in the pathophysiology of acute bacterial meningitis in children. BMC Clin Pathol. 2014;14(1):43. doi: 10.1186/1472-6890-14-43.

Correa KM, Bittencourt LR, Tufik S, Hachul H. Frequência dos distúrbios de sono em mulheres na pós-menopausa com sobrepeso/obesidade. Rev Bras Ginecol Obstet. 2014;36(2):90-6. doi: 10.1590/S0100-72032014000100008.

Cruz-Rodrigues C, Mecca TP, Oliveira DG, Ueki K, Bueno OFA, Macedo EC. Perfis cognitivos de crianças e adolescentes com dislexia na WISC-III. Arq Bras Psicol. (Rio de Janeiro). 2014;66(2):17-35.

Cruz-Rodrigues C, Barbosa T, Toledo-Piza CMJ, Miranda MC, Bueno OFA. Neuropsychological characteristics of dyslexic children. Psicol Reflex Crit. 2014;27(3):539-46. doi: 10.1590/1678-7153.201427315.

Da Silva-Júnior FP, do Prado GF, Barbosa ER, Tufik S, Togeiro SM. Sleep disordered breathing in Parkinson’s disease: A critical appraisal. Sleep Med Rev. 2014;18(2):173-178. doi: 10.1016/j.smrv.2013.04.005.

Dal-Fabbro C, Garbuio S, D'Almeida V, Cintra FD, Tufik S, Bittencourt L. Mandibular advancement device and CPAP upon cardiovascular parameters in OSA. Sleep Breath. 2014;18(4):749-59. doi: 10.1007/s11325-014-0937-5.

Damaso AR, Campos RMS, Caranti DA, de Piano A, Fisberg M, Foschini D, Sanches PL, Tock L, Lederman HM, Tufik S, De Mello MT. Aerobic plus resistance training was more effective in improving the visceral adiposity, metabolic profile and inflammatory markers than aerobic training in obese adolescents. J Sports Sci. 2014;32(15):1435-1445. doi: 10.1080/02640414.2014.900692.

Decleva D, Amaral Junior R, Kim LJ, Tufik S, Andersen ML. Relation between body mass index and obstructive sleep apnea. Sleep Breath. 2014;18(1):1-2. doi: 10.1007/s11325-013-0844-1.

Delabio R, Rasmussen L, Mizumoto I, Viani GA, Chen E, Villares J, Costa IB, Turecki G, Linde SA, Smith MC, Payão SL. PSEN1 and PSEN2 gene expression in Alzheimer's disease brain: a new approach. J Alzheimer Dis. 2014;42(3):757-60. doi: 10.3233/JAD-140033.

Dieckmann LH, Ramos AC, Silva EA, Justo LP, Sabioni P, Frade IF, de Souza AL, Galduroz JC. Effects of biperiden on the treatment of cocaine/crack addiction: A randomised, double-blind, placebo-controlled Trial. Eur Neuropsychopharmacol. 2014;24(8):1196-202. doi: 10.1016/j.euroneuro.2014.06.001.

Engel de Abreu PMJ, Nikaedo C, Abreu N, Tourinho CJ, Miranda MC, Bueno OFA, Martin R. Working memory screening, school context, and socioeconomic status: an analysis of the effectiveness of the Working Memory Rating Scale in Brazil. J Attention Disord. 2014;18(4):346-56. doi: 10.1177/1087054713476138.

Engel de Abreu PM, Abreu N, Nikaedo CC, Puglisi ML, Tourinho CJ, Miranda MC, Befi-Lopes DM, Bueno OF, Martin R. Executive functioning and reading achievement in school: a study of Brazilian children assessed by their teachers as “poor readers”. Front Psychol. 2014;5:550. doi: 10.3389/fpsyg.2014.00550.

Faller S, Peuker AC, Sordi A, Stolf A, Souza-Formigoni ML, Cruz MS, Brasiliano S, Pechansky F, Kessler F. Who seeks public treatment for substance abuse in Brazil? Results of a multicenter study involving four Brazilian state capitals. Trends Psychiatry Psychother. 2014;36(4):193-202. doi: 10.1590/2237-6089-2014-0040.

Feres MC, Cintra FD, Rizzi CF, Mello-Fujita L, Lino de Souza AA, Tufik S, Poyares D. Evaluation and validation of a method for determining platelet catecholamine in patients with obstructive sleep apnea and arterial hypertension. PLoS One. 2014;9(6):e98407. doi: 10.1371/journal.pone.0098407.

Fernandes L, Lungato L, Zaros T, Marinho R, Cavalcante-Silva V, Nagaoka MR, D’Almeida V. detraining leads to weight gain and a decrease in hepatic glycogen after 8 weeks of training. J Liver. 2014;3(3):159. doi: 10.4172/2167-0889.1000159.

Ferreira GCL, Silveira PS, Noto AR, Ronzani TM. Implicações da relação entre estigma internalizado e suporte social para a saúde: Uma revisão sistemática da literatura. Estudos Psicol. (Natal). 2014;19(1):77-86. doi: 10.1590/S1413-294X2014000100010.

Ferreira L, Ferreira Santos-Galduroz R, Ferri CP, Fernandes Galduroz JC. Rate of cognitive decline in relation to sex after 60 years-of-age: A systematic review. Geriatr Gerontol Int. 2014;14(1):23-31. doi: 10.1111/ggi.12093.

Flaks MK, Malta SM, Almeida PP, Bueno OF, Pupo MC, Andreoli SB, Mello MF, Lacerda AL, Mari JJ, Bressan RA. Attentional and executive functions are differentially affected by post-traumatic stress disorder and trauma. J Psychiatr Res. 2014;48(1):32-9. doi: 10.1016/j.jpsychires.2013.10.009.

Fonseca HA, Lopes DA, Pereira D, Sguillar DA, Lopes E, Behrens NSCS, Lima TFA, Pradella-Hallinan M, Castro J, Tufik S, Coelho FMS. The use of citalopram for the treatment of cataplexy. Sleep Sci. 2014;7(1):50-2. doi: 10.1016/j.slsci.2014.07.016.

Frange C, Hachul H, Tufik S, Andersen ML. Letter to the editor. Pain. 2014;155(5):1043-4. doi: 10.1016/j.pain.2014.02.002.

Frange C, Hirotsu C, Hachul H, Araujo P, Tufik S, Andersen ML. Fibromyalgia and sleep in animal models: a current overview and future directions. Curr Pain Headache Rep. 2014;18(8):434. doi: 10.1007/s11916-014-0434-3.

Frange C, Hachul H, Tufik S, Andersen ML. Fibromyalgia: is it possible to measure the association of subjective and objective pain? Comment on the article by Wolfe et AL. Arthritis Care Res. 2014;66(8):1269-70. doi: 10.1002/acr.22266.

Frange C, Queiroz SS, Prado JMS, Tufik S, De Mello MT. The impact of sleep duration on self-rated health. Sleep Sci. 2014;7(2):107-13. doi: 10.1016/j.slsci.2014.09.006.

Galduroz JCF, Ramos AC, Santos-Galduroz RF. Naltrexone in the treatment of Parkinson's disease: differences among impulsivity, compulsivity and craving. (Commentary). Neurology (Online 24 Nov 2014). Disponível em: https://www.neurology.org/content/83/9/826/reply

Gama RL, Bruin VM, Távora DG, Duran FL, Bittencourt L, Tufik S. Structural brain abnormalities in patients with Parkinson's disease with visual hallucinations: A comparative voxel-based analysis. Brain Cogn. 2014;87:97-103. doi: 10.1016/j.bandc.2014.03.011.

Garcia MC, Pompeia S, Hachul H, Kozasa EH, de Souza AA, Tufik S, Mello LE. Is mindfulness associated with insomnia after menopause? Menopause. 2014;21(3):301-5. doi: 10.1097/GME.0b013e31829996fc.

Girardi CE, Zanta NC, Suchecki D. Neonatal stress-induced affective changes in adolescent Wistar rats: early signs of schizophrenia-like behavior. Front Behav Neurosci. 2014;8:319. doi: 10.3389/fnbeh.2014.00319.

Gomes FGN, Fernandes J, Vannucci Campos D, Cassilhas RC, Viana GM, D'Almeida V, de Moraes Rêgo MK, Buainain PI, Cavalheiro EA, Arida RM. The beneficial effects of strength exercise on hippocampal cell proliferation and apoptotic signaling is impaired by anabolic androgenic steroids. Psychoneuroendocrinology. 2014;50C:106-117. doi: 10.1016/j.psyneuen.2014.08.009.

Gomes MM, Coimbra JB, Clara RO, Dörr FA, Moreno ACR, Chagas JR, Tufik S, Pinto Jr E, Catalani LH, Campa A. Biosynthesis of *N,N*-dimethyltryptamine (DMT) in a melanoma cell line and its metabolization by peroxidases. Biochem Pharmacol. 2014;88(3):393–401. doi: 10.1016/j.bcp.2014.01.035.

Gonçalves VM, D'Almeida V, Müller KB, Real F, Mortara RA. Lysosomal integral membrane protein 2 (LIMP-2) restricts the invasion of Trypanosoma cruzi extracellular amastigotes through the activity of the lysosomal enzyme β-glucocerebrosidase. Microbes Infect. 2014;16(3):253-60. doi: 10.1016/j.micinf.2013.11.004.

Goto V, Frange C, Andersen ML, Júnior JM, Tufik S, Hachul H. Chiropractic intervention in the treatment of postmenopausal climacteric symptoms and insomnia: a review. Maturitas. 2014;78(1):3-7. doi: 10.1016/j.maturitas.2014.02.004.

Goulart LI, Pinto Jr LR, Perlis ML, Martins R, Caboclo LO, Tufik S, Andersen ML. Effects of different sleep deprivation protocols on sleep perception in healthy volunteers. Sleep Med. 2014;15(10):1219–24. doi: 10.1016/j.sleep.2014.05.025.

Guilheiro JM, Chaves MD, Martins AM, Ribeiro DA, D'Almeida V. Cytogenetic biomonitoring in mucopolyssacharosis I, II and IV patients treated with enzyme replacement therapy. Toxicol Mech Methods. 2014;24(8):603-7. doi: 10.3109/15376516.2014.956913.

Guindalini C, Mazzotti DR, Castro LS, D'Aurea CVR, Andersen ML, Poyares D, Bittencourt LRA, Tufik S. Brain-derived neurotrophic factor gene polymorphism predicts interindividual

variation in the sleep electroencephalogram. J Neurosci Res. 2014;92(8):1018–23. doi: 10.1002/jnr.23380.

Hachul H, Monson C, Kozasa EH, Oliveira DS, Goto V, Afonso R, Llanas AC, Tufik S. Complementary and alternative therapies for treatment of insomnia in women in postmenopause. Climacteric. 2014;17(6):645-53. doi: 10.3109/13697137.2014.926321.

Hachul H, Oliveira DS, Bittencourt LRA, Andersen ML, Tufik S. The beneficial effects of massage therapy for insomnia in postmenopausal women. Sleep Sci. 2014;7(2):114-6. doi: 10.1016/j.slsci.2014.09.005.

Hachul H, Tufik S, Andersen ML. How does sleep relate to metabolic syndrome in women with sexual dysfunction? J Sex Med. 2014;11(12):3123-4. doi: 10.1111/jsm.12694.

Haddad L, Martinho Haddad FL, Bittencourt L, Gregório LC, Tufik S, Abrahao M. Impact of thyroidectomy on the control of obstructive sleep apnea syndrome in patients with large goiters. Sleep Breath. 2014;18(4):825-8. doi: 10.1007/s11325-014-0950-8.

Hirotsu C, Tufik S, Andersen ML. Sleep apnea as a potential threat to reproduction. Sleep. 2014;37(11):1731-2. doi: 10.5665/sleep.4158.

Hirotsu C, Bittencourt L, Garbuio S, Andersen ML, Tufik S. Sleep complaints in the Brazilian population: impact of socioeconomic factors. Sleep Sci. 2014;7(3):135-42. doi: 10.1016/j.slsci.2014.08.001.

Hollais AW, Patti CL, Zanin KA, Fukushiro DF, Berro LF, Carvalho RC, Kameda SR, Frussa-Filho R. Effects of acute and long-term typical or atypical neuroleptics on morphine-induced behavioural effects in mice. Clin Exp Pharmacol Physiol. 2014; 41(3):255-63. doi: 10.1111/1440-1681.12203.

Iftikhar IH, Valentine CW, Bittencourt LRA, Cohen DL, Fedson AC, Gíslason T, Penzel T, Phillips CL, Yu-sheng L, Pack AI, Magalang UJ. Effects of Continuous Positive Airway Pressure on blood pressure in patients with resistant hypertension and Obstructive Sleep Apnea: a meta-analysis. J Hypertens. 2014;32(12):2341-50. doi: 10.1097/HJH.0000000000000372.

Janovsky CC, Rolim LC, de Sá JR, Poyares D, Tufik S, Silva AB, Dib SA. Cardiovascular autonomic neuropathy contributes to sleep apnea in young and lean type 1 diabetes mellitus patients. Front Endocrinol (Lausanne). 2014;5:119. doi: 10.3389/fendo.2014.00119.

Julian GS, de Oliveira RW, Perry JC, Tufik S, Chagas JR. Validation of housekeeping genes in the brains of rats submitted to chronic intermittent hypoxia, a sleep apnea model. PLoS One. 2014;9(10):e109902. doi: 10.1371/journal.pone.0109902.

Kahan V, Ribeiro DA, Egydio F, Barros LA, Tomimori J, Tufik S, Andersen ML. Is Lack of Sleep Capable of Inducing DNA Damage in Aged Skin? Skin Pharmacol Physiol. 2014;27(3):127-31. doi: 10.1159/000354915.

Kameda SR, Fukushiro DF, Trombin TF, Sanday L, Wuo-Silva R, Saito LP, Tufik S, D'Almeida V, Frussa-Filho R. The effects of paradoxical sleep deprivation on amphetamine-induced behavioral sensitization in adult and adolescent mice. Psychiatry Res. 2014;218(3):335-40. doi: 10.1016/j.psychres.2014.04.046.

Kim LJ, Coelho FMS, Tufik S, Andersen ML. Short sleepers or sleep deprivation: finding the real risk factor for ischemic stroke. Sleep Med. 2014;15(4):480. doi: 10.1016/j.sleep.2014.01.007.

Kim LJ, Coelho FM, Tufik S, Andersen ML. New perspectives of iron deficiency as a risk factor for ischemic stroke. Ann Hematol. 2014;93:1243–4. doi: 10.1007/s00277-013-1956-1.

Kim LJ, Truksinas E, Tufik S, Andersen ML, Coelho FM. Can we improve stroke rehabilitation after a circadian preference study? Int J Stroke. 2014;9(Suppl A100):145. doi: 10.1111/ijs.12346.

Labbate GP, da Silva AV, Barbosa-Silva RC. Effect of severe neonatal seizures on prepulse inhibition and hippocampal volume of rats tested in early adulthood. Neurosci Lett. 2014;568:62-6. doi: 10.1016/j.neulet.2014.03.019.

Levrini L, Lorusso P, Caprioglio A, Magnani A, Diaféria G, Bittencourt L, Bommarito S. Model of oronasal rehabilitation in children with obstructive sleep apnea syndrome undergoing rapid maxillary expansion: Research review. Sleep Sci. 2014;7(4):225-33. doi: 10.1016/j.slsci.2014.11.002.

Llibre Rodríguez JJ, Valhuerdi Cepero A, Sanchez Gil IY, López Medina AM, Llibre-Guerra JC, Llibre-Guerra JJ, Marcheco Teruel B, Ferri CP, Martin Prince M. Incidence of dementia and association with APOE genotype in older Cubans. Dement. Neuropsychol. 2014;8(4):356-63. doi: 10.1590/S1980-57642014DN84000009.

Lima ILB, Rodrigues AFAC, Bergamaschi CT, Campos RR, Hirata AE, Tufik S, Xylaras BDP, Visniauskas B, Chagas JR, Gomes GN. Chronic sleep restriction during pregnancy - repercussion on cardiovascular and renal functioning of male offspring. PLoS One. 2014;9(11):e113075. doi: 10.1371/journal.pone.0113075.

Lima M, Malheiros J, Negrigo A, Tescarollo F, Medeiros M, Suchecki D, Tannús A, Guinsburg R, Covolan L. Sex-related long-term behavioral and hippocampal cellular alterations after nociceptive stimulation throughout postnatal development in rats. Neuropharmacology. 2014;77:268-76. doi: 10.1016/j.neuropharm.2013.10.007.

Lima TFA, Behrens NSCS, Lopes E, Pereira D, Fonseca HA, Cavalcanti PO, Pradella-Hallinan M, Castro J, Tufik S, Coelho FMS. Kleine-Levin Syndrome: a case report. Sleep Sci. 2014;7(2):122-5. doi: 10.1016/j.eurpsy.2017.01.1703.

Lopes E, Pereira D, Behrens NSCS, Fonseca HA, Calvancanti PO, Lima TFA, Pradella-Hallinan M, Castro J, Tufik S, Coelho FMS. Cataplexy as a side effect of modafinil in a patient without narcolepsy. Sleep Sci. 2014;7(1):47-9. doi: 10.1016/j.slsci.2014.07.015.

Lopez AD, Williams TN, Levin A, Tonelli M, Singh JA, Burney PGJ, Rehm J, Volkow ND, Koob G, Ferri CP. Remembering the forgotten non-communicable diseases. BMC Med. 2014;12:200. doi: 10.1186/s12916-014-0200-8.

Lucchetti G, Oliveira LR, Leite JR, Lucchetti AL, SBRAME Collaborators. Medical students and controversial ethical issues: results from the multicenter study SBRAME. BMC Med Ethics. 2014;15:85. doi: 10.1186/1472-6939-15-85.

Machado E, Dal-Fabbro C, Cunali PA, Kaizer OB. Prevalence of sleep bruxism in children: A systematic review. Dental Press J Orthod. 2014;19(6):54-61. doi: 10.1590/2176-9451.19.6.054-061.oar.

Maculano Esteves A, Ackel-D'elia C, Tufik S, De Mello MT. Sleep patterns and acute physical exercise: the effects of gender, sleep disturbances, type and time of physical exercise. J Sports Med Phys Fitness. 2014;54(6):809-15.

Malheiros JM, Lima M, Avanzi RD, Gomes da Silva S, Suchecki D, Guinsburg R, Covolan L. Repetitive noxious neonatal stimuli increases dentate gyrus cell proliferation and hippocampal

brain-derived neurotrophic factor levels. Hippocampus. 2014;24(4):415-23. doi: 10.1002/hipo.22235.

Mani SK, Anselmo-Franci J, Lara H, Suchecki D, Poletini MO, Handa RJ, Wu TY. Neuroendocrine regulation and homeostasis. J Neuroendocrinol. 2014;26(9):555-6. doi: 10.1111/jne.12184.

Mariano MO, Esteves AM, Frank MK, Caperuto LC, Manconi M, Tufik S, De Mello MT. Changes in motor behavior during pregnancy in rats: the basis for a possible animal model of restless legs syndrome. Rev Bras Ginecol Obstet. 2014;36(10):436-41. doi: 10.1590/SO100-720320140005105.

Marques LA, Galduroz JCF, Fernandes MR, Beijo LA, Noto AR. Drug-related problems, drug-related negative clinical outcomes and pharmacist interventions in outpatients with depressive disorder. J Scientific Res Pharm. 2014;3:26-30.

Martin PK, Stilhano RS, Samoto VY, Takiya CM, Peres GB, da Silva Michelacci YM, da Silva FH, Pereira VG, D'Almeida V, Marques FL, Otake AH, Chammas R, Han SW. Mesenchymal stem cells do not prevent antibody responses against human α-L-Iduronidase when used to treat Mucopolysaccharidosis Type I. PLoS One. 2014;9(3):e92420. doi: 10.1371/journal.pone.0092420.

Masquio DC, de Piano A, Campos RM, Sanches PL, Corgosinho FC, Carnier J, Oyama LM, do Nascimento CM, de Mello MT, Tufik S, Dâmaso AR. Saturated Fatty Acid Intake Can Influence Increase in Plasminogen Activator Inhibitor-1 in Obese Adolescents. Horm Metab Res. 2014;46:245-51. doi: 10.1055/s-0034-1370908.

Masquio DCL, De Piano A, Pereira CCA, Sanches PL, Campos RMS, Carnier J, Oyama LM, Tufik S, De Mello MT, Dâmaso A. Exclusive breast-feeding can improve cardiovascular risks and anti-inflammatory state in obese adolescents. Alim Nutr. 2014;25(1):33-9.

Masuko AH, Villa TR, Pradella-Hallinan M, Moszczynski AJ, Carvalho DS, Tufik S, Do Prado GF, Coelho FMS. Prevalence of bruxism in children with episodic migraine - a case–control study with polysomnography. BMC Research Notes 2014;7:298. doi: 10.1186/1756-0500-7-298.

Matos G, Scorza FA, Mazzotti DR, Guindalini C, Cavalheiro EA, Tufik S, Andersen ML. The effects of sleep deprivation on microRNA expression in rats submitted to pilocarpine-induced status epilepticus. Progr Neuropsychopharmacol Biol Psychiatry. 2014;51:159-65. doi: 10.1016/j.pnpbp.2014.02.001.

Matuzaki L, Santos-Silva R, Marqueze EC, Moreno CRC, Tufik S, Bittencourt L. Temporal sleep patterns in adults using actigraph. Sleep Sci. 2014;7(3):152-7. doi: 10.1016/j.slsci.2014.09.012.

Mazzotti DR, Guindalini C, Moraes WA, Andersen ML, Cendoroglo MS, Ramos LR, Tufik S. Human longevity is associated with regular sleep patterns, maintenance of slow wave sleep, and favorable lipid profile. Front Aging Neurosci. 2014;6:134. doi: 10.3389/fnagi.2014.00134.

Meloni VA, Guilherme RS, Oliveira MM, Migliavacca M, Takeno SS, Sobreira NL, de Fatima Faria Soares M, de Mello CB, Melaragno MI. Cytogenomic delineation and clinical follow-up of two siblings with an 8.5 Mb 6q24.2-q25.2 deletion inherited from a paternal insertion. Am J Med Genet A. 2014;164A(9):2378-84. doi: 10.1002/ajmg.a.36631.

Meloni VA, Takeno SS, Pilla AL, de Mello CB, Melaragno MI, Kulikowski LD. Trisomy 1q32 and monosomy 11q25 associated with congenital heart defect: cytogenomic delineation and

patient fourteen years follow-up. Mol Cytogenet. 2014;7:57. doi: 10.1186/s13039-014-0057-8.

Mendes RH, Mostarda C, Candido GO, Moraes-Silva IC, D'Almeida V, Belló-Klein A, Irigoyen MC, Rigatto K. Moderate hyperhomocysteinemia provokes dysfunction of cardiovascular autonomic system and liver oxidative stress in rats. Auton Neurosci. 2014;180:43-7. doi: 10.1016/j.autneu.2013.10.006.

Miranda MF, Hamani C, De Almeida A-CG, Amorim BO, Macedo CE, Fernandes MJS, Nobrega JN, Aarão MC, Madureira AP, Rodrigues AM, Andersen ML, Tufik S, Mello LE, Covolan L. Role of adenosine in the antiepileptic effects of deep brain stimulation. Front Cell Neurosci. 2014;8:312. doi: 10.3389/fncel.2014.00312.

Molska GR, Negri G, Paula-Freire LI, Araujo LP, Köhn DO, Basso AS, Carlini EA. Phyllanthus amarus does not affect hypernociception in experimental autoimmune encephalomyelitis. Planta Med. 2014;80(4):277-82. doi: 10.1055/s-0033-1360400.

Moraes DA, Venancio DP, Suchecki D. Sleep deprivation alters energy homeostasis through non-compensatory alterations in hypothalamic insulin receptors in Wistar rats. Horm Behav. 2014;66(5):705-12. doi: 10.1016/j.yhbeh.2014.08.015.

Moraes W, Piovezan R, Poyares D, Bittencourt LR, Santos-Silva R, Tufik S. Effects of aging on sleep structure throughout adulthood: a population-based study. Sleep Med. 2014;15(4):401-9. doi: 10.1016/j.sleep.2013.11.791.

Moreira GA, Kyosen SO, Patti CL, Martins AM, Tufik S. Prevalence of obstructive sleep apnea in patients with mucopolysaccharidosis types I, II, and VI in a reference center. Sleep Breath. 2014;18(4):791-7. doi: 10.1007/s11325-014-0944-6.

Mota MC, Waterhouse J, De-Souza DA, Rossato LT, Silva CM, Araújo MBJ, Tufik S, de Mello MT, Crispim CA. Sleep pattern is associated with adipokine levels and nutritional markers in resident physicians. Chronobiol Int. 2014;31(10):1130–8. doi: 10.3109/07420528.2014.957300.

Narciso FV, Teixeira CW, Silva LO, Koyama RG, Carvalho ANS, Esteves AM, Tufik S, De Mello MT. Maquinistas ferroviários: trabalho em turnos e repercussões na saúde. Rev Bras Saúde Ocup. 2014;39(130):198-209. doi: 10.1590/0303-7657000084113.

Nascimento CC, Junior OA, D'Almeida V. Analysis of male reproductive parameters in a murine model of mucopolysaccharidosis type I (MPS I). Int J Clin Exp Pathol. 2014;7(6):3488-97.

Nascimento MA, Higa EMS, De Mello MT, Tufik S, Oyama LM, Santos RV, Farfan JÁ, Risso EM, De Souza CT, Pimentel GD, Lira FS. Effects of short-term l-arginine supplementation on lipid profile and inflammatory proteins after acute resistance exercise in overweight men. e-SPEN J. 2014;9(3): e141–e145. doi: 10.1016/j.clnme.2014.02.002.

Negri G, Mattei R, Mendes FR. Antinociceptive activity of the HPLC- and MS-standardized hydroethanolic extract of *Pterodon emarginatus* Vogel leaves. Phytomedicine. 2014;21(8-9):1062-9. doi: 10.1016/j.phymed.2014.04.009.

Netto BDM, Masquio DCL, Campos RMS, Sanches PL, Corgosinho FC, Tock L, Oyama LM, De Mello MT, Tufik S, Dâmaso AR. The high glycemic index diet was an independent predictor to explain changes in agouti-related protein in obese adolescents. Nutr Hosp. 2014;29(2):305-14. doi: 10.3305/nh.2014.29.2.7087.

Nicolau ZFM, Bezerra AG, Andersen ML, Tufik S, Hachul H. Mindfulness-based intervention to treat insomnia in elderly people. Contemp Clin Trials. 2014;39(1):166-7. doi: 10.1016/j.cct.2014.08.006.

Nogueira-Pedro A, Dias CC, Segreto HR, Addios PC, Lungato L, D'Almeida V, Barros CC, Higa EM, Buri MV, Paredes-Gamero EJ, Ferreira AT. Nitric oxide-induced murine hematopoietic stem cell fate involves multiple signaling proteins, gene expression and redox modulation. Stem Cells. 2014;32(11):2949-60. doi: 10.1002/stem.1773.

Nozoe KT, Kim LJ, Moreira GA, Coelho FM, Boin AC, Polesel DN, Tufik S, Andersen ML. Are caregivers the next to suffer stroke? Int J Stroke. 2014;9(3):E11. doi: 10.1111/ijs.12250.

Nozoe KT, Polesel DN, Boin AC, Moreira GA, Tufik S, Andersen ML. Sleep quality as a confounding factor of maternal weight and preschool wheezing. Eur Respir J. 2014;43(5):1542-1543. doi: 10.1183/09031936.00202113.

Nozoe KT, Polesel DN, Boin AC, Berro LF, Moreira GA, Tufik A, Andersen ML. The role of sleep in Juvenile idiopathic arthritis patients and their caregivers. Pediatric Rheumatol. 2014;12:20. doi: 10.1186/1546-0096-12-20.

Nozoe KT, Hachul H, Hirotsu C, Polesel DN, Moreira GA, Tufik S, Andersen ML. The relationship between sexual function and quality of sleep in caregiving mothers of sons with Duchenne Muscular Dystrophy. Sex Med. 2014;2(3):133-40. doi: 10.1002/sm2.29.

Nozoe KT, Moreira GA, Hachul H, Tufik S, Andersen ML. The Strength beyond the Muscle. J Palliat Med. 2014;17(11):1280-1. doi: 10.1089/jpm.2013.0641.

Oliveira MG, Garbuio S, Treptow EC, Polese JF, Tufik S, Nery LE, Bittencourt L. The use of portable monitoring for sleep apnea diagnosis in adults. Expert Rev Respir Med. 2014;8(1):123-32. doi: 10.1586/17476348.2014.850421.

Oliveira MM, Meloni VA, Canonaco RS, Takeno SS, Bortolai A, De Mello CB, de Lima FT, Melaragno MI. Juvenile polyposis/hereditary hemorrhagic telangiectasia syndrome in an adolescent with complex chromosomal rearrangement and intellectual disability. Am J Med Genet A. 2014 Oct;164A(10):2685-8. doi: 10.1002/ajmg.a.36690.

Opaleye ES, Ferri CP, Locatelli DP, Amato TC, Noto AR. Nonprescribed use of tranquilizers and use of other drugs among Brazilian students. Rev Bras Psiquiatria. 2014;36:16-23. doi: 10.1590/1516-4446-2013-1180.

Passos GS, Poyares D, Santana MG, Teixeira AA, Lira FS, Youngstedt SD, Dos Santos RV, Tufik S, De Mello MT. Exercise improves immune function, antidepressive response, and sleep quality in patients with chronic primary insomnia. Biomed Res Int. 2014;2014:498961. doi: 10.1155/2014/498961.

Paula-Freire LI, Andersen ML, Gama VS, Molska GR, Carlini EL. The oral administration of trans-caryophyllene attenuates acute and chronic pain in mice. Phytomedicine. 2014;21(3):356-62. doi: 10.1016/j.phymed.2013.08.006.

Pellegrino R, Kavakli IH, Goel N, Cardinale CJ, Dinges DF, Kuna ST, Maislin G, Van Dongen HP, Tufik S, Hogenesch JB, Hakonarson H, Pack AI. A Novel BHLHE41 Variant is Associated with Short Sleep and Resistance to Sleep Deprivation in Humans. Sleep. 2014;37(8):1327-36. doi: 10.5665/sleep.3924.

Pereira D, Lopes E, Behrens NSCS, Fonseca HA, Sguillar DA, Lima TFA, Pradella-Hallinan M, Castro J, Tufik S, Coelho FMS. Prevalence of periodical leg movements in patients with

narcolepsy in an outpatient facility in São Paulo. Sleep Sci. 2014;7(1):69-71. doi: 10.1016/j.slsci.2014.07.018.

Pereira DS, van der Veen DR, Gonçalves BSB, Tufik S, von Schantz M, Archer SN, Pedrazzoli M. The effect of different photoperiods in circadian rhythms of *Per3* knockout mice. BioMed Res Int. 2014;2014:170795. doi: 10.1155/2014/170795.

Pereira JC Jr, Andersen ML. The role of thyroid hormone in sleep deprivation. Med Hypotheses. 2014;82(3):350-5. doi: 10.1016/j.mehy.2014.01.003.

Pereira Jr. JC, Pradella-Hallinan M, Alves RC. Childhood restless legs syndrome. Med Express. 2014;1(3):116-22. doi: 10.5935/MedicalExpress.2014.03.04.

Perry JC, Bergamaschi CT, Campos RR, Silva AM, Tufik S. Interconnectivity of sympathetic and sleep networks is mediated through reduction of gamma aminobutyric acidergic inhibition in the paraventricular nucleus. J Sleep Res. 2014;23(2):168-75. doi: 10.1111/jsr.12110.

Pham Q-C, De Mello MT, Narciso FV, Mônico Neto M, Teixeira CW, Antonietti LS, Garbuio SA, Fernandes Júnior SA, Koyama RG, Duarte M, Tufik S. Robust evaluation of time since awakening using force platform posturography. Rev Bras Eng Biomed. 2014;30(4):322-9. doi: 10.1590/1517-3151.0611.

Pildervasser JVN, Abrahao KP, Souza-Formigoni MLO. Distinct behavioral phenotypes in ethanol-induced place preference are associated with different extinction and reinstatement but not behavioral sensitization responses. Front Behav Neurosci. 2014;8:267. doi: 10.3389/fnbeh.2014.00267.

Pincham HL, Matejko AA, Obersteiner A, Killikelly C, Abrahao KP, Benavides-Varela S, Gabriel FC, Rato JR, Vuillier L. Forging a new path for Educational Neuroscience: an international young-researcher perspective on combining neuroscience and educational practices. Trends Neurosci Educ. 2014;3:28-31. doi: 10.1016/j.tine.2014.02.002.

Pitangueira JCD, Silva LR, Santana MLP, Silva MDM, Costa PRF, D'Almeida V, Assis AMO. Metabolic syndrome and associated factors in children and adolescents of a Brazilian municipality. Nutr Hosp. 2014;29(4):865-72. doi: 10.3305/nh.2014.29.4.7206.

Polesel DN, Fukushiro DF, Andersen ML, Nozoe KT, Mári-Kawamoto E, Saito LP, Carvalho FR, Alvarenga TA, Freitas D, Tufik S, Frussa-Filho R, Lanaro R, Costa JL, Tavares MF. Anxiety-like effects of meta-chlorophenylpiperazine in paradoxically sleep-deprived mice. Prog Neuropsychopharmacol Biol Psychiatry. 2014;49:70-7. doi: 10.1016/j.pnpbp.2013.11.007.

Polesel DN, Okazaki KM, Nozoe KT, Andersen ML, Tufik S. Obstructive sleep apnea as a potential confounding factor in atherosclerosis in the Asian population. J Neurol Sci. 2014;346(1-2):333-4. doi: 10.1016/j.jns.2014.08.006.

Poloni S, Leistner-Segal S, Bandeira IC, D'Almeida V, de Souza CF, Spritzer PM, Castro K, Tonon T, Nalin T, Imbard A, Blom HJ, Schwartz IV. Body composition in patients with classical homocystinuria: body mass relates to homocysteine and choline metabolism. Gene. 2014;546(2):443-7. doi: 10.1016/j.gene.2014.05.015.

Poyares D, Oliveira W, Fujita L. Can CPAP prevent myocardial damage? Anadolu Kardiyol Derg. 2014;14:272-3. doi: 10.5152/akd.2014.1288932.

Preuss UW, Watzke S, Wurst FM; WHO/ISBRA Study on State; Trait Markers of Alcohol Use and Dependence Investigators (…Formigoni MLOS,…). Dimensionality and stages of severity of DSM-5 criteria in an international sample of alcohol-consuming individuals. Psychol Med. 2014;44(15):3303-14. doi: 10.1017/S0033291714000889.

Pudell C, Vicente BA, Delattre AM, Carabelli B, Mori MA, Suchecki D, Machado RB, Zanata SM, Visentainer JV, de Oliveira Santos O Junior, Lima MM, Ferraz AC. Fish oil improves anxiety-like, depressive-like and cognitive behaviors in olfactory bulbectomised rats. Eur J Neurosci. 2014;39(2):266-274. doi: 10.1111/ejn.12406.

Quadros IM, Hwa LS, Shimamoto A, Carlson J, DeBold JF, Miczek KA. Prevention of alcohol-heightened aggression by CRF-R1 antagonists in mice: critical role for DRN-PFC serotonin pathway. Neuropsychopharmacology. 2014;39(12):2874-83. doi: 10.1038/npp.2014.139.

Quintino-Dos-Santos JW, Müller CJ, C Santos AM, Tufik S, Rosa CA, Schenberg LC. Long-lasting marked inhibition of periaqueductal gray-evoked defensive behaviors in inescapably-shocked rats. Eur J Neurosci. 2014;39(2):275-86. doi: 10.1111/ejn.12410.

Quintino-dos-Santos JW, Müller CJT, Bernabé CS, Rosa CA, Tufik S, Schenberg LC. Evidence that the periaqueductal gray matter mediates the facilitation of panic-like reactions in neonatally-isolated adult rats. PLoS ONE. 2014;9(3):e90726. doi: 10.1371/journal.pone.0090726.

Raboni MR, Alonso FFD, Tufik S, Suchecki D. Improvement of mood and sleep alterations in posttraumatic stress disorder patients by eye movement desensitization and reprocessing. Front Behav Neurosci. 2014;8:209. doi: 10.3389/fnbeh.2014.00209.

Ramos AD, Homem KS, Suchecki D, Tufik S, Troncone LR. Drug-induced suppression of ACTH secretion does not promote anti-depressive or anxiolytic effects. Behav Brain Res. 2014;265C:69-75. doi: 10.1016/j.bbr.2014.02.024.

Rezende MM, D'Almeida V. Central and systemic responses to methionine-induced hyperhomocysteinemia in mice. PLoS One. 2014;9(8):e105704. doi: 10.1371/journal.pone.0105704.

Rezende MM, Müller KB, Pereira VG, D'Almeida V. Brazilian reference values for MPS II screening in dried blood spots — A fluorimetric assay. Clin Biochem. 2014;47(13-14):1297-9. doi: 10.1016/j.clinbiochem.2014.06.010.

Rial D, Pandolfo P, Bitencourt RM, Pamplona FA, Moreira KM, Hipolide D, Dombrowski PA, Da Cunha C, Walz R, Cunha RA, Takahashi RN, Prediger RD. Cellular prion protein (PrPC) modulates ethanol-induced behavioral adaptive changes in mice. Behav Brain Res. 2014;271C:325-32. doi: 10.1016/j.bbr.2014.05.067.

Rial D, Pamplona FA, Moreira EL, Moreira KM, Hipolide D, Rodrigues DI, Dombrowski PA, Da Cunha C, Agostinho P, Takahashi RN, Walz R, Cunha RA, Prediger RD. Cellular prion protein is present in dopaminergic neurons and modulates the dopaminergic system. Eur J Neurosci. 2014;40(3):2479-86. doi: 10.1111/ejn.12600.

Rizzi CF, Ferraz MB, Poyares D, Tufik S. Quality-Adjusted Life-Years Gain and Health Status in Patients with OSAS after One Year of Continuous Positive Airway Pressure Use. Sleep. 2014;37(12):1963-8. doi: 10.5665/sleep.4250.

Rosa EF, Alves GA, Luz J, Silva SM, Suchecki D, Pesquero JB, Aboulafia J, Nouailhetas VL. Activation of HPA axis and remodeling of body chemical composition in response to an intense and exhaustive exercise in C57BL/6 mice. Physiol Res. 2014;63(5):605-613.

Rosa L, Teixeira A, Lira F, Tufik S, Mello M, Santos R. Moderate acute exercise (70% VO2 peak) induces TGF-β, α-amylase and IgA in saliva during recovery. Oral Dis. 2014;20(2):186-90. doi: 10.1111/odi.12088.

Rosario JL, Bezerra Diógenes MS, Mattei R, Leite JR. Differences and similarities in postural alterations caused by sadness and depression. J Bodyw Mov Ther. 2014;18(4):540-4. doi: 10.1016/j.jbmt.2013.12.010.

Rossi VC, Tiba PA, Moreira KM, Ferreira TL, Oliveira MGM, Suchecki D. Effects of sleep deprivation on different phases of memory in the rat: dissociation between contextual and tone fear conditioning tasks. Front Behav Neurosci. 2014;8:Article 389. doi: 10.3389/fnbeh.2014.00389.

Sabaneeff L, Motta HM, Castro J, Tufik S, Coelho FMS. Moebius syndrome and narcolepsy: A case dissertation. Sleep Sci. 2014;7(1):43-6. doi: 10.1016/j.slsci.2014.07.014.

Sabino FC, Ribeiro AO, Tufik S, Torres LB, Oliveira JA, Mello LE, Cavalcante JS, Pedrazzoli M. Evolutionary history of the PER3 Variable Number of Tandem Repeats (VNTR): idiosyncratic aspect of primate molecular circadian clock. PLoS ONE. 2014;9(9):e107198. doi: 10.1371/journal.pone.0107198.

Saccol MF, Zanca GG, Ejnisman B, Mello MT, Mattiello SM. Shoulder rotator strength and torque steadiness in athletes with anterior shoulder instability or SLAP lesion. J Sci Med Sport. 2014;17(5):463-8. doi: 10.1016/j.jsams.2013.10.246.

Saito LP, Fukushiro DF, Hollais AW, Mári-Kawamoto E, Costa JM, Berro LF, Aramini TC, Wuo-Silva R, Andersen ML, Tufik S, Frussa-Filho R. Acute total sleep deprivation potentiates amphetamine-induced locomotor-stimulant effects and behavioral sensitization in mice. Pharmacol Biochem Behav. 2014;117:7-16. doi: 10.1016/j.pbb.2013.11.032.

Salles JF, Sbicigo JB, Machado WL, Miranda MC, Fonseca RP. Análise fatorial confirmatória do Instrumento de Avaliação Neuropsicológica Breve Infantil – NEUPSILIN – Inf. Psico-USF. 2014;19(1):119-30. doi: 10.1590/S1413-82712014000100012.

Sanches PL, De Mello MT, Elias N, Fonseca FAH, Campos RMS, Carnier J, Piano A, Masquio DCL, Silva PL, Oyama LM, Corgosinho FC, Nascimento CMO, Tock L, Ackel D'Elia C, Tufik S, Dâmaso AR. Hyperleptinemia: implications on the inflammatory state and vascular protection in obese adolescents submitted to an interdisciplinary therapy. Inflammation. 2014;37(1):35-43. doi: 10.1007/s10753-013-9709-9.

Sanches PL, de Piano A, Campos RM, Carnier J, de Mello MT, Elias N, Fonseca FA, Masquio DC, da Silva PL, Corgosinho FC, Tock L, Oyama LM, Tufik S, Dâmaso AR. Association of nonalcoholic fatty liver disease with cardiovascular risk factors in obese adolescents: The role of interdisciplinary therapy. J Clin Lipidol. 2014;8(3):265-72. doi: 10.1016/j.jacl.2014.02.007.

Schenberg LC, Schimitel FG, Armini RS, Bernabé CS, Rosa CA, Tufik S, Müller CJT, Quintino-Dos-Santos JW. Translational approach to studying panic disorder in rats: hits and misses. Neurosci Biobehav Rev. 2014;46(Part 3):472-96. doi: 10.1016/j.neubiorev.2014.10.002.

Schimitel FG, Müller CJ, Tufik S, Schenberg LC. Evidence of a suffocation alarm system sensitive to clinically-effective treatments with the panicolytics clonazepam and fluoxetine. J Psychopharmacol. 2014;28(12):1184-8. doi: 10.1177/0269881114552714.

Scorza FA, Duncan S, Cavalheiro EA, Scorza CA, Tufik S, Andersen ML. Sleep tight, wake up bright. Should sleep deprivation be included as a potential risk factor for SUDEP? Epilepsy Behav. 2014;33:75-6. doi: 10.1016/j.yebeh.2014.02.004.

Shimizu VT, Bueno OFA, Miranda MC. Sensory processing abilities of children with ADHD. Braz J Phys Ther. 2014;18(4):343-52. doi: 10.1590/bjpt-rbf.2014.0043.

Silva JC, Pimenta GMB, Andersen ML, Schoorlemmer GH, Tufik S, Cavalheiro EA. Characterization of the sleep-wake cycle of the Neotropical rodent Proechimys guyannensis. SAGE Open Med. 2014;2:2050312114544239. doi: 10.1177/2050312114544239.

Silva SI, Oliveira AFM, Negri G, Salatino A. Seed oils of Euphorbiaceae from the Caatinga, a Brazilian tropical dry Forest. Biomass Bioenergy. 2014;69:124-34. doi: 10.1016/j.biombioe.2014.07.010.

Silva VC, Fernandes L, Haseyama EJ, Agamme ALDA, Shinohara EMG, Muniz MTC, D'Almeida V. Effect of vitamin B deprivation during pregnancy and lactation on homocysteine metabolism and related metabolites in brain and plasma of mice offspring. PLoS ONE. 2014;9(4):e92683. doi:10.1371/journal.pone.0092683.

Silva-Batista C, Kanegusuku H, Roschel H, Souza EO, Cunha TF, Laurentino GC, Manoel N Jr, De Mello MT, Piemonte ME, Brum PC, Forjaz CL, Tricoli V, Ugrinowitsch C. Resistance training with instability in multiple system atrophy: a case report. J Sports Sci Med. 2014;13(3):597-603.

Silvestre JC, Juzwiak CR, Gollücke APB, Dourado VZ, D'Almeida V. Acute effect of a grape concentrate intake on oxidative stress markers in triathletes. Rev Bras Cineantropom Desempenho Hum. 2014;16(5):533-44. doi: 10.5007/1980-0037.2014v16n5p533.

Simões PS, Visniauskas B, Perosa SR, Yacubian EM, Centeno R, Canzian M, Lopes-Cendes I, Morelli CVM, Carrete Jr H, Cavalheiro EA, Tufik S, Chagas JR, Naffah Mazzacoratti MG. Expression and activity of thimet oligopeptidase (TOP) are modified in the hippocampus of subjects with temporal lobe epilepsy (TLE). Epilepsia. 2014;55(5):754-62. doi: 10.1111/epi.12606.

Soares Neto JA, Galduroz JC, Marques LC, Kato ET, Macrini T, Rodrigues E. Possible adverse reactions to herbal products: a study with individuals who resort to popular medicine in the City of Diadema, SP, Brazil. Phytother Res. 2014;28(3):405-11. doi: 10.1002/ptr.5004.

Souza-Talarico JN, Plusquellec P, Lupien SJ, Fiocco A, Suchecki D. Cross-country differences in basal and stress-induced cortisol secretion in older adults. PLoS One. 2014;9(8):e105968. doi: 10.1371/journal.pone.0105968.

Talhati F, Patti CL, Zanin KA, Lopes-Silva LB, Ceccon LM, Hollais AW, Bizerra CS, Santos R, Tufik S, Frussa-Filho R. Food restriction increases long-term memory persistence in adult or aged mice. Prog Neuropsychopharmacol Biol Psychiatry 2014;50:125–36. doi: 10.1016/j.pnpbp.2013.12.007.

Teixeira AAS, Passos GS, Ruiz FS, Alves ES, Poyares D, Santana MG, Tufik S, De Mello MT. Improvements in chronic primary insomnia after exercise training are correlated with changes in metabolic and hormonal profile. J Horm. 2014;2014(Article ID 246342):6 pages. doi: 10.1155/2014/246342.

Terunuma M, Revilla-Sanchez R, Quadros IM, Deng Q, Deeb TZ, Lumb M, Sicinski P, Haydon PG, Pangalos MN, Moss SJ. Postsynaptic GABAB receptor activity regulates excitatory neuronal architecture and spatial memory. J Neurosci. 2014;34(3):804-16. doi: 10.1523/JNEUROSCI.3320-13.2013.

Tock L, Carneiro G, Togeiro SM, Hachul H, Pereira AZ, Tufik S, Zanella MT. Obstructive sleep apnea predisposes to nonalcoholic Fatty liver disease in patients with polycystic ovary syndrome. Endocr Pract. 2014;20(3):244-51. doi: 10.4158/EP12366.OR.

Tock L, Carneiro G, Pereira AZ, Tufik S, Zanella MT. Adrenocortical production is associated with higher levels of luteinizing hormone in nonobese women with Polycystic Ovary Syndrome. Int J Endocrinol. 2014;2014:620605. doi: 10.1155/2014/620605.

Toledo Piza CM, de Macedo EC, Miranda MC, Bueno OF. Contrasting group analysis of Brazilian students with dyslexia and good readers using the computerized reading and writing assessment battery "BALE". Front Psychol. 2014;5:837. doi: 10.3389/fpsyg.2014.00837.

Tondowski CS, Feijó MR, Silva EA, Gebara CFP, Sanchez ZM, Noto AR. Intergenerational patterns of family violence related to alcohol abuse: a genogram-based study. Psicol Reflex Crit. 2014;27(4):806-14. doi: 10.1590/1678-7153.201427421.

Trimer R, Cabidu R, Sampaio LL, Stirbulov R, Poiares D, Guizilini S, Bianchi AM, Costa FS, Mendes RG, Delfino A Jr, Arena R, Borghi-Silva A. Heart rate variability and cardiorespiratory coupling in obstructive sleep apnea: elderly compared with young. Sleep Med. 2014;15(11):1324-31. doi: 10.1016/j.sleep.2014.05.028.

Tufanin A, Souza GF, Tisi GR, Tufik S, de Mello MT, Nascimento OA, Jardim JR. Cardiac, ventilatory, and metabolic adjustments in chronic obstructive pulmonary disease patients during the performance of Glittre activities of daily living test. Chron Respir Dis. 2014;11(4):247-55. doi: 10.1177/1479972314552805.

Tufik SB, Berro LF, Andersen ML, Tufik S. Bet on sleep for the understanding of pathological gambling. J Psychiatr Res. 2014;57:176-7. doi: 10.1016/j.jpsychires.2014.06.017.

Tufik SB, Berro LF, Andersen ML, Tufik S. Do sleep disorders play a role in pre-eclampsia? Ultrasound Obstet Gynecol. 2014;44(3):370. doi: 10.1002/uog.13386.

Tufik SB, Berro LF, Andersen ML, Tufik S. Re: Safety and efficacy of testosterone replacement therapy in adolescents with Klinefelter Syndrome. J Urol. 2014;192(4): 1300-1. doi: 10.1016/j.juro.2014.05.001.

Tufik SB, Berro LF, Andersen ML, Tufik S. Better understanding of bariatric surgery outcomes through sleep. Obes Surg. 2014;24(11):1999-2000. doi: 10.1007/s11695-014-1397-5.

Vasconcelos Lde G, Jackowski AP, Oliveira MO, Flor YM, Souza AA, Bueno OF, Brucki SM. The thickness of posterior cortical areas is related to executive dysfunction in Alzheimer's disease. Clinics.2014;69(1):28-37. doi: 10.6061/clinics/2014(01)05.

Vidigal TA, Haddad FLM, Cabral RFP, Oliveira MCS, Cavalcante RR, Bittencourt LRA, Tufik S, Gregório LC. New clinical staging for pharyngeal surgery in obstructive sleep apnea patients. Braz J Otorhinolaryngol. 2014;80(6):490-6. doi: 10.1016/j.bjorl.2014.09.003.

Wang TN, Huang MS, Lin MC, Duh TH, Lee CH, Wang CC, Chen PH, Chiang SL, Sheu CC, Chen VC, Wu CC, Ferri CP, Stewart R, Ko YC. Betel chewing and arecoline affects eotaxin-1, asthma and lung function. PLoS ONE. 2014;9(3):e91889. doi: 10.1371/journal.pone.0091889.

Yamada KY, Satake SY, Perry JC, Garcia KO, D'Almeida V, Tufik S, Longo BM, Barbosa-Silva RC. Effect of postnatal intermittent hypoxia on locomotor activity and neuronal development in rats tested in early adulthood. Psychol Neurosci. 2014;7(2):125-30. doi: 10.3922/j.psns.2014.02.03.

Zager A, Andersen ML, Tufik S, Palermo-Neto J. Maternal immune activation increases the corticosterone response to acute stress without affecting the hypothalamic monoamine content and sleep patterns in male mice offspring. Neuroimmunomodulation. 2014;21(1):37-44. doi: 10.1159/000355466.

2013.....

Abrahao KP, Ariwodola OJ, Butler TR, Rau AR, Skelly MJ, Carter E, Alexander NP, McCool BA, Souza-Formigoni ML, Weiner JL. Locomotor sensitization to ethanol impairs NMDA receptor-dependent synaptic plasticity in the nucleus accumbens and increases ethanol self-administration. J Neurosci. 2013;33(11):4834-42. doi: 10.1523/JNEUROSCI.5839-11.2013.

Adler UC, Saraiva IBG, De Almeida MF, Jezierski M, Cesar AT, Martinez EZ, Galduroz JCF. Homeopathy in crack-cocaine craving: randomized, placebo controlled, double-blind study (COCACRACK study). Rev Psiq Clín. 2013;40(6):241-2. doi: 10.1590/S0101-60832013000600006.

Alvarenga TA, Matos G, Scorza FA, Amado D, Cavalheiro EA, Tufik S, Andersen ML. Sexual response in female rats with status epilepticus. Epilepsia. 2013;54(4):644–8. doi: 10.1111/epi.12117.

Alvarenga TA, Aguiar MFP, Mazaro-Costa R,Tufik S, Andersen ML. Effects of sleep deprivation during pregnancy on the reproductive capability of the offspring. Fertil Steril. 2013;100(6):1752-7. doi: 10.1016/j.fertnstert.2013.08.014.

Alves ES, Lemos VA, Silva FR, Lira FS, Santos RVT, Rosa JPP, Caperuto E, Tufik S, De Mello MT. Low-Grade Inflammation and Spinal Cord Injury: Exercise as Therapy? Mediators Inflamm. 2013;2013: Article ID 971841. doi: 10.1155/2013/971841.

Alves ES, Ackel-D'Elia C, Luz GP, Cunha TCA, Carneiro G, Tufik S, Bittencourt LRA, De Mello MT. Does physical exercise reduce excessive daytime sleepiness by improving inflammatory profiles in obstructive sleep apnea patients? Sleep Breath. 2013;17(2):505-10. doi: 10.1007/s11325-012-0729-8.

Anafi RC, Pellegrino R, Shockley KR, Romer M, Tufik S, Pack AI. Sleep is not just for the brain: transcriptional responses to sleep in peripheral tissues. BMC Genomics. 2013;14:362. doi: 10.1186/1471-2164-14-362.

Andersen ML, Diaz MP, Murnane KS, Howell LL. Effects of methamphetamine self-administration on actigraphy-based sleep parameters in rhesus monkeys. Psychopharmacology. 2013;227(1):101–7. doi: 10.1007/s00213-012-2943-2.

Andersen ML. Sleep Science in Scopus. Sleep Sci;2013;6(2):47.

Andrade ALM, Fisberg M, De Micheli D. Cognitive aspects of Fetal Alcohol Syndrome in young adults: two case studies. Interação Psicol. 2013;17(2):217-23. doi: 10.5380/psi.v17i2.27359.

Antonio RL, Kozasa EH, Galduroz JCF, Dawa, Dorjee Y, Kalsang T, Norbu T, Tenzin T, Rodrigues E. Formulas used by tibetan doctors at Men-Tsee-Khang in India for the treatment of neuropsychiatric disorders and their correlation with pharmacological data. Phytother Res. 2013;27(4):552–63. doi: 10.1002/ptr.4749.

Araujo P, Tufik S, Andersen ML. Animal models of pain: Best behavioral analysis for better translational research. Pain. 2013;154(7):968-9. doi: 10.1016/j.pain.2013.04.021.

Barros LM, Kim LJ, Tufik S, Andersen ML. Short sleep and obesity: other factors to be considered. Sleep Med. 2013;14(6):582. doi: 10.1016/j.sleep.2013.03.006.

Bedendo A, Opaleye ES, Andrade ALM, Noto AR. Heavy episodic drinking and soccer practice among high school students in Brazil: the contextual aspects of this relationship. BMC Public Health. 2013;13:247. doi: 10.1186/1471-2458-13-247.

Belitardo de Oliveira A, Ribeiro RT, Souza CD, Mello MT, Tufik S, Peres MFP. Altered affective response to exercise is changed after moderate aerobic exercise training in migraine. J Headache Pain. 2013;14(Suppl 1):P140. doi:10.1186/1129-2377-14-S1-P140.

Benedetto L, Rodriguez-Servetti Z, Lagos P, D'Almeida V, Monti JM, Torterolo P. Microinjection of melanin concentrating hormone into the lateral preoptic area promotes non-REM sleep in the rat. Peptides. 2013;39:11-5. doi: 10.1016/j.peptides.2012.10.005.

Bennedsen L, Tufik S, Andersen ML. Expanding investigations on the relation between sleep restriction and energy balance. Am J Clin Nutr. 2013;97(2):445-6. doi: 10.3945/ajcn.112.048413.

Bezerra AG, Andersen ML, Tufik S, Hachul H. Approach towards mild depression: shortest way to treat climacteric syndrome? Maturitas. 2013;74(1):105. doi: 10.1016/j.maturitas.2012.10.009.

Bezerra AG, Smaili SS, Lopes GS, Carlini EA. Effects of *Panax ginseng*, *Turnera diffusa* and *Heteropterys tomentosa* extracts on hippocampal apoptosis of aged rats. Einstein. 2013;11(2):163-7. doi: 10.1590/S1679-45082013000200005.

Bittar IGL, Guerra RLF, Lopes FC, De Mello MT, Antunes HKM. Efeitos de um programa de jogos pré-desportivos nos aspectos psicobiológicos de idosas. Rev. Bras. Geriatr. Gerontol. 2013;16(4):713-25. doi: 10.1590/S1809-98232013000400006.

Borges JG, Ginani GE, Hachul H, Cintra FD, Tufik S, Pompeia S. Executive functioning in obstructive sleep apnea syndrome patients without comorbidities: Focus on the fractionation of executive functions. J Clin Exp Neuropsychol. 2013;35(10):1094-107. doi: 10.1080/13803395.2013.858661.

Borsonelo EC, Vieira L, Galduroz JC. The influence of the polyunsaturated fatty acids on body weight and anxiolytic-like behavior in female rats. Nutr Neurosci. 2013;16(1):2-5. doi: 10.1179/1476830512Y.0000000007.

Boscolo RA, Esteves AM, Santana MG, Viana VAR, Grassmann V, Tufik S, De Mello MT. Is there an association between body composition, basal metabolic rate, and sleep in elderly patients with and without obstructive sleep apnea? Sleep Sci. 2013;6(4):129-34.

Caixêta JAS, Saramago AM, Moreira GA, Fujita RR. Otolaryngologic findings in prepubertal obese children with sleep-disordered breathing. Int J Pediatr Otorhinolaryngol. 2013;77:1738–41. doi: 10.1016/j.ijporl.2013.08.005.

Campos RMS, De Mello MT, Tock L , Silva PL, Corgosinho FC, Carnier J, De Piano A, Sanches PL, Masquio DCL, Tufik S, Damaso AR. Interaction of bone mineral density, adipokines and hormones in obese adolescents girls submitted in an interdisciplinary therapy. J Pediatr Endocr Met. 2013;26(7-8):663-8. doi: 10.1515/jpem-2012-0336.

Cardoso TSG, de Mello CB, de Freitas PM. Uso de medidas quantitativas de eficácia em reabilitação neuropsicológica. Psicol Pesq. 2013;7(1):121-31. doi: 10.5327/Z1982-1247201300010013.

Carlini EA, Duarte-Almeida JM, Tabach R. Assessment of the Toxicity of the Brazilian Pepper Trees Schinus terebinthifolius Raddi (Aroeira-da-praia) and Myracrodruon urundeuva Allemão (Aroeira-do-sertão). Phytother Res. 2013;27(5):692-8. doi: 10.1002/ptr.4767.

Carnier J, Mello MT, Ackel-Ďelia C, Corgosinho FC, Campos RMS, Sanches PL, Masquio DC, Bueno Júnior CR, Ganen AD, Martins AC, Caranti DA, Tock L, Clemente AP, Tufik S, Dâmaso AR. Aerobic training (AT) is more effective than aerobic plus resistance training (AT + RT) to improve anorexigenic/orexigenic factors in obese adolescents. Appetite. 2013;69:168-73. doi: 10.1016/j.appet.2013.05.018.

Cassilhas RC, Reis IT, Venâncio D, Fernandes J, Tufik S, De Mello MT. Animal model for progressive resistance exercise: a detailed description of model and its implications for basic research in exercise. Motriz Rev Educ Fis. 2013;19(1):178-84. doi: 10.1590/S1980-65742013000100018.

Castro LS, Castro J, Hoexter MQ, Quarantini LC, Kauati A, Mello LE, Santos-Silva R, Tufik S, Bittencourt L. Depressive symptoms and sleep: a population-based polysomnographic study. Psychiatry Res. 2013;210(3): 906-12. doi: 10.1016/j.psychres.2013.08.036.

Castro LS, Poyares D, Leger D, Bittencourt L, Tufik S. Objective prevalence of insomnia in the São Paulo, Brazil epidemiologic sleep study. Ann Neurol. 2013;74(4):537-46. doi: 10.1002/ana.23945.

Cavagnolli DA, Esteves AM, Castiglione MLV, Batista IR, Bressan RA, Tufik S, De Mello MT. Dopamine transporter shown by SPECT in patients with Periodic Leg Movement after acute physical exercise. Med Sci Sports Exercise. 2013;45(2):224-9. doi: 10.1249/MSS.0b013e318270306c.

Chagas MH, Crippa JA, Zuardi AW, Hallak JE, Machado-de-Sousa JP, Hirotsu C, Maia L, Tufik S, Andersen ML. Effects of acute systemic administration of cannabidiol on sleep-wake cycle in rats. J Psychopharmacol. 2013;27(3):312-6. doi: 10.1177/0269881112474524.

Clemente APG, Netto BDM, Ganen AP, Tock L, Caranti DA, De Mello MT, Tufik S, Dâmaso AR. Cut-off values of visceral adiposity to predict NAFLD in Brazilian obese adolescents. J Nutr Metab. 2013;2013:724781. doi: 10.1155/2013/724781.

Coelho CAO, Ferreira TL, Soares JC, Oliveira MG. Hippocampal NMDA receptor blockade impairs CREB phosphorylation in amygdala after contextual fear conditioning. Hippocampus. 2013;23(7):545-51. doi: 10.1002/hipo.22118.

Coelho GA, Rodrigues E, Andersen ML, Tufik S, Hachul H. Psychotherapy improved the sleep quality in a patient who was a victim of child sexual abuse: a case report. J Sex Med. 2013;10(12):3146-50. doi: 10.1111/jsm.12323.

Contó MB, de Carvalho JG, Venditti MA. Relationship between thresholds to convulsions induced by a benzodiazepine inverse agonist and [3H]-L-glutamate binding in the membranes of brain regions. Neurol Sci. 2013;34(4): 537-8. doi: 10.1007/s10072-012-1093-y.

Corgosinho FC, Dâmaso AR, Ganen AP, Campos RMS, Silva PL, Sanchez PL, Ackel-D'Elia C, Carnier J, Tock L, Andersen ML, Tufik S, De Mello MT. Short sleep time increases lipid intake in obese adolescents. Sleep Sci. 2013;6(1):9-14.

Cristofoletti MF, Gimeno SG, Ferreira SR, Cardoso MA; Japanese-Brazilian Diabetes Study Group (D'Almeida V....). Associação entre consumo de alimentos embutidos e obesidade em um estudo de base populacional de nipo-brasileiros. Arq Bras Endocrinol Metabol. 2013;57(6):464-72. doi: 10.1590/S0004-27302013000600009.

Da Fonseca MFBC, Bueno OFA, Cardoso TSG, Muszkat M. Análise entre a associação dos estilos de aprendizagem com o gênero, faixa etária e inteligência de crianças brasileiras do ensino fundamental I. Rev Estilos Aprendizagem. 2013;11:212-229.

Dâmaso AR, de Piano A, Campos RM, Corgosinho FC, Siegfried W, Caranti DA, Masquio DC, Carnier J, Sanches PD, Leão da Silva P, Nascimento CM, Oyama LM, Dantas AD, de Mello MT, Tufik S, Tock L. Multidisciplinary approach to the treatment of obese adolescents: effects on cardiovascular risk factors, inflammatory profile, and neuroendocrine regulation of energy balance. Int J Endocrinol. 2013;2013:541032. doi: 10.1155/2013/541032.

Danucalov MAD, Kozasa EH, Ribas KT, Galduroz JCF, Garcia MC, Verreschi ITN, Oliveira KC, Oliveira LR, Leite JR. A yoga and compassion meditation program reduces stress in familial caregivers of Alzheimer's disease patients. Evid Based Complement Alternat Med. 2013;2013:513149. doi: 10.1155/2013/513149.

De Carvalho SC, Muniz MT, Siqueira MD, Siqueira ER, Gomes AV, Silva KA, Bezerra LC, D'Almeida V, Oliveira CP, Pereira LM. Plasmatic higher levels of homocysteine in non-alcoholic fatty liver disease (NAFLD). Nutr J. 2013;12:37. doi: 10.1186/1475-2891-12-37.

De Lima C, Lira CAB, Arida RM, Andersen ML, Matos G, Guilhoto LMFF, Yacubian EMT, Albuquerque M, Tufik S, Andrade MS, Vancini RL. Association between leisure time, physical activity, and mood disorder levels in individuals with epilepsy. Epilepsy Behav. 2013;28(1):47-51. doi: 10.1016/j.yebeh.2013.03.016.

De Mello MT, Narciso FV, Tufik S, Paiva T, Spence DW, BaHammam AS, Verster JC, Pandi-Perumal SR. Sleep disorders as a cause of motor vehicle collisions. Int J Prev Med. 2013;4(3):246-57.

De Mello MT, Lemos VA, Antunes HKM, Bittencourt L, Santos-Silva R, Tufik S. Relationship between physical activity and depression and anxiety symptoms: A population study. J Affect Disord. 2013;149(1-3):241-6. doi: 10.1016/j.jad.2013.01.035.

De Souza AW, DE Lima CS, Oliveira AC, Machado LS, Pinheiro FA, Hix S, D'Almeida V. Homocysteine levels in takayasu arteritis - a risk factor for arterial ischemic events. J Rheumatol. 2013;40(3):303-8. doi: 10.3899/jrheum.121073.

De Souza FIS, D'Almeida V, Fonseca FL, Hix S, Miranda R, Rossi RGT, Ribeiro R, Sarni ROS. Lack of association of homocysteine concentrations with oxidative stress, alterations in carotid intima media thickness and endothelial reactivity in prepubertal children. Ann Nutr Metab. 2013;63(1-2):25-31.

Diaferia G, Badke L, Santos-Silva R, Bommarito S, Tufik S, Bittencourt LRA. Effect of speech therapy as adjunct treatment to continuous positive airway pressure on the quality of life of patients with obstructive sleep apnea. Sleep Med. 2013;14(7):628-35. doi: 10.1016/j.sleep.2013.03.016.

Drager LF, Togeiro SM, Polotsky VY, Lorenzi-Filho G. Obstructive Sleep Apnea: a cardiometabolic risk in obesity and the metabolic syndrome. J Am Coll Cardiol. 2013;62(7):569-76. doi: 10.1016/j.jacc.2013.05.045.

Dubiela FP, Queiroz CM, Moreira KM, Nobrega JN, Sita LV, Tufik S, Hipolide DC. AMPA receptors mediate passive avoidance deficits induced by sleep deprivation. Behav Brain Res. 2013;257:189-96. doi: 10.1016/j.bbr.2013.09.037.

Esteves AM, Lopes C, Frussa-Filho R, Frank MK, Cavagnolli D, Arida RM, Tufik S, De Mello MT. Spontaneously hypertensive rats: possible animal model of sleep-related movement disorders. J Motor Behav. 2013;45(6):487-93. doi: 10.1080/00222895.2013.833079.

Feier G, Valvassori SS, Varela RB, Resende WR, Bavaresco DV, Morais MO, Scaini G, Andersen ML, Streck EL, Quevedo J. Lithium and valproate modulate energy metabolism in an

animal model of mania induced by methamphetamine. Pharmacol Biochem Behav. 2013;103(3):589-96. doi: 10.1016/j.pbb.2012.09.010.

Fernandes HA, Zanin KA, Patti CL, Wuo-Silva R, Carvalho RC, Fernandes-Santos L, Bittencourt LR, Tufik S, Frussa Filho R. Inhibitory effects of modafinil on emotional memory in mice. Neuropharmacology. 2013;64(1):365-70. doi: 10.1016/j.neuropharm.2012.06.058.

Fernandes J, Baliego LGZ, Peixinho-Pena LF, De Almeida AA, Venancio DP, Scorza FA, De Mello MT, Arida RM. Aerobic exercise attenuates inhibitory avoidance memory deficit induced by paradoxical sleep deprivation in rats. Brain Res. 2013;1529:66-73. doi: 10.1016/j.brainres.2013.07.019.

Fernandes Jr SA, Antonietti LS, Saba A, de Faria AP, Maculano Esteves A, Tufik S, De Mello MT. The Impact of shift work on Brazilian train drivers with different chronotypes: a comparative analysis through objective and subjective criteria. Med Princ Pract. 2013;22(4):390-6. doi: 10.1159/000345978.

Fernandes-Silva CC, Salatino A, Salatino MLF, Breyer EDH, Negri G. Chemical profiling of six samples of Brazilian própolis. Quím Nova. 2013;36(2):237-40. doi: 10.1590/S0100-40422013000200006.

Ferreira SE, Abrahao KP, Souza-Formigoni ML. Expression of behavioral sensitization to ethanol is increased by energy drink administration. Pharmacol Biochem Behav. 2013;110C:245-248. doi: 10.1016/j.pbb.2013.07.014.

Frade IF, De Micheli D, Andrade ALM, Souza-Formigoni MLO. Relationship between stress symptoms and drug use among secondary students. Span J Psychol. 2013;16(1):1–12. doi: 10.1017/sjp.2013.5.

Garcia VA, Hirotsu C, Matos G, Alvarenga T, Pires GN, Kapczinski F, Schröder N, Tufik S, Andersen ML. Modafinil ameliorates cognitive deficits induced by maternal separation and sleep deprivation. Behav Brain Res. 2013;253:274-9. doi: 10.1016/j.bbr.2013.07.029.

Gebara CF, Bhona FM, Ronzani TM, Lourenço LM, Noto AR. Brief intervention and decrease of alcohol consumption among women: a systematic review. Subst Abuse Treat Prev Policy. 2013;8(1):31. doi: 10.1186/1747-597X-8-31.

Girardi CE, Tiba PA, Llobet GB, Levin R, Abilio VC, Suchecki D. Contextual exploration previous to an aversive event predicts long-term emotional consequences of severe stress. Front Behav Neurosci. 2013;7:134. doi: 10.3389/fnbeh.2013.00134.

Gonçalves R, Togeiro SMG. Drug-induced sleepiness and insomnia: an update. Sleep Sci. 2013;6(1):36-43.

Grassmann V, Santos-Galduroz RF, Galduroz JCF. Effects of low doses of polyunsaturated fatty acids on the attention deficit/hyperactivity disorder of children: a systematic review. Curr Neuropharmacol. 2013;11:186-96. doi: 10.2174/1570159X11311020005.

Hachul H, Garcia TK, Maciel AL, Yagihara F, Tufik S, Bittencourt L. Acupuncture improves sleep in postmenopause in a randomized, double-blind, placebo-controlled study. Climacteric. 2013;16(1):36-40. doi: 10.3109/13697137.2012.698432.

Hachul H, Andersen ML, Bittencourt L, Santos-Silva R, Tufik S. A population-based survey on the influence of the menstrual cycle and the use of hormonal contraceptives on sleep patterns in São Paulo, Brazil. Int J Gynecol Obstetr. 2013;120(2):137-40. doi: 10.1016/j.ijgo.2012.08.020.

Hachul H, Noto AR, Demarzo M, Kozasa E, Tufik S, Andersen ML. Response: Benzodiazepine use and risk of dementia: prospective population-based study. BMJ (Online). 2013 27 Feb. Disponível em: http://www.bmj.com/content/345/bmj.e6231/rr/633326.

Haddad FL, Vidigal Tde A, Mello-Fujita L, Cintra FD, Gregório LC, Tufik S, Bittencourt L. The influence of nasal abnormalities in adherence to continuous positive airway pressure device therapy in obstructive sleep apnea patients. Sleep Breath. 2013;17(4):1201-7. doi: 10.1007/s11325-013-0824-5.

Haddad L, Haddad FLM, Bittencourt L, Gregório LC, Tufik S, Abrahao M. Clinical and polysomnographic findings of patients with large goiters. Sleep Breath. 2013;17(2):673-8. doi: 10.1007/s11325-012-0741-z.

Hirotsu C, Matos G, Tufik S, Andersen ML. Changes in gene expression in the frontal cortex of rats with pilocarpine-induced status epilepticus after sleep deprivation. Epilepsy Behav. 2013;27(2):378-84. doi: 10.1016/j.yebeh.2013.02.024.

Hirotsu C, Tufik S, Guindalini C, Mazzotti DR, Bittencourt LR, Andersen ML. Association between uric acid levels and Obstructive Sleep Apnea Syndrome in a large epidemiological sample. PLoS ONE. 2013;8(6):e66891. doi: 10.1371/journal.pone.0066891.

Kameda SR, Fukushiro DF, Wuo-Silva R, Trombin TF, Procópio-Souza R, Brandão LC, Sanday L, Patti CL, Mári-Kawamoto E, Tufik S, D'Almeida V, Frussa-Filho R. Opposite effects of neonatal hypoxia on acute amphetamine-induced hyperlocomotion in adult and adolescent mice. Psychiatry Res. 2013;208(1):74-7. doi: 10.1016/j.psychres.2013.03.021.

Kawakami SE, Quadros IM, Machado RB, Suchecki D. Sex-dependent effects of maternal separation on plasma corticosterone and brain monoamines in response to chronic ethanol administration. Neuroscience. 2013;253:55-66. doi: 10.1016/j.neuroscience.2013.08.031.

Kim AK, Souza-Formigoni ML. Alpha1-adrenergic drugs affect the development and expression of ethanol-induced behavioral sensitization. Behav Brain Res. 2013;256C:646-54. doi: 10.1016/j.bbr.2013.09.015.

Kim LJ, Barros LA, Tufik S, Andersen ML. Another view of phenotypic evaluation in obstructive sleep apnea. J Appl Physiol. 2013;114(8): 1120. doi: 10.1152/japplphysiol.00193.2013.

Koike BDV, Pereira DS, Tufik S, Pedrazzoli M. Screening for polymorphisms in the AANAT gene and their association with extreme diurnal preference. Sleep Sci. 2013;6(4):141-5.

Leenaars CH, Girardi CE, Joosten RN, Lako IM, Ruimschotel E, Hanegraaf MA, Dematteis M, Feenstra MG, Van Someren EJ. Instrumental learning: an animal model for sleep dependent memory enhancement. J Neurosci Methods. 2013;217(1-2):44-53. doi: 10.1016/j.jneumeth.2013.04.003.

Leite GS, Amaral DP, Oliveira RS, Oliveira Filho CW, De Mello MT, Brandão MRF. Relação entre estados de humor, variabilidade da frequência cardíaca e creatina quinase de para-atletas brasileiros. Rev Ed Fisica UEM. 2013;24(1):33-40. doi: 10.4025/reveducfis.v24.1.17021.

Lemos VA, Santos RVT, Lira FS, Rodrigues B, Tufik S, De Mello MT. Can high altitude influence cytokines and sleep? Mediators Inflamm. 2013;Article ID 279365, 8 pages. doi: 10.1155/2013/279365.

Lin TY, Chen VC, Lee CH, Chen CY, Shao WC, Chang SH, Chou JY, Lai TJ, Ferri CP, Gossop M, Lee CT. Prevalence, correlates, and risk perception of HIV infection among heroin users in Central Taiwan. Kaohsiung J Med Sci. 2013;29(12):673-9. doi: 10.1016/j.kjms.2013.04.003.

Lucchesi LM, Hachul H, Yagihara F, Santos-Silva R, Tufik S, Bittencourt L. Does menopause influence nocturnal awakening with headache? Climacteric. 2013;16(3):362-8. doi: 10.3109/13697137.2012.717997.

Lucchetti G, De Oliveira LR, Koenig HG, Leite JR, Lucchetti AL. Medical students, spirituality and religiosity-results from the multicenter study SBRAME. BMC Med Educ. 2013;13(1):162. doi: 10.1186/1472-6920-13-162.

Lungato L, Marques MS, Pereira VG, Hix S, Gazarini ML, Tufik S, D'Almeida V. Sleep deprivation alters gene expression and antioxidant enzyme activity in mice splenocytes. Scand J Immunol. 2013;77(3):195-9. doi: 10.1111/sji.12029.

Lungato L, Tamanaha P, Rodrigues MB, Visniauskas B, Chagas JR, Tufik S, D'Almeida V. Chitotriosidase as a marker of macrophage activation after paradoxical sleep deprivation. Sleep Sci. 2013;6(1):5-8.

Macedo GC, Kawakami SE, Vignoli T, Sinigaglia-Coimbra R, Suchecki D. The influence of orexins on ethanol-induced behavioral sensitization in male mice. Neurosci Lett. 2013;551:84-8. doi: 10.1016/j.neulet.2013.07.010.

Machado RB, Tufik S, Suchecki D. Role of corticosterone on sleep homeostasis induced by REM sleep deprivation in rats. PLoS ONE. 2013;8(5):e63520. doi: 10.1371/journal.pone.0063520.

Magalang UJ, Chen NH, Cistulli PA, Fedson AC, Gíslason T, Hillman D, Penzel T, Tamisier R, Tufik S, Phillips G, Pack AI; SAGIC Investigators. Agreement in the scoring of respiratory events and sleep among international sleep centers. Sleep. 2013;36(4):591-6. doi: 10.5665/sleep.2552.

Maluly M, Andersen ML, Dal-Fabbro C, Garbuio S, Bittencourt L, de Siqueira JT, Tufik S. Polysomnographic study of the prevalence of sleep bruxism in a population sample. J Dent Res. 2013;92(Suppl.1):97S-103S. doi: 10.1177/0022034513484328.

Mancuso FJN, Moisés VA, Almeida DR, Oliveira WA, Poyares D, Brito FS, de Paola AAV, Carvalho ACC, Campos O. Criteria for mitral regurgitation classification were inadequate for dilated cardiomyopathy. Arq Bras Cardiol. 2013;101(5):457-65. doi: 10.5935/abc.20130200.

Manzotte T, Guindalini C, Mazzotti DR, Palombini L, De Souza AL, Poyares D, Bittencourt LRA, Tufik S. The human leucocyte antigen DQB1*0602 allele is associated with electroencephelograph differences in individuals with obstructive sleep apnoea syndrome. J Sleep Res. 2013;22(2):217-22. doi: 10.1111/jsr.12005.

Maragno-Correa JM, Patti CL, Zanin KA, Wuo-Silva R, Ruiz FS, Zager A, Sá-Nunes A, Tufik S, Andersen ML, Frussa-Filho R. Sleep deprivation increases mortality in female mice Bearing Ehrlich Ascitic tumor. Neuroimmunomodulation. 2013;20(3):134-40. doi: 10.1159/000346201.

Marques LAM, Galduroz JCF, Fernandes MR, Oliveira CC, Beijo LA, Noto AR. Assessment of the effectiveness of pharmacotherapy follow-up in patients treated for depression. J Manag Care Pharm. 2013;19(3):218-27. doi: 10.18553/jmcp.2013.19.3.218.

Masquio DC, de Piano A, Sanches PL, Corgosinho FC, Campos RM, Carnier J, da Silva PL, Caranti DA, Tock L, Oyama LM, Oller do Nascimento CM, de Mello MT, Tufik S, Dâmaso AR. The effect of weight loss magnitude on pro-/anti-inflammatory adipokines and carotid intima–media thickness in obese adolescents engaged in interdisciplinary weight loss therapy. Clin Endocrinol. 2013;79(1):55-64. doi: 10.1111/j.1365-2265.2012.04504.x.

Matos G, Alvarenga TA, Tufik S, Andersen ML. Sexual dysfunction and epilepsy: The reasons beyond medications. Epilepsia. 2013;54(1):205-6. doi: 10.1111/epi.12047.

Matos G, Tenório NM, Bergamaschi CT, Campos RR, Cintra F, Tufik S, Andersen ML. More than hormones: sex differences in cardiovascular parameters after sleep loss in rats. Prog Neuropsychopharmacol Biol Psychiatry. 2013;44:34-8. doi: 10.1016/j.pnpbp.2013.01.009.

Matos G, Tufik S, Scorza FA, Cavalheiro EA, Andersen ML. Sleep and epilepsy: Exploring an intriguing relationship with a translational approach. Epilepsy Behav. 2013;26(3):405-9. doi: 10.1016/j.yebeh.2012.12.003.

Matos G, Scorza FA, Cavalheiro EA, Tufik S, Andersen ML. Doctors, have you ever heard about sleep disturbance, erectile dysfunction, and epilepsy? Epilepsy Behav. 2013;28(1):8-9. doi: 10.1016/j.yebeh.2013.03.021.

Matos G, Tufik S, Andersen ML. Challenges in translating academic research into therapeutic advancement. Front Neurol. 2013;4:123. doi: 10.3389/fneur.2013.00123.

Matos G, Hirotsu C, Alvarenga TA, Cintra F, Bittencourt L, Tufik S, Andersen ML. The association between TNF-α and erectile dysfunction complaints. Andrology. 2013;1(6):872-8. doi: 10.1111/j.2047-2927.2013.00136.x.

Mazzotti DR, Tufik S, Andersen ML. A stepforward in understanding the association between social attainment and health disparities: evidence from late life telomere length and educational level. Brain Behav Immun. 2013;27:13-14. doi: 10.1016/j.bbi.2012.09.005.

Mello CB, Rossi ASU, Cardoso TSG, Rivero TS, Moura LM, Nogueira RG, Jackowski AP, Bueno OFA, Muszkat M. Neuroimaging and Neuropsychological Analyses in a Sample of Children with ADHD - inattentive subtype. Clin Neuropsychiatry. 2013;10(2):45-54.

Mello MF, Mello AF, Ruiz JE, Fiks JP, Andreoli SB, Bressan RA, Costa MCP, Mari JJ, Suchecki D, Juruena M. The effect of comorbid depression and sexual abuse during childhood on glucocorticoid and mineralocorticoid receptor sensitivity of patients with Post-Traumatic Stress Disorder. J Depression Anxiety. 2013;S4:004. doi: 10.4172/2167-1044.S4-004.

Miranda MC, Rivero TS, Bueno OFA. Effects of age and gender on performance on Conners' Continuous Performance Test in Brazilian adolescents. Psychol Neurosci. 2013;6(1):73-8. doi: 10.3922/j.psns.2013.1.11.

Miranda REEPC, da Silva Neto EP, De Mello MT, Antunes HKM. O nível de ansiedade traço influencia a percepção de fadiga e bem-estar após diferentes intensidades de exercício físico? Rev Bras Ativ Fis Saúde. 2013;18(6):730-9. doi: 10.12820/rbafs.v.18n6p730.

Mônico-Neto M, Antunes HKM, Dattilo M, Medeiros A, Souza HS, Lee KS, de Melo CM, Tufik S, De Mello MT. Resistance exercise: a non-pharmacological strategy to minimize or reverse sleep deprivation-induced muscle atrophy. Med Hypotheses. 2013;80(6):701-5. doi: 10.1016/j.mehy.2013.02.013.

Moraes W, Poyares D, Zalcman I, De Mello MT, Bittencourt LR, Santos-Silva R, Tufik S. Association between body mass index and sleep duration assessed by objective methods in a representative sample of the adult population. Sleep Med. 2013;14(4):312-8. doi: 10.1016/j.sleep.2012.11.010.

Mota MC, De-Souza DA, Rossato LT, Silva CM, Araújo MB, Tufik S, De Mello MT, Crispim CA. Dietary patterns, metabolic markers and subjective sleep measures in resident physicians. Chronobiol Int. 2013;30(8):1032-41. doi: 10.3109/07420528.2013.796966.

Motta LB, Furlan CM, Santos DYAC, Salatino MLF, Negri G, Carvalho JE, Monteiro PA, Ruiz ALTG, Caruzo MB, Salatino A. Antiproliferative activity and constituents of leaf extracts of Crotonsphaerogynus Baill. (Euphorbiaceae). Ind Crops Prod. 2013;50:661-5. doi: 10.1016/j.indcrop.2013.08.008.

Moura HF, Faller S, Benzano D, Szobot C, von Diemen L, Stolf AR, Souza-Formigoni ML, Cruz MS, Brasiliano S, Pechansky F, Kessler FH. The effects of ADHD in adult substance abusers. J Addict Dis. 2013;32(3):252-62. doi: 10.1080/10550887.2013.824359.

Moura YG. Relevance of pre-clinical research on drug abuse and Sleep. Sleep Sci. 2013;6(3):90.

Murnane KS, Andersen ML, Rice KC, Howell LL. Selective serotonin 2A receptor antagonism attenuates the effects of amphetamine on arousal and dopamine overflow in non-human primates. J Sleep Res. 2013;22(5):581-8. doi: 10.1111/jsr.12045.

Nappo SA, Iafrate GB, Sanchez ZM. Motives for participating in a clinical research trial: a pilot study in Brazil. BMC Public Health. 2013;13:19. doi: 10.1186/1471-2458-13-19.

Narciso FV, Esteves AM, Silva LO, Bittencourt LRA, Silva RS, Pires MLN, Tufik S, De Mello MT. Do circadian preferences influence the sleep patterns of night shift drivers? Med Princ Pract. 2013;22(6):571-5. doi: 10.1159/000354104.

Nascimento MO, Avallone DM. Prevalência do uso de drogas entre adolescentes nos diferentes turnos escolares. Adolesc Saude. 2013;10(4):41-9.

Negri G, Santi D, Tabach R. Flavonol glycosides found in hydroethanolic extracts from *Tilia cordata*, a species utilized as anxiolytics. Rev Bras Plantas Med. 2013;15(2):217-24. doi: 10.1590/S1516-05722013000200008.

Negri G, Tabach R. Saponins, tannins and flavonols found in hydroethanolic extract from Periandra dulcis roots. Rev Bras Farmacognia. 2013;23:851-60. doi: 10.1590/S0102-695X2013000600001.

Nogueira CYS, Carvalho AM, Gauer G, Tavares N, Santos RMM, Ginani G, Rivero TS, Moraes PHP, Whiteside SPH, Malloy-Diniz LF. Translation and adaptation of Impulsive Behavior Scale (UPPS) to the Brazilian population. Clin Neuropsychiatry. 2013;10(2):79-85.

Noguti J, Alvarenga TA, Andersen ML, Tufik S, Oshima CTF, Ribeiro DA. The influence of sleep deprivation on expression of apoptosis regulatory proteins p53, bcl-2 and bax following rat tongue carcinogenesis induced by 4-nitroquinoline 1-oxide. Dent Res J. 2013;10(2):247-53. doi: 10.4103/1735-3327.113360.

Noguti J, Andersen ML, Cirelli C, Ribeiro DA. Oxidative stress, cancer, and sleep deprivation: is there a logical link in this association? Sleep Breath. 2013;17(3):905-10. doi: 10.1007/s11325-012-0797-9.

Oliveira LM, Tufik S, Pinto LR, Garbuio S, Bittencourt LR, Pedrazzoli M. Polymorphisms in hypocretin receptors and insomnia. Sleep Sci. 2013;6(2):54-8.

Opaleye ES, Noto AR, Sanchez ZM, Amato TC, Locatelli DP, Gossop M, Ferri CP. Nonprescribed use of tranquilizers or sedatives by adolescents: a Brazilian national survey. BMC Public Health. 2013;13(1):499. doi: 10.1186/1471-2458-13-499.

Ortiz TT, Terreri MT, Caetano M, Souza FS, D'Almeida V, Sarni RO, Hilário MO. Dyslipidemia in pediatric Systemic Lupus Erythematosus: the relationship with disease activity and plasma

homocysteine and cysteine concentrations. Ann Nutr Metab. 2013;63(1-2):77-82. doi: 10.1159/000351076.

Ota SM, Moreira KDM, Suchecki D, Oliveira MGM, Tiba PA. Lithium prevents REM sleep deprivation-induced impairments on memory consolidation. Sleep. 2013;36(11):1677-84. doi: 10.5665/sleep.3126.

Otuyama LJ, Rizzi CF, Piovezan RD, Werli KS, Brasil EL, Sukys-Claudino L, Tufik S, Poyares D. The cholinergic system may play a role in the pathophysiology of residual excessive sleepiness in patients with obstructive sleep apnea. Med Hypotheses. 2013;81(3):509-11. doi: 10.1016/j.mehy.2013.06.024.

Palombini LO, Tufik S, Rapoport DM, Ayappa IA, Guilleminault C, de Godoy LBM, Castro LS, Bittencourt L. Inspiratory flow limitation in a normal population of adults in São Paulo, Brazil. Sleep. 2013;36(11):1663-8. doi: 10.5665/sleep.3122.

Papale LA, Makinson CD, Ehlen JC, Tufik S, Decker MJ, Paul KN, Escayg A. Altered sleep regulation in a mouse model of SCN1A-derived genetic epilepsy with febrile seizures plus (GEFS+). Epilepsia. 2013;54(4):625–34. doi: 10.1111/epi.12060.

Paula-Freire LI, Mendes FR, Molska GR, Duarte-Almeida JM, Carlini EA. Comparison of the chemical composition and biological effects of the roots, branches and leaves of Heteropterys tomentosa A. Juss. J Ethnopharmacol. 2013;145(2):647–52. doi: 10.1016/j.jep.2012.12.004.

Paula-Freire LI, Andersen ML, Molska GR, Köhn DO, Carlini EL. Evaluation of the antinociceptive activity of Ocimum gratissimum L. (Lamiaceae) essential oil and its isolated active principles in mice. Phytother Res. 2013;27(8):1220-4. doi: 10.1002/ptr.4845.

Pereira DS, Koike BV, Ribeiro AO, Umemura GS, Tufik S, Pedrazzoli Neto M. Screening for polymorphisms in the HIOMT gene and associations with circadian phenotypes. Sleep Sci. 2013;6(2):66-71.

Pereira Jr JC, Pradella-Hallinan M, Alves RC. Saint John's wort, an herbal inducer of the cytochrome P4503A4 isoform, may alleviate symptoms of Willis-Ekbom's disease. Clinics. 2013;68(4):469-74. doi: 10.6061/clinics/2013(04)06.

Pereira Jr JC, Pradella-Hallinan M. Willis-Ekbomdisease (Restless Legs Syndrome) pathophysiology: the imbalance between dopamine and thyroid hormone theory. J Sleep Disord Ther. 2013;2:139. doi: 10.4172/2167-0277.1000139.

Perry JC, Guindalini C, Bittencourt L, Garbuio S, Mazzotti DR, Tufik S. Whole blood hypoxia-related gene expression reveals novel pathways to obstructive sleep apnea in humans. Respir Physiol Neurobiol. 2013;189(3):649-54. doi: 10.1016/j.resp.2013.08.012.

Pinho N, Moreira KM, Hipolide DC, Sinigaglia-Coimbra R, Ferreira TL, Nobrega JN, Tufik S, Oliveira MGM. Sleep deprivation alters phosphorylated CREB levels in the amygdala: relationship with performance in a fear conditioning task. Behavl Brain Res. 2013;236:221-4. doi: 10.1016/j.bbr.2012.08.043.

Piovezan RD, Poyares D, Tufik S. Frailty and sleep disturbances in the elderly: possible connections and clinical implications. Sleep Sci. 2013;6(4):175-9.

Pires GN, Tufik S, Andersen ML. Grooming analysis algorithm: use in the relationship between sleep deprivation and anxiety-like behavior. Progr Neuropsychopharmacol Biol Psychiatry. 2013;41:6-10. doi: 10.1016/j.pnpbp.2012.11.006.

Pires GN, Tufik S, Giovenardi M, Andersen ML. Maternal behavior in basic science: translational research and clinical applicability. Einstein. 2013;11(2):256-60. doi: 10.1590/S1679-45082013000200021.

Pires GN, Tufik S, Andersen ML. Correlation of maternal and aggressive behaviors in normal and sleep-restricted lactating rats. Sleep Sci. 2013;6(2):80-4.

Pires VC, Gollücke AP, Ribeiro DA, Lungato L, D'Almeida V, Aguiar O. Grape juice concentrate protects reproductive parameters of male rats against cadmium-induced damage: a chronic assay. Br J Nutr. 2013;110(11):2020-9. doi: 10.1017/S0007114513001360.

Polese JF, Santos-Silva R, Ferrari PMO, Sartori DE, Tufik S, Bittencourt L. Is portable monitoring for diagnosing obstructive sleep apnea syndrome suitable in elderly population? Sleep Breath. 2013;17(2):679-86. doi: 10.1007/s11325-012-0742-y.

Polesel DN, Nozoe KT, Decleva DV, Tufik S, Andersen ML. Obesity, dyslipidemia, and sleep disorders: complexity requires complementary analysis. Chest. 2013;143(4):1187-8. doi: 10.1378/chest.12-2648.

Polesel DN, Pires GN, Bennedsen L, Tufik S, Andersen ML. Sleep and drugs of abuse: an overview of preclinical research and new global trends. Sleep Sci. 2013;6(2):72-9.

Polesel DN, Nozoe KT, Tufik S, Andersen ML. Considering the effect of sleep disorders on the relation between obesity and cardiometabolic risk. Am J Clin Nutr. 2013;98(6):1592. doi: 10.3945/ajcn.113.072637.

Polesel DN, Nozoe KT, Hachul H, Tufik S, Andersen ML. Effects of sleep and endocrine system on health of fragility fracture patients. Maturitas. 2013;76(4):384. doi: 10.1016/j.maturitas.2013.08.003.

Poloni S, Perry IDS, D'Almeida V, Schwartz IVD. Does phase angle correlate with hyperhomocysteinemia? A study of patients with classical homocystinuria. Clin Nutr. 2013;32(3):479-80. doi: 10.1016/j.clnu.2012.07.012.

Pompeia S, Gouveia JR, Galduroz JC. Acute mood effect of donepezil in young, healthy volunteers. Hum Psychopharmacol. 2013;28(3):263-9. doi: 10.1002/hup.2319.

Queiroz ACC, Kanegusuku H, Chehuen MR, Costa LAR, Wallerstein LF, Da Silva VJ, Mello MT, Ugrinowitsch C, Forjaz CLM. Cardiac work remains high after strength exercise in elderly. Int J Sports Med. 2013;34(5):391-7. doi: 10.1055/s-0032-1323779.

Queiroz CM, Tiba PA, Moreira KM, Guidine PAM, Rezende GHS, Moraes MFD, Prado MAM, Prado VF, Tufik S, Mello LE. Sleep pattern and learning in knockdown mice with reduced cholinergic neurotransmission. Braz J Med Biol Res. 2013;46(10):844-54. doi: 10.1590/1414-431X20133102.

Quental NBM, Brucki SMD, Bueno OFA. Visuospatial function in early Alzheimer's Disease—The use of the Visual Object and Space Perception (VOSP) battery. PLoS ONE. 2013;8(7): e68398. doi: 10.1371/journal.pone.0068398.

Rachetti ALF, Arida RM, Patti CL, Zanin KA, Fernades-Santos L, Frussa-Filho R, Silva SG, Scorza FA, Cysneiros RM. Fish oil supplementation and physical exercise program: Distinct effects on different memory tasks. Behav Brain Res. 2013;237:283-9. doi: 10.1016/j.bbr.2012.09.048.

Rasmussen L, Delabio R, Horiguchi L, Mizumoto I, Terazaki CR, Mazzotti D, Bertolucci PH, Pinhel MA, Souza D, Krieger H, Kawamata C, Minett T, Smith MC, Payão SL. Association

between interleukin 6 gene haplotype and Alzheimer's disease: a brazilian case-control study. J Alzheimer’s Dis. 2013;36(4):733-8. doi: 10.3233/JAD-122407.

Resende WR, Valvassori SS, Réus GZ, Varela RB, Arent CO, Ribeiro KF, Bavaresco DV, Andersen ML, Zugno AI, Quevedo J. Effects of sodium butyrate in animal models of mania and depression: implications as a new mood stabilizer. Behav Pharmacol. 2013;24(7):569-79. doi: 10.1097/FBP.0b013e32836546fc.

Righi AA, Negri G, Salatino A. Comparative chemistry of Propolis from eight Brazilian localities. Evid Based Complement Alternat Med. 2013;2013: 267878. doi: 10.1155/2013/267878.

Righi AA, Motta LB, Klafke GM, Pohl PC, Furlan CM, Santos DYAC, Salatino MLF, Negri G, Labruna MB, Salatino A. Chemical composition and efficacy of dichloromethane extract of Croton sphaerogynus Baill. (Euphorbiaceae) against the cattle tick Rhipicephalus microplus (Acari: Ixodidae). Veterinary Parasitol. 2013;192(1–3):292-5. doi: 10.1016/j.vetpar.2012.11.005.

Risso TT, Poyares D, Rizzi CF, Pulz C, Guilleminault C, Tufik S, De Paola AAV, Cintra F. The impact of sleep duration in obstructive sleep apnea patients. Sleep Breath. 2013;17(2):837-43. doi: 10.1007/s11325-012-0774-3.

Rivero TS, Covre P, Reyes MB, Bueno OFA. Effects of chronic video game use on time perception: differences between sub- and multi-second intervals. Cyberpsychol Behav Social Networking. 2013;16(2):1-5. doi: 10.1089/cyber.2012.0103.

Rivero TS, Miranda MC, Bueno OFA. Foco, atenção sustentada e vigilância: dimensões atencionais afetadas em adolescentes com TDAH. Estudos Psicol (Natal). 2013;18(1):145-50. doi: 10.1590/S1413-294X2013000100023.

Rizzi CF, Cintra F, Mello-Fujita L, Rios LF, Mendonca ET, Feres MC, Tufik S, Poyares D. Does obstructive sleep apnea impair the cardiopulmonary response to exercise? Sleep. 2013;36(4):547-53. doi: 10.5665/sleep.2542.

Rosário JL, Diógenes MS, Mattei R, Leite JR. Can sadness alter posture? J Bodyw Mov Ther. 2013 Jul;17(3):328-31. doi: 10.1016/j.jbmt.2012.12.001.

Sabioni P, Ramos AC, Galduroz JCF. The effectiveness of treatments for cocaine dependence in schizophrenic patients: a systematic review. Curr Neuropharmacol. 2013;11(5):484-90. doi: 10.2174/1570159X11311050003.

Sales LV, De Bruin VMS, D’Almeida V, Pompeia S, Bueno OF, Tufik S, Bittencourt LR. Cognition and biomarkers of oxidative stress in obstructive sleep apnea. Clinics. 2013;68(4):449-55. doi: 10.6061/clinics/2013(04)03.

Sanchez ZM, Locatelli DP, Noto AR, Martins SS. Binge drinking among Brazilian students: a gradient of association with socioeconomic status in five geo-economic regions. Drug Alcohol Dep. 2013;127(1-3):87-93. doi: 10.1016/j.drugalcdep.2012.06.018.

Sanchez ZM, Noto AR, Anthony JC. Social rank and inhalant drug use: the case of lança perfume use in São Paulo, Brazil. Drug Alcohol Depend. 2013;131(1-2):92-9. doi: 10.1016/j.drugalcdep.2012.12.001.

Sanchez ZM, Ribeiro LA, Moura YG, Noto AR, Martins SS. Inhalants as intermediate drugs between legal and illegal drugs among middle and high school students. J Addict Dis. 2013;32(2):217-26. doi: 10.1080/10550887.2013.795472.

Sanday L, Patti CL, Zanin KA, Fernandes-Santos L, Oliveira LC, Kameda SR, Tufik S, Frussa-Filho R. Ethanol-induced memory impairment in a discriminative avoidance task is state-dependent. Alcohol Clin Exp Res. 2013;37(Suppl.1):E30–E39. doi: 10.1111/j.1530-0277.2012.01905.x.

Sanday L, Patti CL, Zanin KA, Tufik S, Frussa-Filho R. Amphetamine-induced memory impairment in a discriminative avoidance task is state-dependent in mice. Int J Neuropsychopharmacol. 2013;16(3):583-92. doi: 10.1017/S1461145712000296.

Sanday L, Zanin KA, Patti CL, Fernandes-Santos L, Oliveira LC, Longo BM, Andersen ML, Tufik S, Frussa-Filho R. Role of state-dependent learning in the cognitive effects of caffeine in mice. Int J Neuropsychopharmacol. 2013;16(7):1547-57. doi: 10.1017/S1461145712001551.

Sartes LMA, Souza-Formigoni MLO. Avanços na psicometria: da Teoria Clássica dos Testes à Teoria de Resposta ao Item. Psicol Refl Crit. 2013;26(2):241-50. doi: 10.1590/S0102-79722013000200004.

Scalco N, Rodrigues E. Changes in the acquisition and consumption of food plants and their relationship with indigenous perceptions of health in a Guarani village, São Paulo, Brazil. Public Health Nutr. 2013;16(10):1820-6. doi: 10.1017/S136898001200434X.

Schütz TC, Cunha TC, Moura-Guimaraes T, Luz GP, Ackel-D'Elia C, Alves ED, Pantiga Jr G, Mello MT, Tufik S, Bittencourt L. Comparison of the effects of continuous positive airway pressure, oral appliance and exercise training in obstructive sleep apnea syndrome. Clinics. 2013;68(8):1168-74. doi: 10.6061/clinics/2013(08)17.

Scorza FA, Cavalheiro EA, Scorza CA, Galduroz JCF, Tufik S, Andersen ML. Omega-3 intake in people with obstructive sleep apnea: beauty sleep for the heart. Epilepsy Behav. 2013;29(2):424-6. doi: 10.1016/j.yebeh.2013.07.029.

Scorza FA, Cavalheiro EA, Scorza CA, Galduroz JC, Tufik S, Andersen ML. Sleep apnea and inflammation – getting a good night's sleep with omega-3 supplementation. Front Neurol. 2013;4:193. doi: 10.3389/fneur.2013.00193.

Silva A, Queiroz SS, Andersen ML, Mônico-Neto M, Campos RMS, Roizenblatt S, Tufik S, De Mello MT. Passive body heating improves sleep patterns in female patients with fibromyalgia. Clinics. 2013;68(2):135-40. doi: 10.6061/CLINICS/2013(02)OA03.

Silva A, Mattiello SM, Peterson R, Zanca GG, Vital R, Itiro R, Winckler C, Rocha EA, Tufik S, De Mello MT. Queixas musculoesqueléticas e procedimentos fisioterapêuticos na delegação brasileira paralímpica durante o Mundial Paralímpico de Atletismo em 2011. Rev Bras Med Esporte. 2013;19(4):256-9. doi: 10.1590/S1517-86922013000400006 .

Silva NP, Souza FIS, Pendezza AI, Fonseca FLA, Hix S, Oliveira AC, Sarni ROS, D'Almeida V. Homocysteine and cysteine levels in prepubertal children: association with waist circumference and lipid profile. Nutrition. 2013;29(1):166–71. doi: 10.1016/j.nut.2012.05.015.

Silva-Batista C, Ugrinowitsch C, Yoshida LDS, Rodacki ALF, Tricoli VAA, De Mello MT, Piemonte MEP, De Mattos ECT. Comparação de inibições medulares entre indivíduos com doença de Parkinson e saudáveis. Rev Bras Educ Física Esporte. 2013;27(2):187-97. doi: 10.1590/S1807-55092013000200003.

Simim MAM, Silva BVC, Marocolo Júnior M, Mendes EL, De Mello MT, Da Mota GR. Anthropometric profile and physical performance characteristic of the Brazilian amputee football (soccer) team. Motriz Rev Educ Fis. 2013;19(3):641-8. doi: 10.1590/S1980-65742013000300016.

Soares J, Vargas D, Formigoni MLOS. Atitudes e conhecimentos de enfermeiros frente ao álcool e problemas associados: impacto de uma intervenção educativa. Rev Esc Enferm USP. 2013;47(5):1179-87. doi: 10.1590/S0080-623420130000500023.

Soares JC, Oliveira MG, Ferreira TL. Inactivation of muscarinic receptors impairs place and response learning: Implications for multiple memory systems. Neuropharmacology. 2013;73:320-6. doi: 10.1016/j.neuropharm.2013.06.009.

Soares Neto JAR, Kato EM, Bugno A, Galduroz JCF, Marques LC, Macrini T, Rodrigues E. Informal trade of psychoactive herbal products in the City of Diadema, SP, Brazil: quality and potential risks. Evid Based Complement Alternat Med. 2013;2013:894834. doi: 10.1155/2013/894834.

Souza ARL, Opaleye ES, Noto AR. Contextos e padrões do uso indevido de benzodiazepínicos entre mulheres. Ciênc Saúde Colet. 2013;18(4):1131-40. doi: 10.1590/S1413-81232013000400026.

Souza JKS, Ginani GE, Pompeia S, Baron J, Tierra-Criollo CJ. Equipamento portátil para ensaios simultâneos de teste de vigilância psicomotora e pupilometria. Rev Bras Eng Biomed. 2013;29(E4):97-109. doi: 10.4322/rbeb.2013.009.

Squarcini CF, Pires ML, Lopes C, Benedito-Silva AA, Esteves AM, Cornelissen-Guillaume G, Matarazzo C, Garcia D, da Silva MS, Tufik S, de Mello MT. Free-running circadian rhythms of muscle strength, reaction time, and body temperature in totally blind people. Eur J Appl Physiol. 2013;113(1):157-65. doi: 10.1007/s00421-012-2415-8.

Takatsu-Coleman AL, Patti CL, Zanin KA, Sanday L, Zager A, Carvalho RC, Andersen ML, Tufik S, Frussa-Filho R. Mild acute stress reactivates memory of a discriminative avoidance task in mice. Stress. 2013;16(3):278-88. doi: 10.3109/10253890.2012.742058.

Takatsu-Coleman AL, Patti CL, Zanin KA, Zager A, Carvalho RC, Borçoi AR, Ceccon LM, Berro LF, Tufik S, Andersen ML, Frussa-Filho R. Short-term social isolation induces depressive-like behaviour and reinstates the retrieval of an aversive task: Mood-congruent memory in male mice? J Psychiatry Neurosci. 2013;38(4):259-68. doi: 10.1503/jpn.120050.

Takatsu-Coleman AL, Zanin KA, Patti CL, Zager A, Lopes-Silva LB, Longo BM, Tufik S, Andersen ML, Frussa-Filho R. Short-term sleep deprivation reinstates memory retrieval in mice: The role of corticosterone secretion. Psychoneuroendocrinology. 2013;38(10):1967-78. doi: 10.1016/j.psyneuen.2013.02.016.

Tamanaha P, D'Almeida V, Calegare BF, Tomita LY, Bittencourt LR, Tufik S. 24bp duplication of CHIT1 gene and determinants of human chitotriosidase activity among participants of EPISONO, a population-based cross-sectional study, São Paulo, Brazil. Clin Biochem. 2013;46(12):1084-8. doi: 10.1016/j.clinbiochem.2013.05.044.

Tanaka K, Galduroz RFS, Gobbi LTB, Galduroz JCF. *Ginkgo Biloba* extract in an animal model of Parkinson's disease: a systematic review. Curr Neuropharmacol. 2013;11(4):430-5. doi: 10.2174/1570159X11311040006.

Telles S, Kozasa E, Bernardi L, Cohen M. Yoga and rehabilitation: physical, psychological, and social. Evid Based Complement Alternat Med. 2013;2013:624758. doi: 10.1155/2013/624758.

Telles SCL, Paiva LBN, Arrais T, Marzola IHT, Zerbinatti CS, Ferraz EC, Arruda C, Mesquita D, Moreno F, Seixinho A, Fiorato Jr J, Assumpção LF, Tadei C, Tufik S, Franco AM, Morales D,

Eckeli AL, Pontes-Neto OM, Marques AP, Assumpção A, Borba AK, Bittencourt LRA. Brazilian consensus on sleep physiotherapy. Sleep Sci. 2013;6(4):159-74.

Tenório NM, Tufik S, Bergamaschi CT, Campos RR, Cintra F, Alvarenga TA, Andersen ML. Influence of acute sleep deprivation on cardiovascular parameters in female zucker obese and lean rats. Obesity. 2013;21(3):510-5. doi: 10.1002/oby.20063.

Tenorio NM, Ribeiro DA, Alvarenga TA, Fracalossi AC, Carlin V, Hirotsu C, Tufik S, Andersen ML. The influence of sleep deprivation and obesity on DNA damage in female Zucker rats. Clinics (Sao Paulo). 2013;68(3):385-9. doi: 10.6061/clinics/2013(03)OA16.

Teodoro VV, Júnior MA, Lucchesi LM, Cavignolli D, de Mello MT, Kondo M, Tufik S. Polysomnographic sleep aspects in liver cirrhosis: a case control study. World J Gastroenterol. 2013;19(22):3433-8. doi: 10.3748/wjg.v19.i22.3433.

Togeiro SM, Carneiro G, Ribeiro Filho FF, Zanella MT, Santos-Silva R, Taddei JA, Bittencourt LR, Tufik S. Consequences of Obstructive Sleep Apnea on metabolic profile: a population-based survey. Obesity. 2013;21(4):847-51. doi: 10.1002/oby.20288.

Tomita LY, D'Almeida V, Villa LL, Franco EL, Cardoso MA; for the BRINCA Study Group. Polymorphisms in genes involved in folate metabolism modify the association of dietary and circulating folate and vitamin B-6 with cervical neoplasia. J Nutr. 2013;143(12):2007-14. doi: 10.3945/jn.113.182212.

Torres HA, Motta FL, Sales VM, Batista C, Silva JM, Vignoli T, Barnabé GF, Goeldner FO, D'Almeida V, Bittencourt JC, Sinigaglia-Coimbra R, Bader M, Mello LE, Pesquero JB. Kinin B1 receptor gene ablation affects hypothalamic CART production. Biol Chem. 2013;394(7):901-8. doi: 10.1515/hsz-2012-0302.

Tufik SB, Bennedsen L, Andersen ML, Tufik S. Potential role of sleep in bipolar disorder. J Psychiatr Res. 2013;47(1):133-4. doi: 10.1016/j.jpsychires.2012.09.012.

Tufik SB, Bennedsen L, Andersen ML, Tufik S. The interaction of Sjögren's syndrome, gastroesophagel reflux and sleep. Sleep Med. 2013;14(2):222. doi: 10.1016/j.sleep.2012.09.007.

Viana CF, Pradella-Hallinan M, Quadros AAJ, Marin LF, Oliveira ASB. Circadian variation of fatigue in both patients with paralytic poliomyelitis and post-polio syndrome. Arq Neuropsiquiatr. 2013;71(7):442-5. doi: 10.1590/0004-282X20130059.

Vidigal TA, Haddad FLM, Gregório LC, Poyares D, Tufik S, Bittencourt LRA. Subjective, anatomical, and functional nasal evaluation of patients with obstructive sleep apnea syndrome. Sleep Breath. 2013;17(1):427–33. doi: 10.1007/s11325-012-0667-5.

Vigeta SMG, Ribeiro FMN, Hachul H, Tufik S, Haidar MA. O conhecimento da higiene do sono na menopausa. Rev APS. 2013;16(2):122-8.

Wood TC, Harvey K, Beck M, Burin MG, Chien YH, Church HJ, D'Almeida V, van Diggelen OP, Fietz M, Giugliani R, Harmatz P, Hawley SM, Hwu WL, Ketteridge D, Lukacs Z, Miller N, Pasquali M, Schenone A, Thompson JN, Tylee K, Yu C, Hendriksz CJ. Diagnosing mucopolysaccharidosis IVA. J Inherit Metab Dis. 2013;36(2):293-307. doi: 10.1007/s10545-013-9587-1.

Zanin KA, Patti CL, Sanday L, Fernandes-Santos L, Oliveira LC, Poyares D, Tufik S, Frussa-Filho R. Effects of zolpidem on sedation, anxiety, and memory in the plus-maze discriminative avoidance task. Psychopharmacology. 2013;226:459-74. doi: 10.1007/s00213-012-2756-3.

Zanini M, Castro J, Coelho FM, Bittencourt L, Bressan RA, Tufik S, Brietzke E. Do sleep abnormalities and misaligned sleep/circadian rhythm patterns represent early clinical characteristics for developing psychosis in high risk populations? Neurosci Biobehav Rev. 2013;37(10 Part 2):2631-7. doi: 10.1016/j.neubiorev.2013.08.012.

Zaparoli JX, Galduroz JC. Varenicline: the risks of over-the-counter sales in Brazil. Rev Bras Psiquiatr. 2013;35(4):442-3. doi: 10.1590/1516-4446-2013-1107.

2012.....

Abrahao KP, Quadros IMH, Andrade ALM, Souza-Formigoni MLO. Accumbal dopamine D2 receptor function is associated with individual variability in ethanol behavioral sensitization. Neuropharmacology. 2012;62(2):882-9. doi: 10.1016/j.neuropharm.2011.09.017.

Abrahao KP, Souza-Formigoni MLO. Behavioral sensitization to ethanol results in cross-sensitization to MK-801 but not to NMDA administered intra-accumbens. Behav Brain Res. 2012;235(2):218-24. doi: 10.1016/j.bbr.2012.07.034.

Ackel-D'Elia C, da Silva AC, Santos Silva R, Truksinas E, Sousa BS, Tufik S, De Mello MT, Bittencourt LRA. Effects of exercise training associated with continuous positive airway pressure treatment in patients with obstructive sleep apnea syndrome. Sleep Breath. 2012;16(3):723-35. doi: 10.1007/s11325-011-0567-0.

Adler UC, Padula AEM, Cesar AT, Adler MS, Galduroz JCF. Homeopathic potencies of *Opium* in alcohol dependence: exploratory open-label study. Int J High Dilution Res. 2012;11(38):19-24.

Afonso RF, Hachul H, Kozasa EH, Oliveira DS, Goto V, Rodrigues D, Tufik S, Leite JR. Yoga decreases insomnia in postmenopausal women: a randomized clinical Trial. Menopause. 2012;19(2):186-93. doi: 10.1097/gme.0b013e318228225f.

Almeida FR, Furuyama RJ, Chaccur DC, Lowe AA, Chen H, Bittencourt LR, Frigeiro MLMA, Tsuda H. Complete denture wear during sleep in elderly sleep apnea patients—a preliminary study. Sleep Breath. 2012;16(3):855–63. doi: 10.1007/s11325-011-0587-9.

Alvarenga TA, Tufik S, Pires GN, Andersen ML. Influence of food restriction on lipid profile and spontaneous glucose levels in male rats subjected to paradoxical sleep deprivation. Clinics. 2012;67(4):375-80. doi: 10.6061/clinics/2012(04)11.

Alves ES, Souza HS, Rosa JP, Lira FS, Pimentel GD, Santos RV, Oyama LM, Damaso AR, Oller do Nascimento CM, Viana VA, Boscolo RA, Grassmann V, Santana MG, Tufik S, de Mello MT. Chronic exercise promotes alterations in the neuroendocrine profile of elderly people. Horm Metab Res. 2012;44(13):975-9. doi: 10.1055/s-0032-1316294.

Amaral-Sabadini MB, Cheng DM, Lloyd-Travaglini C, Samet JH, Saitz R. Is a patient's type of substance dependence (alcohol, drug or both) associated with the quality of primary care they receive? Qual Prim Care. 2012;20(6):391-9.

Andersen ML, Sawyer EK, Howell LL. Contributions of neuroimaging to understanding sex differences in cocaine abuse. Exp Clin Psychopharmacol. 2012;20(1):2-15. doi: 10.1037/a0025219.

Andersen ML, Tufik S, Cavalheiro EA, Arida RM, de Albuquerque M, Matos G, Scorza FA. Lights out! It is time for bed. Warning: obstructive sleep apnea increases risk of sudden death in people with epilepsy. Epilepsy Behav. 2012;23(4):510-1. doi: 10.1016/j.yebeh.2012.01.026.

Andersen ML, Sawyer EK, Carroll FI, Howell LL. Influence of chronic dopamine transporter inhibition by RTI-336 on motor behavior, sleep, and hormone levels in Rhesus monkeys. Exp Clin Psychopharmacol. 2012;20(2):77-83. doi: 10.1037/a0026034.

Andersen ML, Tufik S, Colombo AL, Cavalheiro EA, Cysneiros RM, Scorza FA. Sudden unexpected death in children with epilepsy: The many faces of fungal pathogenicity. Med Hypotheses. 2012;79(2):127-8. doi: 10.1016/j.mehy.2012.03.015.

Andersen ML, Guindalini C, Alvarenga TA, Egydio FM, Tufik S. Expression of ceruloplasmin in cavernosal tissue of paradoxical sleep deprived rats. Sleep Sci. 2012;5(2):40-4.

Andersen ML. Neverending science. Sleep Sci. 2012;5(2):iii.

Andersen ML, Alvarenga TA, Scorza FA, Matos G, Sonoda EY, Hirotsu C, Cavalheiro EA, Tufik S. Impairment of sexual function in rats with epilepsy. J Sex Med. 2012;9(9):2266–72. doi: 10.1111/j.1743-6109.2012.02792.x.

Andersen ML, Tufik S. Is thyroid screening of sleep clinic patients essential? Sleep Med. 2012;13(10):1215-6. doi: 10.1016/j.sleep.2012.09.015.

Andersen ML, Tufik S. Vitamin D as an underlying factor in sleep-related issues. J Clin Sleep Med. 2012;8(6):699. doi: 10.5664/jcsm.2268.

Andrade SPC, Brucki SMD, Bueno OFA, Siqueira Neto JI. Neuropsychological performance in patients with subcortical stroke. Arq. Neuropsiquiatr. 2012;70(5):341-7. doi: 10.1590/s0004-282x2012005000012.

Aoike DT, Baria F, Rocha ML, Kamimura MA, Mello MT, Tufik S, Ammirati A, Cuppari L. Impact of training at ventilatory threshold on cardiopulmonary and functional capacity in overweight patients with chronic kidney disease. J Bras Nefrol. 2012;34(2):139-47. doi: 10.1590/s0101-28002012000200006.

Armani F, Andersen ML, Andreatini R, Frussa-Filho R, Tufik S, Galduroz JC. Successful combined therapy with Tamoxifen and Lithium in a paradoxical sleep deprivation-induced mania model. CNS Neurosci Ther. 2012;18(2): 119–25. doi: 10.1111/j.1755-5949.2010.00224.x.

Barbosa Neto JB, Tiba PA, Faturi CB, Castro-Neto EF, Naffah-Mazacoratti MG, Mari JJ, Mello MF, Suchecki D. Stress during development alters anxiety-like behavior and hippocampal neurotransmission in male and female rats. Neuropharmacology. 2012;62(1):518-26. doi: 10.1016/j.neuropharm.2011.09.011.

Barris-Oliveira AC, Müller KB, Turaça LT, Pesquero JB, Martins AM, D'Almeida V. Higher frequency of paraoxonase gene polymorphism and cardiovascular impairment among Brazilian Fabry Disease patients. Clin Biochem. 2012;45(16-17):1459-62. doi: 10.1016/j.clinbiochem.2012.06.034.

Benassi-Werke M, Queiroz M, Araújo RS, Bueno OFA, Oliveira MGM. Musicians' working memory for tones, words, and pseudowords. Q J Exp Psychol. 2012;65(6):1161-71. doi: 10.1080/17470218.2011.644799.

Bezerra AG, Andersen ML, Tufik S, Hachul H. Is acupuncture a real alternative treatment for mild apnea? Sleep Sci. 2012;5(4):106.

Bittencourt LR, Pedrazzoli M, Yagihara F, Luz GP, Garbuio S, Moreira GA, Perfeito JA, Tufik S. Late-onset, insidious course and invasive treatment of congenital central hypoventilation

syndrome in a case with the Phox2B mutation: case report. Sleep Breath. 2012;16(4):951-5. doi: 10.1007/s11325-011-0614-x.

Borgio JG, Baldaçara L, Moraes Wdos S, Lacerda AL, Montaño MB, Jackowski AP, Tufik S, Ramos LR, Bressan RA. Hippocampal volume and CDR-SB can predict conversion to dementia in MCI patients. Arq Neuropsiquiatr. 2012;70(11):839-42. doi: 10.1590/s0004-282x2012001100003.

Bruin VM, Bittencourt LR, Tufik S. Sleep-wake disturbances in Parkinson's disease: current evidence regarding diagnostic and therapeutic decisions. Eur Neurol. 2012;67(5):257–67. doi: 10.1159/000335078.

Bueno RC, Abreu MF, Pires GN, Roger-Silva D. Exercício físico e fibromialgia. Cad Ter Ocup UFSCar. 2012;20(2):279-85. doi: 10.4322/cto.2012.028.

Burke PR, Rios LF, Mendonça ET, Bittencourt AG, Tufik S, De Mello MT, Poyares D. Shift work disorders: implications and proposed management. Sleep Sci. 2012;5(3):98-103.

Calegare BFA, Tufik S, D'Almeida V. DNA methylation and oxidative stress in sleep deprived rats. Sleep Sci. 2012;5(3):84-8.

Campos RM, Lazaretti-Castro M, Mello MT, Tock L, Silva PL, Corgosinho FC, Carnier J, Piano Ad, Sanches PL, Masquio DC, Tufik S, Dâmaso AR. Influence of visceral and subcutaneous fat in bone mineral density of obese adolescents. Arq Bras Endocrinol Metabol. 2012;56(1):12-8. doi: 10.1590/s0004-27302012000100003.

Campos RMS, De Piano A, Silva P, Carnier J, Sanches PL, Corgosinho FC, Masquio DCL, Lazaretti-Castro M, Oyama LM, Nascimento CMO, Tock L, de Mello MT, Tufik S, Dâmaso AR. The role of pro/anti-inflammatory adipokines on bone metabolism in NAFLD obese adolescents: effects of long-term interdisciplinary therapy. Endocrine. 2012;42(1):146-56. doi: 10.1007/s12020-012-9613-3.

Carillo BA, Oliveira-Sales EB, Andersen M, Tufik S, Hipolide D, Santos AA, Tucci PJ, Bergamaschi CT, Campos RR. Changes in GABAergic inputs in the paraventricular nucleus maintain sympathetic vasomotor tone in chronic heart failure. Auton Neurosci. 2012;171(1-2):41-8. doi: 10.1016/j.autneu.2012.10.005.

Carim DB, Miranda MC, Bueno OFA. Tradução e adaptação para o português do *Behavior Rating Inventory of Executive Function – BRIEF.* Psicol Reflex Crit. 2012;25(4):653-61. doi: 10.1590/S0102-79722012000400004.

Carneiro G, Flório RTB, Zanella MT, Pradella-Hallinan M, Ribeiro-Filho FF, Tufik S, Togeiro SM. Is mandatory screening for obstructive sleep apnea with polysomnography in all severely obese patients indicated? Sleep Breath. 2012;16(1):163-8. doi: 10.1007/s11325-010-0468-7.

Carnier J, Sanches PL, Silva PL, de Piano A, Tock L, Campos RMS, Corgosinho FC, Corrêa FA, Masquio D, Nascimento CMO, Oyama LM, Ernandes RH, de Mello MT, Tufik S, Dâmaso AR. Obese adolescents with eating disorders: analysis of metabolic and inflammatory states. Physiol Behav. 2012;105(2):175-80. doi: 10.1016/j.physbeh.2011.08.014.

Cassilhas RC, Lee KS, Fernandes J, Oliveira MGM, Tufik S, Meeusen R, Mello MT. Spatial memory is improved by aerobic and resistance exercise through divergent molecular mechanisms. Neuroscience. 2012;202:309–17. doi: 10.1016/j.neuroscience.2011.11.029.

Cassilhas RC, Lee KS, Venâncio DP, Oliveira MGM, Tufik S, De Mello MT. Resistance exercise improves hippocampus-dependent memory. Braz J Med Biol Res. 2012;45(12):1215-20. doi: 10.1590/s0100-879x2012007500138.

Chaccur DC, Bittencourt LRA, Lucchesi L, Almeida FR, Fróes TC, Furuyama RJ, Frigerio MLMA. Assessment of the impact of vertical dimension alterations on the quality of sleep in elderly patients wearing upper and lower full dentures. Sleep Sci. 2012;5(1):1-6.

Christofolini DM, Meloni VA, Ramos MA, Oliveira MM, De Mello CB, Pellegrino R, Takeno SS, Melaragno MI. Autistic disorder phenotype associated to a complex 15q intrachromosomal rearrangement. Am J Med Genet B Neuropsychiatr Genet. 2012;159B(7):823-8. doi: 10.1002/ajmg.b.32089.

Cintra F, Bittencourt LRA, Santos-Silva R, Andersen M, De Paola A, Poyares D, Tufik S. The association between the Framingham risk score and sleep: A São Paulo epidemiological sleep study. Sleep Med. 2012;13(6):577–82. doi: 10.1016/j.sleep.2011.12.016.

Coelho FM, Pradella-Hallinan M, Palombini L, Tufik S, Bittencourt LRA. The STOP-BANG questionnaire was a useful tool to identify OSA during epidemiological study in São Paulo (Brazil). Sleep Med. 2012;13(4):450-1. doi: 10.1016/j.sleep.2012.01.008.

Coelho FMS, Aloe F, Moreira G, Sander HH, Roitman I, Prado LF, Pradella-Hallinan M, Fernandes RMF, Alves RSC. Narcolepsy in childhood and adolescence. Sleep Sci. 2012;5(4):139-44.

Coelho FMS, Pradella-Hallinan M, Tufik S, Bittencourt LRA. Fisiopatologia da narcolepsia. Salud Sciencia. 2012;19(1):43-6. ISSN 1667-898.

Coelho LF, Do Rosário MC, Mastrorosa RS, Miranda MC, Bueno OFA. Performance of a Brazilian sample on the computerized Wisconsin Card Sorting Test. Psychol Neurosci. 2012;5(2):147-56. doi: 10.3922/j.psns.2012.2.04.

Colovati ME, da Silva LR, Takeno SS, Mancini TI, N Dutra AR, Guilherme RS, De Mello CB, Melaragno MI, A Perez AB. Marfan syndrome with a complex chromosomal rearrangement including deletion of the FBN1 gene. Mol Cytogenet. 2012;5:5. doi: 10.1186/1755-8166-5-5 .

Comis MAC, Noto AR. Reasons for not using ecstasy: a qualitative study of non-users, ex-light users and ex-moderate users. BMC Public Health. 2012, 12:353. doi: 10.1186/1471-2458-12-353.

Contó MB, Hipolide DC, Carvalho JGB, Venditti MAC. Rats with different thresholds for DMCM-induced clonic convulsions differ in the sleep-time of diazepam and [3H]-Ro 15-4513 binding. Epilepsy Res. 2012;98(2-3):216-22. doi: 10.1016/j.eplepsyres.2011.09.014.

Contó MB, Carvalho JGB, Venditti MAC. Rats with different thresholds to clonic convulsions induced by DMCM differ in the binding of [3H]-MK-801 and [3H]-ouabain in the membranes of brain regions. Neurochem Res. 2012;37(7):1442–9. doi: 10.1007/s11064-012-0730-4.

Contó MB, Venditti MAC. In vitro studies of the influence of glutamatergic agonists on the Na+,K+-ATPase and K+-p-nitrophenylphosphatase activities in the hippocampus and frontal cortex of rats. J Negative Results BioMed. 2012;11:12. doi: 10.1186/1477-5751-11-12.

Corgosinho FC, Piano A, Sanches PL, Campos RM, Silva PL, Carnier J, Oyama LM, Tock L, Tufik S, De Mello MT, Dâmaso AR. The role of PAI-1 and adiponectin on the inflammatory state and energy balance in obese adolescents with metabolic syndrome. Inflammation. 2012;35(3):944-51. doi: 10.1007/s10753-011-9397-2.

Crispim CA, Padilha HG, Zimberg IZ, Waterhouse J, Dattilo M, Tufik S, De Mello MT. Adipokine levels are altered by shiftwork: a preliminary study. Chronobiol Int. 2012;29(5):587-94. doi: 10.3109/07420528.2012.675847.

Da Rosa DD, Valvassori SS, Steckert AV, Arent CO, Ferreira CL, Lopes-Borges J, Varela RB, Mariot E, Dal-Pizzol F, Andersen ML, Quevedo J. Differences between dextroamphetamine and methamphetamine: behavioral changes and oxidative damage in brain of Wistar rats. J Neural Transm. 2012;119(1):31-8. doi: 10.1007/s00702-011-0691-9.

Da-Rosa DD, Valvassori SS, Steckert AV, Ornell F, Ferreira CL, Lopes-Borges J, Varela RB, Dal-Pizzol F, Andersen ML, Quevedo J. Effects of lithium and valproate on oxidative stress and behavioral changes induced by administration of m-AMPH. Psychiatry Res. 2012;198(3):521-6. doi: 10.1016/j.psychres.2012.01.019.

Dalio FM, Visniauskas B, Bicocchi ES, Perry JC, Freua R, Gesteira TF, Nader HB, Machado MFM, Tufik S, Ferro ES, Andersen ML, Toledo CAB, Chagas JR, Oliveira V. Acute cocaine treatment increases thimet oligopeptidase in the striatum of rat brain. Biochem Biophys Res Commun. 2012;419(4):724-7. doi: 10.1016/j.bbrc.2012.02.088.

Dattilo M, Antunes HKM, Medeiros A, Mônico-Neto M, Souza HS, Lee KS, Tufik S, De Mello MT. Paradoxical sleep deprivation induces muscle atrophy. Muscle Nerve. 2012;45:431–3. doi: 10.1002/mus.22322.

De Piano A, de Mello MT, Sanches Pde L, da Silva PL, Campos RM, Carnier J, Corgosinho F, Foschini D, Masquio DL, Tock L, Oyama LM, Oller do Nascimento CM, Tufik S, Dâmaso AR. Long-term effects of aerobic plus resistance training on the adipokines and neuropeptides in nonalcoholic fatty liver disease obese adolescents. Eur J Gastroenterol Hepatol. 2012;24(11):1313-24. doi: 10.1097/MEG.0b013e32835793ac.

De Souza L, Smaili SS, Ureshino RP, Sinigaglia-Coimbra R, Andersen ML, Lopes GS, Tufik S. Effect of chronic sleep restriction and aging on calcium signaling and apoptosis in the hippocampus of young and aged animals. Progr Neuropsychopharmacol Biol Psychiatry. 2012;39(1):23-30. doi: 10.1016/j.pnpbp.2012.01.018.

Egydio F, Ruiz FS, Tomimori J, Tufik S, Andersen ML. Can morphine interfere in the healing process during chronic stress? Arch Dermatol Res. 2012;304(6):413-20. doi: 10.1007/s00403-012-1261-1.

Egydio F, Pires GN, Tufik S, Andersen ML. Wound-healing and benzodiazepines: does sleep play a role in this relationship? Clinics (Sao Paulo). 2012;67(7):827-30. doi: 10.6061/clinics/2012(07)20.

Egydio F, Ribeiro DA, Noguti J, Tufik S, Andersen ML. Influence of sleep deprivation and morphine on the expression of inducible nitric oxide synthase and cyclooxygenase-2 in skin of hairless mice. Toxicol Mech Methods. 2012;22(8):577–83. doi: 10.3109/15376516.2012.702797.

Eserian JK, D'Almeida V, Andersen ML, Galduroz JCF. Effects of polyunsaturated fatty acids on cocaine-conditioned place preference in mice. Nutr Neurosci. 2012;15(4):171-5. doi: 10.1179/1476830512Y.0000000005.

Esteves AM, Squarcini CFR, Lancellotti CLP, Tufik S, De Mello MT. Characteristics of muscle fibers in rats with limb movements during sleep after spinal cord injury. Eur Neurol. 2012;67(2):107–15. doi: 10.1159/000334102.

Faccidomo S, Quadros IM, Takahashi A, Fish EW, Miczek KA. Infralimbic and dorsal raphé microinjection of the 5-HT1B receptor agonist CP-93,129: attenuation of aggressive behavior

in CFW male mice. Psychopharmacology. 2012;222(1):117-28. doi: 10.1007/s00213-011-2629-1.

Feier G, Valvassori SS, Lopes-Borges J, Varela RB, Bavaresco DV, Scaini G, Morais MO, Andersen ML, Streck EL, Quevedo J. Behavioral changes and brain energy metabolism dysfunction in rats treated with methamphetamine or dextroamphetamine. Neurosci Lett. 2012;530(1):75-9. doi: 10.1016/j.neulet.2012.09.039.

Feldberg SCF, Mello CB, Davis CLF, Nogueira RG, Bueno OFA, Muszkat M. Neuropsychological and mathematical performance in children and adolescents with brain injury: a multiple-case study. J Int Estudos Educ Matemática. 2012;5(2):122-53.

Fernandes-Santos L, Patti CL, Zanin KA, Fernandes HA, Tufik A, Andersen ML, Frussa-Filho R. Sleep deprivation impairs emotional memory retrieval in mice: influence of sex. Progr Neuropsychopharmacol Biol Psychiatry. 2012;38(2):216-22. doi: 10.1016/j.pnpbp.2012.03.014.

Ferri CP. Population ageing in Latin America: dementia and related disorders. Rev Bras Psiquiatr. 2012;34(4):371-2. doi: 10.1016/j.rbp.2012.08.005.

Flausino NH, Prado JMS, Queiroz SS, Tufik S, De Mello MT. Physical exercise performed before bedtime improves the sleep pattern of healthy young good sleepers. Psychophysiology. 2012;49:186–92. doi: 10.1111/j.1469-8986.2011.01300.x.

Flausino NH, Noce F, De Mello MT, Ferreira RM, Penna EP, Costa VT. Estilo de vida de adolescentes de uma escola pública e de uma particular. Rev Mineira Educ Fís. 2012;1:491-500.

Fontes AHM, Lopes EM, Togeiro SMGP. Distúrbios respiratórios do sono na gravidez. Pneumol Paulista. 2012;26(1):35-8.

Frank MK, Esteves AM, Lopes C, Cavagnolli DA, Tufik S, De Mello MT. The effects of physical exercise on the serum iron profile in spontaneously hypertensive rats. Biol Trace Elem Res. 2012;145(2):222–4. doi: 10.1007/s12011-011-9188-5.

Furtado D, Hachul H, Andersen ML, Castro RA, Girão MB, Tufik S. Nocturia × disturbed sleep: a review. Int Urogynecol J. 2012;23(3):255–67. doi: 10.1007/s00192-011-1525-x.

Garcia VA, Matos G, Tufik S, Scorza FA, Cavalheiro EA, Schröder N, Andersen ML. Demystifying the effect of modafinil in epilepsy. Epilepsy Behav. 2012;24(2):287. doi: 10.1016/j.yebeh.2012.04.111.

Giampá SQC, Souza JFT, Santos SA, Silva ET, De Mello MT, Santos RVT, Antunes HKM. Respostas afetivas do exercício físico realizado até exaustão voluntária máxima em condição de hipóxia simulada. Rev Psicol Saúde. 2012;4(1):19-26. doi: 10.20435/pssa.v4i1.121.

Gomes AM, Santos OM, Pimentel K, Marambaia PP, Gomes LM, Pradella-Hallinan M, Lima MG. Quality of life in children with sleep-disordered breathing. Braz J Otorhinolaryngol. 2012;78(5):12-21. doi: 10.5935/1808-8694.20120003.

Gomes RTM, Mello CB, Cardoso TSG, Feldberg SCF, Muszkat M, Bueno OFA. Protocolo psicopedagógico de avaliação interdisciplinar de crianças com lesão cerebral. Rev Psicopedagogia. 2012;29(90):290-300.

Guariniello LD, Vicari P, Lee KS, Oliveira AC, Tufik S. Bone marrow and peripheral white blood cells number is affected by sleep deprivation in a murine experimental model. J Cell Physiol. 2012;227:361–6. doi: 10.1002/jcp.22743.

Guindalini C, Tufik S. Genetic aspects of sleep in humans. Sleep Sci. 2012;5(4):125-30.

Haase VG, de Salles JF, Miranda MC, Malloy-Diniz L, Abreu N, Argollo N, Mansur LL, Parente MAMP, Fonseca RP, Mattos P, Landeira-Fernandez J, Caixeta LF, Nitrini R, Caramelli P, Teixeira Junior AL, Grassi-Oliveira R, Christensen CH, Brandão L, da Silva Filho HC, da Silva AG, Bueno OFA. Neuropsicologia como ciência interdisciplinar: consenso da comunidade brasileira de pesquisadores/clínicos em Neuropsicologia. Neuropsicol Latinoam. 2012;4(4):1-8. doi: 10.5579/rnl.2012.125.

Hachul H, Bennedsen L, Tufik S, Andersen ML. Letter to the editor: Soy germ isoflavones improve menopausal symptoms. Menopause. 2012;19(10):1165. doi: 10.1097/gme.0b013e31826d1e4d.

Hamani C, Machado DC, Hipolide DC, Dubiela FP, Suchecki D, Macedo CE, Tescarollo F, Martins U, Covolan L, Nobrega JN. Deep brain stimulation reverses anhedonic-like behavior in a chronic model of depression: role of serotonin and brain derived neurotrophic factor. Biol Psychiatry. 2012;71(1):30-5. doi: 10.1016/j.biopsych.2011.08.025.

Hirotsu C, Rydlewski M, Araújo MS, Tufik S, Andersen ML. Sleep loss and cytokines levels in an experimental model of psoriasis. PLoS ONE. 2012;7(11):e51183. doi: 10.1371/journal.pone.0051183.

Humeniuk R, Ali R, Babor T, Souza-Formigoni MLO, De Lacerda RB, Ling W, McRee B, Newcombe D, Pal H, Poznyak V, Simon S, Vendetti J. A randomized controlled trial of a brief intervention for illicit drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in clients recruited from primary health-care settings in four countries. Addiction. 2012;107(5):957-66. doi: 10.1111/j.1360-0443.2011.03740.x.

Huynh MB, Villares J, Díaz JES, Christiaans S, Carpentier G, Ouidja MO, Sissoeff L, Raisman-Vozari R, Papy-Garcia D. Glycosaminoglycans from aged human hippocampus have altered capacities to regulate trophic factors activities but not A_42 peptide toxicity. Neurobiol Aging. 2012;33(5):1005.e11-1005.e22. doi: 10.1016/j.neurobiolaging.2011.09.030.

Kessler F, Cacciola J, Alterman A, Faller S, Souza‐Formigoni ML, Cruz MS, Brasiliano S, Pechansky F. Psychometric properties of the sixth version of the Addiction Severity Index (ASI-6) in Brazil. Rev Bras Psiquiatria. 2012;34(1):24-33. doi: 10.1590/s1516-44462012000100006.

Kessler FHP, Terra MB, Faller S, Stolf AR, Peuker AC, Benzano D, Brazilian ASI Group (….Souza-Formigoni MLO…), Pechansky F. Crack users show high rates of antisocial personality disorder, engagement in illegal activities and other psychosocial problems. Am J Addict. 2012;21(4):370–80. doi: 10.1111/j.1521-0391.2012.00245.x.

Kim AK, Brown RM, Lawrence AJ. The role of orexins/hypocretins in alcohol use and abuse: an appetitive-reward relationship. Front Behav Neurosci. 2012;6:78. doi: 10.3389/fnbeh.2012.00078.

Koyama RG, Esteves AM, Silva LO, Lira FS, Bittencourt LRA, Tufik S, De Mello MT. Prevalence of and risk factors for obstructive sleep apnea syndrome in Brazilian railroad workers. Sleep Med. 2012;13(8):1028-32. doi: 10.1016/j.sleep.2012.06.017.

Kozasa EH, Sato JR, Lacerda SS, Barreiros MAM, Radvany J, Russell TA, Sanches LG, Mello LEAM, Amaro Jr E. Meditation training increases brain efficiency in an attention task. Neuroimage. 2012;59(1, 2):745-9. doi: 10.1016/j.neuroimage.2011.06.088.

Kozasa EH, Tanaka LH, Monson C, Little S, Leao FC, Peres MP. The effects of meditation-based interventions on the treatment of fibromyalgia. Curr Pain Headache Rep. 2012;16:383–7. doi: 10.1007/s11916-012-0285-8.

Lanini J, Duarte-Almeida JM, Nappo SA, Carlini EA. Are medicinal herbs safe? The opinion of plant vendors from Diadema (São Paulo, southeastern Brazil). Rev Bras Farmacogn. 2012;22(1):21-8. doi: 10.1590/S0102-695X2011005000188.

Lemos VA, Antunes HKM, Baptista MN, Tufik S, De Mello MT, Formigoni MLOS. Low family support perception: a 'social marker' of substance dependence? Rev Bras Psiquiatria. 2012;34(1):52-9. doi: 10.1590/s1516-44462012000100010.

Lemos VA, Antunes HKM, Santos RVT, Lira FS, Tufik S, De Mello MT. High altitude exposure impairs sleep patterns, mood, and cognitive functions. Psychophysiology. 2012;49(9):1298–306. doi: 10.1111/j.1469-8986.2012.01411.x.

Lima MMS, Andersen ML, Reksidler AB, Ferraz AC, Vital MABF, Tufik S. Paradoxical sleep deprivation modulates tyrosine hydroxylase expression in the nigrostriatal pathway and attenuates motor deficits induced by dopaminergic depletion. CNS Neurol Disord Drug Targets. 2012;11(4):359-68. doi: 10.2174/187152712800792839.

Lira FS, Rosa JC, Pimentel GD, Santos RV, Carnier J, Sanches PL, de Piano A, de Souza CT, Tock L, Tufik S, De Mello MT, Seelaender M, Nascimento CMO, Oyama LM, Dâmaso AR. Long-term interdisciplinary therapy reduces endotoxin level and insulin resistance in obese adolescents. Nutrition J. 2012;11:74. doi: 10.1186/1475-2891-11-74.

Lira FS, Rosa Neto J, Pimentel GD, Caperuto EC, De Mello MT, Rodrigues B, Marques SO, Souza CT, Dos Santos RVT. Importância dos efeitos fisiológicos do exercício na promoção da saúde. Rev Inova Saúde. 2012;1:41-56.

Locatelli D, Sanchez Z, Opaleye E, Carlini C, Noto AR. Socioeconomic influences on alcohol use patterns among private school students in São Paulo. Rev Bras Psiquiatr. 2012;34(2):193-200. doi: 10.1590/s1516-44462012000200012.

Lopes C, Esteves AM, Frussa-Filho R, Tufik S, De Mello MT. Evaluation of periodic limb movements in a putative animal model of restless leg syndrome. Mov Disord. 2012;27(3):413-20. doi: 10.1002/mds.24058.

Loricchio TMB, Leite JR. Estresse, ansiedade, crenças de autoeficácia e o desempenho dos bacharéis em Direito. Avaliação Psicol. 2012;11(1):37-47.

Lucchetti G, Lucchetti ALG, Espinha DCM, Oliveira LR, Leite JR, Koenig HG. Spirituality and health in the curricula of medical schools in Brazil. BMC Med Educ. 2012;12:78. doi: 10.1186/1472-6920-12-78.

Lungato L, Gazarini ML, Paredes-Gamero EJ, Tersariol IIS, Tufik S, D'Almeida V. Sleep deprivation impairs calcium signaling in mouse splenocytes and leads to a decreased immune response. Biochim Biophys Acta 2012;1820(12):1997–2006. doi: 10.1016/j.bbagen.2012.09.010.

Machado CC, Haddad FLM. The role of the nose in obstructive sleep apnea. Sleep Sci. 2012;5(2):61-4.

Maldonado AC, Poyares D, Chada DP, Silveira FM, Lorenzi-Filho G, Castro JR, Nogueira JF, Serra L, Bittencourt L, Oliveira LR, Bazurto MA, Varela MVL, Flores MV, Garcia RAL. Overview of sleep disordered breathing management in 12 latin american sleep centers. Sleep Sci. 2012;5(4):103-106.

Manzolli P, Nunes MA, Schmidt MI, Ferri CP. Abuse against women, depression, and infant morbidity: a primary care cohort study in Brazil. Am J Prev Med. 2012;43(2):188-95. doi: 10.1016/j.amepre.2012.04.013.

Marinho R, Ropelle ER, Cintra DE, De Souza CT, Da Silva ASR, Bertoli FC, Colantonio E, D'Almeida V, Pauli JR. Endurance exercise training increases APPL1 expression and improves insulin signaling in the hepatic tissue of diet-induced obese mice, independently of weight loss. J Cell Physiol. 2012;227:2917–26. doi: 10.1002/jcp.23037.

Marques LAM, Galduroz JCF, Noto AR. Pharmaceutical care to patients treated with antidepressants. Rev Calid Asist. 2012;27(1):55-64. doi: 10.1016/j.cali.2011.07.002.

Marques LAM, Galduroz JCF, Noto AR. Perceptions of depressed patients on depressive disorder and antidepressant treatment: elements for the clarification of pharmaceutical care. Lat Am J Pharm. 2012;31(6):869-76.

Mastroianni PC, Andrade RV, Galduroz JCF, Farache Filho A. Acesso, segurança e uso de medicamentos por usuários. Rev Ciênc Ext. 2012;8(2):6-24.

Matos G, Ribeiro DA, Alvarenga TA, Hirotsu C, Scorza FA, Le Sueur-Maluf L, Noguti J, Cavalheiro EA, Tufik S, Andersen ML. Behavioral and genetic effects promoted by sleep deprivation in rats submitted to pilocarpine-induced status epilepticus. Neurosci Lett. 2012;515(2):137-40. doi: 10.1016/j.neulet.2012.03.030.

Matos G, Scorza FA, Cavalheiro EA, Tufik S, Andersen ML. PDEI-5 for erectile dysfunction: a potential role in seizure susceptibility. J Sex Med. 2012;9(8):2111–21. doi: 10.1111/j.1743-6109.2012.02780.x.

Matos G, Bennedsen L, Garcia VA, Scorza FA, Cavalheiro EA, Tufik S, Andersen ML. A possible role of cyclooxygenase-2 in the relationship between sleep and sudden unexpected death in epilepsy. Epilepsia. 2012;53(10):1846-8. doi: 10.1111/j.1528-1167.2012.03659.x.

Matos G, Bennedsen L, Tufik S, Andersen ML. Encouraging preclinical findings regarding the relationship between sleep and epilepsy. Sleep. 2012;35(11):1449. doi: 10.5665/sleep.2186.

Mazzotti DR, Guindalini C, Sosa AL, Ferri CP, Tufik S. Prevalence and correlates for sleep complaints in older adults in low and middle income countries: a 10/66 Dementia Research Group study. Sleep Med. 2012;13(6):697–702. doi: 10.1016/j.sleep.2012.02.009.

Mazzotti DR, Guindalini C, de Souza AAL, Sato JR, Santos-Silva R, Bittencourt LR, Tufik S. Adenosine deaminase polymorphism affects sleep EEG spectral power in a large epidemiological sample. PLoS One. 2012;7(8):e44154. doi: 10.1371/journal.pone.0044154.

Mello CB, Brunoni LRR, Pilla AL, Taddei JAAC, Barbosa T, Sinnes EG, Rodrigues CC, Miranda MC, Muzskat M, Bueno OFA. A model for pediatric and neuropsychological screening assessment of children with learning disabilities. Dementia Neuropsychol. 2012;6(1):18-28. doi: 10.1590/S1980-57642012DN06010004.

Miranda MC, Barbosa T, Muszkat M, Rodrigues CC, Sinnes EG, Coelho LFS, Rizzuti S, Palma SMM, Bueno OFA. Performance patterns in Conners' CPT among children with attention deficit hyperactivity disorder and dyslexia. Arq Neuropsiquiatr. 2012;70(2):91-6. doi: 10.1590/s0004-282x2012000200004.

Monezi-Andrade AL, Bedendo-de Souza A, Roger-Silva D, Souza-Pires GN. Ensinar neurociências em educação física no Brasil: uma proposta de integração. Educ Educ. 2012;15(1):13-22.

Mori MA, Sales VM, Motta FL, Fonseca RG, Alenina N, Guadagnini D, Schadock I, Silva ED, Torres HA, Dos Santos EL, Castro CH, D'Almeida V, Andreotti S, Campaña AB, Sertié RA, Saad MJ, Lima FB, Bader M, Pesquero JB. Kinin B1 receptor in adipocytes regulates glucose tolerance and predisposition to obesity. PLoS One. 2012;7(9):e44782. doi: 10.1371/journal.pone.0044782.

Mota MC, De-Souza DA, De Mello MT, Tufik S, Crispim CA. Estilo de vida e formação médica: impacto sobre o perfil nutricional. Rev Bras Educ Med. 2012;36(3):358-68. doi: 10.1590/S0100-55022012000500010.

Moura YG, Sanchez ZM, Opaleye ES, Neiva-Silva L, Koller SH, Noto AR. Drug use among street children and adolescents: what helps? Cad Saúde Pública. 2012;28(7):1371-80. doi: 10.1590/s0102-311x2012000700015.

Müller KB, Galdieri LC, Pereira VG, Martins AM, D'Almeida V. Evaluation of oxidative stress markers and cardiovascular risk factors in Fabry Disease patients. Genet Mol Biol. 2012;35(2):418-23. doi: 10.1590/S1415-47572012005000031.

Negri G, De Santi D, Tabach R. Chemical composition of hydroethanolic extracts from *Siparuna guianensis*, medicinal plant used as anxiolytics in Amazon region. Rev Bras Farmacognosia. 2012;22(5):1024-34. doi: 10.1590/S0102-695X2012005000034.

Neves RSC, Tudesco ISS, Jardim AP, Caboclo LOSF, Lancellotti C, Ferrari-Marinho T, Hamad AP, Marinho M, Centeno RS, Cavalheiro EA, Scorza CA, Yacubian EMT. Granule cell dispersion is associated with memory impairment in right mesial temporal lobe epilepsy. Seizure. 2012;21(9):685-90. doi: 10.1016/j.seizure.2012.07.008.

Noce F, Ferreira TS, Moreira CZ, Andrade AGP, De Mello MT, Costa VT. Influência do tempo de reação simples na seleção de jovens talentos no tênis. Rev Educ Fis/UEM. 2012;23(3):369-77. doi: 10.4025/reveducfis.v23i3.16990.

Noguti J, Pereira VG, Guilheiro JM, Martins AM, D'Almeida V, Ribeiro DA. Apoptosis status and proliferative activity in mucopolysaccharidosis type I mice tongue mucosa cells. Dent Res J. 2012;9(7-Suppl.1):S69-S74. doi: 10.4103/1735-3327.107944.

Nozoe KT, Tufik S, Andersen ML. Is sleep related to cancer in murine models of obstructive sleep disorder? Eur Respir J. 2012;39(4):1051. doi: 10.1183/09031936.00003412.

Oliveira DS, Hachul H, Goto V, Tufik S, Bittencourt LRA. Effect of therapeutic massage on insomnia and climacteric symptoms in postmenopausal women. Climacteric. 2012;15(1):21–9. doi: 10.3109/13697137.2011.587557.

Oliveira MG, Nery LE, Santos-Silva R, Sartori DE, Alonso FF, Togeiro SM, Tufik S, Bittencourt L. Is portable monitoring accurate in the diagnosis of obstructive sleep apnea syndrome in chronic pulmonary obstructive disease? Sleep Med. 2012;13(8):1033-8. doi: 10.1016/j.sleep.2012.06.011.

Oliveira VN, Bessa A, Jorge ML, Oliveira RJ, de Mello MT, De Agostini GG, Jorge PT, Espindola FS. The effect of different training programs on antioxidant status, oxidative stress, and metabolic control in type 2 diabetes. Appl Physiol Nutr Metab. 2012;37(2):334-44. doi: 10.1139/h2012-004.

Oliveira W, Poyares D, Cintra F, Vieira MLC, Fischer CH, Moises V, Tufik S, Carvalho A, Campos O. Impact of continuous positive airway pressure treatment on right ventricle performance in patients with obstructive sleep apnoea, assessed by three-dimensional echocardiography. Sleep Med. 2012;13(5):510-6. doi: 10.1016/j.sleep.2011.12.010.

Opaleye ES, Sanchez ZM, Moura YG, Galduroz JCF, Locatelli DP, Noto AR. The Brazilian smoker: a survey in the largest cities of Brazil. Rev Bras Psiquiatria. 2012;34(1):43-51. Doi: 10.1590/s1516-44462012000100009.

Otton R, Marin DP, Bolin AP, Macedo RCC, Campoio TR, Fineto Jr. C, Guerra BA, Leite JR, Barros MP, Mattei R. Combined fish oil and astaxanthin supplementation modulates rat lymphocyte function. Eur J Nutr. 2012;51(6):707-18. doi: 10.1007/s00394-011-0250-z.

Palma SM, Fernandes DR, Muszkat M, Calil HM. The response to stress in Brazilian children and adolescents with attention deficit hyperactivity disorder. Psychiatry Res. 2012;198(3):477-81. doi: 10.1016/j.psychres.2011.10.016.

Pantani D, Sparks R, Sanchez ZM, Pinsky I. 'Responsible drinking' programs and the alcohol industry in Brazil: Killing two birds with one stone? Soc Sci Med. 2012;75(8):1387-91. doi: 10.1016/j.socscimed.2012.02.062.

Passos GS, Poyares DL, Santana MG, Tufik S, Mello MT. Is exercise an alternative treatment for chronic insomnia? Clinics (Sao Paulo). 2012;67(6):653-60. doi: 10.6061/clinics/2012(06)17.

Peixinho-Pena LF, Fernandes J, Almeida AA, Gomes FGN, Cassilhas R, Venancio DP, De Mello MT, Scorza FA, Cavalheiro EA, Arida RM. A strength exercise program in rats with epilepsy is protective against seizures. Epilepsy Behav. 2012;25(3):323-8. doi: 10.1016/j.yebeh.2012.08.011.

Pellegrino R, Sunaga DY, Guindalini C, Martins RCS, Mazzotti DR, Wei Z, Daye ZJ, Andersen ML, Tufik S. Whole blood genome-wide gene expression profile in males after prolonged wakefulness and sleep recovery. Physiol Genomics. 2012;44:1003–12. doi: 10.1152/physiolgenomics.00058.2012.

Pimentel GD, Lira FS, Rosa JC, Oliveira JL, Losinskas-Hachul AC, Souza HIH, do Carmo MGT, Santos RVT, de Mello MT, Tufik S, Seelaender M, Oyama LM, Nascimento CMO, Watanabe RH, Ribeiro EB, Pisani LP. Intake of trans fatty acids during gestation and lactation leads to hypothalamic inflammation via TLR4/NFκBp65 signaling in adult offspring. J Nutrit Biochem. 2012;23(3):265-71. doi: 10.1016/j.jnutbio.2010.12.003.

Pinheiro RM, de Lima MN, Fries GR, Garcia VA, Presti-Torres J, Hallmenschlager LH, Alcalde LA, Roesler R, Andersen ML, Quevedo J, Kapczinski F, Schröder N. Early life stress exacerbates cognitive dysfunction induced by D-amphetamine: amelioration by valproic acid. J Neural Transm. 2012;119(6):627-37. doi: 10.1007/s00702-011-0754-y.

Pires GN, Rizzieri L, Ferigolo M, Barros HMT, Dantas DCM. Tobacco chippers seeking assistance for smoking cessation: a case series. Trends Psychiatr Psychother. 2012;34(4):234-7.

Pires GN, Alvarenga TA, Maia LO, Mazaro-Costa R, Tufik S, Andersen ML. Inhibition of self-grooming induced by sleep restriction in dam rats. Indian J Med Res. 2012;136(6):1025-30.

Pires GN, Tufik S, Andersen ML. Relação entre privação de sono e ansiedade na pesquisa básica. Einstein. 2012;10(4):519-23. doi: 10.1590/s1679-45082012000400022.

Prior PL, Galduroz JCF. (N-3) Fatty acids: molecular role and clinical uses in psychiatric disorders. Adv Nutr. 2012;3(3):257-65. doi: 10.3945/an.111.001693.

Ramos AC, Andersen ML, Oliveira MGM, Soeiro AC, Galduroz JCF. Biperiden (M_1 antagonist) impairs the expression of cocaine conditioned place preference but potentiates the expression of cocaine-induced behavioral sensitization. Behav Brain Res. 2012;231(1):213-6. doi: 10.1016/j.bbr.2012.03.030.

Ramos PE, Abe GC, Pradella-Hallinan M, Quadros AAJ, Schmidt B, Oliveira ASB. Effects of Dǎoyǐn Qìgōng in postpolio syndrome patients with cold intolerance. Arq Neuropsiquiatria. 2012;70(9):680-5. doi: 10.1590/s0004-282x2012000900006.

Ramos-Xavier F, Bennedsen L, Hachul H, Andersen ML, Tufik S. Demand for multicentric climatic research to investigate the relationship between sleep apnea andother disorders and seasonality. Chest 2012;142(6):1689. doi: 10.1378/chest.12-1543. doi: 10.1378/chest.12-1543.

Rodrigues E, Santos JFL, Souza SM, Lago JHG. The mystery of the 'resin-of-canuaru': A medicine used by caboclos river-dwellers of the Amazon, Amazonas, Brazil. J Ethnopharmacol. 2012;144(3):806–8. doi: 10.1016/j.jep.2012.10.026.

Roizenblatt M, Rosa Neto NS, Tufik S, Roizenblatt S. Pain-related diseases and sleep disorders. Braz J Med Biol Res. 2012;45(9):792-8. doi: 10.1590/s0100-879x2012007500110.

Roizenblatt M, Figueiredo MS, Cançado RD, Pollack-Filho F, Arruda MMAS, Vicari P, Sato JR, Tufik S, Roizenblatt S. Priapism is associated with sleep hypoxemia in sickle cell disease. J Urol. 2012;188(4):1245-51. doi: 10.1016/j.juro.2012.06.015.

Ruiz FS, Andersen ML, Martins RCS, Zager A, Lopes JD, Tufik S. Immune alterations after selective rapid eye movement or total sleep deprivation in healthy male volunteers. Innate Immunity. 2012;18(1):44-54. doi: 10.1177/1753425910385962.

Rzezak P, Antunes HK, Tufik S, Mello MT. Translation and cultural adaptation of the Game Dice Task to Brazilian population. Arq Neuropsiquiatr. 2012;70(12):929-33. doi: 10.1590/s0004-282x2012001200005.

Sabioni P, D'Almeida V, Andersen ML, Andreatini R, Galduroz JCF. SKF 38393 reverses cocaine-conditioned place preference in mice. Neurosci Lett. 2012;513(2):214-8. doi: 10.1016/j.neulet.2012.02.041.

Sakalem ME, Negri G, Tabach R. Chemical composition of hydroethanolic extracts from five species of the *Passiflora* genus. Rev Bras Farmacognosia. 2012;22(6):1219-32. doi: 10.1590/S0102-695X2012005000108.

Sanches PD, Mello MT, Fonseca FA, Elias N, Piano AD, Carnier J, Tock L, Oyama LM, Tufik S, Dâmaso A. Insulin resistance can impair reduction on carotid intima-media thickness in obese adolescents. Arq Bras Cardiol. 2012;99(4):892-9. doi: 10.1590/s0066-782x2012005000077.

Sanday L, Zanin KA, Patti CL, Tufik S, Frussa-Filho R. Role of state-dependency in memory impairment induced by acute administration of midazolam in mice. Progr Neuropsychopharmacol Biol Psychiatry. 2012;37(1):1–7. doi: 10.1016/j.pnpbp.2012.01.013.

Santana MG, Lira CAB, Passos GS, Santos CAF, Silva AHO, Yoshida CH, Tufik S, De Mello MT. Is the six-minute walk test appropriate for detecting changes in cardiorespiratory fitness in healthy elderly men? J Sci Med Sport. 2012;15(3):259-65. doi: 10.1016/j.jsams.2011.11.249.

Santos EA, Santos Filho WJ, Possatti LL, Bittencourt LR, Fontoura EA, Botelho RV. Clinical complications in patients with severe cervical spinal trauma: a ten-year prospective study. Arq Neuropsiquiatr. 2012;70(7):524-8. doi: 10.1590/s0004-282x2012000700010.

Santos JFL, Pagani E, Ramos J, Rodrigues E. Observations on the therapeutic practices of riverine communities of the Unini River, AM, Brazil. J Ethnopharmacol. 2012;142(2):503-15. doi: 10.1016/j.jep.2012.05.027.

Santos LG, Pires GN, Bittencourt LRA, Tufik S, Andersen ML. Chronobiology: relevance for tuberculosis. Tuberculosis. 2012;92(4):293-300. doi: 10.1016/j.tube.2012.03.006.

Santos RVT, Viana VAR, Boscolo RA, Marques VG, Santana MG, Lira FS, Tufik S, De Mello MT. Moderate exercise training modulates cytokine profile and sleep in elderly people. Cytokine. 2012;60(3):731-5. doi: 10.1016/j.cyto.2012.07.028.

Santos-Galduroz RF, Bueno OFA, Yamaga LI, Armani F, Galduroz JCF. Influence of blood viscosity to cerebral blood flow in older humans compared to young subjects. Clin Neurophysiol. 2012;123(1):117–20. doi: 10.1016/j.clinph.2011.05.025.

Santos-Silva R, Castro LS, Taddei JA, Tufik S, Bittencourt LR. Sleep disorders and demand for medical services: evidence from a population-based longitudinal study. PLoS One. 2012;7(2):e30085. doi: 10.1371/journal.pone.0030085.

Sato JR, Kozasa EH, Russell TA, Radvany J, Mello LE, Lacerda SS, Amaro Jr E. Brain imaging analysis can identify participants under regular mental training. PLoS One. 2012;7(7):e39832. doi: 10.1371/journal.pone.0039832.

Schimitel FG, Almeida GM, Pitol DN, Armini RS, Tufik S, Schenberg LC. Evidence of a suffocation alarm system within the periaqueductal gray matter of the rat. Neuroscience. 2012;200(3):59-73. doi: 10.1016/j.neuroscience.2011.10.032.

Servantes DM, Pelcerman A, Salvetti XM, Salles AF, Albuquerque PF, Salles FCA, Lopes C, De Mello MT, Almeida DR, Oliveira Filho JA. Effects of home-based exercise training for patients with chronic heart failure and sleep apnoea: a randomized comparison of two different programmes. Clin Rehab. 2012;26(1):45-57. doi: 10.1177/0269215511403941.

Silva A, Queiroz SS, Winckler C, Vital R, Sousa RA, Fagundes V, Tufik S, De Mello MT. Sleep quality evaluation, chronotype, sleepiness and anxiety of Paralympic Brazilian athletes: Beijing 2008 Paralympic Games. Br J Sports Med. 2012;46(2):150–4. doi: 10.1136/bjsm.2010.077016.

Silva FH, Pereira VG, Yasumura EG, Tenório LZ, de Carvalho LP, Lisboa BC, Matsumoto PK, Stilhano RS, Samoto VY, Calegare BF, Brandão Lde C, D'Almeida V, Filippo TR, Porcionatto M, Toma L, Nader HB, Valero VB, Camassola M, Nardi NB, Han SW. Treatment of adult MPSI mouse brains with IDUA-expressing mesenchymal stem cells decreases GAG deposition and improves exploratory behavior. Genet Vaccines Ther. 2012;10(1):2. doi: 10.1186/1479-0556-10-2.

Silva LO, Esteves AM, Alves NNL, Carvalho ANS, Narciso FV, Bittencourt LRA, Tufik S, De Mello MT. Mood, sleep patterns and the effect of physical activity on the life quality of brazilian train operators. Sleep Sci. 2012;5(4):113-9.

Silva PL, de Mello MT, Cheik NC, Sanches PL, Correia FA, de Piano A, Corgosinho FC, da Silveira Campos RM, do Nascimento CM, Oyama LM, Tock L, Tufik S, Dâmaso AR. Interdisciplinary therapy improves biomarkers profile and lung function in asthmatic obese adolescents. Pediatr Pulmonol. 2012;47(1):8-17. doi: 10.1002/ppul.21502.

Silva PL, de Mello MT, Cheik NC, Sanches PL, de Piano A, Corgosinho FC, Campos RMS, Carnier J, Inoue D, Nascimento CMO, Oyama LM, Tock L, Tufik S, Dâmaso AR. The role of pro-inflammatory and anti-inflammatory adipokines on Exercise-Induced Bronchospasms (EIB) in obese adolescents undergoing treatment. Respir Care. 2012;57(4):572-82. doi: 10.4187/respcare.01307.

Silva PL, De Mello MT, Cheik NC, Sanches PL, Campos RMS, Carnier J, Inoue D, Nascimento CMO, Oyama LM, Tock L, Tufik S, Dâmaso AR. Reduction in the leptin concentration as a predictor of improvement in lung function in obese adolescents. Obes Facts. 2012;5:806-20. doi: 10.1159/000345840.

Soeiro AC, Moreira KM, Abrahao KP, Quadros IMH, Oliveira MGM. Individual differences are critical in determining modafinil-induced behavioral sensitization and cross-sensitization with methamphetamine in mice. Behav Brain Res. 2012;233(2):367-74. doi: 10.1016/j.bbr.2012.05.023.

Stefanini DOS, Barros EL, Stefanini R, Pradella-Hallinan MLC, Pignatari SSN, Fujita RR. Comparing the clinical profile of non obese children with sleep apnea and snoring. Braz J Otorhinolaryngol. 2012;78(5):22-6. doi: 10.5935/1808-8694.20120004.

Stefanini R, Tufik S, Soares MCM, Haddad FLM, Bittencourt LRA, Santos-Silva R, Gregorio LC. Systematic evaluation of the upper airway in the adult population of São Paulo, Brazil. Otolaryngol Head Neck Surg. 2012;146(5):757-63. doi: 10.1177/0194599811434256.

Suchecki D, Tiba PA, Machado RB. REM sleep rebound as an adaptive response to stressful situations. Front Neurol. 2012;3:41. doi: 10.3389/fneur.2012.00041.

Sukys-Claudino L, Moraes W, Guilleminault C, Tufik S, Poyares D. Beneficial effect of donepezil on obstructive sleep apnea: A double-blind, placebo-controlled clinical Trial. Sleep Med. 2012;13(3):290-6. doi: 10.1016/j.sleep.2011.09.014.

Takahashi A, Quadros IM, Almeida RMM, Miczek KA. Behavioral and pharmacogenetics of aggressive behavior. Curr Topics Behav Neurosci. 2012;12:73-138. Doi: 10.1007/7854_2011_191.

Teixeira LR, Pedrazzoli M, Luz AA, Turte SL, De Paula LP, Valente D, Tufik S, Fischer FM. Assessment of biological components associated with sleepiness in young working college students. Sleep Sci. 2012;5(4):107-12.

Turaça LT, Pessoa JG, Motta FL, Muñoz Rojas MV, Müller KB, Lourenço CM, Junior Marques W, D'Almeida V, Martins AM, Pesquero JB. New mutations in the GLA gene in Brazilian families with Fabry disease. J Hum Genet. 2012;57(6):347-51. doi: 10.1038/jhg.2012.32.

Vancini RL, Benedito-Silva AA, Sousa BS, Silva SG, Souza-Vancini MI, Vancini-Campanharo CR, Cabral FR, Lima C, Lira CAB. Knowledge about epilepsy among health professionals: a cross-sectional survey in São Paulo, Brazil. BMJ Open. 2012;2(2):e000919. doi: 10.1136/bmjopen-2012-000919.

Varallo FR, Ambiel ISS, Nanci LO, Galduroz JCF, Mastroianni PC. Assessment of pharmacotherapeutic safety of medical prescriptions for elderly residents in a long-term care facility. Braz J Pharm Sci. 2012;48(3):477-85. doi: 10.1590/S1984-82502012000300015.

Venâncio DP, Andersen ML, Vilamaior PSL, Santos FC, Zager A, Tufik S, Taboga SR, De Mello MT. Sleep deprivation alters rat ventral prostate morphology, leading to glandular atrophy: a microscopic study contrasted with the hormonal assays. J Biomed Biotechnol. 2012. Article ID 285938, 6 pages. doi: 10.1155/2012/285938.

Viana VAR, Esteves AM, Boscolo RA, Grassmann V, Santana MG, Tufik S, De Mello MT. The effects of a session of resistance training on sleep patterns in the elderly. Eur J Appl Physiol. 2012;112:2403–8. doi: 10.1007/s00421-011-2219-2.

Vigeta SMG, Hachul H, Tufik S, Oliveira EM. Sleep in postmenopausal women. Qual Health Res. 2012;22(4):466–75. doi: 10.1177/1049732311422050.

Vines A, Delattre AM, Lima MMS, Rodrigues LS, Suchecki D, Machado RB, Tufik S, Pereira SIR, Zanata SM, Ferraz AC. The role of 5-HT1A receptors in fish oil-mediated increased BDNF expression in the rat hippocampus and cortex: a possible antidepressant mechanism. Neuropharmacology. 2012;62(1):184-91. doi: 10.1016/j.neuropharm.2011.06.017.

Visniauskas B, Perry JC, Oliveira V, Dalio FM, Andersen ML, Tufik S, Chagas JR. Cocaine administration increases angiotensin I-converting enzyme (ACE) expression and activity in the rat striatum and frontal cortex. Neurosci Letters. 2012;506(1):84-8. doi: 10.1016/j.neulet.2011.10.054.

Visniauskas B, Julian GS, Oliveira RW, Tufik S, Chagas JR. Sleep, neuropeptides and proteases. Sleep Sci. 2012;5(3):92-7.

Wallerstein LF, Tricoli V, Barroso R, Rodacki ALF, Russo L, Aihara AY, Fernandes ARC, De Mello MT, Ugrinowitsch C. Effects of strength and power training on neuromuscular variables in older adults. J Aging Phys Act. 2012;20:171-85. doi: 10.1123/japa.20.2.171.

Wood T, Bodamer OA, Burin MG, D'Almeida V, Fietz M, Giugliani R, Hawley SM, Hendriksz CJ, Hwu WL, Ketteridge D, Lukacs Z, Mendelsohn NJ, Miller N, Pasquali M, Schenone A, Schoonderwoerd K, Winchester B, Harmatz P. Expert recommendations for the laboratory diagnosis of MPS VI. Mol Gen Metab. 2012;106(1):73-82. doi: 10.1016/j.ymgme.2012.02.005.

Yagihara F, Lucchesi LM, D'Almeida V, Mello MT, Tufik S, Bittencourt LR. Oxidative stress and quality of life in elderly patients with obstructive sleep apnea syndrome: are there differences after six months of Continuous Positive Airway Pressure treatment? Clinics (Sao Paulo). 2012;67(6):565-72. doi: 10.6061/clinics/2012(06)04.

Yagihara F, Lucchesi LM, Smith AKA, Speciali JG. Primary headaches and their relationship with sleep. Sleep Sci. 2012;5(1):28-32.

Zacarias MS, Ramos AC, Alves DR, Galduroz JCF. Biperiden (an M1 antagonist) reduces memory consolidation of cocaine-conditioned place preference. Neurosci Lett. 2012;513(2):129-13. doi: 10.1016/j.neulet.2012.01.073.

Zager A, Ruiz FS, Tufik S, Andersen ML. Immune outcomes of paradoxical sleep deprivation on cellular distribution in naive and lipopolysaccharide-stimulated mice. Neuroimmunomodulation. 2012;19(2):79–87. doi: 10.1159/000329484.

Zanini GAV, Tufik S, Andersen ML, Silva RCM, Bueno OFA, Rodrigues CC, Pompeia S. Free recall of word lists under total sleep deprivation and after recovery sleep. Sleep. 2012;35(2):223-30. doi: 10.5665/sleep.1626.

Zaparoli JX, Galduroz JC. Treatment for tobacco smoking: A new alternative? Med Hypotheses. 2012;79(6):867-8. doi: 10.1016/j.mehy.2012.09.009.

Zimberg IZ, Fernandes Jr SA, Crispim CA, Tufik S, De Mello MT. Metabolic impact of shift work. Work. 2012;41(Suppl.1):4376-83. doi: 10.3233/WOR-2012-0733-4376.

Zimberg IZ, Dâmaso A, Del Re M, Carneiro AM, Souza HS, Lira FS, Tufik S, De Mello MT. Short sleep duration and obesity: mechanisms and future perspectives. Cell Biochem Funct. 2012;30(6):524-9. doi: 10.1002/cbf.2832.

2011.....

Abe KC, Brandão LC, Tufik S, Saldiva PHN, D'Almeida V. In utero exposure to air pollution lowers erythrocyte antioxidant defense and decreases weight in adult mice. Environ Toxicol Pharmacol. 2011;32(2):315-8. doi: 10.1016/j.etap.2011.05.001.

Abrahao KP, Quadros IM, Souza-Formigoni ML. Nucleus accumbens dopamine D1 receptors regulate the expression of ethanol-induced behavioural sensitization. Int J Neuropsychopharmacol. 2011;14:175-85. doi: 10.1017/S1461145710000441.

Adler UC, Paiva NMP, César AT, Adler MS, Molina A, Padula AE, Calil HM. Homeopathic individualized Q-potencies versus fluoxetine for moderate to severe depression: double-blind, randomized non-inferiority trial. Evid Based Complement Alternat Med. 2011;2011:520182. doi: 10.1093/ecam/nep114.

Almeida AAF, Behlau M, Leite JR. Correlation between anxiety and communicative performance. Rev Soc Bras Fonoaudiol. 2011;16(4):384-9. doi: 10.1590/S1516-80342011000400004.

Alvarenga TA, Ribeiro DA, Araujo P, Hirotsu C, Mazaro-Costa R, Costa JL, Battisti MC, Tufik S, Andersen ML. Sleep loss and acute drug abuse can induce DNA damage in multiple organs of mice. Hum Exp Toxicol. 2011;30(9):1275-81. doi: 10.1177/0960327110388535.

Alves ES, Lira FS, Santos RVT, Tufik S, De Mello MT. Obesity, diabetes and OSAS induce of sleep disorders: exercise as therapy. Lipids Health Dis. 2011;10:148. doi: 10.1186/1476-511X-10-148.

Andersen ML, Alvarenga TA, Mazzotti DR, Guindalini C, Pellegrino R, Barrueco KF, Santos-Silva R, Bittencourt LR, Tufik S. Hormonal profile, the PROGINS polymorphism, and erectile dysfunction complaints: data from a population-based survey. Fertil Steril. 2011;95(2):621-4. doi: 10.1016/j.fertnstert.2010.10.012.

Andersen ML, Guindalini C, Santos-Silva R, Bittencourt LRA, Tufik S. Androgen receptor CAG repeat polymorphism is not associated with erectile dysfunction complaints, gonadal steroids, and sleep parameters: data from a population-based survey. J Androl. 2011;32(5):524–9. doi: 10.2164/jandrol.110.012013.

Andersen ML, Alvarenga TF, Mazaro-Costa R, Hachul HC, Tufik S. The association of testosterone, sleep, and sexual function in men and women Brain Res. 2011;1416:80-104. doi: 10.1016/j.brainres.2011.07.060.

Andersen ML. The Sleep Science Award. Sleep Sci. 2011;4(1):v i.

Andersen ML, Guindalini C, Tufik S. Genetics of erectile dysfunction: a review of the interface between sex and molecular biomarkers. J Sex Med. 2011;8(11):3030-9. doi: 10.1111/j.1743-6109.2011.02422.x.

Andrade ALM, Abrahao KP, Goeldner FO, Souza-Formigoni MLO. Administration of the 5-HT2C receptor antagonist SB-242084 into the nucleus accumbens blocks the expression of ethanol-induced behavioral sensitization in albino swiss mice. Neuroscience. 2011;189():178–86. doi: 10.1016/j.neuroscience.2011.05.028.

Araujo LG, Waterhouse J, Edwards B, Santos EHR, Tufik S, De Mello MT. Twenty-four-hour rhythms of muscle strength with a consideration of some methodological problems. Biol Rhythm Res. 2011;42(6):473-90. doi: 10.1080/09291016.2010.537444.

Araujo P, Mazaro-Costa R, Tufik S, Andersen ML. Impact of sex on hyperalgesia induced by sleep loss. Horm Behav. 2011;59(1):174-9. doi: 10.1016/j.yhbeh.2010.11.003.

Araujo P, Hachul H, Santos-Silva R, Bittencourt LRA, Tufik S, Andersen ML. Sleep pattern in women with menstrual pain. Sleep Med. 2011;12(10):1028-30. doi: 10.1016/j.sleep.2011.06.011.

Arent CO, Valvassori SS, Fries GR, Stertz L, Ferreira CL, Lopes-Borges J, Mariot E, Varela RB, Ornell F, Kapczinski F, Andersen ML, Quevedo J. Neuroanatomical profile of antimaniac effects of histone deacetylases inhibitors. Mol Neurobiol. 2011;43(3):207-14. doi: 10.1007/s12035-011-8178-0.

Averbuch M, Páez S, Meza M, Pedemonte M, Velluti R, Escobar F, Ribeiro L, Vivaldi E, Pezantes J, Moisés J, Magnífico B, Juárez A, Escobar DV. Current status of Latin American sleep societies. Sleep Sci. 2011;4(1):34–6.

Azevedo E, Manzano GM, Silva A, Martins R, Andersen ML, Tufik S. The effects of total and REM sleep deprivation on laser-evoked potential threshold and pain perception. Pain. 2011;152(9):2052-8. doi: 10.1016/j.pain.2011.04.032.

Baldaçara L, Borgio JGF, Moraes WAS, Lacerda ALT, Montaño MBMM, Tufik S, Bressan RA, Ramos LR, Jackowski AP. Cerebellar volume in patients with dementia. Rev Bras Psiquiatria. 2011;33(2):122-9. doi: 10.1590/s1516-44462011000200006.

Baldivia B, Brucki SMD, Batistela S, Esper JC, Augusto CD, Rocha MSG. Dementia in Parkinson's disease: a Brazilian sample. Arq Neuropsiquiatr. 2011;69(5):733-8. doi: 10.1590/s0004-282x2011000600002.

Barros EL, Machado CC, Prescinotto R, Lopes P, Gregório LL, Rapoport PB, Haddad FLM. Clinical and polysomnographic differences among the obstructive sleep apnea syndrome patients from different ages. Sleep Sci. 2011;4(1):8–12.

Batista EC, Carvalho LR, Casarini DE, Carmona AK, dos Santos EL, da Silva ED, dos Santos RA, Nakaie CR, Rojas MV, de Oliveira SM, Bader M, D'Almeida V, Martins AM, de Picoly Souza K, Pesquero JB. ACE activity is modulated by the enzyme α-galactosidase A. J Mol Med. 2011; 89(1):65-74. Doi: doi: 10.1007/s00109-010-0686-2.

Bezerra AG, Mendes FR, Tabach R, Carlini EA. Effects of a hydroalcoholic extract of *Turnera diffusa* in tests for adaptogenic activity. Rev Bras Farmacognosia. 2011;21(1):121-7. doi: 10.1590/S0102-695X2011005000019.

Borsonelo EC, Suchecki D, Galduroz JCF. Effect of fish oil and coconut fat supplementation on depressive-type behavior and corticosterone levels of prenatally stressed male rats. Brain Res. 2011;1385:144-50. doi: 10.1016/j.brainres.2011.02.043.

Borsonelo EC, Suchecki D, Calil HM, Galduroz JCF. Supplementation with fish oil and coconut fat prevents prenatal stress-induced changes in early postnatal development. Int J Devl Neurosci. 2011;29(5):521–7. doi: 10.1016/j.ijdevneu.2011.04.003.

Botti AS, Haddad FLM, Santos-Silva R, Bittencourt LRA, Pereda EC, Gregório LC, Tufik S. Surgical treatment for obstructive sleep apnea syndrome in adults: pharyngeal techniques on the soft palate and lateral wall. Sleep Sci. 2011;4(3):100-4.

Boyson CO, Miguel TT, Quadros IM, DeBold JF, Miczek KA. Prevention of social stress-escalated cocaine self-administration by CRF-R1 antagonist in the rat VTA. Psychopharmacology. 2011;218(1):257–69. doi: 10.1007/s00213-011-2266-8.

Brotons O, O'Daly OG, Guindalini C, Howard M, Bubb J, Barker G, Dalton J, Quinn J, Murray RM, Breen G, Shergill SS. Modulation of orbitofrontal response to amphetamine by a functional variant of DAT1 and *in vitro* confirmation. Mol Psychiatry. 2011;16(2):124-6. doi: 10.1038/mp.2009.6.

Camarini R, Marcourakis T, Teodorov E, Yonamine M, Calil HM. Ethanol-induced sensitization depends preferentially on D1 rather than D2 dopamine receptors. Pharmacol Biochem Behav. 2011;98(2):173–80. doi: 10.1016/j.pbb.2010.12.017.

Campos RMS, Silva A, Queiroz SS, Mônico Neto M, Roizenblatt S, Tufik S, De Mello MT. Fibromialgia: nível de atividade física e qualidade do sono. Motriz. 2011;17(3):468-76. doi: 10.1590/S1980-65742011000300010.

Canali F, Brucki SMD, Bertolucci PHF, Bueno OFA. Reliability study of the Behavioral Assessment of the Dysexecutive Syndrome adapted for a Brazilian sample of older-adult controls and probable early Alzheimer's disease patients. Rev Bras Psiquiatria. 2011;33(4):338-46. doi: 10.1590/s1516-44462011005000015.

Carlini EA. O controle dos medicamentos anoréticos: mais um conto para as calendas gregas? Rev Bras Psiquiatria. 2011;33(2):113-4. doi: 10.1590/S1516-44462011000200003.

Carnier J, Sanches PL, Silva PL, Piano A, Tock L, Campos RMS, Corgosinho FC, Corrêa FA, Masquio D, Nascimento CMO, Oyama LM, Ernandes RH, De Mello MT, Tufik S, Dâmaso AR. Obese adolescents with eating disorders: analysis of metabolic and inflammatory states. Physiol Behav. 2011;105(2):175-80. doi: 10.1016/j.physbeh.2011.08.014.

Chaves Junior CM, Dal-Fabbro C, de Bruin VMS, Tufik S, Bittencourt LRA. Consenso brasileiro de ronco e apneia do sono: aspectos de interesse aos ortodontistas. Dental Press J Orthod. 2011;16(1):e1-e10. doi: 10.1590/S2176-94512011000100007.

Chaves TV, Sanchez ZM, Ribeiro LA, Nappo SA. Fissura por crack: comportamentos e estratégias de controle de usuários e exusuários. Rev Saúde Pública. 2011;45(6):1168-75. doi: 10.1590/s0034-89102011005000066.

Cintra F, Tufik S, D'Almeida V, Calegare BFA, de Paola A, Oliveira W, Rizzi C, Roizenblatt S, Poyares D. Cysteine: a potential biomarker for obstructive sleep apnea. Chest. 2011;139(2):246–52. doi: 10.1378/chest.10-0667.

Cintra F, Tufik S, de Paola A, Feres MC, Mello-Fujita L, Oliveira W, Rizzi C, Poyares D. Perfil cardiovascular em pacientes com apnéia obstrutiva do sono. Arq Bras Cardiol. 2011;96(4):293-9. doi: 10.1590/s0066-782x2011005000030.

Coelho FMS, Pradella-Hallinan M, Pedrazzoli M, Soares CAS, Fernandes GBP, Murray BJ, Tufik S, Bittencourt LRA. Low CD40L levels and relative lymphopenia in narcoleptic patients. Hum Immunol. 2011;72(10):817-20. doi: 10.1016/j.humimm.2011.05.024.

Coelho FMS, Moszczynski A, Narayansingh M, Parekh N, Pradella-Hallinan M. Sexual hypnagogic hallucinations and narcolepsy with cataplexy: a case report. Sleep Sci. 2011;4(3):110-2.

Conway SG, Castro L, Lopes-Conceição MC, Hachul H, Tufik S. Psychological treatment for sleepwalking: two case reports. Clinics. 2011;66(3):517-20. doi: 10.1590/s1807-59322011000300028.

Costa JLGP, Maia LO, Orlandi-Mattos P, Villares JC, Esteves MA. Neurobiologia da *Cannabis*: do sistema endocanabinoide aos transtornos por uso de *Cannabis.* J Bras Psiquiatr. 2011;60(2):111-22. doi: 10.1590/S0047-20852011000200006.

Crispim CA, Waterhouse J, Dâmaso AR, Zimberg IZ, Padilha HG, Oyama LM, Tufik S, De Mello MT. Hormonal appetite control is altered by shift work: a preliminary study. Metabolism. 2011;60(12):1726-35. doi: 10.1016/j.metabol.2011.04.014.

Crispim CA, Zimberg IZ, Reis BG, Diniz RM, Tufik S, De Mello MT. Relationship between food intake and sleep pattern in healthy individuals. J Clin Sleep Med. 2011;7(6):659-64. doi: 10.5664/jcsm.1476.

Cruz FC, Quadros IM, Hogenelst K, Planeta CS, Miczek KA. Social defeat stress in rats: escalation of cocaine and "speedball" binge self-administration, but not heroin. Psychopharmacology. 2011;215(1):165–75. doi: 10.1007/s00213-010-2139-6.

Cunali PA, Almeida FR, Santos CD, Valdrichi NY, Nascimento LS, Dal-Fabbro C, Tufik S, Bittencourt LRA. Mandibular exercises improve mandibular advancement device therapy for obstructive sleep apnea. Sleep Breath. 2011;15(4):717-27. doi: 10.1007/s11325-010-0428-2.

Damaso AR, de Piano A, Sanches PL, Corgosinho F, Tock L, Oyama LM, Tock L, Nascimento CMO, Tufik S, De Mello MT. Hyperleptinemia in obese adolescents deregulates neuropeptides during weight loss. Peptides. 2011;32(7):1384-91. doi: 10.1016/j.peptides.2011.04.025.

Dattilo, Crispim CA, Zimberg IZ, Tufik S, de Mello MT. Meal distribution across the day and its relationship with body composition. Biol Rhythm Res. 2011;42(2):119-29. doi: 10.1080/09291011003729270.

Dattilo M, Antunes HKM, Medeiros A, Mônico Neto M, Souza HS, Tufik S, De Mello MT. Sleep and muscle recovery: Endocrinological and molecular basis for a new and promising hypothesis. Med Hypotheses. 2011;77(2):220–2. doi: 10.1016/j.mehy.2011.04.017.

De Mello MT, De Piano A, Carnier J, Sanches PL, Corrêa FA, Tock L, Ernandes RMY, Tufik S, Dâmaso AR. Long-term effects of aerobic plus resistance training on the metabolic syndrome and adiponectinemia in obese adolescents. J Clin Hypertens (Greenwich). 2011;13:343–50. doi: 10.1111/j.1751-7176.2010.00388.x.

Diaféria G, Truksinas E, Haddad FLM, Santos-Silva R, Bommarito S, Gregório LC, Tufik S, Bittencourt LRA. Phonoaudiological assessment of patients with obstructive sleep apnea. Sleep Sci. 2011;4(1):1–7.

Dubiela FP, Messias MF, Moreira KM, Zanlorenci LHF, Grassl C, Frussa Filho R, Nobrega JN, Tufik S, Hipolide DC. Reciprocal interactions between MK-801, sleep deprivation and recovery in modulating rat behavior. Behav Brain Res. 2011;216(1):180-5. doi: 10.1016/j.bbr.2010.07.031.

Egydio F, Tomimori J, Tufik S, Andersen ML. Does sleep deprivation and morphine influence wound healing? Med Hypotheses. 2011;77(3):353-5. doi: 10.1016/j.mehy.2011.05.012.

Ekuni R, Vaz LJ, Bueno OFA. Levels of processing: the evolution of a framework. Psychol Neurosci. 2011;4(3):333–9. doi: 10.3922/j.psns.2011.3.006.

Esteves AM, De Mello MT, Benedito-Silva AA, Tufik S. Impact of aerobic physical exercise on Restless Legs Syndrome. Sleep Sci. 2011;4(2):45-8.

Esumi LA, Palma BD, Gomes VL, Tufik S, Hipolide DC. Inflammatory markers are associated with inhibitory avoidance memory deficit induced by sleep deprivation in rats. Behav Brain Res. 2011;221(1):7–12. doi: 10.1016/j.bbr.2011.02.025.

Feres MC, Bini R, De Martino MC, Biagini SP, Sousa AL, Campana PG, Tufik S. Implications for the use of acid preservatives in 24-hour urine for measurements of high demand biochemical analytes in clinical laboratories. Clin Chim Acta. 2011;412(23-24):2322-5. doi: 10.1016/j.cca.2011.08.033.

Ferraz AC, Delattre AM, Almendra RG, Sonagli M, Borges C, Araujo P, Andersen ML, Tufik S, Lima MMS. Chronic omega-3 fatty acids supplementation promotes beneficial effects on anxiety, cognitive and depressive-like behaviors in rats subjected to a restraint stress protocol. Behav Brain Res. 2011;219(1):116–22. doi: 10.1016/j.bbr.2010.12.028.

Ferraz O, Rossi RRP, Dal Fabbro C, Bittencourt LRA, Tufik S. Cirurgia ortognática: avanço maxilomandibular para tratamento da síndrome da apnéia obstrutiva do sono (SAOS). Orthod Sci Practice. 2011;4(16):875-82.

Ferreira MC, Pastore C, Imada R, Guare R, Leite M, Poyares D, Santos MT. Autonomic nervous system in individuals with cerebral palsy: a controlled study. J Oral Pathol Med. 2011;40(7):576–81. doi: 10.1111/j.1600-0714.2011.01008.x.

Ferreira SE, Monteiro AB, Souza-Formigoni MLO. Padrão de uso de bebidas energéticas contendo cafeína e taurina entre praticantes de atividades físicas. EFDeportes. 2011;16(158). Disponível em: http://www.efdeportes.com:80/efd158/padrao-de-uso-de-bebidas-energeticas.htm

Fiaschettia MA, Mastroianni PC, Galduroz JC, Loffredo LCM, Chine CM. Opiniões e atitudes dos médicos frente às ações promocionais da indústria farmacêutica. Rev Baiana Saúde Pública. 2011;35(4):932-47. doi: 10.22278/2318-2660.2011.v35.n4.a264.

Fogaça MN, Santos-Galduroz RF, Eserian JK, Galduroz JCF. The effects of polyunsaturated fatty acids in alcohol dependence treatment - a double-blind, placebo-controlled pilot study. BMC Clin Pharmacol. 2011;11:10. doi: 10.1186/1472-6904-11-10.

Folchini F, Nonato NL, Feofiloff E, D'Almeida V, Nascimento O, Jardim JR. Association of oxidative stress markers and C-reactive protein with multidimensional indexes in COPD. Chronic Respir Dis. 2011;8(2):101–8. doi: 10.1177/1479972310391284.

Fonseca MFBC, Cardoso TSG, Muszkat M, Bueno OFA. Análise da associação entre o desempenho acadêmico, a velocidade de execução das tarefas e o comportamento da criança a partir da EACI-P. Rev Psicopedagogia. 2011;28(87):226-36.

Galvão SMP, Mendes FR, Oliveira MGM, Mattei R, Mello JCP, Roman Júnior WA, Carlini EA. Memory retrieval improvement by *Heteropterys aphrodisiaca* in aging rats. Braz J Pharm Sci. 2011;47(4):825-32. doi: 10.1590/S1984-82502011000400020.

Galvão-de Almeida A, Quarantini LC, Sampaio AS, Lyra AC, Parise CL, Paraná R, Oliveira IR, Koenen KC, Miranda-Scippa A, Guindalini C. Lack of association of indoleamine 2,3-dioxygenase polymorphisms with interferon-alpha-related depression in hepatitis C. Brain Behav Immun. 2011;25(7):1491-7. doi: 10.1016/j.bbi.2011.06.001.

Gimenes AC, Neder JA, Dal Corso S, Nogueira CR, Nápolis L, Mello MT, Bulle AS, Nery LE. Relationship between work rate and oxygen uptake in mitochondrial myopathy during ramp-incremental exercise. Braz J Med Biol Res. 2011;44(4):354-60. doi: 10.1590/s0100-879x2011007500023.

Ginani GE, Tufik S, Bueno OFA, Pradella-Hallinan M, Rusted J, Pompeia S. Acute effects of donepezil in healthy young adults underline the fractionation of executive functioning. J Psychopharmacol. 2011;25(11):1508-16. doi: 10.1177/0269881110391832.

Giorgetti M, Negri G. Plants from Solanaceae family with possible anxiolytic effect reported on 19th century's Brazilian medical journal. Rev Bras Farmacognosia. 2011;21(4):772-80. doi: 10.1590/S0102-695X2011005000106.

Giorgetti M, Rossi L, Rodrigues E. Brazilian plants with possible action on the central nervous system: a study of historical sources from the 16th to 19th century. Rev Bras Farmacognosia. 2011;21(3):537-55. doi: 10.1590/S0102-695X2011005000044.

Hachul H, Brandão LC, D'Almeida V, Bittencourt LRA, Baracat EC, Tufik S. Isoflavones decrease insomnia in postmenopause. Menopause. 2011;18(2):178-184. doi: 10.1097/gme.0b013e3181ecf9b9.

Hachul H, Andersen ML, Tufik S. Sleep quality based on the use of different sanitary pads during menstruation. Int J Gynecol Obstet. 2011;115(1):57-60. doi: 10.1016/j.ijgo.2011.05.015.

Hirotsu C, Tufik S, Ribeiro DA, Alvarenga TA, Andersen ML. Genomic damage in the progression of chronic kidney disease in rats. Brain Behav Immun. 2011;25(3):416–22. doi: 10.1016/j.bbi.2010.10.021.

Holanda FS, Tufik S, Bignotto M, Maganhin CG, Vieira LHL, Baracat EC, Soares Jr JM. Evaluation of melatonin on the precocious puberty: a pilot study. Gynecol Endocrinol. 2011;27(8):519-23. doi: 10.3109/09513590.2010.501888.

Juruena MF, Calil HM, Fleck MP, Del Porto JA. Estudos latino-americanos sobre melancolia: um transtorno do humor melhor definido para o CID-11. Rev Bras Psiquiatria. 2011;33(Supl.I)S37-S47. doi: 10.1590/S1516-44462011000500005.

Kameda SR, Fukushiro DF, Trombin TF, Procópio-Souza R, Patti CL, Hollais AW, Calzavara MB, Abílio VC, Ribeiro RA, Tufik S, D'Almeida V, Frussa-Filho R. Adolescent mice are more vulnerable than adults to single injection-induced behavioral sensitization to amphetamine. Pharmacol Biochem Behav. 2011;98(2):320–4. doi: 10.1016/j.pbb.2011.01.013.

Kanegusuku H, Queiroz ACC, Chehuen MR, Costa LAR, Wallerstein LF, Mello MT, Ugrinowitsch C, Forjaz CLM. Strength and power training did not modify cardiovascular responses to aerobic exercise in elderly subjects. Braz J Med Biol Res. 2011;44(9):864-70. doi: 10.1590/S0100-879X2011007500100.

Leite GSF, De Mello MT, Dáttilo M, Antunes HK. Influência do estresse em eventos competitivos relacionados à dança. EFDeportes.com [periódico na internet]. 2011 [citado 2011 Março 3];15(153):[cerca de 8 p.]. Disponível em: http://www.efdeportes.com:80/efd153/estresse-em-eventos-competitivos-a-danca.htm

Lima C, Vancini RL, Arida RM, Guilhoto LMFF, De Mello MT, Barreto AT, Guaranha MSB, Yacubian EMT, Tufik S. Physiological and electroencephalographic responses to acute exhaustive physical exercise in people with juvenile myoclonic epilepsy. Epilepsy Behav. 2011;22(4):718-22. doi: 10.1016/j.yebeh.2011.08.033.

Lima MNM, Presti-Torres J, Vedana G, Alcalde LA, Stertz L, Fries GR, Roesler R, Andersen ML, Quevedo J, Kapczinski F, Schröder N. Early life stress decreases hippocampal BDNF content and exacerbates recognition memory deficits induced by repeated d-amphetamine exposure. Behav Brain Res. 2011;224(1):100–6. doi: 10.1016/j.bbr.2011.05.022.

Lira FS, Rosa JC, Santos RV, Venancio DP, Carnier J, Sanches PL, Nascimento CMO, de Piano A, Tock L, Tufik S, de Mello MT, Dâmaso AR, Oyama LM. Visceral fat decreased by long-term interdisciplinary lifestyle therapy correlated positively with interleukin-6 and tumor necrosis factor–α and negatively with adiponectin levels in obese adolescents. Metabolism. 2011;60(3):359–65. doi: 10.1016/j.metabol.2010.02.017.

Lira FS, Pimentel GD, Santos RVT, Oyama LM, Damaso AR, Nascimento CMO, Viana VAR, Boscolo RA, Grassmann V, Santana MG, Esteves AM, Tufik S, de Mello MT. Exercise training improves sleep pattern and metabolic profile in elderly people in a time-dependent manner. Lipids Health Dis. 2011;10:113. doi: 10.1186/1476-511X-10-113.

Lofrano-Prado MC, Prado WL, Piano A, Tock L, Caranti DA, Nascimento CMO, Oyama LM, Tufik S, de Mello MT, Dâmaso AR. Eating disorders in adolescents: correlations between symptoms and central control of eating behavior. Eat Behav. 2011;12(1):78-82. doi: 10.1016/j.eatbeh.2010.09.008.

Loschiavo-Alvares FQ, Sediyama CYN, Rivero TS, Nicolato R, Neves F, Bueno OFA, Corrêa H, Malloy-Diniz LF. Tools for efficacy's assessment of neuropsychological rehabilitation programs: a systematic review. Clin Neuropsychiatry. 2011;8(3):175-85.

Lucchetti G, Oliveira LR, Lucchetti ALG, Leite JR. Spirituality in medical education: new initiatives in Brazil. Clin Teach. 2011;8(3):213. doi: 10.1111/j.1743-498X.2011.00466.x.

Machado MV, Júnior OA, Marques AC, Colantonio E, Cyrino ES, De Mello MT. Effect of 12 weeks of training on critical velocity and maximal lactate steady state in swimmers. Eur J Sport Sci. 2011;11(3):165-70. doi: 10.1080/17461391.2010.499973.

Maia LO, Dias Jr W, Carvalho LS, Jesus LR, Paiva GD, Araujo P, Costa MFO, Andersen ML, Tufik S, Mazaro-Costa R. Association of methamidophos and sleep loss on reproductive toxicity of male mice. Environ Toxicol Pharmacol. 2011;32(2):155-61. doi: 10.1016/j.etap.2011.04.007.

Mancuso FJN, Almeida DR, Moises VA, Oliveira WA, Mello ES, Poyares D, Tufik S, Carvalho ACC, Campos O. Left atrial dysfunction in Chagas cardiomyopathy is more severe than in idiopathic dilated cardiomyopathy: a study with real-time three-dimensional echocardiography. J Am Soc Echocardiograph. 2011;24(5):526-32. doi: 10.1016/j.echo.2011.01.013.

Martins PJF, Fernandes L, Oliveira AC, Tufik S, D'Almeida V. Type of diet modulates the metabolic response to sleep deprivation in rats. Nutrit Metab. 2011;8:86. doi: 10.1186/1743-7075-8-86.

Martynhaka BJ, Correia D, Morais LH, Araujo P, Andersen ML, Lima MMS, Louzada FM, Andreatini R. Neonatal exposure to constant light prevents anhedonia-like behavior induced by constant light exposure in adulthood. Behav Brain Res. 2011;222(1):10-4. doi: 10.1016/j.bbr.2011.03.022.

Mastroianni PC, Lucchetta RC, Sarra JR, Galduroz JCF. Estoque doméstico e uso de medicamentos em uma população cadastrada na estratégia saúde da família no Brasil. Rev Panam Salud Publica. 2011;29(5):358–64. doi: 10.1590/S1020-49892011000500009.

Matos G, Tufik S, Scorza FA, Cavalheiro EA, Andersen ML. Sleep, epilepsy and translational research: What can we learn from the laboratory bench? Progr Neurobiol. 2011;95(3):396-405. doi: 10.1016/j.pneurobio.2011.09.006. doi: 10.1016/j.pneurobio.2011.09.006.

Mattei R, Polotow TG, Vardaris CV, Guerra BA, Leite JR, Otton R, Barros MP. Astaxanthin limits fish oil-related oxidative insult in the anterior forebrain of Wistar rats: Putative

anxiolytic effects? Pharmacol Biochem Behav. 2011;99(3):349–55. doi: 10.1016/j.pbb.2011.05.009.

Mazzotti DR, Guindalini C, Pellegrino R, Barrueco KF, Santos-Silva R, Bittencourt LRA, Tufik S. Effects of the adenosine deaminase polymorphism and caffeine intake on sleep parameters in a large population sample. Sleep. 2011;34(3):399-402. doi: 10.1093/sleep/34.3.399.

Mello CB, Argollo N, Shayer BPM, Abreu N, Godinho K, Durán P, Vargem F, Muszkat M, Miranda MC, Bueno OFA. Versão abreviada do WISC-III: correlação entre QI estimado e QI total em crianças brasileiras. Psicol Teor Pesq. 2011;27(2):149-55. doi: 10.1590/S0102-37722011000200002.

Miranda REEPC, De Mello MT, Antunes HKM. Exercício físico, humor e bem-estar: considerações sobre a prescrição da alta intensidade de exercício. Rev Psicol Saúde. 2011;3(2):46-54. doi: 10.20435/pssa.v3i2.102.

Modolo VB, Antunes HKM, Gimenez PRB, Santiago MLM, Tufik S, de Mello MT. Negative addiction to exercise: are there differences between genders? Clinics (São Paulo). 2011;66(2):255-60. doi: 10.1590/s1807-59322011000200013.

Monteiro MFA, Bolognani SAP, Rivero TS, Bueno OFA. Neuropsychological intervention in a case of Korsakoff's amnesia. Brain Impairment. 2011;12(3):231–8. doi: 10.1375/brim.12.3.231.

Moraes BB, Pasquini G, Aguiar O Jr, Gollücke AP, Ihara SS, Tenorio NM, Andersen ML, Catharino RR, Spadari-Bratfisch RC, Ribeiro DA. Protective effects of green tea against hepatic injury induced by high-cholesterol diet in rats: histopathological analysis, oxidative DNA damage and COX-2 expression. Hepatol Int. 2011;5:965-74. doi: 10.1007/s12072-011-9275-x.

Moraes WAS, Burke PR, Coutinho PL, Guilleminault C, Bittencourt AG, Tufik S, Poyares D. Sedative antidepressants and insomnia. Rev Bras Psiquiatria. 2011;33(1):91-5. doi: 10.1590/s1516-44462011000100017.

Moreira TC, Ferigolo M, Fernandes S, Barros X, Mazoni CG, Noto AR, Galduroz JCF, Barros HMT. Alcohol and domestic violence: a cross-over study in residences of individuals in Brazil. J Fam Viol. 2011;26:465–71. doi: 10.1007/s10896-011-9381-5.

Müller KB, Pereira VG, Martins AM, D'Almeida V. Evaluation of alpha-Iduronidase in dried blood spots is an accurate tool for mucopolysaccharidosis I diagnosis. J Clin Labor Anal. 2011;25(4):251–4. doi: 10.1002/jcla.20468.

Nappo SA, Sanchez Z, Oliveira LG. Crack, AIDS, and Women in São Paulo, Brazil. Substance Use Misuse. 2011;46(4):476-85. doi: 10.3109/10826084.2010.503480.

Noce F, Costa VT, Simim MAM, Castro HO, Samulski DM, De Mello MT. Analysis of overtraining symptoms during training and rehabilitation periods: a case study of Women's Volleyball Super League Team 2003/2004. Rev Bras Med Esporte. 2011;17(6):393-6. doi: 10.1590/S1517-86922011000600005.

Nogueira SSC, Soledade JP, Pompeia S, Nogueira-Filho SLG. The effect of environmental enrichment on play behaviour in *white-lipped peccaries* (Tayassu pecari). Animal Welfare. 2011;20(4):505-14.

Nogueira-Pedro A, Barbosa CMV, Segreto HRC, Lungato L, D'Almeida V, Moraes AAFS, Miranda A, Paredes-Gamero EJ, Ferreira AT. Alpha-Tocopherol induces hematopoietic

stem/progenitor cell expansion and ERK1/2-mediated differentiation. J Leukocyte Biol. 2011;90(6):1111-7. doi: 10.1189/jlb.0611282.

Noguti J, Pereira VG, Martins AM, D'Almeida V, Ribeiro DA. Genomic instability in blood cells from murine model of mucopolysaccharidosis type I. J Mol Hist. 2011;42(6):575-8. doi: 10.1007/s10735-011-9361-3.

Odajima J, Wills ZP, Ndassa YM, Terunuma M, Kretschmannova K, Deeb TZ, Geng Y, Gawrzak S, Quadros IM, Newman J, Das M, Jecrois ME, Yu Q, Li N, Bienvenu F, Moss SJ, Greenberg ME, Marto JA, Sicinski P. Cyclin E constrains Cdk5 activity to regulate synaptic plasticity and memory formation. Dev Cell. 2011;21(4):655-68. doi: 10.1016/j.devcel.2011.08.009.

Oliveira D, Hachul H, Tufik S, Bittencourt L. Effect of massage in postmenopausal women with insomnia: a pilot study. Clinics (São Paulo). 2011;66(2):343-6. doi: 10.1590/s1807-59322011000200026.

Opaleye ES, Sanchez ZM, Moura YG, Locatelli DP, Noto AR. An anti-inflammatory as a recreational drug in Brazil. Addiction. 2011;106(1):225. doi: 10.1111/j.1360-0443.2010.03196.x.

Padilha HG, Crispim CA, Zimberg IZ, De Souza DA, Waterhouse J, Tufik S, De Mello MT. A link between sleep loss, glucose metabolism and adipokines. Braz J Med Biol Res. 2011;44(10): 992-9. doi: 10.1590/s0100-879x2011007500113.

Palma SMM, Calil HM, Mercadante MT. Suicídio em adolescentes no Brasil: problema de saúde publica? Rev Bras Psiquiatria. 2011;33(1):103-5. doi: 10.1590/s1516-44462011000100023.

Palombini L, Lopes MC, Tufik S, Guilleminault C, Bittencourt LRA. Upper airway resistance syndrome: still not recognized and not treated. Sleep Sci. 2011;4(2):72-8.

Passos GS, Poyares D, Santana MG, D'Aurea CVR, Youngstedt SD, Tufik S, de Mello MT. Effects of moderate aerobic exercise training on chronic primary insomnia. Sleep Med. 2011;12(10):1018-27. doi: 10.1016/j.sleep.2011.02.007.

Pellegrino R, Mazzotti DR, Guindalini C, Santos-Silva R, Bittencourt LRA, Tufik S. Apolipoprotein E polymorphisms and sleep quality in Obstructive Sleep Apnea Syndrome. Clin Chim Acta. 2011;412(23-24):2223-7. doi: 10.1016/j.cca.2011.08.007.

Pereira EF, Bernardo MPSL, D'Almeida V, Louzada FM. Sono, trabalho e estudo: duração do sono em estudantes trabalhadores e não trabalhadores. Cad Saúde Pública. 2011;27(5):975-84. doi: 10.1590/s0102-311x2011000500015.

Pereira Jr JC, Silva Neto JLP, Pradella-Hallinan M. Restless legs syndrome in subjects with a knee prosthesis: evidence that symptoms are generated in the periphery. Clinics. 2011;66(11):1955-9. doi: 10.1590/s1807-59322011001100017.

Perry JC, Bergamaschi CT, Campos RR, Andersen ML, Casarini DE, Tufik S. Differential sympathetic activation induced by intermittent hypoxia and sleep loss in rats: Action of angiotensin (1–7). Auton Neurosci. 2011;160(1-2):32–6. doi: 10.1016/j.autneu.2010.11.006.

Perry JC, Bergamaschi CT, Campos RR, Andersen ML, Montano N, Casarini DE, Tufik S. Sympathetic and angiotensinergic responses mediated by paradoxical sleep loss in rats. J Renin-Angiotensin- Aldosterone Sys. 2011;12(3):146–52. doi: 10.1177/1470320310391504.

Pessota V, Barreto AT, De Mello MT, Antunes HKM. Influência dos aspectos motivacionais sobre as respostas afetivas após teste de esforço máximo. Rev Psicol Saúde. 2011;3(2):1-12. doi: 10.20435/pssa.v3i2.97

Pimentel GD, Rosa JC, Lira FS, Zanchi NE, Ropelle ER, Oyama LM, Nascimento CMO, de Mello MT, Tufik S, Santos RVT. Beta-Hydroxy-b-methylbutyrate (HMb) supplementation stimulates skeletal muscle hypertrophy in rats via the mTOR pathway. Nutrit Metab. 2011;8:11. doi: 10.1186/1743-7075-8-11.

Pires GN, Santos MLC, Giovenardi M. Comparação da concentração de cálcio e sódio em suplementos alimentares proteicos através de informações nutricionais contidas nos rótulos dos produtos. Rev Mackenzie Educ Física Esporte. 2011;10(2):140-8.

Pires GN, Tufik S, Andersen ML. Letter to the editor: may the association of mother–infant proximity and breastfeeding be extended to a 24 h framework? — A comment on Gettler and McKenna. Am J Phys Anthropol. 2011;146:164–5. doi: 10.1002/ajpa.21552.

Pompeia S, D'Almeida V, Tufik S. Could lorazepam be more effective in alcohol withdrawal than other benzodiazepines? CNS Spectr. 2011;16(1):23-6. doi: 10.1017/S1092852912000132.

Porto WG, Bertolucci PHF, Bueno OFA. The paradox of age: an analysis of responses by aging Brazilians to International Affective Picture System (IAPS). Rev Bras Psiquiatr. 2011;33(1):10-5. doi: 10.1590/s1516-44462010005000015.

Prado WL, Oyama LM, Lofrano-Prado MC, de Piano A, Stella SG, Nascimento CMO, Carnier J, Caranti DA, Tock L, Tufik S, de Mello MT, Dâmaso AR. Alterations in downstream mediators involved in central control of eating behavior in obese adolescents submitted to a multidisciplinary therapy. J Adolesc Health. 2011;49(3):300-5. doi: 10.1016/j.jadohealth.2010.12.016.

Prior PL, Galduroz JCF. Glutamatergic hyperfunctioning during alcohol withdrawal syndrome: Therapeutic perspective with zinc and magnesium. Med Hypotheses. 2011;77(3):368-70. doi: 10.1016/j.mehy.2011.05.017.

Procópio-Souza R, Fukushiro DF, Trombin TF, Wuo-Silva R, Zanlorenci LHF, Lima AJO, Ribeiro LTC, Corrêa JMRM, Marinho EAV, Kameda SR, Andersen ML, Tufik S, Frussa Filho R. Effects of group exposure on single injection-induced behavioral sensitization to drugs of abuse in mice. Drug Alcohol Depend. 2011;118(2-3):349-59. doi: 10.1016/j.drugalcdep.2011.04.017.

Reis FM, Esteves AM, Tufik, de Mello MT. Plasma iron levels appraised 15 days after spinal cord injury in a limb movement animal model. Spinal Cord. 2011;49(3):361-4. doi: 10.1038/sc.2010.121.

Righi AA, Alves TR, Negri G, Marques LM, Breyer H, Salatino A. Brazilian red propolis: unreported substances, antioxidant and antimicrobial activities. J Sci Food Agriculture. 2011;91(13):2363-70. doi: 10.1002/jsfa.4468.

Roizenblatt S, Rosa Neto NS, Tufik S. Sleep disorders and fibromyalgia. Curr Pain Headache Rep. 2011;15(5):347–57. doi: 10.1007/s11916-011-0213-3.

Rosa JC, Lira FS, Eguchi R, Pimentel GD, Venâncio DP, Cunha CA, Oyama LM, De Mello MT, Seelaender M, Nascimento CM. Exhaustive exercise increases inflammatory response via Toll like receptor-4 and NF-κBp65 pathway in rat adipose tissue. J Cell Physiol. 2011;226(6):1604-7. doi: 10.1002/jcp.22490.

Rosa Neto JC, Lira FS, De Mello MT, Santos RVT. Importance of exercise immunology in health promotion. Amino Acids. 2011;41(5):1165-72. doi: 10.1007/s00726-010-0786-x.

Roschel H, Ugrinowistch C, Barroso R, Batista MAB, Souza EO, Aoki MS, Siqueira-Filho MA, Zanuto R, Carvalho CRO, Neves Jr. M, Mello MT, Tricoli V. Effect of eccentric exercise velocity on akt/mtor/p70s6k signaling in human skeletal muscle. Appl Physiol Nutr Metab. 2011;36:283–90. doi: 10.1139/h10-111.

Rossi RRP, Ferraz OL, Cunali PA, Tufik S, Bittencourt LRA. Avaliação tomográfica do tratamento síndrome da apneia obstrutiva do sono (SAOS) com aparelho intra-oral: relato de caso. Orthodont Sci Practice. 2011;4(16):799-805.

Salles JF, Fonseca RP, Cruz-Rodrigues C, Mello CB, Barbosa T, Miranda MC. Desenvolvimento do Instrumento de Avaliação Neuropsicológica Breve Infantil NEUPSILIN-INF. Psico-USF. 2011;16(3):297-305. doi: 10.1590/S1413-82712011000300006.

Sanches PL, de Mello MT, Elias N, Fonseca FAH, de Piano A, Carnier J, Oyama LM, Tock L, Tufik S, Dâmaso AR. Improvement in HOMA-IR is an independent predictor of reduced carotid intima-media thickness in obese adolescents participating in an interdisciplinary weight-loss program. Hypertension Res. 2011; 34:232-8. doi: 10.1038/hr.2010.225.

Sanchez ZM, Martins SS, Opaleye ES, Moura YG, Locatelli DP, Noto AR. Social factors associated to binge drinking: a cross-sectional survey among Brazilian students in private high schools. BMC Public Health. 2011;11:201. doi: 10.1186/1471-2458-11-201.

Sanchez ZM, Opaleye ES, Chaves TV, Noto AR, Nappo SA. God forbids or mom disapproves? Religious beliefs that prevent drug use among youth. J Adolescent Res. 2011;26(5):591–616. doi: 10.1177/0743558411402337.

Santos EB, Tudesco ISS, Caboclo LOSF, Yacubian EMT. Low educational level effects on the performance of healthy adults on a Neuropsychological Protocol suggested by the Commission on Neuropsychology of the Liga Brasileira de Epilepsia. Arq Neuropsiquiatr. 2011;69(5):778-84. doi: 10.1590/s0004-282x2011000600011.

Schoorlemmer GHM, Rossi MV, Tufik S, Cravo SL. A new method to produce obstructive sleep apnoea in conscious unrestrained rats. Exp Physiol. 2011;96(10):1010–8. doi: 10.1113/expphysiol.2011.059014.

Schutz TCB, Dominguez GC, Pradella Hallinan M, Cunha TCA, Tufik S. Class II correction improves nocturnal breathing in adolescents. Angle Orthod. 2011;81(2):222-8. doi: 10.2319/052710-233.1.

Silva A, Araujo P, Zager A, Tufik A, Andersen ML. Sex differences in sleep pattern of rats in an experimental model of osteoarthritis. Eur J Pain. 2011;15(6):545–53. doi: 10.1016/j.ejpain.2010.10.009.

Soares RG, Nery FC, Silveira PS, Noto AR, Ronzani TM. A mensuração do estigma internalizado: revisão sistemática da literatura. Psicol Estudo. 2011;16(4):635-45. doi: 10.1590/S1413-73722011000400014.

Takahashi A, Quadros IM, Almeida RMM, Miczek KA. Brain serotonin receptors and transporters: initiation vs. termination of escalated aggression. Psychopharmacology. 2011;213(2-3):183–212. doi: 10.1007/s00213-010-2000-y.

Troncone LRP, Ravelli KG, Magnoli FC, Lebrun I, Hipolide DC, Raymond R, Nobrega JN. Regional brain c-fos activation associated with penile erection and other symptoms induced by the spider toxin Tx2-6. Toxicon. 2011;58(2):202-8. doi: 10.1016/j.toxicon.2011.05.019.

Varallo FR, Lima MFR, Galduroz JCF, Mastroianni PC. Adverse drug reaction as cause of hospital admission of elderly people: a pilot study. Latin Am J Pharmacy. 2011;30(2):347-53.

Vasconcelos LG, Jackowski AP, Oliveira MO, Flor YMR, Bueno OFA, Brucki SMD. Voxel-based morphometry findings in Alzheimer's disease: neuropsychiatric symptoms and disability correlations – preliminary results. Clinics. 2011;66(6):1045-50. doi: 10.1590/s1807-59322011000600021.

Vaz LJ, Pradella-Hallinan M, Bueno OFA, Pompeia S. Acute glucocorticoid effects on the multicomponent model of working memory. Hum. Psychopharmacol Clin Exp. 2011;26(7):477–87. doi: 10.1002/hup.1230.

Vidigal TA, Haddad FLM, Gregório LC, Tufik S, Bittencourt LRA. Review of surgical treatment in the obstructive sleep apnea syndrome. Sleep Sci. 2011;4(1):28–33.

Visniauskas B, Oliveira V, Carmona AK, D'Almeida V, de Melo RL, Tufik S, Chagas JR. Angiotensin I-converting enzyme (ACE) activity and expression in rat central nervous system after sleep deprivation. Biol Chem. 2011;392(6):547–53. doi: 10.1515/BC.2011.057.

Wuo-Silva R, Fukushiro DF, Borçoi AR, Fernandes HA, Procópio-Souza R, Hollais AW, Santos R, Ribeiro LTC, Corrêa JMRM, Talhati F, Saito LP, Aramini TCF, Kameda SR, Bittencourt LRA, Tufik S, Frussa-Filho R. Addictive potential of modafinil and cross-sensitization with cocaine: a pre-clinical study. Addiction Biol. 2011;16(4):565–79. doi: 10.1111/j.1369-1600.2011.00341.x.

Zanin KA, Patti CL, Tufik S, Poyares D, Frussa-Filho R. Zolpidem impairs non-associative memory in mice. Sleep Sci. 2011;4(3):81-7.

Zimberg IZ, Crispim CA, Diniz RM, Dattilo M, Reis BG, Cavagnolli DA, Faria AP, Tufik S, De Mello MT. Gender differences in the relationship of sleep pattern and body composition in healthy adults. Sleep Sci. 2011;4(2):39-44.

2010.....

Ackel-D'Elia C, Vancini RL, Castelo A, Nouailhetas VL, Silva AC. Absence of the predisposing factors and signs and symptoms usually associated with overreaching and overtraining in physical fitness centers. Clinics (São Paulo). 2010;65(11):1161-6. doi: 10.1590/s1807-59322010001100019.

Aloé F, Alves RC, Araújo JF, Azevedo A, Bacelar A, Bezerra M, Bittencourt LRA, Bustamante G, Cardoso TA, Eckeli AL, Fernandes RM, Goulart L, Pradella-Hallinan M, Hasan R, Sander HH, Pinto Jr LR, Lopes MC, Minhoto GR, Moraes W, Moreira GA, Pachito D, Pedrazolli M, Poyares D, Prado L, Rizzo G, Rodrigues RN, Roitman I, Silva AB, Tavares SMA. Diretrizes brasileiras para o diagnóstico da narcolepsia. Rev Bras Psiquiatria. 2010;32(3):294-304. doi: 10.1590/s1516-44462010005000014.

Aloé F, Alves RC, Araújo JF, Azevedo A, Bacelar A, Bezerra M, Bittencourt LRA, Bustamante G, Cardoso TA, Eckeli AL, Fernandes RM, Goulart L, Pradella-Hallinan M, Hasan R, Sander HH, Pinto Jr LR, Lopes MC, Minhoto GR, Moraes W, Moreira GA, Pachito D, Pedrazolli M, Poyares D, Prado L, Rizzo G, Rodrigues RN, Roitman I, Silva AB, Tavares SMA. Diretrizes brasileiras para o tratamento da narcolepsia. Rev Bras Psiquiatria. 2010;32(3):305-14. doi: 10.1590/S1516-44462010000300016.

Alvarenga TA, Andersen ML, Ribeiro DA, Araújo P, Hirotsu C, Costa JL, Battisti MC, Tufik S. Single exposure to cocaine or ecstasy induces DNA damage in brain and other organs of mice. Addict Biol. 2010;15(1):96-9. doi: 10.1111/j.1369-1600.2009.00179.x.

Alvarenga TA, Andersen ML, Tufik S. Influence of progesterone on sexual performance in male rats. J Sex Med. 2010;7:2435–44. doi: 10.1111/j.1743-6109.2010.01851.x.

Alves GR, Rosa A, Brito M, Pradella-Hallinan M, Tufik S. Cyclic alternating pattern in normal children aged 12 to 24 months. Arq Neuropsiquiatr. 2010;68(5):689-93. doi: 10.1590/s0004-282x2010000500003.

Amaral MB, Ronzani TM, Souza-Formigoni MLO. Process evaluation of the implementation of a screening and brief intervention program for alcohol risk in primary health care: an experience in Brazil. Drug Alcohol Rev 2010;29(2):162-8. doi: 10.1111/j.1465-3362.2009.00120.x.

Amaral-Sabadini MB, Saitz R, Souza-Formigoni MLO. Do attitudes about unhealthy alcohol and other drug (AOD) use impact primary care professionals' readiness to implement AOD-related preventive care? Drug Alcohol Rev. 2010;29(6):655–61. doi: 10.1111/j.1465-3362.2010.00222.x.

Andersen ML, Ribeiro DA, Alvarenga TA, Silva A, Araujo P, Zager A, Tenorio NM, Tufik S. Are endogenous sex hormones related to DNA damage in paradoxically sleep-deprived female rats? Horm Behav. 2010;57(2):216-21. doi: 10.1016/j.yhbeh.2009.11.004.

Andersen ML, Guindalini C, Santos-Silva R, Bittencourt LRA, Tufik S. Association analysis of endothelial nitric oxide synthase G894T gene polymorphism and erectile dysfunction complaints in a population-based survey. J Sex Med 2010;7(3):1229-36. doi: 10.1111/j.1743-6109.2009.01606.x.

Andersen ML, Kessler E, Murnane K, McClung J, Tufik S, Howell L. Dopamine transporter-related effects of modafinil in rhesus monkeys. Psychopharmacology 2010;210(3):439-48. doi: 10.1007/s00213-010-1839-2.

Andersen ML, Guindalini C, Santos-Silva R, Bittencourt LRA, Tufik S. Angiotensin-converting enzyme polymorphism and erectile dysfunction complaints in the Brazilian population. J Sex Med 2010;7:2791–7. doi: 10.1111/j.1743-6109.2010.01796.x.

Andersen ML, Santos-Silva R, Bittencourt LRA, Tufik S. Prevalence of erectile dysfunction complaints associated with sleep disturbances in Sao Paulo, Brazil: a population-based survey. Sleep Med. 2010;11(10):1019–24. doi: 10.1016/j.sleep.2009.08.016.

Andersen ML, Perry JC, Bignotto M, Tufik S. Dopaminergic and noradrenergic drugs revert cocaine-induced erection in paradoxical sleep-deprived rats. Sleep Sci. 2010;3(2):69-73.

Andersen ML, Matos G, Martins RCS, Tufik S. Sleep deprivation increases seizures induced by cocaine in rats. Sleep Sci. 2010;3(4):131-5.

Andreazza AC, Andersen ML, Alvarenga TA, de-Oliveira MR, Armani F, Ruiz FS, Giglio L, Moreira JCF, Kapczinski F, Tufik S. Impairment of the mitochondrial electron transport chain due to sleep deprivation in mice. J Psychiatr Res. 2010;44(12):775-80. doi: 10.1016/j.jpsychires.2010.01.015.

Araújo MAP, Silva TM, Moreira GA, Pradella-Hallinan M, Tufik S, Oliveira ASB. Sleep disorders frequency in post-polio syndrome patients caused by periodic limb movements. Arq Neuropsiquiatr. 2010;68(1):35-8. doi: 10.1590/s0004-282x2010000100008.

Barbosa AA, Pedrazzoli M, Koike BDV, Tufik S. Do Caucasian and Asian clocks tick differently?. Braz J Med Biol Res. 2010;43(1):96-9. doi: 10.1590/s0100-879x2009007500022.

Bhambhani Y, Mactavish J, Warren S, Thompson WR, Webborn A, Bressan E, De Mello MT, Tweedy S, Malone L, Frojd K, Van De Vliet P, Vanlandewijck Y. Boosting in athletes with high-level spinal cord injury: knowledge, incidence and attitudes of athletes in paralympic sport. Disabil Rehabil. 2010;32(26):2172-90. doi: 10.3109/09638288.2010.505678.

Bittencourt LRA, Santos-Silva R, De Mello MT, Andersen MJ, Tufik S. Chronobiological disorders: current and prevalent conditions. J Occup Rehabil 2010;20(1):21–32. doi: 10.1007/s10926-009-9213-0.

Bittencourt LRA, Caixeta EC. Critérios diagnósticos e tratamento dos distúrbios respiratórios do sono: SAOS. J Bras Pneumol. 2010;36(suppl.2):23-7. doi: 10.1590/S1806-37132010001400008.

Bittencourt LRA, Cintra FD, Garbuio S, Tufik S. Síndrome da Apneia Obstrutiva do Sono: conceitos básicos. Rev Soc Cardiol do Estado de São Paulo. 2010;20(4):421-7.

Bittencourt S, Dubiela FP, Queiroz C, CovolanL, Andrade D, Lozano A, Mello LE, Hamani C. Microinjection of GABAergic agents into the anterior nucleus of the thalamus modulates pilocarpine-induced seizures and status epilepticus. Seizure. 2010;19(4):242-6. doi: 10.1016/j.seizure.2010.02.010.

Botelho RV, Bittencourt LRA, Rotta JM, Tufik S. The effects of posterior fossa decompressive surgery in adult patients with Chiari malformation and sleep apnea. J Neurosurg. 2010;112(4):800-7. doi: 10.3171/2009.7.

Calegare BFA, Fernandes L, Tufik S, D'Almeida V. Biochemical, biometrical and behavioral changes in male offspring of sleep-deprived mice. Psychoneuroendocrinology 2010;35(5):775-84. doi: 10.1016/j.psyneuen.2009.11.004.

Camarini R, Pautassi RM, Mendez M, Quadros IM, Souza-Formigoni ML, Boerngen-Lacerda R. Behavioral and neurochemical studies in distinct animal models of ethanol's motivational effects. Curr Drug Abuse Rev. 2010;3(4):205-21. doi: 10.2174/1874473711003040205.

Caranti DA, Sartorio A, Piano A, Tock L, Lederman H, Minocci A, Agosti F, Patrizi A, de Mello MT, Tufik S, Lafortuna C, Dâmaso AR. Visceral adiposity cut-off points to indicate risk factor to develop the nonalcoholic fatty liver disease in Brazilian and Italian obese adolescents. e-SPEN. 2010;5(5):e238-e242. doi: 10.1016/j.eclnm.2010.06.001.

Carlini EA. Pesquisas com a maconha no Brasil. Rev Bras Psiquiatria. 2010;32(Supl.I):S3-S4. doi: 10.1590/S1516-44462010000500002.

Carlini EA, Duarte-Almeida JM, Rodrigues E, Tabach R. Antiulcer effect of the pepper trees *Schinus terebinthifolius* Raddi (aroeira-da-praia) and *Myracrodruon urundeuva* Allemão, Anacardiaceae (aroeira-do-sertão). Rev Bras Farmacognosia 2010;20(2):140-6. doi: 10.1590/S0102-695X2010000200001.

Carneiro G, Fontes FH, Togeiro SMGP. Consequências metabólicas na SAOS não tratada. J Bras Pneumol. 2010;36(suppl.2):43-6. doi: 10.1590/S1806-37132010001400012.

Carnier J, Piano A, Sanches PL, Tock L, Nascimento CMO, Oyama LM, Corrêa FA, Ernandes RH, Lederman H, de Mello MT, Tufik S, Dâmaso AR. The role of orexigenic and anorexigenic factors in an interdisciplinary weight loss therapy for obese adolescents with symptoms of

eating disorders. Int J Clin Practice. 2010;64(6):784-90. doi: 10.1111/j.1742-1241.2009.02306.x.

Cassilhas RC, Antunes HKM, Tufik S, De Mello MT. Mood, anxiety, and serum IGF-1 in elderly men given 24 weeks of high resistance exercise. Percept Motor Skills 2010;110(1):265-76. doi: 10.2466/PMS.110.1.265-276.

Cavagnolli DA, Esteves AM, Faria AP, Rossi MV, Bittencourt LRA, Tufik S, De Mello MT. The influence of intensity of exercise over periodical leg movement and obstructive sleep apnea syndrome: a case report. Sleep Sci. 2010;3(2):87-92.

Cavalcanti A, Hilário MOE, Santos FH, Bolognani SAP, Bueno OFA, Len CA. Subtle cognitive deficits in adults with a previous history of Sydenham's Chorea during childhood. Arthritis Care Res. 2010;62(8):1065-71. doi: 10.1002/acr.20191.

Chiari H, de Mello MT, Rezeak P, Antunes HKM. Exercício físico, atividade física e os benefícios sobre a memória de idosos. Rev Psicol Saúde. 2010;2(1):42-9. doi: 10.20435/pssa.v2i1.34.

Chiavegatto S, Quadros IM, Ambar G, Miczek KA. Individual Vulnerability to Escalated Aggressive Behavior by a Low Dose of Alcohol: Decreased Serotonin Receptor mRNA in the Prefrontal Cortex of Male Mice. Genes Brain Behav. 2010;9(1):110-9. doi: 10.1111/j.1601-183X.2009.00544.x.

Chiavenato MD, Sampaio IPC, Mello MT, Zimberg IZ. Evolução do crescimento de atletas de ginástica rítmica. Efdeportes Rev Digital. 2010;14(141):1-6.

Cintra FD, Makdisse MRP, Oliveira WAA, Rizzi CF, Luiz FOO, Tufik S, de Paola AAV, Poyares D. Exercise-induced ventricular arrhythmias: analysis of predictive factors in a population with sleep disorders. Einstein. 2010; 8(1 Pt 1):62-7. doi: 10.1590/S1679-45082010AO1469.

Cirulli F, Suchecki D. Developmental determinants of sensitivity and resistance to stress: A tribute to Seymour "Gig" Levine. Neurosci Biobehav Rev 2010;34(6):781. doi: 10.1016/j.neubiorev.2010.02.010.

Coelho FMS, Pradella-Hallinan M, Pedrazzoli M, Soares CAS, Fernandes GBP, Gonçalves AL, Tufik S, Bittencourt LRA. Traditional biomarkers in narcolepsy: experience of a Brazilian sleep centre. Arq Neuropsiquiatr. 2010;68(5):712-15. doi: 10.1590/s0004-282x2010000500007.

Coelho Neto A, Azevedo RP, Santos MBP, Galdieri LC, D'Almeida V, Amaral JLG, Freitas FGR, Machado FR. Nível plasmático de homocisteína: marcador de gravidade em pacientes sépticos? Rev Bras Ter Intens. 2010;22(4):327-32. Doi: 10.1590/S0103-507X2010000400003

Dal-Fabbro C, Chaves Jr CM, Bittencourt LRA, Tufik S. Avaliação clínica e polissonográfica do aparelho BRD no tratamento da Síndrome da Apnéia Obstrutiva do Sono. Dental Press J Orthod 2010;15(1):107-17. doi: 10.1590/S2176-94512010000100013.

Dubiela FP, Oliveira MGM, Moreira KM, Nobrega JN, Tufik S, Hipolide DC. Inverse benzodiazepine agonist _-CCM does not reverse learning deficit induced by sleep deprivation. Neurosci Lett. 2010;469(1):169–73. doi: 10.1016/j.neulet.2009.11.070.

Fagondes SC, Moreira GA. Apneia obstrutiva do sono em crianças. J Bras Pneumol. 2010;36(suppl.2):57-61. doi: 10.1590/S1806-37132010001400015.

Faturi CB, Tiba PA, Kawakami SE, Catallani B, Kerstens M, Suchecki D. Disruptions of the mother–infant relationship and stress-related behaviours: altered corticosterone secretion

does not explain everything. Neurosci Biobehav Rev 2010;34(6):821-34. doi: 10.1016/j.neubiorev.2009.09.002.

Faturi CB, Leite JR, Alves PB, Canton AC, Teixeira-Silva F. Anxiolytic-like effect of sweet orange aroma in Wistar rats. Progr Neuropsychopharmacol Biol Psychiatry. 2010;34(4):605-9. doi: 10.1016/j.pnpbp.2010.02.020.

Ferreira TCD, Sanchez ZM, Ribeiro LA, Oliveira LG, Nappo SA. Percepções e atitudes de professores de escolas públicas e privadas perante o tema drogas. Interface. 2010;14(34):551-62. doi: 10.1590/S1414-32832010005000007.

Fonseca AM, Galduroz JC, Noto AR, Carlini EL. Comparison between two household surveys on psychotropic drug use in Brazil: 2001 and 2004. Ciencia Saude Colet. 2010;15(3):663-70. doi: 10.1590/s1413-81232010000300008.

Foschini D, Araujo RC, Bacurau RF, De Piano A, Almeida SS, Carnier J, Rosa TD, De Mello MT, Tufik S, Dâmaso AR. Treatment of obese adolescents: the influence of periodization models and ACE genotype. Obesity 2010;18(4):766-72. doi: 10.1038/oby.2009.247.

Franco VLS, Santos VE, Silva LCF, Alves DC, Nappo SA, Noto AR, Carlini EA. O Padrão de prescrição e dispensação de anoréticos tipo-anfetamina e benzodiazepínicos na cidade de Santo André-SP. Infarma (Brasília). 2010;22(7/8):3-8.

Freire AO, Sugai GCM, Togeiro SM, Mello LE, Tufik S. Immediate effect of acupuncture on the sleep pattern of patients with obstructive sleep apnoea. Acupunct Med. 2010;28(3):115-9. doi: 10.1136/aim.2009.001867.

Furlan MR, Martins RCC, Rodrigues E, Scalco N, Negri G, Lago JHG. Variação dos teores de constituintes voláteis de Cymbopogon citratus (DC) Staf, Poaceae, coletados em diferentes regiões do Estado de São Paulo. Rev Bras Farmacogn. 2010;20(5): 686-91. doi: 10.1590/S0102-695X2010005000026.

Fuso SF, Callegaro D, Pompeia S, Bueno OFA. Working memory impairment in multiple sclerosis relapsing-remitting patients with episodic memory deficits. Arq Neuropsiquiatr. 2010;68(2):205-211. doi: 10.1590/s0004-282x2010000200010.

Galduroz JC, Sanchez ZM, Opaleye ES, Noto AR, Fonseca AM, Gomes PL, Carlini EA. Fatores associados ao uso pesado de álcool entre estudantes das capitais brasileiras. Rev Saude Publica. 2010;44(2):267-73. doi: 10.1590/S0034-89102010000200006.

Garcia D, Domingues MV, Rodrigues E. Ethnopharmacological survey among migrants living in the Southeast Atlantic Forest of Diadema, São Paulo, Brazil. J Ethnobiol Ethnomed. 2010;6:29. doi: 10.1186/1746-4269-6-29.

Giglio LMF, Magalhães PVS, Andersen ML, Walz JC, Jakobson L, Kapczinski F. Circadian preference in bipolar disorder. Sleep Breath. 2010;14:153–5. doi: 10.1007/s11325-009-0301-3.

Guerra-Shinohara EM, Pereira PM, Kubota AM, Silva TA, Reis JL, Miyashita GS, D'Almeida V, Allen RH, Stabler SP. Increased MMA concentration and body mass index are associated with spontaneous abortion in Brazilian women A pilot study. Clin Chim Acta. 2010;411(5-6):423-7. doi: 10.1016/j.cca.2009.12.014.

Guilherme RS, de Freitas Ayres Meloni V, Sodré CP, Christofolini DM, Pellegrino R, De Mello CB, Conlin LK, Hutchinson AL, Spinner NB, Brunoni D, Kulikowski LD, Melaragno MI. Cytogenetic and molecular evaluation and 20-year follow-up of a patient with ring

chromosome 14. Am J Med Genet A. 2010 Nov;152A(11):2865-9. doi: 10.1002/ajmg.a.33689.

Guindalini C, Lee KS, Andersen ML, Santos-Silva R, Bittencourt LRA, Tufik S. The influence of obstructive sleep apnea on the expression of glycerol-3-phosphate dehydrogenase1 gene. Exp Biol Med 2010;235:52–6. doi: 10.1258/ebm.2009.009150.

Guindalini C, Martins RC, Andersen ML, Tufik S. Influence of genotype on dopamine transporter availability in human striatum and sleep architecture. Psychiatry Res. 2010;179(2):238–40. doi: 10.1016/j.psychres.2009.07.017.

Guindalini C, Colugnati FAB, Pellegrino R, Santos-Silva R, Bittencourt LRA, Tufik S. Influence of genetic ancestry on the risk of obstructive sleep apnoea syndrome. Eur Respir J. 2010;36(4):834-41. doi: 10.1183/09031936.00146809.

Hachul H, Andersen ML, Bittencourt LRA, Santos-Silva R, Conway SG, Tufik S. Does the reproductive cycle influence sleep patterns in women with sleep complaints? Climacteric. 2010;13(6):594-603. doi: 10.3109/13697130903450147.

Hachul H. Integrative therapy for postmenopausal insomnia. Altern Complement Ther. 2010;16(5):304. doi: 10.1089/act.2010.16508.

Hamani C, Dubiela FP, Soares JCK, Shin D, Bittencourt S, Covolan L, Carlen PL, Laxton AW, Hodaie M, Stone SSD, Ha Y, Hutchison WD, Lozano AM, Mello LE, Oliveira MGM. Anterior thalamus deep brain stimulation at high current impairs memory in rats. Exp Neurol. 2010;225(1):154-62. doi: 10.1016/j.expneurol.2010.06.007.

Hirotsu C, Tufik S, Bergamaschi CT, Tenorio NM, Araujo P, Andersen ML. Sleep pattern in an experimental model of chronic kidney disease. Am J Physiol Renal Physiol. 2010;299(6): F1379–F1388. doi: 10.1152/ajprenal.00118.2010.

Hoexter MQ, Shih MC, Felício AC, Tufik S, Bressan RA. Greater reduction of striatal dopamine transporter availability during the symptomatic than asymptomatic phase of Kleine–Levin syndrome. Sleep Med. 2010;11(9):959. doi: 10.1016/j.sleep.2010.03.002.

Izu SC, Itamoto CH, Pradella-Hallinan M, Pizarro GU, Tufik S, Pignatari S, Fujita RR. Obstructive sleep apnea syndrome (OSAS) in mouth breathing children. Braz J Otorhinolaryngol. 2010;76(5):552-6. doi: 10.1590/S1808-86942010000500003.

Kahan V, Ribeiro DA, Andersen ML, Alvarenga TA, Tufik S. Sleep loss induces differential response related to genotoxicity in multiple organs of three different mice strains. Basic Clin Pharmacol Toxicol. 2010;107:598–602. doi: 10.1111/j.1742-7843.2010.00540.x.

Kahan V, Andersen ML, Tomimori J, Tufik S. Can poor sleep affect skin integrity? Med Hypotheses. 2010;75(6):535-7. doi: 10.1016/j.mehy.2010.07.018.

Kessler F, Faller S, Souza-Formigoni MLO, Cruz MS, Brasiliano S, Stolf AR, Pechansky F. Avaliação multidimensional do usuário de drogas e a Escala de Gravidade de Dependência. Rev Psiquiatr Rio Grande Sul. 2010;32(2):48-56.doi: 10.1590/S0101-81082010000200005.

Kim AK, Souza-Formigoni MLO. Disulfiram impairs the development of behavioural sensitization to the stimulant effect of ethanol. Behav Brain Res. 2010;207(2):441-6. doi: 10.1016/j.bbr.2009.10.032.

Kozasa EH, Hachul H, Monson C, Pinto Jr L, Garcia MC, Mello LEAM, Tufik S. Mind-body interventions for the treatment of insomnia: a review. Rev Bras Psiquiatria. 2010;32(4):437-43. doi: 10.1590/s1516-44462010000400018.

Lacerda AE, Mastroianni Fde C, Noto AR. Tabaco na mídia: análise de matérias jornalísticas no ano de 2006. Ciencia Saude Colet. 2010;15(3):725-31. doi: 10.1590/S1413-81232010000300015.

Leite JPV, Braga FC, Romussi G, Persoli RM, Tabach R, Carlini EA, Oliveira AB. Constituents from *Maytenus ilicifolia* leaves and bioguided fractionation for gastroprotective activity. J Braz Chem Soc. 2010;21(2):248-54. doi: 10.1590/S0103-50532010000200009.

Leite JR, Ornellas FLM, Amemiya TM, Almeida AAF, Dias AA, Afonso R, Little S, Kozasa EH. Effect of progressive self-focus meditation on attention, anxiety, and depression scores. Perceptual Motor Skills. 2010;110(3):840-8. doi: 10.2466/PMS.110.3.840-848.

Lemos VA, Antunes HKM, Santos RVT, Prado JMS, Tufik S, De Mello MT**.** Efeitos da exposição à altitude sobre os aspectos neuropsicológicos: uma revisão da literatura. Rev Bras Psiquiatria. 2010;32(1):70-6. doi: 10.1590/s1516-44462009005000013.

Lira FS, Rosa JC, Pimentel GD, Souza HA, Caperuto EC, Carnevali Jr LC, Seelaender M, Damaso AR, Oyama LM, de Mello MT, Santos RV. Endotoxin levels correlate positively with a sedentary lifestyle and negatively with highly trained subjects. Lipids Health Dis. 2010;9:82. doi: 10.1186/1476-511X-9-82.

Lira FS, Rosa JC, Pimentel GD, Tarini VAF, Arida RM, Faloppa F, Alves ES, Nascimento CO, Oyama LM, Seelaender M, de Mello MT, Santos RVT. Inflammation and adipose tissue: effects of progressive load training in rats. Lipids Health Dis. 2010;9:109. doi: 10.1186/1476-511X-9-109.

Lucchesi LM, Speciali JG, Santos-Silva R, Taddei JA, Tufik S, Bittencourt LR. Nocturnal awakening with headache and its relationship with sleep disorders in a population-based sample of adult inhabitants of Sao Paulo City, Brazil. Cephalalgia. 2010;30(12):1477-85. doi: 10.1177/0333102410368440.

Machado MC, Vollmer WM, Togeiro SM, Bilderback AL, Oliveira MV, Leitão FS, Queiroga F Jr, Lorenzi-Filho G, Krishnan JA. CPAP and survival in moderate-to-severe obstructive sleep apnoea syndrome and hypoxaemic COPD. Eur Respir J. 2010;35(1):132-7. doi: 10.1183/09031936.00192008.

Machado RB, Tufik S, Suchecki D. Modulation of sleep homeostasis by corticotropin releasing hormone in REM sleep-deprived rats. Int J Endocrinol. 2010, Article ID 326151, 12 pages. doi: 10.1155/2010/326151.

Martin MS, Dutt K, Papale LA, Dubé CM, Dutton SB, de Haan G, Shankar A, Tufik S, Meisler MH, Baram TZ, Goldin AL, Escayg A. Altered function of the *SCN1A* voltage-gated sodium channel leads to γ-aminobutyric acid-ergic (GABAergic) interneuron abnormalities. J Biol Chem. 2010;285(13):9823–34. doi: 10.1074/jbc.M109.078568.

Martins PJF, Marques MS, Tufik S, D'Almeida V. Orexin activation precedes increased NPY expression, hyperphagia, and metabolic changes in response to sleep deprivation. Am J Physiol Endocrinol Metab. 2010;298:E726–E734. doi: 10.1152/ajpendo.00660.2009.

Martins RCS, Andersen ML, Garbuio SA, Bittencourt LR, Guindalini C, Shih MC, Hoexter MQ, Bressan RA, Castiglioni MLV, Tufik S. Dopamine transporter regulation during four nights of REM sleep deprivation followed by recovery – an *in vivo* molecular imaging study in humans. Sleep 2010;33(2):243-51. doi: 10.1093/sleep/33.2.243.

Matos G, Andersen ML, do Valle AC, Tufik S. The relationship between sleep and epilepsy: Evidence from clinical trials and animal models. J Neurol Sci. 2010;295(1-2):1-7. doi: 10.1016/j.jns.2010.05.003.

Matos G, Andersen ML, Tufik S. Sudden unexpected death in epilepsy: The obscure role of sleep. J Neurol Sci. 2010;298(1-2):168-9. doi: 10.1016/j.jns.2010.08.008.

Mazaro-Costa R, Andersen ML, Hachul H, Tufik S. Medicinal plants as alternative treatments for female sexual dysfunction: utopian vision or possible treatment in climacteric women? J Sex Med. 2010;7(11):3695–714. doi: 10.1111/j.1743-6109.2010.01987.x.

Mendes RH, Sirvente RA, Candido GO, Mostarda C, Salemi VMC, D'Almeida V, Jacob MH, Ribeiro MF, Bello-Klein A, Rigatto K, Irigoyen MC. Homocysteine Thiolactone Induces Cardiac Dysfunction: Role of Oxidative Stress. Journal of Cardiovascular Pharmacology. 2010;55(2):198-202. doi: 10.1097/FJC.0b013e3181ce5c28

Mong JA, Suchecki D, Semba K, Parry BL. Sleep and the endocrine brain. Int J Endocrinol. 2010; 2010:967435. doi: 10.1155/2010/967435.

Moreira KM, Ferreira TL, Hipolide DC, Fornari RV, Tufik S, Oliveira MGM. Modafinil prevents inhibitory avoidance memory deficit induced by sleep deprivation in rats. Sleep 2010;33(7):990-3. doi: 10.1093/sleep/33.7.990.

Moura YG, Sanchez ZM, Noto AR. Diversity of contexts in drug use among street adolescents. Qualitat Health Res. 2010;20(9):1241-53. doi: 10.1177/1049732310370967.

Mueller KB, Rodrigues MDB, Pereira VG, Martins AM, D'Almeida V. Reference values for lysosomal enzymes activities using dried blood spots samples - a Brazilian experience. Diagn Pathol. 2010;5:65. doi: 10.1186/1746-1596-5-65

Nappo SA, Carlini EA, Araújo MD, Moreira LFS. Prescription of anorectic and benzodiazepine drugs through notification B prescriptions in Natal, Rio Grande do Norte, Brazil. Braz J Pharm Sci. 2010;46(2):297-303. doi: 10.1590/S1984-82502010000200017.

Negri G, Rodrigues E. Essential oils found in the smoke of “tira-capeta”, a cigarette used by some quilombolas living in pantanal wetlands of Brazil. Rev Bras Farmacognosia. 2010;20(3):310-6. doi: 10.1590/S0102-695X2010000300004.

Negri G, di Santi D, Tabach R. Bitter acids from hydroethanolic extracts of *Humulus lupulus L., Cannabaceae*, used as anxiolytic. Rev Bras Farmacogn. 2010;20(6):850-9. doi: 10.1590/S0102-695X2010005000051.

Neves C, Tufik S, Chediek F, Poyares D, Cintra F, Roizenblatt M, Abrantes F, Monteiro MA, Roizenblatt S. Effects of sildenafil on autonomic nervous function during sleep in obstructive sleep apnea. Clinics (São Paulo) 2010;65(4):393-400. doi: 10.1590/S1807-59322010000400008.

Neves C, Tufik S, Monteiro MA, Chediek F, Jose FF, Roizenblatt S. The effect of sildenafil on sleep respiratory parameters and heart rate variability in obstructive sleep apnea. Sleep Med. 2010;11(6):545–51. doi: 10.1016/j.sleep.2010.02.010.

Nogueira ID, Servantes DM, Nogueira PA, Pelcerman A, Salvetti XM, Salles F, Almeida DR, Mello MT, Filho OC, Filho JA. Correlation between quality of life and functional capacity in cardiac failure. Arq Bras Cardiol. 2010;95(2):238-43. doi: 10.1590/s0066-782x2010005000096.

Nogueira SSC, Silva MG, Dias CTS, Pompeia S, Cetra M, Nogueira Filho SLG. Social behaviour of collared peccaries (Pecari tajacu) under three space allowances. Animal Welfare. 2010;19:243-8.

Novais MAP, Ramos MP, Nappo SA, Sigulem D. Study of teacher practices in health sciences in Brazil. Am J Distance Edu. 2010;24:40-51. doi: 10.1080/08923640903297794.

Oliveira LG, Ponce JD, Nappo SA. Crack cocaine use in Barcelona: a reason of worry. Subst Use Misuse. 2010;45(13):2291-300. doi: 10.3109/10826081003682883.

Oliveira VN, Bessa A, Lamounier RPMS, Santana MG, de Mello MT, Espindola FS. Changes in the salivary biomarkers induced by an effort test. Int J Sports Med. 2010;31:377–81. doi: 10.1055/s-0030-1248332.

Otsuka RD, Lago JH, Rossi L, Galduroz JC, Rodrigues E. Psychoactive plants described in a Brazilian literary work and their chemical compounds. Cent Nerv Syst Agents Med Chem. 2010;10(3):218-37. doi: 10.2174/1871524911006030218.

Oyama LM, Nascimento CMO, Carnier J, Piano A, Tock L, Sanches PL, Gomes FAC, Tufik S, de Mello MT, Dâmaso AR. The role of anorexigenic and orexigenic neuropeptides and peripheral signals on quartiles of weight loss in obese adolescents. Neuropeptides. 2010;44(6):467-74. doi: 10.1016/j.npep.2010.07.002.

Pacheco e Silva Neto AC, Alves GR, Pradella-Hallinan MLC, Jorge MRM, Dacca AP, Paiva JCRA, Pissuto MP, Toledo Piza A, Tufik. Características afetivas de pacientes narcolépticos avaliados pelo Rorschach. Bol Psicol. 2010;60(132):61-72.

Padilha HG, Crispim CA, Zimberg IZ, Folkard S, Tufik S, de Mello MT. Metabolic responses on the early shift. Chronobiol Int. 2010;27(5):1080–92. doi: 10.3109/07420528.2010.489883.

Palma BD, Tufik S. Increased disease activity is associated with altered sleep architecture in an experimental model of Systemic Lupus Erythematosus. Sleep 2010;33(9):1244-8. doi: 10.1093/sleep/33.9.1244.

Palombini LO. Fisiopatologia dos distúrbios respiratórios do sono. J Bras Pneumol. 2010;36(suppl.2):4-9.doi: 10.1590/S1806-37132010001400003.

Palombini LO. Critérios diagnósticos e tratamento dos distúrbios respiratórios do sono: RERA. J Bras Pneumol. 2010;36(suppl.2):19-22. doi: 10.1590/S1806-37132010001400007.

Papale LA, Paul KN, Sawyer NT, Manns JR, Tufik S, Escayg A. Dysfunction of the *Scn8a* voltage-gated sodium channel alters sleep architecture, reduces diurnal corticosterone levels, and enhances spatial memory. J Biol Chem. 2010;285(22):16553-61. doi: 10.1074/jbc.M109.090084.

Passos GS, Poyares D, Santana MG, Garbuio SA, Tufik S, Mello MT. Effect of acute physical exercise on patients with chronic primary insomnia. J Clin Sleep Med. 2010;6(3):270-5. doi: 10.5664/jcsm.27825.

Patti CL, Zanin KA, Sanday L, Kameda SR, Fernandes-Santos L, Fernandes HA, Andersen ML, Tufik S, Frussa-Filho R. Effects of sleep deprivation on memory in mice: role of state-dependent learning. Sleep. 2010;33(12):1669-79. doi: 10.1093/sleep/33.12.1669.

Pautassi RM, Camarini R, Quadros IM, Miczek KA, Israel Y. Genetic and Environmental Influences on Ethanol Consumption: Perspectives From Preclinical Research. Alcohol Clin Exp Res. 2010;34(6):976-87. doi: 10.1111/j.1530-0277.2010.01172.x.

Pedrazzoli M, Secolin R, Esteves LOB, Pereira DS, Koike BDV, Louzada FM, Lopes-Cendes I, Tufik S. Interactions of polymorphisms in different clock genes associated with circadian phenotypes in humans. Genet Mol Biol. 2010;33(4):627-32. doi: 10.1590/S1415-47572010005000092.

Penteado VSR, Castro CHM, Pinheiro MM, Santana M, Bertolino S, de Mello MT, Szejnfeld VL. Diet, body composition, and bone mass in well-trained cyclists. J Clin Densitometry. 2010;13(1):43-50. doi: 10.1016/j.jocd.2009.09.002.

Pereira Jr. JC, Pradella-Hallinan M, Pessoa HL. Imbalance between thyroid hormones and the dopaminergic system might be central to the pathophysiology of restless legs syndrome: a hypothesis. Clinics 2010;65(5):547-54. doi: 10.1590/S1807-59322010000500013.

Pereira VG, Gazarini ML, Rodrigues LC, da Silva FH, Han SW, Martins AM, Tersariol IL, D'Almeida V. Evidence of Lysosomal Membrane Permeabilization in Mucopolysaccharidosis Type I: Rupture of Calcium and Proton Homeostasis. J Cell Physiol. 2010;223(2):335-42. doi: 10.1002/jcp.22039.

Peruzzo DC, Benatti BB, Andersen ML, Tufik S, Casati MZ, Nociti Jr. FH. Evidence that metyrapone in the presence of inflammation modulates cytokine mRNA expression. Cytokine. 2010;52(3):184-9. doi: 10.1016/j.cyto.2010.07.007.

Piano A, Tock L, Carnier J, Oyama LM, Nascimento CMO, Martinz AC, Foschini D, Sanches PL, Ernandes RMY, de Mello MT, Tufik S, Dâmaso AR. Negative correlation between neuropeptide Y/agouti-related protein concentration and adiponectinemia in nonalcoholic fatty liver disease obese adolescents submitted to a long-term interdisciplinary therapy. Metabolism 2010;59(5):613-9. doi: 10.1016/j.metabol.2009.09.003.

Piano A, Tock L, Carnier J, Foschini D, Sanches Pde L, Corrêa FA, Oyama LM, do Nascimento CM, Lederman HM, Ernandes R, de Mello MT, Tufik S, Dâmaso A. The role of nutritional profile in the orexigenic neuropeptide secretion in nonalcoholic fatty liver disease obese adolescents. Eur J Gastroenterol Hepatol. 2010;22(5):557-63. doi: 10.1097/MEG.0b013e3283346df2.

Piauilino DC, Bueno OFA, Tufik S, Bittencourt LR, Santos-Silva R, Hachul H, Gorenstein C, Pompeia S. The Prospective and Retrospective Memory Questionnaire: a population-based random sampling study. Memory 2010;18(4):413-26. doi: 10.1080/09658211003742672.

Pinto Jr LR, Alves RC, Caixeta E, Fontenelle JA, Bacellar A, Poyares D, Aloe F, Rizzo G, Minhoto G, Bittencourt LR, Ataíde Jr L, Assis M, Pradella-Hallinan M, Pinto MCR, Rodrigues RND, Hasan R, Fonseca R, Tavares S. New guidelines for diagnosis and treatment of insomnia. Arq. Neuro-Psiquiatr. 2010;68(4):666-75. doi: 10.1590/s0004-282x2010000400038.

Pires GN, Andersen ML, Giovenardi M, Tufik S. Sleep impairment during pregnancy: Possible implications on mother–infant relationship. Med Hypotheses. 2010;75(6):578–82. doi: 10.1016/j.mehy.2010.07.036.

Pires GN, Andersen ML, Kahan V, Araújo P, Galduroz JC, Tufik S. Is serotonin responsible for the relationship between sleep debt and suicide? A comment on Kohyama's hypothesis. Med Hypotheses. 2010;75(6):675. doi: 10.1016/j.mehy.2010.07.015.

Pires GN, Andersen ML, Tufik S. Sleep and behavioral research: overview on global trends and Brazilian contributions to this field. Sleep Sci. 2010;3(4):143-8.

Polese JF, Santos-Silva R, Kobayashi RF, Pinto INP, Tufik S, Bittencourt LRA. Monitorização portátil no diagnóstico da apneia obstrutiva do sono: situação atual, vantagens e limitações. J Bras Pneumol. 2010;36(4):498-505. doi: 10.1590/s1806-37132010000400017.

Ribeiro LA, Sanchez ZM, Nappo SA. Surviving crack: a qualitative study of the strategies and tactics developed by Brazilian users to deal with the risks associated with the drug. BMC Public Health. 2010;10:671. doi: 10.1186/1471-2458-10-671.

Ribeiro LA, Sanchez ZM, Nappo SA. Estratégias desenvolvidas por usuários de *crack* para lidar com os riscos decorrentes do consumo da droga. J Bras Psiquiatr. 2010;59(3):210-8. doi: 10.1590/S0047-20852010000300007.

Rizzi CF, Cintra F, Risso T, Pulz C, Tufik S, De Paola A, Poyares D. Exercise capacity and obstructive sleep apnea in lean subjects. Chest. 2010; 137(1):109–14. doi: 10.1378/chest.09-1201.

Rodrigues AM, Cintra IP, Santos LC, Martini LA, de Mello MT, Fisberg M. Adolescentes modelos de passarela: como é o consumo alimentar deste grupo? Rev Paul Pediatr. 2010;28(4):326-32. doi: 10.1590/S0103-05822010000400007.

Rodrigues CJO, Marson O, Togeiro SMGP, Tufik S, Ribeiro AB, Tavares A. Sleep-disordered breathing changes after kidney transplantation: a polysomnographic study. Nephrol Dial Transplant. 2010;25:2011–5. doi: 10.1093/ndt/gfp752.

Rodrigues E, Duarte-Almeida JM, Pires JM. Perfil farmacológico e fitoquímico de plantas indicadas pelos caboclos do Parque Nacional do Jaú (AM) como potenciais analgésicas. Parte I. Rev Bras Farmacogn. 2010;20(6):981-91. doi: 10.1590/S0102-695X2010005000008.

Rodrigues MD, Muller KB, Pereira VG, Martins AM, D'Almeida V. Chitotriosidase deficiency in Brazil: Evaluation of enzyme activity and genotypes. Blood Cells Mol Dis. 2010;44(4):305-6. doi: 10.1016/j.bcmd. 2010.02.002.

Roizenblatt S, Andersen ML, Bignotto M, D'Almeida V, Martins PJF, Tufik S. Neonatal arthritis disturbs sleep and behaviour of adult rat offspring and their dams. Eur J Pain. 2010;14(10):985–91. doi: 10.1016/j.ejpain.2010.03.008.

Rosa Neto JC, Lira FS, Venancio DP, Cunha CA, Oyama LM, Pimentel GD, Tufik S, do Nascimento CM, Santos RV, de Mello MT. Sleep deprivation affects inflammatory marker expression in adipose tissue. Lipids Health Dis. 2010;9:125. doi: 10.1186/1476-511X-9-125.

Rossi MV, Cavagnolli DA, Faria AP, Ferreira SE, Koyama RG, Bailone Neto A, Lucchesi LM, Tufik S, De Mello MT. Acute effect of different types of physical exercise on sleep patterns. Sleep Sci. 2010;3(2):63-8.

Sanchez ZM, Oliveira LG, Ribeiro LA, Nappo SA. O papel da informação como medida preventiva ao uso de drogas entre jovens em situação de risco. Ciencia Saude Colet. 2010;15(3):699-708. doi: 10.1590/S1413-81232010000300012.

Sanchez ZM, Opaleye ES, Martins SS, Ahluwalia JS, Noto AR. Adolescent gender differences in the determinants of tobacco smoking: a cross sectional survey among high school students in Sao Paulo. BMC Public Health. 2010;10(1):748. doi: 10.1186/1471-2458-10-748.

Santos RV, Caperuto EC, de Mello MT, Rosa LF. Effect of doxorubicin on cytokine production by lymphocytes and the Th1/Th2 balance. Biomed Pharmacother. 2010;64(8):579-81. doi: 10.1016/j.biopha.2010.02.002.

Santos-Galduroz RF, Galduroz JCF, Facco RL, Hachul H, Tufik S. Effects of isoflavone on the learning and memory of women in menopause: a double-blind placebo-controlled study. Braz J Med Biol Res. 2010;43(11):1123-6. doi: 10.1590/s0100-879x2010007500104.

Santos-Silva R, Bittencourt LRA, Pires MLN, de Mello MT, Taddei JA, Benedito-Silva AA, Pompeia C, Tufik S. Increasing trends of sleep complaints in the city of Sao Paulo, Brazil. Sleep Med. 2010;11(6):520–4. doi: 10.1016/j.sleep.2009.12.011.

Santos Silva R. A review of the major changes suggested by the new Manual of the American Academy of Sleep Medicine in the polysomnography routine. Sleep Sci. 2010;3(4):149-51.

Silva AC, Toffoletto O, Lucio LA, Santos PF, Afiune JB, Massud Filho J, Tufik S. Repercussão cardiovascular, com e sem álcool, do carbonato de lodenafila, um novo inibidor da PDE5. Arq Bras Cardiol. 2010;94(2):160-7. doi: 10.1590/S0066-782X2010000200004.

Silva CAP, Prescinotto R, Haddad FLM, Lopes PR, Torres MA, Rapoport PB. Clinical and polysomnographic profile of sleep-disordered breathing patients according to the treatment indicated. Sleep Sci. 2010;3(3):99-102.

Silva TM, Moreira GA, Quadros AAJ, Pradella-Hallinan M, Tufik S, Oliveira ASB. Analysis of sleep characteristics in post-polio syndrome patients. Arq Neuropsiquiatr. 2010;68(4):535-40. doi: 10.1590/s0004-282x2010000400011.

Siqueira CC, Rossoni RR, Tiengo ANCP, Tufik S, Schenberg LC. Methimazole-induced hypothyroidism inhibits the panic-like behaviors produced by electrical stimulation of dorsal periaqueductal gray matter of rats. Psychoneuroendocrinology 2010;35(5):706-16. doi: 10.1016/j.psyneuen.2009.10.011.

Soares Neto JAR, Galduroz JCF, Rodrigues E. A rede de comércio popular de drogas psicoativas na cidade de Diadema e o seu interesse para a saúde pública. Saúde Soc. 2010;19(2):310-9. doi: 10.1590/S0104-12902010000200008.

Sousa SC, Guindalini C, Tondo L, Munro J, Osborne S, Floris G, Pedrazzoli M, Tufik S, Breen G, Collier D. Nuclear receptor Rev-Erb-{alpha} circadian gene variants and lithium carbonate prophylaxis in bipolar affective disorder. J Biol Rhythms. 2010;25(2):132-7. doi: 10.1177/0748730410362713.

Souza L, Andersen ML, Smaili SS, Lopes GS, Ho PS, Papale LA, Tufik S. Age-related changes during a paradigm of chronic sleep restriction. Behav Brain Res. 2010;214(2):201-5. doi: 10.1016/j.bbr.2010.05.025.

Sukys-Claudino L, Moraes WAS, Tufik S, Poyares D. Novos sedativos hipnóticos. Rev Bras Psiquiatria. 2010;32(3):288-93. doi: 10.1590/s1516-44462010000300014.

Thomal JT, Palma BD, Ponzio BF, Franco MCP, Zaladek-Gil F, Fortes ZB, Tufik S, Gomes GN. Sleep restriction during pregnancy: hypertension and renal abnormalities in young offspring rats. Sleep. 2010;33(10):1357-62. doi: 10.1093/sleep/33.10.1357.

Tock L, Dâmaso AR, de Piano A, Carnier J, Sanches PL, Lederman HM, Ernandes RMY, de Mello MT, Tufik S. Long-term effects of metformin and lifestyle modification on nonalcoholic fatty liver disease obese adolescents. J Obesity. 2010; 6 pages. Article ID 831901. doi: 10.1155/2010/831901.

Togeiro SMGP, Chaves Jr CM, Palombini L, Tufik S, Hora F, Nery LE. Evaluation of the upper airway in obstructive sleep apnoea. Indian J Med Res 2010;131:230-5.

Togeiro SMGP, Fontes FH. Hipoventilação relacionada ao sono. J Bras Pneumol. 2010;36(suppl.2):47-52. doi: 10.1590/S1806-37132010001400013.

Tucci AM, Kerr-Corrêa F, Souza-Formigoni MLO. Childhood trauma in substance use disorder and depression: an analysis by gender among a Brazilian clinical sample. Child Abuse Neglect. 2010;34(2):95–104. doi: 10.1016/j.chiabu.2009.07.001.

Tudesco ISS, Vaz LJ, Mantoan MAS, Belzunces E, Noffs MH, Caboclo LOS, Yacubian EMT, Sakamoto AC, Bueno OFA. Assessment of working memory in patients with mesial temporal lobe epilepsy associated with unilateral hippocampal sclerosis. Epilepsy Behav. 2010;18(3):223-8. doi: 10.1016/j.yebeh.2010.04.021.

Tufik S, Santos-Silva R, Taddei JA, Bittencourt LRA. Obstructive Sleep Apnea Syndrome in the Sao Paulo Epidemiologic Sleep Study. Sleep Med. 2010;11(5):441-6. doi: 10.1016/j.sleep.2009.10.005.

Vancini RL, Lira CAB, Scorza FA, Albuquerque M, Sousa BS, Lima C, Cavalheiro EA, Silva AC, Arida RM. Cardiorespiratory and electroencephalographic responses to exhaustive acute physical exercise in people with temporal lobe epilepsy. Epilepsy Behav. 2010;19(3):504-8. doi: 10.1016/j.yebeh.2010.09.007.

Venâncio DP, Nóbrega ACL, Tufik S, de Mello MT. Avaliação descritiva sobre o uso de esteroides anabolizantes e seu efeito sobre as variáveis bioquímicas e neuroendócrinas em indivíduos que praticam exercício resistido. Rev Bras Med Esporte. 2010;16(3):191-5. doi: 10.1590/S1517-86922010000300007.

Wallerstein LF, Barroso R, Tricoli V, Mello MT, Ugrinowitsch C. The influence of familiarization sessions on the stability of ramp and ballistic isometric torque in older adults. J Aging Phys Activity. 2010;18(4):390-400. doi: 10.1123/japa.18.4.390.

2009.....

Abe KC, Brandão LC, Calegare BFA, Tufik S, Saldiva PHN, D'Almeida V. Homocysteine and cysteine concentrations are modified by recent exposure to environmental air pollution in São Paulo, Brazil. Environmental Res. 2009;109:887–90. doi: 10.1016/j.envres.2009.06.007.

Abrahao KP, Quadros IMH, Souza-Formigoni MLO. Individual differences to repeated ethanol administration may predict locomotor response to other drugs, and vice versa. Behav Brain Res. 2009;197:404-10. doi: 10.1016/j.bbr.2008.10.009.

Almeida RN, Araújo DAM, Gonçalves JCR, Montenegro FC, Sousa DP, Leite JR, Mattei R, Benedito MAC, Carvalho JGB, Cruz JS, Maia JGS. Rosewood oil induces sedation and inhibits compound action potential in rodents. J Ethnopharmacol. 2009;124:440–3. doi: 10.1016/j.jep.2009.05.044.

Alvarenga TA, Andersen ML, Velázquez-Moctezuma J, Tufik S. Food restriction or sleep deprivation: Which exerts a greater influence on the sexual behaviour of male rats? Behav Brain Res. 2009;202(2):266-71. doi: 10.1016/j.bbr.2009.04.002.

Andersen ML, Margis R, Frey BN, Giglio LMF, Kapczinski F, Tufik S. Electrophysiological correlates of sleep disturbance induced by acute and chronic administration of D-amphetamine. Brain Res. 2009;1249:162-72. doi: 10.1016/j.brainres.2008.10.023.

Andersen ML, Ribeiro DA, Bergamaschi CT, Alvarenga TA, Silva A, Zager A, Campos RR, Tufik S. Distinct effects of acute and chronic sleep loss on DNA damage in rats. Progr Neuropsychopharmacol Biol Psychiatry. 2009;33(3):562-7. doi: 10.1016/j.pnpbp.2009.02.014.

Andersen ML, Silva A, Kawakami R, Tufik S. The effects of sleep deprivation and sleep recovery on pain thresholds of rats with chronic pain. Sleep Sci. 2009;2(2):82-7.

Andersen ML, Hoshino K, Tufik S. Increased susceptibility to development of anhedonia in rats with chronic peripheral nerve injury: Involvement of sleep deprivation? Progr Neuropsychopharmacol Biol Psychiatry. 2009;33:960–6. doi: 10.1016/j.pnpbp.2009.04.022.

Andersen ML, Alvarenga TAF, Guindalini C, Perry JC, Silva A, Zager A, Tufik S. Paradoxical sleep deprivation influences sexual behavior in female rats. J Sex Med. 2009;6:2162–72. doi: 10.1111/j.1743-6109.2009.01339.x.

Andersen ML, Lee KS, Guindalini C, Leite WA, Bignotto M, Tufik S. Altered sleep patterns and physiologic characteristics in spontaneous dwarf rats. Comp Med. 2009;59(4):344-9.

Andersen ML, Perry JC, Bignotto M, Tufik S. Differential effects of sleep loss and chronic stressors on lipid metabolism. Sleep Sci. 2009;2(3):135-40.

Araújo NP, Fukushiro DF, Grassl C, Hipolide DC, Souza-Formigoni MLO, Tufik S, Frussa-Filho R. Ethanol-induced behavioral sensitization is associated with dopamine receptor changes in the mouse olfactory tubercle. Physiol Behav. 2009;96(1):12-7. doi: 10.1016/j.physbeh.2008.07.029.

Argollo N, Bueno OFA, Shayer B, Godinho K, Abreu K, Durán P, Assis A, Lima F, Silva T, Guimarães J, Carvalho R, Moura I, Seabra AG. Adaptação transcultural da Bateria NEPSY - avaliação neuropsicológica do desenvolvimento: estudo-piloto. Aval Psicol. 2009;8(1):59-75.

Banks ML, Andersen ML, Murnane KS, Meyer RC, Howell LL. Behavioral and neurochemical effects of cocaine and diphenhydramine combinations in rhesus monkeys. Psychopharmacology. 2009;205:467–74. doi: 10.1007/s00213-009-1555-y.

Barbosa T, Miranda MC, Santos RF, Bueno OFA. Phonological working memory, phonological awareness and language in literacy difficulties in Brazilian children. Read Writ. 2009;22(2):201-18. doi: 10.1007/s11145-007-9109-3.

Barnabé GF, Schwindt TT, Calcagnotto ME, Motta FL, Martinez G Jr, de Oliveira AC, Keim LM, D'Almeida V, Mendez-Otero R, Mello LE. Chemically-Induced RAT Mesenchymal Stem Cells Adopt Molecular Properties of Neuronal-Like Cells but Do Not Have Basic Neuronal Functional Properties. PLoS One. 2009;4(4):e5222. doi: 10.1371/journal.pone.0005222.

Bernardo MPSL, Pereira EF, Louzada FM, D'Almeida V. Duração do sono em adolescentes de diferentes níveis socioeconômicos. J Bras Psiquiatr. 2009;58(4):231-7.

Bittencourt LRA, Santos-Silva R, Taddei JA, Andersen ML, de Mello MT, Tufik S. Sleep complaints in the adult brazilian population: a national survey based on screening questions. J Clin Sleep Med 2009;5(5):459-63. doi: 10.5664/jcsm.27603.

Bittencourt LRA, Haddad FM, Dal Fabbro C, Cintra FD, Rios L. Abordagem geral do paciente com síndrome da apneia obstrutiva do sono. Rev Bras Hipertens. 2009;16(3):158-63.

Borgio JGF, Pradella-Hallinan M. Comments on "Sleep terror disorder: a case report". Rev Bras Psiquiatr. 2009;31(1):76-81. doi: 10.1590/S1516-44462009000100020.

Braga B, Poyares D, Cintra F, Guilleminault C, Cirenza C, Horbach S, Macedo D, Silva R, Tufik S, De Paola AAV. Sleep-disordered breathing and chronic atrial fibrillation. Sleep Med. 2009;10(2):212-6. doi: 10.1016/j.sleep.2007.12.007.

Bragagnolo Jr. MA, Teodoro V, Lucchesi LM, Ribeiro TCR, Tufik S, Kondo M. Detecção de encefalopatia hepática mínima através de testes neuropsicológicos e neurofisiológicos e o papel da amônia no seu diagnóstico. Arq Gastroenterol. 2009;46(1):43-9. doi: 10.1590/S0004-28032009000100013.

Bragagnolo Jr MA, Teodoro V, Lucchesi LM, Santos RF, Feldner ACCA, Ribeiro TCR, Tufik S, Kondo M. Correlação entre a amônia e o potencial evocado relacionado a eventos (P300) em pacientes cirróticos. Rev Neurociênc. 2009;17(2):122-7. doi: 10.34024/rnc.2009.v17.8568.

Brandão LC, Hachul H, Bittencourt LR, Baracat EC, Tufik S, D'Almeida V. Effects of isoflavone on oxidative stress parameters and homocysteine in postmenopausal women complaining of insomnia**.** Biol Res. 2009;42(3):281-7. doi: /S0716-97602009000300002.

Brito MF, Moreira GA, Pradella-Hallinan M, Tufik S. Empilhamento de ar e compressão torácica aumentam o pico de fluxo da tosse em pacientes com distrofia muscular de Duchenne. J Bras Pneumol. 2009;35(10):973-9. doi: 10.1590/S1806-37132009001000005.

Brucki SMD. Does prevention for Alzheimer's disease exist? Dement Neuropsychol. 2009;3(3):209-13. doi: 10.1590/S1980-57642009DN30300006.

Calzavara MB, Medrano WA, Levin R, Kameda SR, Andersen ML, Tufik S, Silva RH, Frussa-Filho R, Abílio VC. Neuroleptic drugs revert the contextual fear conditioning deficit presented by spontaneously hypertensive rats: a potential animal model of emotional context processing in schizophrenia? Schizophr Bull. 2009;35(4):748-59. doi: 10.1093/schbul/sbn006.

Caperuto EC, Santos RVT, Mello MT, Costa Rosa LFBP. Effect of endurance training on hypothalamic serotonin concentration and performance. Clin Exp Pharmacol Physiol. 2009;36(2):189–91. doi: 10.1111/j.1440-1681.2008.05111.x.

Carlini EA, Noto AR, Nappo SA, Sanchez ZM, Franco VLS, Silva LCF, Santos VE, Alves DC. Fluoxetina: indícios de uso inadequado. J Bras Psiquiatria. 2009;58(2):97-100. doi: 10.1590/S0047-20852009000200005.

Carneiro G, Togeiro SM, Ribeiro-Filho FF, Truksinas E, Ribeiro AB, MT Zanella, Tufik S. Continuous positive airway pressure therapy improves hypoadiponectinemia in severe obese men with obstructive sleep apnea without changes in insulin resistance. Metab Syndrome Related Disord. 2009;7(6):537-42. doi: 10.1089/met.2009.0019.

Castro-Silva C, de Bruin VMS, Cavalcante AGM, Bittencourt LRA, de Bruin PFC. Nocturnal hypoxia and sleep disturbances in cystic fibrosis. Ped Pulmonol. 2009;44:1143–50. doi: 10.1002/ppul.21122.

Cintra F, Poyares D, Rizzi CF, Risso TT, Skomro R, Montuori E, Mello-Fujita L, de Paola A, Tufik S. Cardiorespiratory response to exercise in men and women with obstructive sleep apnea. Sleep Med. 2009;10(3):368-73. doi: 10.1016/j.sleep.2008.04.006.

Coelho FMS, Pradella-Hallinan M, Predazzoli Neto M, Bittencourt LRA, Tufik S. Prevalence of the HLA-DQB1*0602 allele in narcolepsy and idiopathic hypersomnia patients seen at a sleep disorders outpatient unit in São Paulo. Rev Bras Psiquiatr. 2009;31(1):10-4. doi: 10.1590/S1516-44462009000100004.

Conde MTRP, Oliveira ASB, Quadros AAJ, Moreira GA, Silva HCA, Pereira RDB, Silva TM, Tufik S, Waldman EA. Post-polio syndrome: epidemiologic and prognostic aspects in Brazil. Acta Neurol Scand. 2009;120(3):191-7. doi: 10.1111/j.1600-0404.2008.01142.x.

Crispim CA, Zimberg IZ, Dattilo M, Padilha HG, Tufik S, Mello MT. Trabalho em turnos e aspectos nutricionais: uma revisão. Nutrire: Rev Soc Bras Alim Nutr. 2009;34(2):213-27.

Cunali P, Almeida FR, Santos CD, Valdrighi NY, Nascimento LS, Dal Fabbro C, Tufik S, Bittencourt LRA. Prevalence of temporomandibular disorders in Obstructive Sleep Apnea. J Orofacial Pain. 2009;23(4):339-44.

Dal'Fabro C, Siqueira JTT, Tufik S. Long term PSG in a bruxist patient: the role of daily anxiety. Sleep Med. 2009;10:813. doi: 10.1016/j.sleep.2008.08.001.

De Mello MT, Noce F, Kouyomdjian C, Tufik S. O piloto comercial e a jornada de trabalho: o tempo de jornada, o descanso e os acidentes, aspectos relacionados ao fator humano: uma revisão de literatura. Rev Conexão SIPAER. 2009;1(1):41-61.

Esteves AM, Mello MT, Pradella-Hallinan M, Tufik S. Effect of acute and chronic physical exercise on patients with Periodic Leg Movements. Med Sci Sports Exerc. 2009;41(1):237-42. doi: 10.1249/MSS.0b013e318183bb22.

Faria AP, Cavagnolli DA, Rossi MV, Ferreira SE, Bittencourt LRA, Tufik S, Mello MT. Effects of resistance exercise on the sleep patterns of sedentary individuals. Sleep Sci. 2009;2(3):141-6.

Fonseca AM, Galduroz JCF, Tondowski CS, Noto AR. Padrões de violência domiciliar associada ao uso de álcool no Brasil. Rev Saúde Pública. 2009;43(5):743-9. doi: 10.1590/S0034-89102009005000049.

Foschini D, Santos RV, Prado WL, Piano A, Lofrano MC, Martins AC, Carnier J, Caranti DA, Sanches PL, Tock L, Mello MT, Tufik S, Dâmaso AR. Authors' reply. J Pediatr (Rio J). 2009;85(2):179-80.

Galvão MOL, Sinigaglia-Coimbra R, Kawakami SE, Tufik S, Suchecki D. Paradoxical sleep deprivation activates hypothalamic nuclei that regulate food intake and stress response. Psychoneuroendocrinology. 2009;34:1176—83. doi: 10.1016/j.psyneuen.2009.03.003.

Garbuio S, Salles LV, D'Almeida V, Tufik S, Bittencourt LRA. Study of metabolic changes in patients with Obstructive Sleep Apnea Syndrome before and after use of continuous positive airway pressure. Sleep Sci. 2009;2(2):76-81.

Giglio LMF, Andreazza AC, Andersen M, Ceresér KM, Walz JC, Sterz L, Kapczinski F. Sleep in bipolar patients. Sleep Breath. 2009;13(2):169–73. doi: 10.1007/s11325-008-0215-5.

Guindalini C, Andersen ML, Alvarenga T, Lee L, Tufik S. To what extent is sleep rebound effective in reversing the effects of paradoxical sleep deprivation on gene expression in the brain? Behav Brain Res. 2009;201(1):53-8. doi: 10.1016/j.bbr.2009.01.027.

Hachul H, Brandão LC, Bittencourt LRA, D'Almeida V, Andersen ML, Baracat EC, Tufik S. Clinical profile of menopausal insomniac women referred to sleep laboratory. Acta Obstetr Gynecol Scand. 2009;88:422-7. doi: 10.1080/00016340902777509.

Hachul H, Bittencourt LRA, Soares Jr. JM, Tufik S, Baracat EC. Sleep in post-menopausal women: Differences between early and late post-menopause. Eur J Obstet Gynecol Reprod Biol. 2009;145(1):81-4. doi: 10.1016/j.ejogrb.2009.03.019.

Kahan V, Andersen ML, Tomimori J, Tufik S. Stress, immunity and skin collagen integrity: evidence from animal models and clinical conditions. Brain Behav Immun. 2009;23(8):1089–95. doi: 10.1016/j.bbi.2009.06.002.

Koyama RG, Drager LF, Lorenzi-Filho G, Cintra FD, Pereira AC, Poyares D, Krieger JE, Castro RMRPS, Tufik S, Mello MT, Pedrazzoli M. Reciprocal interactions of obstructive sleep apnea and hypertension associated with ACE I/D polymorphism in males. Sleep Med. 2009;10:1107–11. doi: 10.1016/j.sleep.2008.12.012.

Lanini J, Duarte-Almeida JM, Nappo S, Carlini EA. "*O que vêm da terra não faz mal*" - relatos de problemas relacionados ao uso de plantas medicinais por raizeiros de Diadema/SP. Rev Bras Farmacognosia. 2009;19(1A):121-9. doi: 10.1590/S0102-695X2009000100022.

Lee KS, Alvarenga TA, Guindalini C, Andersen ML, Castro RMRPS, Tufik S. Validation of commonly used reference genes for sleep-related gene expression studies. BMC Mol Biol. 2009;10:45. doi: 10.1186/1471-2199-10-45.

Leitão Filho FS, Galduroz JCF, Noto AR, Nappo SA, Carlini EA, Nascimento OA, Santos SR, Jardim JR. Levantamento randomizado sobre a prevalência de tabagismo nos maiores municípios do Brasil. J Bras Pneumol. 2009;35(12): 1204-11. doi: 10.1590/S1806-37132009001200007.

Lofrano-Prado MC, Antunes HKM, Prado WL, de Piano A, Caranti DA, Tock L, Carnier J, Tufik S, de Mello MT, Dâmaso AR. Quality of life in Brazilian obese adolescents: effects of a long-term multidisciplinary lifestyle therapy. Health Qual Life Outcomes. 2009;7:61. doi: 10.1186/1477-7525-7-61.

Lopes MC, Silva HS, Bittencourt LRA, Chervin RD, Tufik S. Is there a connection between long airplane flight, venous thromboembolism, and sleep-disordered breathing? Sleep Med. 2009;10(3):385-8. doi: 10.1016/j.sleep.2008.03.019.

Lopes de Sousa KS, Orfale AGF, Meireles SM, Leite JR, Natour J. Assessment of a Biofeedback Program to treat chronic low back pain. J Musculoskeletal Pain. 2009;17(4):369-77. doi: 10.3109/10582450903284828.

Mantoan MAS, Caboclo LOSF, Guilhoto LMFF, Lin K, Noffs MHS, Tudesco ISS, Belzunces E, Carrete Jr. H, Bussoletti RT, Centeno RS, Sakamoto AC, Yacubian EMT. Correlation between memory, proton magnetic resonance spectroscopy, and interictal epileptiform discharges in temporal lobe epilepsy related to mesial temporal sclerosis. Epilepsy Behav. 2009;16(3):447–53. doi: 10.1016/j.yebeh.2009.08.032.

Martins AM, Dualibi AP, Norato D, Takata ET, Santos ES, Valadares ER, Porta G, de Luca G, Moreira G, Pimentel H, Coelho J, Brum JM, Semionato Filho J, Kerstenetzky MS, Guimarães MR, Rojas MV, Aranda PC, Pires RF, Faria RG, Mota RM, Matte U, Guedes ZC. Guidelines for the Management of Mucopolysaccharidosis Type I. J Pediatr. 2009;155(4 Suppl):S32-46. doi: 10.1016/j.jpeds.2009.07.005.

Mastroianni PC, Varallo FR, Barg MS, Noto AR, Galduroz JCF. Contribuição do uso de medicamentos para a admissão hospitalar. Braz J Pharm Sci. 2009;45(1):163-70. doi: 10.1590/S1984-82502009000100020.

Mello CB, Muszkat M, Xavier GF, Bueno OF. Categorization skills and recall in brain damaged children: a multiple case study. Arq Neuropsiquiatr. 2009;67(3A):621-5. doi: 10.1590/S0004-282X2009000400009.

Mello MT, Bittencourt LRA, Cunha RCF, Esteves AM, Tufik S. Sleep and transit in Brazil: new legislation. J Clin Sleep Med. 2009;5(2):164-6. doi: 10.5664/jcsm.27446.

Mendes FR, Duarte-Almeida JM, Mattos PEO, Pires JM, Carlini EA. O conhecimento do estudante e do pesquisador brasileiro sobre a legislação do Conselho de Gestão do Patrimônio Genético – CGEN. Rev Fitos. 2009;4(1):6-17.

Miranda MC,Sinnes EG,Pompeia S, Bueno OFA. O K-CPT em uma amostra brasileira: descrição do desempenho e comparação com as normas norte-americanas. Rev Psiquiatr RS. 2009;31(1):60-6. doi: 10.1590/S0101-81082009000100011.

Modolo VB, de Mello MT, de Gimenez PRB, Tufik S, Antunes HKM. Dependência de exercício físico: humor, qualidade de vida em atletas amadores e profissionais. Rev Bras Med Esporte. 2009;15(5):355-9. doi: 10.1590/S1517-86922009000600007.

Moura YG, Silva EA, Noto AR. Redes sociais no contexto de uso de drogas entre crianças e adolescentes em situação de rua. Psicol Pesquisa (UFJF). 2009;3(1):31-46.

Natal CL, Lourenço TJ, Silva LA, Boscolo RA, Silva A, Tufik S, Mello MT. Gender differences in the sleep habits of 11-13 year olds. Rev Bras Psiquiatria. 2009;31(4):358-61. doi: 10.1590/s1516-44462009000400013.

Navatta ACR, Fonseca MF, Muszkat M, Miranda MC. Triagem diagnóstica no processo de avaliação neuropsicológica interdisciplinar. Psicol Reflex Crit. 2009;22(3):430-8. doi: 10.1590/S0102-79722009000300014.

Noce F, Simim MAM, Mello MT. A percepção de qualidade de vida de pessoas portadoras de deficiência física pode ser influenciada pela prática de atividade física? Rev Bras Med Esporte. 2009;15(3):174-8. doi: 10.1590/S1517-86922009000300002.

Oliveira LG, Barroso LP, Silveira CM, Sanchez ZM, Ponce JC, Vaz LJ, Nappo SA. Neuropsychological assessment of current and past crack cocaine users. Subst Use Misuse. 2009;44:1941–57. doi: 10.3109/10826080902848897.

Oliveira W, Campos O, Cintra F, Matos L, Vieira ML, Rollim B, Fujita L, Tufik S, Poyares D. Impact of continuous positive airway pressure treatment on left atrial volume and function in patients with obstructive sleep apnoea assessed by real-time three-dimensional echocardiography. Heart. 2009;95(22):1872-8. doi: 10.1136/hrt.2009.173625.

Oomen CA, Girardi CE, Cahyadi R, Verbeek EC, Krugers H, Joëls M, Lucassen PJ. Opposite effects of early maternal deprivation on neurogenesis in male versus female rats. PloS One. 2009;4(1):e3675. doi: 10.1371/journal.pone.0003675.

Opaleye ES, Noto AR, Sanchez ZM, Moura YG, Galduroz JCF, Carlini EA. Recreational use of benzydamine as a hallucinogen among street youth in Brazil. Rev Bras Psiquiatr. 2009;31(3):208-13. doi: 10.1590/S1516-44462009000300005.

Palma BD, Nóbrega JN, Gomes VL, Esumi LA, Seabra MLV, Tufik S, Hipolide DC. Prostaglandin involvement in hyperthermia induced by sleep deprivation: a pharmacological and autoradiographic study. Life Sci. 2009;84:278–81. doi: 10.1016/j.lfs.2008.12.009.

Palma BD, Hipolide DC, Tufik S. Effects on prolactin secretion and binding to dopaminergic receptors in sleep-deprived lupus-prone mice. Braz J Med Biol Res. 2009;42(3):299-304. doi: 10.1590/S0100-879X2009000300012.

Papale LA, Beyer B, Jones JM, Sharkey LM, Tufik S, Epstein M, Letts VA, Meisler MH, Frankel WN, Escayg A. Heterozygous mutations of the voltage-gated sodium channel SCN8A are associated with spikewave discharges and absence epilepsy in mice. Hum Mol Genetics. 2009;18(9):1633–41. doi: 10.1093/hmg/ddp081.

Pedrazzoli M, Hipolide D, D'Almeida V, Tufik S. The effects of REM sleep deprivation and REM sleep rebound on hypocretin levels in mice brains. Sleep Sci. 2009;2(1):21-3.

Pereira DS, Tufik S, Pedrazzoli M. Moléculas que marcam o tempo: implicações para os fenótipos circadianos. Rev Bras Psiquiatr. 2009;31(1):63-71. doi: 10.1590/S1516-44462009000100015.

Pinto Jr. LR, Pinto MCR, Goulart LI, Truksinas E, Rossi MV, Morin CM, Tufik S. Sleep perception in insomniacs, sleep-disordered breathing patients, and healthy volunteers – an important biologic parameter of sleep. Sleep Med. 2009;10(8):865-8. doi: 10.1016/j.sleep.2008.06.016.

Pires JM, Mendes FR, Negri G, Duarte-Almeida JM, Carlini EA. Antinociceptive peripheral effect of *Achillea millefolium* L. and *Artemisia vulgaris* L.: both plants known popularly by brand names of analgesic drugs. Phytother Res. 2009;23(2):212-9. doi: 10.1002/ptr.2589.

Pires MLN, Teixeira CW, Esteves AM, Bittencourt LRA, Silva RS, Santos RF, Tufik S, Mello MT. Sleep, ageing and night work. Braz J Med Biol Res. 2009;42(9):839-43. doi: 10.1590/S0100-879X2009005000011.

Pompeia S, Grego BHC, Pradella-Hallinan M, Hachul H, Tufik S, D'Almeida V. Acute benzodiazepine administration induces changes in homocysteine metabolism in young healthy volunteers. Progr Neuropsychopharmacol Biol Psychiatry. 2009;33:933–8. doi: 10.1016/j.pnpbp.2009.04.017.

Prado WL, Piano A, Lazaretti-Castro M, Mello MT, Stella SG, Tufik S, Nascimento CMO, Oyama LM, Lofrano MC, Tock L, Caranti DA, Dâmaso AR. Relationship between bone mineral density, leptin and insulin concentration in Brazilian obese adolescents. J Bone Miner Metab. 2009;27:613–9. doi: 10.1007/s00774-009-0082-6.

Quadros IM, Miczek KA. Two modes of intense cocaine bingeing: increased persistence after social defeat stress and increased rate of intake due to extended access conditions in rats. Psychopharmacology. 2009;206(1):109-20. doi: 10.1007/s00213-009-1584-6.

Quental NBM, Brucki SMD, Bueno OFA. Visuospatial function in early Alzheimer's disease: preliminary study. Dement Neuropsychol. 2009;3(3):234-40. doi: 10.1590/S1980-57642009DN30300010.

Ranieri ALP, Tufik S, Siqueira JTT. Refractory cluster headache in a patient with bruxism and obstructive sleep apnea: a case report. Sleep Breath. 2009;13:429–33. doi: 10.1007/s11325-009-0265-3.

Reksidler AB, Lima MMS, Dombrowski PA, Barnabe GF, Andersen ML, Tufik S, Vital MABF. Distinct Effects of Intranigral L-DOPA Infusion in the MPTP Rat Model of Parkinson's Disease. J Neural Transm. 2009(73-Suppl):259-68. doi: 10.1007/978-3-211-92660-4_21.

Rodrigues AM, Cintra IP, Santos LC, Mello MT, Tufik S, Fisberg M. Composição corporal, gasto energético e ingestão alimentar em modelos brasileiras. Rev Bras Cineantropom Desempenho Hum. 2009;11(1):1-7. doi: 10.5007/1980-0037.2009v11n1p1.

Rodrigues AM, Cintra IP, Santos LC, Martini LA, Mello MT, Fisberg M. Densidade mineral óssea, composição corporal e ingestão alimentar de adolescentes modelos de passarela. J Pediatr. (Rio J.) 2009;85(6):503-8. doi: 10.1590/S0021-75572009000600006.

Rodrigues MD, de Oliveira AC, Müller KB, Martins AM, D'Almeida V. Chitotriosidase determination in plasma and in dried blood spots: A comparison using two different substrates in a microplate assay. Clin Chim Acta. 2009;406(1-2):86-8. doi: 10.1016/j.cca.2009.05.022.

Rueda AD, Santos-Silva R, Togeiro SM, Tufik S, Bittencourt LRA. Improving CPAP compliance by a basic educational program with nurse support for Obstructive Sleep Apnea Syndrome patients. Sleep Sci. 2009;2(1):8-13.

Santos EA, Filho WJ, Possatti LL, Bittencourt LR, Fontoura EA, Botelho RV. Epidemiology of severe cervical spinal trauma in the north area of São Paulo City: a 10-year prospective study. J Neurosurg Spine. 2009;11(1):34-41. doi: 10.3171/2009.3.SPINE08325.

Santos EL, de Picoli Souza K, da Silva ED, Batista EC, Martins PJ, D'Almeida V, Pesquero JB. Long term treatment with ACE inhibitor enalapril decreases body weight gain and increases life span in rats. Biochem Pharmacol. 2009;78(8):951-8. doi: 10.1016/j.bcp.2009.06.018.

Santos FH, Andrade VM, Bueno OFA. Envelhecimento: um processo multifatorial. Psicol Estud. 2009;14(1):3-10. doi: 10.1590/S1413-73722009000100002.

Santos RVT, Caperuto EC, Mello MT, Batista Jr. ML, Rosa LFBPC. Effect of exercise on glutamine synthesis and transport in skeletal muscle from rats. Clin Exp Pharmacol Physiol. 2009;36:770–5. doi: 10.1111/j.1440-1681.2009.05146.x.

Santos RVT, Caperuto EC, Mello MT, Rosa LFBPC. Effect of exercise on glutamine metabolism in macrophages of trained rats. Eur J Appl Physiol 2009;107:309–15. doi: 10.1007/s00421-009-1130-6.

Santos-Galduroz RF, Oliveira FG, Galduroz JC, Bueno OF. Cognitive performance of young and elderly subjects on the free word recall memory test: effect of presentation order on recall order. Braz J Med Biol Res. 2009;42(10):988-92. doi: 10.1590/S0100-879X2009001000019.

Santos-Silva R, Sartori DE, Truksinas V, Truksinas E, Alonso FFD, Tufik S, Bittencourt LRA. Validation of a portable monitoring system for the diagnosis of Obstructive Sleep Apnea Syndrome. Sleep. 2009;32(5):629-36. doi: 10.1093/sleep/32.5.629.

Santos-Silva R, Tufik S, Conway SG, Taddei JA, Bittencourt LRA. Sao Paulo Epidemiologic Sleep Study: rationale, design, sampling, and procedures. Sleep Med. 2009;10:679–85. doi: 10.1016/j.sleep.2008.11.001.

Sartes LMA, De Micheli D, Souza-Formigoni MLO. Psychometric and discriminative properties of the Teen Addiction Severity Index (Brazilian Portuguese version). Eur Child Adolesc Psychiatry. 2009;18:653–61. doi: 10.1007/s00787-009-0021-z.

Schütz TCB, Andersen ML, Silva A, Tufik S. Distinct gender-related sleep pattern in an acute model of TMJ pain. J Dent Res. 2009;88(5):471-6. doi: 10.1177/0022034509334618.

Schütz TCB, Andersen ML, Tufik S. The influence of orofacial pain on sleep pattern: a review of theory, animal models and future directions. Sleep Med. 2009;10(8):822-8. doi: 10.1016/j.sleep.2008.09.018.

Silva NF, Moreira PFP, Feres MC, Tufik S, Ramos LR, Cendoroglo MS. Trigliceridemia pós-prandial em idosos. Rev Bras Nutr Clin. 2009;24(4):236-43.

Silva TM, Moreira GA, Quadros AAJ, Pradella-Hallinan M, Tufik S, Oliveira ASB. Effects of the use of MIG3 bioceramics fabrics use - long infrared emitter – in pain, intolerance to cold and periodic limb movements in post-polio syndrome. Arq. Neuropsiquiatria. 2009;67(4):1049-53. doi: 10.1590/S0004-282X2009000600016.

Silva-Júnior FP, Pinho RSN, Mello MT, de Bruin VMS, de Bruin PFC. Risk factors for depression in truck drivers. Soc Psychiatry Psychiatr Epidemiol. 2009;44(2):125–9. doi: 10.1007/s00127-008-0412-3.

Skomro R, Silva R, Alves R, Figueiredo A, Lorenzi-Filho G. The prevalence and significance of periodic leg movements during sleep in patients with congestive heart failure. Sleep Breath. 2009;13(1):43-7. doi: 10.1007/s11325-008-0207-5.

Smith AKA, Togeiro SMG, Tufik S, Roizenblatt S. Disturbed sleep and musculoskeletal pain in the bed partner of patients with obstructive sleep apnea. Sleep Med. 2009;10(8):904-12. doi: 10.1016/j.sleep.2008.08.013.

Stein EJ, da Silveira Filho NG, Machado DC, Hipolide DC, Barlow K, Nóbrega JN. Chronic mild stress induces widespread decreases in thyroid hormone a1 receptor mRNA levels in brain - Reversal by imipramine. Psychoneuroendocrinology. 2009;34(2):281-6. doi: 10.1016/j.psyneuen.2008.09.005.

Suchecki D, Machado RB, Tiba PA. Stress-induced sleep rebound: adaptive behavior and possible mechanisms. Sleep Sci. 2009;2(3):151-60.

Tabach R, Rodrigues E, Carlini EA. Preclinical toxicological assessment of a phytotherapeutic product - CPV (based on dry extracts of *Crataegus oxyacantha* L., *Passiflora incarnata* L., and *Valeriana officinalis* L.). Phytother Res. 2009;23(1):33-40. doi: 10.1002/ptr.2499.

Tabach R, Mattei R, Carlini ELA. Pharmacological evaluation of a phytotherapeutic product – CPV (dry extract of *Crataegus oxyacantha* L., *Passiflora incarnata* L. and *Valeriana officinalis* L.) in laboratory animals. Rev Bras Farmacognosia. 2009;19(1B):255-60. doi: 10.1590/S0102-695X2009000200013.

Tabakoff B, Saba L, Printz M, Flodman P, Hodgkinson C, Goldman D, Koob G, Richardson HN, Kechris K, Bell RL, Hübner N, Heinig M, Pravenec M, Mangion J, Legault L, Dongier M, Conigrave KM, Whitfield JB, Saunders J, Grant B, Hoffman PL; WHO/ISBRA Study on State and Trait Markers of Alcoholism (Formigoni ML). Genetical genomic determinants of alcohol consumption in rats and humans. BMC Biol. 2009;7:70. doi: 10.1186/1741-7007-7-70.

Tang B, Dutt K, Papale L, Rusconi R, Shankar A, Hunter J, Tufik S, Yu FH, Catterall WA, Mantegazza M, Goldin AL, Escayg A. A BAC transgenic mouse model reveals neuron subtype-specific effects of a Generalized Epilepsy with Febrile Seizures Plus (GEFS+) mutation. Neurobiol Dis. 2009;35:91–102. doi: 10.1016/j.nbd.2009.04.007.

Tomita LY, Almeida LC, Roteli-Martins C, D'Almeida V, Cardoso MA, BRINCA Study Team. Dietary predictors of serum total carotene in low-income women living in São Paulo, south-east Brazil. Publ Health Nutr. 2009;12(11):2133-42. Doi: 10.1017/S1368980009005321

Tufik S, Andersen ML, Bittencourt LRA, Mello MT. Paradoxical sleep deprivation: neurochemical, hormonal and behavioral alterations. Evidence from 30 years of research. An Acad Bras Ciênc. 2009;81(3):521-38. doi: 10.1590/S0001-37652009000300016.

Valle A, Roizenblatt S, Botte S, Zaghi S, Riberto M, Tufik S, Boggio PS, Fregni F. Efficacy of anodal transcranial direct current stimulation (tDCS) for the treatment of fibromyalgia: results of a randomized, sham-controlled longitudinal clinical trial. J Pain Manag. 2009;2(3):353-61.

Vasconcelos LG, Brucki SMD, Jackowiski AP, Bueno OFA. Diffusion tensor imaging for Alzheimer's disease. A review of concepts and potential clinical applicability. Dement Neuropsychol. 2009;3(4):268-74. doi: 10.1590/S1980-57642009DN30400002.

Yim AJ, Andersen ML, Soeiro AC, Tufik S, Oliveira MGM. Acute systemic blockade of D2 receptors does not accelerate the extinction of cocaine-associated place preference. Brain Res. 2009;1304:122-8. doi: 10.1016/j.brainres.2009.09.044.

Zager A, Andersen ML, Lima MMS, Reksidler AB, Machado RB, Tufik S. Modulation of sickness behavior by sleep: The role of neurochemical and neuroinflammatory pathways in mice. Eur Neuropsychopharmacol. 2009;19(8):589–602. doi: 10.1016/j.euroneuro.2009.03.005.

Zaninotto ALC, Bueno OFA, Pradella-Hallinan M, Tufik S, Rusted J, Stough C, Pompeia S. Acute cognitive effects of donepezil in young, healthy volunteers. Hum Psychopharmacol Clin Exp. 2009;24:453–64. doi: 10.1002/hup.1044.

2008.....

Abrahao KP, Quadros IM, Souza-Formigoni MLO. Morphine attenuates the expression of sensitization to ethanol, but opioid antagonists do not. Neuroscience. 2008;156(4):857-64. doi: 10.1016/j.neuroscience.2008.08.012.

Abrisqueta-Gomez J, Ostrosky-Solis F, Bertolucci PH, Bueno OF. Applicability of the Abbreviated Neuropsychologic Battery (NEUROPSI) in Alzheimer Disease Patients. Alzheimer Dis Assoc Disord. 2008;22(1):72-78. doi: 10.1097/WAD.0b013e3181665397.

Adler UC, Marques AH, Calil HM. Inflammatory aspects of depression. Inflamm Allergy Drug Targets. 2008;7:19-23. doi: 10.2174/187152808784165216.

Adler UC, Paiva NM, César AT, Adler MS, Molina A, Calil HM. Tratamento homeopático da depressão: relato de série de casos. Rev Psiquiatr Clín. 2008;35(2):74-8. doi: 10.1590/S0101-60832008000200005.

Alexandre SM, D'Almeida V, Guinsburg R, Nakamura MU, Tufik S, Moron A. Cord blood cardiac troponin I, fetal Doppler velocimetry, and acid base status at birth. Int J Gynecol Obstet. 2008;100(2):136-40. doi: 10.1016/j.ijgo.2007.08.007.

Almeida CMO, Poyares D, Tufik S. Síndrome da apnéia-hipopnéia obstrutiva do sono e doença cerebrovascular. Rev Neurosci. 2008;16(3):231-6. doi: 10.34024/rnc.2008.v16.8637.

Almeida LC, Tomita LY, D'Almeida V, Cardoso MA. Preditores sócio-demográficos, de estilo de vida e gineco-obstétricos das concentrações séricas ou plasmáticas de homocisteína, ácido fólico e vitaminas B12 e B6 em mulheres de baixa renda de São Paulo, Brasil. Cad Saúde Públ. 2008;24(3):587-96. Doi: 10.1590/S0102-311X2008000300012

Almeida RMM, Benini Q, Betat JS, Hipolide DC, Miczek KA, Svensson AI. Heightened aggression after chronic flunitrazepam in male rats: potential links to cortical and caudate-putamen binding sites. Psychopharmacology. 2008;197(2):309-18. doi: 10.1007/s00213-007-1031-5.

Almeida RN, Sousa DP, Nóbrega FFF, Claudino FS, Araújo DAM, Leite JR, Mattei R. Anticonvulsant effect of a natural compound alpha,beta-epoxy-carvone and its action on the nerve excitability. Neurosci Lett. 2008;443(1):51-5. doi: 10.1016/j.neulet.2008.07.037.

Alvarenga TA, Patti CL, Andersen ML, Silva RH, Calzavara MB, Lopez GB, Frussa-Filho R, Tufik S. Paradoxical sleep deprivation impairs acquisition, consolidation, and retrieval of a discriminative avoidance task in rats. Neurobiol Learn Mem. 2008;90(4):624–32. doi: 10.1016/j.nlm.2008.07.013.

Andersen ML, Antunes IB, Silva A, Alvarenga TAF, Baracat EC, Tufik S. Effects of sleep loss on sleep architecture in Wistar rats: Gender-specific rebound sleep. Prog Neuropsychopharmacol Biol Psychiatry. 2008;32(4):975-83. doi: 10.1016/j.pnpbp.2008.01.007.

Andersen ML, Tufik S. The effects of testosterone on sleep and sleepdisordered breathing in men: its bidirectional interaction with erectile function. Sleep Med Rev. 2008;12(5):365-79. doi: 10.1016/j.smrv.2007.12.003.

Anselmo MRG, Siqueira JTT, Dal'Fabbro C, Tufik S. Type of dental occlusion in children and adolescents presenting sleep disorders. Sleep Sci. 2008;1:46-8.

Antunes HKM, Andersen ML, Tufik S, Mello MT. Privação de sono e exercício físico. Rev Bras Med Esporte. 2008;14(1):51-6. doi: 10.1590/S1517-86922008000100010.

Baldívia B, Andrade VM, Bueno OFA. Contribution of education, occupation and cognitively stimulating activities to the formation of cognitive reserve. Dementia Neuropsychol. 2008;2(3):173-82. doi: 10.1590/S1980-57642009DN20300003.

Bittencourt LRA, Lucchesi LM, Rueda AD, Garbuio SA, Palombini LO, Guilleminault C, Tufik S. Placebo and modafinil effect on sleepiness in obstructive sleep apnea. Progr Neuropsychopharmacol Biol Psychiatry. 2008;32(2):552-9. doi: 10.1016/j.pnpbp.2007.10.016.

Bittencourt LRA, Garbuio SA. Distúrbios respiratórios relacionados ao sono: classificação e diagnóstico. Pneumol Paulista. 2008;21(3):25-8.

Borsonelo EC, Galduroz JCF. The role of polyunsaturated fatty acids (PUFAs) in development, aging and substance abuse disorders: review and propositions. Prostaglandins Leukot Essent Fatty Acids. 2008;78(4-5):237-45. doi: 10.1016/j.plefa.2008.03.005.

Bueno OF, Bertolucci PH, Oliveira MG, Abrisqueta-Gomez J. Effects of semantic relations, repetition of words, and list length in word list recall of Alzheimer's patients. Arq Neuropsiquiatr. 2008;66(2b):312-317. doi: 10.1590/s0004-282x2008000300005.

Busato S, Tanaka EC, da Silva Santos A, Higuchi TE, Leite JR, Kozasa EH. Traditional and Integrative Medical Practices in Public Health Services in the Downtown-West Region of the City of São Paulo, Brazil, and Their Relation to Health Promotion. J Altern Complement Med. 2008;14(9):1071-1072. doi: 10.1089/acm.2008.0395.

Calzavara MB, Andersen ML, Fukushiro DF, Lopez GB, Abílio VC, Tufik S, Frussa-Filho R. Sleep rebound attenuates context-dependent behavioural sensitization induced by amphetamine. Progr Neuropsychopharmacol Biol Psychiatry. 2008;32(5):1277-82. doi: 10.1016/j.pnpbp.2008.04.001.

Capitelli C, Sereniki A, Lima MMS, Reksidler AB, Tufik S, Vital MABF. Melatonin attenuates tyrosine hydroxylase loss and hypolocomotion in MPTP-lesioned rats. Eur J Pharmacol. 2008;594(1-3):101-8. doi: 10.1016/j.ejphar.2008.07.022.

Caranti DA, Lazzer S, Dâmaso AR, Agosti F, Zennaro R, Mello MT, Tufik S, Sartorio A. Prevalence and risk factors of metabolic syndrome in Brazilian and Italian obese adolescents: a comparison study. Int J Clin Pract. 2008;62:10:1526–32. doi: 10.1111/j.1742-1241.2008.01826.x.

Carneiro G, Togeiro SM, Hayashi LF, Ribeiro-Filho FF, Ribeiro AB, Tufik S, Zanella MT. Effect of continuous positive airway pressure therapy on hypothalamic-pituitary-adrenal axis function and 24-h blood pressure profile in obese men with obstructive sleep apnea syndrome. Am J Physiol Endocrinol Metab. 2008;295: E380–E384. doi: 10.1152/ajpendo.00780.2007.

Carnier J, Lofrano MC, Prado WL, Caranti DA, de Piano A, Tock L, do Nascimento CM, Oyama LM, Mello MT, Tufik S, Dâmaso AR. Hormonal alteration in obese adolescents with eating

disorder: effects of multidisciplinary therapy. Horm Res. 2008;70(2):79-84. doi: 10.1159/000139148.

Castro RMRPS, Barbosa AA, Pedrazzoli M, Tufik S. Casein kinase I epsilon (CKIepsilon) N408 allele is very rare in the Brazilian population and is not involved in susceptibility to circadian rhythm sleep disorders. Behav Brain Res. 2008;193(1):156-7. doi: 10.1016/j.bbr.2008.05.005.

Catallani B, Palma BD, Gil FZ, Suchecki D. Brief and long maternal separations decrease corticosterone secretion in a lupus-prone strain: Dissociation from disease-related parameters. Brain Behav Immun. 2008;22:367-74. doi: 10.1016/j.bbi.2007.08.010.

Cintra FD, Bittencourt LRA, Poyares D, Tufik S. Fisiopatologia da hipertensão arterial sistêmica na síndrome da apnéia e hipopnéia obstrutiva do sono. Hipertensão. 2008;11(3):90-4.

Coelho FMS, Elias RM, Pradella-Hallinan M, Bittencourt LRA, Tufik S. Narcolepsia. Rev Bras Med. 2008;65(7):200-5.

Conway SG, Roizenblatt SS, Palombini L, Castro LS, Bittencourt LRA, Silva RS, Tufik S. Effect of smoking habits on sleep. Braz J Med Biol Res. 2008;41(8):722-7. doi: 10.1590/S0100-879X2008000800014.

Cruz FC, Quadros IM, Planeta Cda S, Miczek KA. Maternal separation stress in male mice: long-term increases in alcohol intake. Psychopharmacology. 2008;201(3):459-68. doi: 10.1007/s00213-008-1307-4.

Da Cunha C, Wietzikoski EC, Ferro MM, Martinez GR, Vital MA, Hipolide D, Tufik S, Canteras NS. Hemiparkinsonian rats rotate toward the side with the weaker dopaminergic neurotransmission. Behav Brain Res. 2008;189(2):364-72. doi: 10.1016/j.bbr.2008.01.012.

D'Almeida V, Andersen ML, Martins PJF, Tufik S. Sleep deprivation reduces rat hyperhomocysteinemia induced by a hyperlipidic diet. Sleep Sci. 2008;1:40-5.

Dâmaso AR, Prado WL, Piano A, Tock L, Caranti DA, Lofrano MC, Carnier J, Cristofalo DJM, Lederman H, Tufik S, De Mello MT. Relationship between nonalcoholic fatty liver disease prevalence and visceral fat in obese adolescents. Dig Liver Dis. 2008;40(2):132-9. doi: 10.1016/j.dld.2007.09.009.

Danucalov MAD, Simões RS, Kozasa EH, Leite JR. Cardiorespiratory and metabolic changes during Yoga sessions: the effects of respiratory exercises and meditation practices. Appl Psychophysiol Biofeedback. 2008;33(2):77–81. doi: 10.1007/s10484-008-9053-2.

De Mello CB, Abrisqueta-Gomez J, Xavier GF, Bueno OFA. Involution of categorical thinking processes in Alzheimer's disease: Preliminary results. Dement Neuropsychol. 2008;2(1):57-62. doi: 10.1590/S1980-57642009DN20100012.

De Mello MT, Esteves AM, Pires MLN, Santos DC, Bittencourt LRA, Silva RS, Tufik S. Relationship between Brazilian airline pilot errors and time of day. Braz J Med Biol Res. 2008;41:1129-31. doi: 10.1590/S0100-879X2008001200014.

Eguchi R, Cheik NC, Oyama LM, Nascimento CMO, Mello MT, Tufik S, Damaso A. Efeitos do exercício crônico sobre a concentração circulante da leptina e grelina em ratos com obesidade induzida por dieta. Rev Bras Med Esporte. 2008;14(3):182-7. doi: 10.1590/S1517-86922008000300004.

Esteves AM, Pedrazzoli M, Bagnato M, Moreira F, Mello MT, Tufik S. Two pedigrees with restless legs syndrome in Brazil. Braz J Med Biol Res. 2008;41(2):106-9. doi: 10.1590/S0100-879X2008000200005.

Falcão DM, Sales L, Leite JR, Feldman D, Valim V, Natour J. Cognitive behavioral therapy for the treatment of fibromyalgia syndrome: A randomized controlled trial. J Musculoskeletal Pain. 2008;16(3):133-40. doi: 10.1080/10582450802161796.

Feres MC, De Martino MC, Maldijian S, Batista F, Gabriel Jr. A, Tufik S. Validação laboratorial de um método automatizado de dosagem da atividade de adenosina desaminase em líquido pleural e em líquido cefalorraquidiano. J Bras Pneumol. 2008;34(12):1033-9. doi: 10.1590/S1806-37132008001200008.

Ferreira TL, Shammah-Lagnado SJ, Bueno OFA, Moreira KM, Fornari RV, Oliveira MGM. The indirect amygdala–dorsal striatum pathway mediates conditioned freezing: Insights on emotional memory networks. Neuroscience 2008;153(1):84-94. doi: 10.1016/j.neuroscience.2008.02.013.

Figueredo LZ, Moreira KD, Ferreira TL, Fornari RV, Oliveira MG. Interaction between glutamatergic-NMDA and cholinergic-muscarinic systems in classical fear conditioning. Brain Res Bull. 2008;77:71-6. doi: 10.1016/j.brainresbull.2008.05.008.

Fornari RV, Soares JC, Ferreira TL, Moreira KM, Oliveira MG. Effects of nociceptin/orphanin FQ in the acquisition of contextual and tone fear conditioning in rats. Behav Neurosci. 2008;122(1):98-106. doi: 10.1037/0735-7044.122.1.98.

Foschini D, Dos Santos RV, Prado WL, de Piano A, Lofrano MC, Martins AC, Carnier J, Caranti DA, Sanches PL, Tock L, de Mello MT, Tufik S, Dâmaso AR. Platelet and leptin in obese adolescents. J Pediatr (Rio J). 2008;84(6):516-21. doi: 10.2223/JPED.1845.

Hachul H, Bittencourt LRA, Andersen ML, Haidar MA, Baracat EC, Tufik S. Effects of hormone therapy with estrogen and/or progesterone on sleep pattern in postmenopausal women. Int J Gynecol Obstetrics. 2008;103(3):207-12. doi: 10.1016/j.ijgo.2008.07.009.

Hoexter MQ, Shih MC, Mendes DD, Godeiro-Junior C, Felício AC, Fu YK, Tufik S, Bressan RA. Lower dopamine transporter density in an asymptomatic patient with Kleine-Levin syndrome. Acta Neurol Scand. 2008;117(5):370-3. doi: 10.1111/j.1600-0404.2007.00942.x.

Horie LM, Barbosa-Silva MCG, Torrinhas RS, Mello MT, Cecconello I, Waitzberg DL. New body fat prediction equations for severely obese patients. Clin Nutr. 2008;27:350-6. doi: 10.1016/j.clnu.2008.03.011.

Humeniuk R, Ali R, Babor TF, Farrell M, Formigoni ML, Jittiwutikarn J, De Lacerda RB, Ling W, Marsden J, Monteiro M, Nhiwatiwa S, Pal H, Poznyak V, Simon S. Validation of the alcohol, smoking and substance involvement screening test (ASSIST). Addiction 2008;103(6):1039-47. doi: 10.1111/j.1360-0443.2007.02114.x.

Justo LP, Soares BGO, Calil HM. Family interventions for bipolar disorder (Cochrane Review). Cochrane Database Systematic Reviews. 2008;(4):CD005167. Update Software. doi: 10.1002/14651858.CD005167.pub2.

Koyama RG, Castro RMRPS, Mello MT, Tufik S, Pedrazzoli M. Simple detection of large InDeLS by DHPLC: the ACE gene as a model. J Biomed Biotechnol. 2008;(2008):1-5. doi: 10.1155/2008/562183.

Kozasa EH, Radvany J, Barreiros MAM, Leite JR, Amaro Jr E. Preliminary functional magnetic resonance imaging Stroop task results before and after a Zen meditation retreat. Psychiatry Clin Neurosci. 2008;62:366. doi: 10.1111/j.1440-1819.2008.01809.x.

Kozasa EH, Santos RF, Rueda AD, Benedito-Silva AA, Ornellas FL, Leite JR. Evaluation of Siddha Samadhi Yoga for anxiety and depression symptoms: a preliminary study. Psychol Rep. 2008;103(1):271-4. doi: 10.2466/pr0.103.1.271-274.

Kulikowski LD, Bellucco FT, Nogueira SI, Christofolini DM, Smith Mde A, De Mello CB, Brunoni D, Melaragno MI. Pure duplication 1q41-qter: further delineation of trisomy 1q syndromes. Am J Med Genet A. 2008 Oct 15;146A(20):2663-7. doi: 10.1002/ajmg.a.32510.

Lasaitis C, Ribeiro RL, Freire MV, Bueno OFA. Atualização das normas brasileiras para o International Affective Picture System (IAPS). Rev Psiquiatria RS. 2008;30(3):230-5. doi: 10.1590/S0101-81082008000400012.

Lasaitis C, Ribeiro RL, Bueno OFA. Brazilian norms for the International Affective Picture System (IAPS): comparison of the affective ratings for new stimuli between Brazilian and North-American subjects. J Bras Psiquiatr. 2008;57(4):270-5. doi: 10.1590/S0047-20852008000400008.

Leite MP, Fassin Jr. J, Baziloni EMF, Almeida RN, Mattei R, Leite JR. Behavioral effects of essential oil of *Citrus aurantium* L. inhalation in rats. Rev Bras Farmacognosia. 2008;18(Supl.):661-6. doi: 10.1590/S0102-695X2008000500003.

Lima MMS, Andersen ML, Reksidler AB, Silva A, Zager A, Zanata SM, Vital MABF, Tufik S. Blockage of dopaminergic D2 receptors produces decrease of REM but not of slow wave sleep in rats after REM sleep deprivation. Behav Brain Res. 2008;188(2):406-11. doi: 10.1016/j.bbr.2007.11.025.

Llanas AC, Hachul H, Bittencourt LRA, Tufik S. Physical therapy reduces insomnia symptoms in postmenopausal women. Maturitas. 2008;61(3):281-4. doi: 10.1016/j.maturitas.2008.08.004.

Lopes C, Esteves AM, Bittencourt LRA, Tufik S, Mello MT. Relationship between the quality of life and the severity of obstructive sleep apnea syndrome. Braz J Med Biol Res. 2008;41(10):908-13. doi: 10.1590/S0100-879X2008005000036.

Lopes MC, Guilleminault C, Rosa A, Passarelli C, Roizenblatt S, Tufik S. Delta sleep instability in children with chronic arthritis. Braz J Med Biol Res. 2008;41(10):938-43. doi: 10.1590/S0100-879X2008001000018.

Machado RB, Tufik S, Suchecki D. Chronic stress during paradoxical sleep deprivation increases paradoxical sleep rebound: Association with prolactin plasma levels and brain serotonin content. Psychoneuroendocrinology 2008;33(9):1211-24. doi: 10.1016/j.psyneuen.2008.06.007.

Martinho FL, Tangerina RP, Moura SMGT, Gregório LC, Tufik S, Bittencourt LRA. Systematic head and neck physical examination as a predictor of obstructive sleep apnea in class III obese patients. Braz J Med Biol Res. 2008;41:1093-7. doi: 10.1590/S0100-879X2008001200008.

Martinho FL, Bittencourt LRA, Gregório LC, Tufik S. Análise crítica da indicação do tratamento cirúrgico na SAOS. Pneumol Paulista. 2008;21(3):51-64.

Martins PJF, Nobrega JN, Tufik S, D'Almeida V. Sleep deprivation-induced gnawing—relationship to changes in feeding behavior in rats. Physiol Behav. 2008;93(1-2):229-34. doi:

10.1016/j.physbeh.2007.08.026.

Martins RC, Andersen ML, Shih MC, Tufik S. Effects of cocaine, metamphetamine and modafinil challenge on sleep rebound after paradoxical sleep deprivation in rats. Braz J Med Biol Res. 2008;41(1):68-77. doi: 10.1590/s0100-879x2008000100011.

Martins RC, Andersen ML, Shih MC, Tufik S. The reciprocal interaction between sleep and type 2 diabetes mellitus: facts and perspectives. Braz J Med Biol Res. 2008;41(3):180-7. doi: 10.1590/s0100-879x2006005000194.

Mastroianni FC, Noto AR. Newsmaking on drugs: a qualitative study with journalism professionals. J Psychoactive Drugs. 2008;40(3):293-300. doi: 10.1080/02791072.2008.10400644.

Mastroianni PC, Vaz ACR, Noto AR, Galduroz JCF. Análise do conteúdo de propagandas de medicamentos psicoativos. Rev Saúde Pública. 2008;42(5):968-71. doi: 10.1590/S0034-89102008005000045.

Mastroianni PC, Noto AR, Galduroz JCF. Propagandas de medicamentos psicoativos: análise das informações científicas. Rev Saúde Pública. 2008;42(3):529-35. doi: 10.1590/S0034-89102008005000023.

Mattos ABM, Pinto MJS, Oliveira C, Biz C, Ribeiro EB, Nascimento CMO, Andersen ML, Tufik S, Oyama LM. Dietary fish oil did not prevent sleep deprived rats from a reduction in adipose tissue adiponectin gene expression. Lipids Health Dis. 2008;7:43. doi: 10.1186/1476-511X-7-43.

Meerlo P, Sgoifo A, Suchecki D. Restricted and disrupted sleep: Effects on autonomic function, neuroendocrine stress systems and stress responsivity. Sleep Med Rev. 2008;12(3):197-210. doi: 10.1016/j.smrv.2007.07.007.

Mello MT. Avaliação comparativa dos indices de lesão, dor e da qualidade de vida em lesados medulares sedentários e praticantes de basquetebol em cadeira de rodas. Rev Neurosci. 2008;16(2):86-7. doi: 10.34024/rnc.2008.v16.8640.

Mello-Fujita L, Roizenblat S, Frison CR, Rodrigues Junior L, Garbuio S, Tufik S, Bittencourt LR. Gastroesophageal reflux episodes in asthmatic patients and their temporal relation with sleep architecture. Braz J Med Biol Res. 2008;41(2):152-8. doi: 10.1590/S0100-879X2008000200012.

Miranda MC, Sinnes EG, Pompeia S, Bueno OFA. A comparative study of performance in the Conners' Continuous Performance Test between Brazilian and North American children. J Atten Disord. 2008;11(5):588-98. doi: 10.1177/1087054707299412.

Miranda-Scippa AM, Pires MLN, Handfas BW, Marie SKN, Calil HM. Pituitary volume and the effects of phototherapy in patients with seasonal winter depression: a controlled study. Rev Bras Psiquiatria. 2008;30(1):50-4. doi: 10.1590/s1516-44462008000100010.

Moraes WAS, Poyares DLR, Sukys-Claudino L, Guilleminault C, Tufik S. Donepezil improves obstructive sleep apnea in Alzheimer's disease: a double-blind placebo-controlled study. Chest. 2008;133(3):677-83. doi: 10.1378/chest.07-1446.

Moreira GA. Avaliação e diagnóstico da apnéia do sono na criança. Pneumol Paulista. 2008;21(3):6-11.

Moreira TC, Belmonte EL, Vieira FR, Noto AR, Ferigolo M, Barros HMT. A violência comunitária e o abuso de álcool entre adolescentes: comparação entre sexos. J Pediatr. 2008;84(3):244-50. doi: 10.2223/JPED.1795.

Noce F, Santos IC, Samulski DM, Carvalho SLF, Santos RVT, Mello MT. Monitoring levels of stress and overtraining in an elite Brazilian female volleyball athlete: case study. Rev Psicol Deporte. 2008;17(1):25-41.

Noce F, Tufik S, Mello MT. Professional drivers and working time: journey span, rest, and accidents. Sleep Sci. 2008;1:20-6.

Nogueira SSC, Pompeia S, Nogueira-Filho SLG. Responses to olfactory cues to increase trapping success for feral pig (*Sus scrofa*) control: a preliminary study. Suiform Soundings. 2008;8(1):11-5.

Oliveira LG, Nappo SA. Caracterização da cultura de crack na cidade de São Paulo: padrão de uso controlado. Rev Saúde Pública. 2008;42(4):664-71. doi: 10.1590/S0034-89102008005000039.

Oliveira LG, Nappo SA. Crack na cidade de São Paulo: acessibilidade, estratégias de mercado e formas de uso. Rev Psiquiatr Clín. 2008;35(6):212-8. doi: 10.1590/S0101-60832008000600002.

Oliveira-Sales EB, Dugaich AP, Carillo BA, Abreu NP, Boim MA, Martins PJ, D'Almeida V, Dolnikoff MS, Bergamaschi CT, Campos RR. Oxidative stress contributes to renovascular hypertension. Am J Hypertens. 2008;21(1):98-104. doi: 10.1038/ajh.2007.12.

Oliveira W, Campos O, Lira-Filho EB, Cintra FD, Vieira M, Ponchirolli A, de Paola A, Tufik S, Poyares D. Left atrial colume and function in patients with obstructive sleep apnea assessed by real-time three-dimensional echocardiography. J Am Soc Echocardiography. 2008;21(12):1355-61. doi: 10.1016/j.echo.2008.09.007.

Paim SL, Pires ML, Bittencourt LR, Silva RS, Santos RF, Esteves AM, Barreto AT, Tufik S, de Mello MT. Sleep complaints and polysomnographic findings: a study of nuclear power plant shift workers. Chronobiol Int. 2008;25(2):321-31. doi: 10.1080/07420520802107197.

Papale LA, Andersen ML, Perry JC, Tufik S. Participation of the cholinergic system in the ethanol-induced suppression of paradoxical sleep in rats. Braz J Med Biol Res. 2008;41(9):782-8. doi: 10.1590/S0100-879X2008000900007.

Peñalba V, McGuire H, Leite JR. Psychosocial interventions for prevention of psychological disorders in law enforcement officers. Cochrane Database Syst Rev. 2008 Jul 16;(3):CD005601. doi: 10.1002/14651858.CD005601.pub2.

Pereira VG, Martins AM, Micheletti C, D'Almeida V. Mutational and oxidative stress analysis in patients with mucopolysaccharidosis type I undergoing enzyme replacement therapy. Clin Chim Acta. 2008;387(1-2):75-9. Doi: 10.1016/j.cca.2007.09.008

Perry JC, D'Almeida V, Antunes IB, Tufik S. Distinct behavioral and neurochemical alterations induced by intermittent hypoxia or paradoxical sleep deprivation in rats. Progr Neuropsychopharmacol Biol Psychiatry. 2008;32(1):87-94. doi: 10.1016/j.pnpbp.2007.07.017.

Perry JC, D'Almeida V, Lima MMS, Godoi FRL, Vital MABF, Oliveira MGM, Tufik S. Intermittent hypoxia and sleep restriction: motor, cognitive and neurochemical alterations in rats. Behav Brain Res. 2008;189(2):373-80. doi: 10.1016/j.bbr.2008.01.014.

Peruzzo DC, Benatti BB, Antunes IB, Andersen ML, Sallum EA, Casati MZ, Nociti Jr FH, Nogueira-Filho GR. Chronic stress may modulate periodontal disease: a study in rats. J Periodontol. 2008;79(4):697-704. doi: 10.1902/jop.2008.070369.

Pompeia S, Pradella-Hallinan M, Manzano GM, Bueno OFA. Effects of lorazepam on visual perceptual abilities. Hum Psychopharmacol Clin Exp. 2008;23(3):183-92. doi: 10.1002/hup.927.

Porto WG, Bertolucci P, Ribeiro RL, Bueno OFA. Um estudo dos relatos afetivos subjetivos a estímulos do International Affective Picture System em uma amostra geriátrica brasileira. Rev Psiquiatria RS. 2008;30(2):131-8. doi: 10.1590/S0101-81082008000300009.

Reksidler AB, Lima MMS, Dombrowski P, Andersen ML, Zanata SM, Andreatini R, Tufik S, Vital MABF. Repeated intranigral MPTP administration: a new protocol of prolonged locomotor impairment mimicking Parkinson's disease. J Neurosci Methods. 2008;167(2):268-77. doi: 10.1016/j.jneumeth.2007.08.024.

Ribeiro Sobrinho DG, Roizenblatt S, Lopes AC, Teixeira RCA, Tufik S. Estudo da capacidade de manter o alerta em pacientes com fibromialgia por meio do teste da manutenção da vigília. Rev Bras Reumatol. 2008;48(1):12-6. doi: 10.1590/S0482-50042008000100004.

Rizzutti S, Sinnes EG, Scaramuzza LF, Freitas L, Pinheiro D, Palma SM, Mello CB, Miranda MC, Bueno OFA, Muszkat M. Clinical and neuropsychological profile in a sample of children with attention déficit hyperactivity disorders. Arq Neuropsiquiatr. 2008;66(4):821-7. doi: 10.1590/S0004-282X2008000600009.

Rodrigues A, Bolognani SAP, Brucki SMD, Bueno OFA. Developmental prosopagnosia and adaptative compensatory strategies: Case study. Dement Neuropsychol. 2008;2(4):353-355. doi: 10.1590/S1980-57642009DN20400021.

Rodrigues E, Gianfratti B, Tabach R, Negri G, Mendes FR. Preliminary investigation of the central nervous system effects of 'Tira-capeta' (Removing the Devil), a cigarette used by some Quilombolas living in Pantanal Wetlands of Brazil. Phytother Res. 2008;22(9):1248-55. doi: 10.1002/ptr.2474.

Ronzani TM, Do Amaral MB, Souza-Formigoni MLO, Babor TF. Evaluation of a training program to implement alcohol screening, brief intervention and referral to treatment in primary health care in Minas Gerais, Brazil. Nordic Stud Alcohol Drugs. 2008;25:529-38. doi: 10.1177/145507250802500611.

Ronzani TM, Castro PM, Formigoni MLOS. Avaliação de um processo de implementação de práticas de prevenção ao uso de risco de álcool entre agentes comunitários de saúde. HU Rev. 2008;34(1):9-18.

Sanchez ZM, Nappo SA. Intervenção religiosa na recuperação de dependentes de drogas. Rev Saúde Pública. 2008;42(2):265-72. doi: 10.1590/S0034-89102008000200011.

Sanchez ZM, Nappo SA. Religious treatments for drug addiction: an exploratory study in Brazil. Soc Sci Med. 2008;67:638-46. doi: 10.1016/j.socscimed.2008.04.009.

Sanchez ZM, Oliveira LG, Nappo SA. Religiosity as a protective factor against the use of drugs. Substance Use Misuse. 2008;43:1476-86. doi: 10.1080/10826080802183288.

Santana MG, Tufik S, Passos GS, Santee DM, Denadai BS, Mello MT. Variação diurna e resposta da cinética do VO2 de ciclistas durante exercício muito intenso. Rev Bras Med Esporte. 2008;14(3):227-30. doi: 10.1590/S1517-86922008000300013.

Santos CA, Andersen ML, Lima MMS, Tufik S. Gentle handling temporarily increases c-Fos in the substantia nigra pars compacta. Braz J Med Biol Res. 2008;41(10):920-5. doi: 10.1590/S0100-879X2008005000044.

Schenberg EE, Oliveira MGM. Effects of pre or posttraining dorsal hippocampus D-AP5 injection on fear conditioning to tone, background, and foreground context. Hippocampus. 2008;18(11):1089-93. doi: 10.1002/hipo.20475.

Schenberg LC, Reis AM, Povoa RMF, Tufik S, Silva SR. A panic attack-like unusual stress reaction. Horm Behav. 2008;54(5):584-91. doi: 10.1016/j.yhbeh.2008.02.019.

Scorza CA, Calil HM, Arida RM, Cysneiros RM, Cavalheiro EA, Scorza FA. Stress, depression and sudden cardiac death: from the stone age to today. Neurobiologia. 2008;71(4):11-8.

Silva A, Almeida GJM, Cassilhas RC, Cohen M, Peccin MS, Tufik S, Mello MT. Equilíbrio, coordenação e agilidade de idosos submetidos à prática de exercícios físicos resistidos. Rev Bras Med Esporte. 2008;14(2):88-93. doi: 10.1590/S1517-86922008000200001.

Silva A, Andersen ML, Tufik S. Sleep pattern in an experimental model of osteoarthritis. Pain. 2008;140(3):446-55. doi: 10.1016/j.pain.2008.09.025.

Silva A, Andersen ML, De Mello MT, Bittencourt LRA, Peruzzo D, Tufik S. Gender and age differences in polysomnography findings and sleep complaints of patients referred to a sleep laboratory. Braz J Med Biol Res. 2008;41:1067-75. doi: 10.1590/S0100-879X2008001200005.

Silva EA, Camargo BMV, Pavin T, Noto AR, Buscatti D, Sartori V, Formigoni MLOS. As drogas no âmbito familiar, sob a perspectiva do cinema. Psicol Teoria Prát. 2008;10(1):214-22.

Silva RCM, Andersen ML, Tufik S. Sleep in diabetic animal models. Sleep Sci. 2008;1:15-9.

Silva RS, Truksinas V, Mello-Fujita L, Truksinas E, Zanin LK, Pinto MCR, De Paula MS, Skomro RP, Bittencourt LRA, Tufik S. An orientation session improves objective sleep quality and mask acceptance during positive airway pressure titration. Sleep Breath. 2008;12(1):85-9. doi: 10.1007/s11325-007-0138-6.

Silva RS, Figueiredo AC, Mady C, Lorenzi-Filho G. Breathing disorders in congestive heart failure: gender, etiology and mortality. Braz J Med Biol Res. 2008;41:215-22. doi: 10.1590/S0100-879X2008000300007.

Silva RS. Polissonografia: considerações técnicas, registros, estudos completos e simplificados. Pneumol Paulista. 2008;21(3):35-9.

Souza-Formigoni MLO, Boerngen-Lacerda R, Vianna VPT. Implementation of alcohol screening and brief intervention in primary care units in two Brazilian states: a case study. Nordic Stud Alcohol Drugs. 2008;25:553-64. doi: 10.1177/145507250802500612.

Stucki A, Cieza A, Michel F, Stucki G, Bentley A, Culebras A, Tufik S, Kotchabhakdi N, Tachibana N, Ustun B, Partinen M. Developing ICF Core Sets for persons with sleep disorders based on the International Classification of Functioning, Disability and Health. Sleep Med. 2008;9(2):191-8. doi: 10.1016/j.sleep.2007.01.019.

Tangerina RP, Martinho FL, Togeiro SM, Gregório LC, Tufik S, Bittencourt LR. Achados clínicos e polissonográficos em pacientes com obesidade classe III. Rev. Bras. Otorrinolaringol. 2008;74(4):579-82. doi: 10.1590/S0034-72992008000400015.

Teodoro V, Bragagnolo Jr M, Lucchesi L, Kondo M, Tufik S. Avaliação dos potenciais evocados relacionados a eventos (ERP-P300) em pacientes com cirrose hepática sem encefalopatia. Arq Gastroenterol. 2008;45(1):82-6. doi: 10.1590/S0004-28032008000100015.

Terreri RAMT, Sarni ROS, Prado R, Nascif AKS, D'Almeida V, Hilario MOE. Hyperhomocysteinemia in children and adolescents with systemic lupus erythematosus: evolutive evaluation. Acta Reumatol Port. 2008;33(1):57-62.

Tiba PA, Tufik S, Suchecki D. Long lasting alteration in REM sleep of female rats submitted to long maternal separation. Physiol Behav. 2008;93(3):444-52. doi: 10.1016/j.physbeh.2007.10.001.

Tiba PA, Menezes Oliveira MG, Rossi VC, Tufik S, Suchecki D. Glucocorticoids are not responsible for paradoxical sleep deprivation-induced memory impairments. Sleep. 2008;31(4):505-15. doi: 10.1093/sleep/31.4.505.

Togeiro SMGP. Avaliação peri-operatória da apnéia obstrutiva do sono no obeso. Pneumol Paulista, 2008;21(3):21-4.

Togeiro SMGP. Indicações e interpretação da polissonografia. Pneumol Paulista. 2008;21(2):37-41.

Tudesco ISS, Vaz LJ, Noffs MHS, Yacubian EMT, Sakamoto AC, Bueno OFA. Serial position curve and semantic facilitation in patients with mesial temporal lobe epilepsy. Psico (Porto Alegre). 2008;39(3):336-42.

Venâncio DP, Tufik S, Garbuio SA, Nóbrega ACL, Mello MT. Effects of anabolic androgenic steroids on sleep patterns of individuals practicing resistance exercise. Eur J Appl Physiol. 2008;102(5):555-60. doi: 10.1007/s00421-007-0621-6. doi: 10.1007/s00421-007-0621-6.

Vieira VLD, Brucki SMD, Martins ALCM, Canali F, Vasconcelos LG, Oliveira MO, Bittencourt BS, Leite LJT, Abrisqueta-Gomez J, Bueno OFA. Neuropsychological rehabilitation program and behavioral disturbances in early-stage Alzheimer patients. Dementia Neuropsychol. 2008;2(2):139-43. doi: 10.1590/S1980-57642009DN20200012.

Wiesbeck GA, Kuhl HC, Yaldizli O, Wurst FM; WHO/ISBRA Study Group on Biological State and Trait Markers of Alcohol Use and Dependence (Formigoni ML). Tobacco smoking and depression--results from the WHO/ISBRA study. Neuropsychobiology. 2008;57(1-2):26-31. doi: 10.1159/000123119.

Zimberg IZ, Crispim CA, Juzwiak CR, Antunes HKM, Edwards B, Waterhouse J, Tufik S, Mello MT. Nutritional intake during a simulated adventure race. Int J Sport Nutrit Exerc Metab. 2008;18(2):152-68. doi: 10.1123/ijsnem.18.2.152.

2007.....

Andersen ML, Antunes IB, Tufik S. Cocaine-induced genital reflexes in paradoxical sleep deprived rats: Indications of mediation by serotonin receptors. Prog Neuropsychopharmacol Biol Psychiatr 2007;31(2):496-502. doi: 10.1016/j.pnpbp.2006.11.018.

Andersen ML, Perry JC, Antunes IB, Tufik S. Involvement of nitric oxide in cocaine-induced erections and ejaculations after paradoxical sleep deprivation. Prog Neuropsychopharmacol Biol Psychiatry. 2007;31(3):652-7. doi: 10.1016/j.pnpbp.2006.12.012.

Andersen ML, Martins RCS, Alvarenga TAF, Antunes IB, Papale LA, Tufik S. Progesterone reduces erectile dysfunction in sleep-deprived spontaneously hypertensive rats. Reprod Biol Endocrinol 2007;5:1-12. doi: 10.1186/1477-7827-5-7.

Andersen ML, Perry JC, Papale LA, Tufik S. Effects of different substance misuse in genital reflexes of paradoxical sleep deprived male rats. Scand J Psychol 2007;48:191-5. doi: 10.1111/j.1467-9450.2007.00552.x.

Andersen ML, Perry JC, Bignotto M, Perez-Mendes P, Cinini SM, Mello LEA, Tufik S. Influence of chronic cocaine treatment and sleep deprivation on sexual behavior and neurogenesis of the male rat. Prog Neuropsychopharmacol Biol Psychiatry. 2007;31(6):1224-9. doi: 10.1016/j.pnpbp.2007.04.018.

Andersen ML, Bignotto M, Tufik S. Effect of Sildenafil (Viagra) on the genital reflexes of paradoxical sleep-deprived male rats. Braz J Med Biol Res. 2007;40(11):1473-80. doi: 10.1590/s0100-879x2007001100008.

Andersen ML, Perry JC, Tufik S. Possible participation of D3 and D4 dopaminergic receptors on genital reflexes induced by cocaine in paradoxical sleep deprived male rats. Scand J Psychol 2007;48:443-7. doi: 10.1111/j.1467-9450.2007.00613.x.

Andersen ML, Poyares D, Alves RC, Skomro R, Tufik S. Sexsomnia: abnormal sexual behavior during sleep. Brain Res Rev 2007;56(2):271-82. doi: 10.1016/j.brainresrev.2007.06.005.

Andrade VM, Bueno OFA. Neuropsicologia transcultural: grupo indígena guarani. Estud Psicol (Natal). 2007;12(3):253-8. doi: 10.1590/S1413-294X2007000300007.

Antunes IB, Andersen ML, Alvarenga TAF, Tufik S. Effects of paradoxical sleep deprivation on blood parameters associated with cardiovascular risk in intact and ovariectomized rats compared with male rats. Behav Brain Res 2007;176: 187-92. doi: 10.1016/j.bbr.2006.09.012.

Araújo SRC, Mello MT, Leite JR. Transtornos de ansiedade e exercício físico. Rev Bras Psiquiatr. 2007;29(2):164-71. doi: 10.1590/S1516-44462006005000027.

Benedito-Silva AA, Pires MLN, Calil HM. Seasonal variation of suicide in Brazil. Chronobiol Int. 2007;24(4):727-37. doi: 10.1080/07420520701535795.

Bolognani SAP, Covre P, Landucci-Moreira D, Rivero TS, Brucki SMD, Bueno OFA. Neuropsychological rehabilitation in a patient with ruptured anterior communicating artery aneurysm: 48 months outcome. Dementia Neuropsychol. 2007;1(4):407-11. doi: 10.1590/S1980-57642008DN10400014.

Borsonelo EC, Galduroz JCF, Suchecki D, Calil HM. The influence of n-6 fatty acid supplemented diet on the effect of imipramine in an animal model of depression. Pharmacol Biochem Behav. 2007;86(1):113-6. doi: 10.1016/j.pbb.2006.12.014.

Boscolo RA, Sacco ICN, Antunes HKM, Mello MT, Tufik S. Avaliação do padrão de sono, atividade física e funções cognitivas em adolescentes escolares. Rev Port Ciênc Desporto. 2007;7:18-25.

Campos AC, Molognoni F, Melo FH, Galdieri LC, Carneiro CR, D'Almeida V, Correa M, Jasiulionis MG. Oxidative stress modulates DNA methylation during melanocyte anchorage blockade associated with malignant transformation. Neoplasia. 2007;9(12):1111-21.

Canali F, Brucki SMD, Bueno OFA. Behavioral assessment of the dysexecutive syndrome (BADS) in health elders and Alzheimer's disease patients: preliminary study. Dementia Neuropsychol. 2007;2:154-60. doi: 10.1590/s1980-57642008dn10200007.

Caranti DA, Tock L, Prado WL, Siqueira KO, de Piano A, Lofrano M, Cristofalo DM, Lederman H, Mello MT, Tufik S, Dâmaso AR. Long-term multidisciplinary therapy decreases predictors and prevalence of metabolic syndrome in obese adolescents. Nutr Metab Cardiovasc Dis. 2007;17(6):e11-3. doi: 10.1016/j.numecd.2006.11.003.

Caranti DA, Mello MT, Prado WL, Tock L, Siqueira KO, de Piano A, Lofrano MC, Cristofalo DMJ, Lederman H, Tufik S, Dâmaso AR. Short- and long-term beneficial effects of a multidisciplinary therapy for the control of metabolic syndrome in obese adolescents. Metab Clin Exp. 2007;56(9):1293-300. doi: 10.1016/j.metabol.2007.05.004.

Cardoso R, Souza E, Camano L, Leite JR. Prefrontal córtex in meditation: when the concrete leads to the abstract. A schematical hypothesis, concerning the participation of the logic for "logic relaxation". Neuroquantology 2007;5(2):233-40. doi: 10.14704/nq.2007.5.2.131.

Carneiro G, Ribeiro Filho FF, Togeiro SM, Tufik S, Zanella MT. Interações entre Síndrome da Apnéia Obstrutiva do Sono e resistência à insulina. Arq Bras Endocrinol Metabol. 2007;51(7):1035-40. doi: 10.1590/s0004-27302007000700003.

Cassilhas RC, Viana VAR, Grassmann V, Santos RT, Santos RF, Tufik S, Mello MT. The impact of resistance exercise on the cognitive function of the elderly. Med Sci Sports Exerc. 2007;39(8):1401-7. doi: 10.1249/mss.0b013e318060111f.

Castro PC, Hoshino A, da Silva JC, Mendes FR. Possible anxiolytic effect of two extracts of Passiflora quadrangularis L. in experimental models. Phytother Res. 2007;21(5):481-4. doi: 10.1002/ptr.2079.

Coelho FMS, Pradella-Hallinan M, Alves GR, Bittencourt LRA, Tufik S. Report of two narcoleptic patients with remission of hypersomnolence following use of prednisone. Arq Neuropsiquiatr. 2007;65(2-A)336-7. doi: 10.1590/S0004-282X2007000200028.

Coelho FMS, Pradella-Hallinan M, Alves GR, Bittencourt LRA, Pedrazzoli Neto M, Moreira F, Tufik S. A study of T CD4, CD8 and B lymphocytes in narcoleptic patients. Arq Neuropsiquiatr. 2007;65(2-B):423-7. doi: 10.1590/s0004-282x2007000300011.

Coelho FMS, Elias RM, Pradella-Hallinan M, Bittencourt LRA, Tufik S. Narcolepsia. Rev Psiq Clin. 2007;34(3):133-8. doi: 10.1590/S0101-60832007000300005.

Coelho FMS, Pradella-Hallinan M, Abud PC, Pedrazzoli Neto M, Moreira F, Bittencourt LRA, Peres MFP, Tufik S. Prevalence of HLA DQB_1 *0602 allele in patients with migraine. Arq Neuropsiquiatr. 2007;65(4-B):1123-5. doi: 10.1590/s0004-282x2007000700005.

Coelho FMS, Pradella-Hallinan M, Oliveira JRM, Abud PC, Tufik S. Antecedentes sócio-econômicos de pacientes neurológicos atendidos em serviços privados e públicos em São Paulo. Rev Neurociência. 2007;15(4):267-70. doi: 10.34024/rnc.2007.v15.8671.

Crispim CA, Zalcman I, Dattilo M, Padilha HG, Tufik S, Mello MT. Relação entre sono e obesidade: uma revisão da literatura. Arq Bras Endocrinol Metabol. 2007;51(7):1041-9. doi: 10.1590/s0004-27302007000700004.

Crispim CA, Zalcman I, Dáttilo M, Padilha H, Edwards B, Waterhouse J, Tufik S, Mello MT. The influence of sleep and sleep loss upon food intake and metabolism. Nutr Res Rev. 2007;20(2):195-212. doi: 10.1017/S0954422407810651.

De Vuono IM, Zanoteli E, Oliveira ASB, Fujita RR, Pignatari SSN, Pizarro GU, Pradella-Hallinan MLC, Moreira GA. Histological analysis of palatopharyngeal muscle from children with snoring and obstructive sleep apnea syndrome. Int J Ped Otorhinolaryngol. 2007;71(2):283-90. doi: 10.1016/j.ijporl.2006.10.019.

Denadai BS, Grecco CC, Tufik S, Mello MT. Effects of prolonged running performed at the intensity corresponding to the onset of blood lactate accumulation, on maximum isokinetic strength in active non-athletic individuals. Rev Bras Fisioter. 2007;11(3):221-6. doi: 10.1590/S1413-35552007000300008.

Denadai BS, Greco CC, Tufik S, Mello MT. Effects of high intensity running to fatigue on isokinetic muscular strength in endurance athletes. Isokinetics Exerc Sci. 2007;15(4):281-5. doi: 10.3233/IES-2007-0284.

Escudero RMP, Kozasa EH, Leite JR. Behavior-cognitive protocol to reduce anxiety during a magnetic resonance examination. Int JMRI. 2007;1(1):21-6.

Esteves AM, Mello MT, Squarcini CFR, Lancellotti CLP, Comparoni A, Tufik S. Sleep patterns over 15-day period in rats with spinal cord injury. Spinal Cord 2007;45(5):360-6. doi: 10.1038/sj.sc.3101971.

Franco MCP, Higa EMS, D'Almeida V, Sousa FG, Sawaya AL, Fortes ZB, Sesso RCC. Homocysteine and nitric oxide are related to blood pressure and vascular function in small-for-gestational-age children. Hypertension. 2007;50(2):396-402. Doi: 10.1161/HYPERTENSIONAHA.107.091223

Freire AO, Sugai GCM, Chrispin FS, Togeiro SM, Yamamura Y, Mello LE, Tufik S. Treatment of moderate obstructive sleep apnea syndrome with acupuncture: a randomised, placebo-controlled pilot trial. Sleep Med 2007;8(1):43-50. doi: 10.1016/j.sleep.2006.04.009.

Freitas IGA, Togeiro SMGP, Tufik S. Tratamento da respiração de Cheyne-Stokes em pacientes com insuficiência cardíaca congestiva. Arq Bras Cardiol 2007;88(3):e68-e72. doi: 10.1590/S0066-782X2007000300027.

Fukushiro DF, Calzavara MB, Trombin TF, Lopez GB, Abílio VC, Andersen ML, Tufik S, Frussa-Filho R. Effects of environmental enrichment and paradoxical sleep deprivation on open-field behavior of amphetamine-treated mice. Physiol Behav 2007;92(4):773-9. doi: 10.1016/j.physbeh.2007.06.002.

Gabriel Jr. A, Silva AAB, De Martino MC, Razvickas WJ, Silva RC, Viana AM, Maurício RC, Santos SAL, Tufik S. Validação do sistema de transporte e das dosagens de amostras biológicas enviadas para a central de um laboratório de grande porte. J Bras Patol Med Lab. 2007;43(4):235-40. doi: 10.1590/S1676-24442007000400003.

Galdieri LC, Arrieta SR, Silva CMC, Pedra CAC, D'Almeida V. Homocysteine concentrations and molecular analysis in patients with congenital heart defects. Arch Med Res. 2007;38(2):212-8. doi: 10.1016/j.arcmed.2006.09.012

Galduroz JCF, Carlini EA. Use of alcohol among the inhabitants of the 107 largest cities in Brazil - 2001. Braz J Med Biol Res 2007; 40(3):367-75. doi: 10.1590/S0100-879X2007000300012.

Galduroz JCF, Fonseca AM, Noto AR, Carlini EA. Decrease in tobacco use among Brazilian students: A possible consequence of the ban on cigarette advertising? Addict Behav. 2007;32(6):1309-13. doi: 10.1016/j.addbeh.2006.09.004.

Galduroz JCF, Antunes HK, Santos RF. Gender- and age-related variations in blood viscosity in normal volunteers: A study of the effects of extract of Allium sativum and Ginkgo biloba. Phytomedicine 2007;14(7-8):447-51. doi: 10.1016/j.phymed.2007.06.002.

Garofolo L, Barros N, Miranda Junior F, D'Almeida V, Cardien LC, Ferreira SR. Association of increased levels of homocysteine and peripheral arterial disease in a Japanese-Brazilian population. Eur J Vascular Endovascular Surg. 2007;34(1):23-8. Doi: 10.1016/j.ejvs.2007.02.008

Giorgetti M, Negri G, Rodrigues E. Brazilian plants with possible action on the central nervous system—A study of historical sources from the 16th to 19th century. J Ethnopharmacol 2007;109(2):338-47. doi: 10.1016/j.jep.2006.08.003.

Gouveia PAR, Brucki SMD, Malheiros SMF, Bueno OFA. Disorders in planning and strategy application in frontal lobe lesion patients. Brain Cogn. 2007;63:240-6. doi: 10.1016/j.bandc.2006.09.001.

Guijarro JZ, Tiba PA, Ferreira TL, Kawakami SE, Oliveira MGM, Suchecki D. Effects of brief and long maternal separations on the HPA axis activity and the performance of rats on context and tone fear conditioning. Behav Brain Res. 2007;184(2):101-8. doi: 10.1016/j.bbr.2007.06.020.

Guilleminault C, Palombini L, Poyares D, Takaoka S, Huynh NT-L, El-Sayed Y. Pre-eclampsia and nasal CPAP: Part 1. Early intervention with nasal CPAP in pregnant women with risk-factors for pre-eclampsia: Preliminary findings. Sleep Med 2007;9(1):9-14. doi: 10.1016/j.sleep.2007.04.020.

Guindalini C, Tufik S. Uso de microarrays na busca de perfis de expressão gênica -aplicação no estudo de fenótipos complexos. Rev Bras Psiquiatria 2007;29(4): 370-4. doi: 10.1590/s1516-44462007000400014.

Hachul H, Baracat EC, Soares Jr. JM, Haidar MA, Mello MT, Tufik S, Bittencourt LRA. Estrogen therapy reduces nocturnal periodic limb movements. Maturitas 2007;58(3):319-22. doi: 10.1016/j.maturitas.2007.08.009.

Halbreich U, Alarcon RD, Calil H, Douki S, Gaszner P, Jadresic E, Jasovic-Gasic M, Kadri N, Kerr-Correa F, Patel V, Sarache X, Trivedi JK. Culturally-sensitive complaints of depressions and anxieties in women. J Affect Disord. 2007;102(1-3):159-76. doi: 10.1016/j.jad.2006.09.033.

Halbreich U, Backstrom T, Eriksson E, O'Brien S, Calil H, Ceskova E, Dennerstein L, Douki S, Freeman E, Genazzani A, Heuser I, Kadri N, Rapkin A, Steiner M, Wittchen HU, Yonkers K. Clinical diagnostic criteria for premenstrual syndrome and guidelines for their quantification for research studies. Gynecol Endocrinol. 2007;23(3):123-30. doi: 10.1080/09513590601167969.

Hora F, Nápolis LM, Daltro C, Kodaira SK, Tufik S, Togeiro SM, Nery LE. Clinical, anthropometric and upper airway anatomic characteristics of obese patients with obstructive sleep apnea syndrome. Respiration. 2007;74(5):517-24. doi: 10.1159/000097790.

Justo LP, Calil HM, Prado-Bolognani SA, Muszkat M. Kleine-Levin syndrome: interface between neurology and psychiatry. Arq Neuropsiquiatr. 2007;65(1):150-2. doi: 10.1590/S0004-282X2007000100030.

Justo LP, Borsonelo EC, Guerra ABG, Calil HM. A survey on anxious and depressive complaints of Brazilian women. J Affect Disord. 2007;102(1-3):259-64. doi: 10.1016/j.jad.2006.09.030.

Justo LP, Calill HM, Soares BGO. Family interventions for bipolar disorder (Protocol for a Cochrane Review). The Cochrane Library. 2007;3. Oxford: Update Software. doi: 10.1002/14651858.CD005167.pub2.

Kameda SR, Frussa-Filho R, Carvalho RC, Takatsu-Coleman AL, Ricardo VP, Patti CL, Calzavara MB, Lopez GB, Araujo NP, Abilio VC, Ribeiro RA, D'Almeida V, Silva RH. Dissociation of the effects of ethanol on memory, anxiety, and motor behavior in mice tested in the plus-maze discriminative avoidance task. Psychopharmacology. 2007;192(1):39-48. Doi: 10.1007/s00213-006-0684-9

Kawakami SE, Quadros IMH, Takahashi S, Suchecki D. Long maternal separation accelerates behavioural sensitization to ethanol in female, but not in male mice. Behav Brain Res. 2007;184(2):109-16. doi: 10.1016/j.bbr.2007.06.023.

Kessler F, Cacciola J, Faller S, Souza-Formigoni ML, Cruz M, Brasiliano S, Pechansky F. Adaptação transcultural multicêntrica da sexta versão da Escala de Gravidade de Dependência (ASI6) para o Brasil. Rev Psiquiatr RS 2007;29(3):335-6. doi: 10.1590/S0101-81082007000300016.

Lima MMS, Andersen ML, Reksidler AB, Vital MABF, Tufik S. The role of the substantia nigra PARS compacta in regulating sleep patterns in rats. PLoS ONE 2007;2(6):e513. doi: 10.1371/journal.pone.0000513.

Lopes MC, Marcus CL. The significance of ASDA arousals in children. Sleep Med. 2007;9:3-8. doi: 10.1016/j.sleep.2007.01.016.

Lopes RD, Neves LB, D'Almeida V, Conceição GMS, Gabriel Junior A. Homocisteína plasmática total e fator von Willebrand no diabete melito experimental. Arq Bras Cardiol. 2007;88(4):424-9. Doi: 10.1590/S0066-782X2007000400010.

Magnabosco MB, Formigoni MLOS, Ronzani TM. Avaliação dos padrões de uso de álcool em usuários de serviços de Atenção Primária à Saúde de Juiz de Fora e Rio Pomba (MG). Rev Bras Epidemiol. 2007;10(4):637-47. doi: 10.1590/S1415-790X2007000400021.

Marino MCA, Oliveira CA, Rocha AMC, Rocha GA, Clementino NCD, Antunes LF, Oliveira RA, Martins AS, Del Puerto HL, D'Almeida V, Galdieri L, Pedroso ERP, Cabral MMDA, Nogueira AMMF, Queiroz DMM. Long-term effect of Helicobacter pylori eradication on plasma homocysteine in elderly patients with cobalamin deficiency. GUT. 2007;56(4):469-74. doi: 10.1136/gut.2006.095125.

Martins AB, Tufik S, Moura SMGPT. Síndrome da apnéia-hipopnéia obstrutiva do sono. Fisiopatologia. J Bras Pneumol. 2007;33(1):36-43. doi: 10.1590/S1806-37132007000100017.

Mendes FR, Carlini EA. Brazilian plants as possible adaptogens: An ethnopharmacological survey of books edited in Brazil. J Ethnopharmacol 2007;109(3):493-500. doi: 10.1016/j.jep.2006.08.024.

Mendes FR, Tabach R, Carlini EA. Evaluation of Baccharis trimera and Davilla rugosa in tests for adaptogen activity. Phytother Res 2007;21: 517-22. doi: 10.1002/ptr.2080.

Mendes RE, Kiyota KA, Monteiro J, Castanheira M, Andrade SS, Gales AC, Pignatari AC, Tufik S. Rapid detection and identification of Metallo-{beta}-Lactamase-Encoding Genes by Multiplex Real-Time PCR Assay and Melt Curve Analysis. J Clin Microbiol. 2007;45(2):544-7. doi: 10.1128/JCM.01728-06.

Miranda MC, Nóbrega FJ, Sato K, Pompeia S, Sinnes EG, Bueno OFA. Neuropsychology and malnutrition: a study with 7 to 10 years-old children in a poor community. Rev Bras Saúde Matern Infant. 2007;7(1):45-54. doi: 10.1590/S1519-38292007000100006.

Moreira GA. Repercussões respiratórias da anemia falciforme. J Bras Pneumol. 2007;33(3):xviii-xx. doi: 10.1590/S1806-37132007000300002.

Nascimento DC, Andersen ML, Hipolide DC, Nobrega JN, Tufik S. Pain hypersensitivity induced by paradoxical sleep deprivation is not due to altered binding to brain opioid receptors. Behav Brain Res 2007;178:216-20. doi: 10.1016/j.bbr.2006.12.016.

Oliveira Filho JA, Salvetti XM, Lira Filho EB, Mello MT, Silva AC, Luna Filho B. Athlete's heart, oxygen uptake and morphologic findings in paralympic athletes. Int J Cardiol 2007;121:100-1. doi: 10.1016/j.ijcard.2006.08.044.

Palma BD, Tiba PA, Machado RB, Tufik S, Suchecki D. Repercussões imunológicas dos distúrbios do sono: o eixo hipotálamo-pituitária-adrenal como fator modulador. Rev Bras Psiquiatr 2007;29(Supl.I): S 33-8. doi: 10.1590/S1516-44462007000500007.

Palma BD, Suchecki D, Catallani B, Tufik S. Effect of sleep deprivation on the corticosterone secretion in na experimental model of autoimmune disease. Neuroimmunomodulation 2007;14(2):72-7. doi: 10.1159/000107421.

Passos GS, Tufik S, Santana MG, Poyares D, Mello MT. Tratamento não farmacológico para a insônia crônica. Rev Bras Psiquiatria 2007;29(3):279-82. doi: 10.1590/S1516-44462006005000045.

Pedrazzoli M, Louzada FM, Pereira DS, Benedito-Silva AA, Lopez AR, Martynhak BJ, Korczak AL, Koike Bdel V, Barbosa AA, D'Almeida V, Tufik S. Clock polymorphisms and circadian rhythms phenotypes in a sample of the Brazilian population. Chronobiol Int. 2007;24(1):1-8. doi: 10.1080/07420520601139789.

Pedrazzoli M, Pontes JC, Peirano P, Tufik S. HLA-DQB1 genotyping in a family with narcolepsy-cataplexy. Brain Res. 2007;1165:1-4. doi: 10.1016/j.brainres.2007.05.075.

Pereira DS, Pedrazzoli M, Koike BV, Louzada FM, Benedito-Silva A, Lopez AR, Tufik S. The G619A Aa-nat gene polymorphism does not contribute to sleep time variation in the Brazilian population. Behav Genet. 2007;37:637-8. doi: 10.1007/s10519-007-9155-2.

Perry JC, D'Almeida V, Souza FG, Schoorlemmer GH, Colombari E, Tufik S. Consequences of subchronic and chronic exposure to intermittent hypoxia and sleep deprivation on cardiovascular risk factors in rats. Respir Physiol Neurobiol. 2007;156(3):250-8. doi: 10.1016/j.resp.2006.10.004.

Piano A, Prado WL, Caranti DA, Siqueira KO, Stella SG, Lofrano M, Tock L, Cristofalo DM, Lederman H, Tufik S, de Mello MT, Damaso AR. Metabolic and nutritional profile of obese adolescents with nonalcoholic fatty liver disease. J Pediatr Gastroenterol Nutr. 2007;44(4):446-52. doi: 10.1097/MPG.0b013e31803815d9.

Pires MLN, Benedito-Silva AA, Mello MT, Del Giglio S, Pompeia C, Tufik S. Sleep habits and complaints of adults in the city of São Paulo, Brazil, in 1987 and 1995. Braz J Med Biol Res. 2007;40(11):1505-15. doi: 10.1590/S0100-879X2006005000170.

Pompeia S, Manzano GM, Pradella-Hallinan M, Bueno OFA. Effects of lorazepam on deductive reasoning. Psychopharmacology 2007;194(4):527-36. doi: 10.1007/s00213-007-0864-2.

Poyares D, Guilleminault C, Hachul H, Fujita L, Takaoka S, Tufik S, Sass N. Pre-eclampsia and nasal CPAP: Part 2. Hypertension during pregnancy, chronic snoring, and early nasal CPAP intervention. Sleep Med 2007;9(1):15-21. doi: 10.1016/j.sleep.2007.04.019.

Poyares D, Moraes W. Obesidade e distúrbio respiratório do sono, uma associação de fatores de risco. Arq Bras Endocrinol Metab. 2007;51(7):1029-30. doi: 10.1590/S0004-27302007000700001.

Reksidler AB, Lima MMS, Zanata SM, Machado HB, Cunha C, Andreatini R, Tufik S, Vital MABF. The COX-2 inhibitor parecoxib produces neuroprotective effects in MPTP-lesioned rats. Eur J Pharmacol 2007;560:163-75. doi: 10.1016/j.ejphar.2006.12.032.

Ribeiro RL, Teixeira-Silva F, Pompeia S, Bueno OFA. IAPS includes photographs that elicit low-arousal physiological responses in healthy volunteers. Physiol Behav. 2007;91(5) :671-5. doi: 10.1016/j.physbeh.2007.03.031.

Rizzutti S, Ramos AM, Muszkat M, Gabbai AA. Is Hospitalization Really Necessary During the Introduction of the Ketogenic Diet? J Child Neurol. 2007;22(1):33-37. doi: 10.1177/0883073807299967.

Rodrigues CA, Morelli VM, Silveira RC, D'Almeida V, Lourenço DM. Homocysteine reduction by B-vitamin supplementation increases t-PA and PAI-1 levels in patients with venous thromboembolism. J Thrombosis Haemostasis. 2007;5(1):195-8.

Rodrigues E. Plants of restricted use indicated by three cultures in Brazil (Caboclo-river dweller, Indian and Quilombola). J Ethnopharmacol. 2007;111:295-302. doi: 10.1016/j.jep.2006.11.017.

Roizenblatt S, Fregni F, Gimenez R, Wetzel T, Rigonatti SP, Tufik S, Boggio PS, Valle AC. Site-specific effects of transcranial direct current stimulation on sleep and pain in fibromyalgia: a randomized, sham-controlled study. Pain Pract. 2007;7(4):297-306. doi: 10.1111/j.1533-2500.2007.00152.x.

Ronzani TM, Rodrigues TP, Batista AG, Lourenço LM, Formigoni MLOS. Estratégias de rastreamento e intervenções breves para problemas relacionados ao abuso de álcool entre bombeiros. Estud Psicol (Natal). 2007;12(3):285-90. doi: 10.1590/S1413-294X2007000300011.

Rosa A, Poyares D, Moraes WAS, Cintra F. Methodology in clinical sleep research. Cell Mol Life Sci 2007;64:1244-53. doi: 10.1007/s00018-007-6535-y.

Rosa EF, Takahashi S, Aboulafia J, Nouailhetas VLA, Oliveira MGM. Oxidative stress induced by intense and exhaustive exercise impairs murine cognitive function. J Neurophysiol. 2007;98(3):1820-6. doi: 10.1152/jn.01158.2006.

Ruiz FS, Andersen ML, Zager A, Martins RCS, Tufik S. Sleep deprivation reduces lymphocytes in non-obese diabetic (NOD) mouse model of Type 1 Diabetes Mellitus. Braz J Med Biol Res 2007; 40:633-7. doi: 10.1590/s0100-879x2007000500005.

Sanchez ZM, Nappo SA. From the first drug to crack: the sequence of drugs taken in a group of users in the city of Sao Paulo. Subst Use Misuse. 2007;42(1):177-88. doi: 10.1080/10826080601094249.

Sanchez ZM, Nappo SA. A religiosidade, a espiritualidade e o consumo de drogas. Rev Psiq Clin. 2007;34(Supl.1):73-81. doi: 10.1590/S0101-60832007000700010.

Santana MC, Tufik S, Passos GS, Santee DM, Denadai BS, Mello MT. Comparação entre diferentes métodos de análise do componente lento do consumo de oxigênio: uma abordagem no domínio muito intenso de exercício. Rev Bras Med Esporte. 2007;13(4):241-4. doi: 10.1590/S1517-86922007000400006.

Santos RV, Tufik S, De Mello MT. Exercise, sleep and cytokines: Is there a relation? Sleep Med Rev. 2007;11(3):231-9. doi: 10.1016/j.smrv.2007.03.003.

Schutz TC, Andersen ML, Tufik S. Effects of COX-2 inhibitor in acute inflammation of the TMJ of rats. J Dent Res 2007;86(5):475-9. doi: 10.1177/154405910708600516.

Shih MC, Andrade LAF, Amaro Jr E, Felicio AC, Ferraz HB, Wagner J, Hoexter MQ, Lin LF, Fu YK, Mari JJ, Tufik S, Bressan RA. Higher nigrostriatal dopamine neuron loss in early than late onset Parkinson's disease? – A [^{99m}Tc]-TRODAT-1 SPECT study. Mov Disord 2007;22(6):863-97. doi: 10.1002/mds.21315.

Silva EA, Noto AR, Formigoni MLOS. Death by drug overdose: impact on families. J Psychoactive Drugs. 2007;39(3):301-6. doi: 10.1080/02791072.2007.10400618.

Silva RH, Abilio VC, Kameda SR, Takatsu-Coleman AL, Carvalho RC, Ribeiro RA, Tufik S, Frussa-Filho R. Effects of 3-nitropropionic acid administration on memory and hippocampal lipid peroxidation in sleep-deprived mice. Prog Neuropsychopharmacol Biol Psychiatry. 2007;31(1):65-70. doi: 10.1016/j.pnpbp.2006.06.019.

Sousa DP, Nóbrega FFF, Claudino FS, Almeida RN, Leite JR, Mattei R. Pharmacological effects of the monoterpene alpha,beta-epoxy-carvone in mice. Rev Bras Farmacognosia. 2007;17(2):170-5. doi: 10.1590/S0102-695X2007000200006.

Souza AWS, Silva NP, Carvalho JF, D'Almeida V, Noguti MAE, Sato EI. Impact of hypertension and hyperhomocysteinemia on arterial thrombosis in primary antiphospholipid syndrome. Lupus. 2007;16(10):782-7.

Takahashi S, Fornari RV, Quadros IMH, Oliveira MGM, Souza-Formigoni MLO. Does scopolamine block the development of ethanol-induced behavioral sensitization? Alcohol Clin Exp Res. 2007;31(9):1482-9. doi: 10.1111/j.1530-0277.2007.00446.x.

Teixeira RCA, Gabriel Jr. A, De Martino MC, Martins LC, Lopes AC, Tufik S. Marcadores de ativação endotelial e auto-anticorpos na artrite reumatóide. Rev Brás Reumatol. 2007;47(6):411-7. doi: 10.1590/S0482-50042007000600004.

Thiesen FV, Noto AR, Barros HMT. Laboratory diagnosis of toluene-based inhalants abuse. Clin Toxicol 2007;45:557-62. doi: 10.1080/15563650701365891.

Uema SFH, Pignatari SSN, Fujita RR, Moreira GA, Pradella-Hallinan M, Weckx L. Assessment of cognitive learning function in children with obstructive sleep breathing disorders. Rev Bras Otorrinolaringol. 2007;73(3):315-20. doi: 10.1016/S1808-8694(15)30074-4.

Vaisberg M, Tulio de Mello M, Cerqueira Leite Seelaender M, Vagner Thomatieli dos Santos R, Bicudo Pereira Costa Rosa LF. Reduced maximal oxygen consumption and overproduction of proinflammatory cytokines in athletes. Neuroimmunomodulation 2007;14:304-9. doi: 10.1159/000123155.

Vasconcelos LG, Brucki SMD, Bueno OFA. Cognitive and functional dementia assessment tools. Dementia Neuropsychol. 2007;1:18-23. doi: 10.1590/S1980-57642008DN10100004.

Vianna VPT, Silva EA, Souza-Formigoni ML. Portuguese version of the Family Environment Scale: aplication and validation. Rev Saude Publica. 2007;41(3):419-26. doi: 10.1590/S0034-89102007000300014.

Villares J. Chronic use of marijuana decreases cannabinoid receptor binding and mRNA expression in the human brain. Neuroscience 2007;145:323-34. doi: 10.1016/j.neuroscience.2006.11.012.

Werneck JS, Carniato T, Gabriel Jr A, Tufik S, Andrade SS. Mites in clinical stool specimens: potential misidentification as helminth eggs. Trans R Soc Trop Med Hyg. 2007;101:1154-6. doi: 10.1016/j.trstmh.2007.07.006.

Zager A, Andersen ML, Ruiz FS, Antunes IB, Tufik S. Effects of acute and chronic sleep loss on immune modulation of rats. Am J Physiol Regul Int Comp Physiol. 2007;293:R504-R509. doi: 10.1152/ajpregu.00105.2007.

Zalcman I, Guarita HV, Juzwiak CR, Crispim CA, Antunes HKM, Edwards B, Tufik S, Mello MT. Nutritional status of adventure racers. Nutrition 2007;23:404-11. doi: 10.1016/j.nut.2007.01.001.

2006.....

Alvarenga TA, Andersen ML, Papale LA, Tufik S. Effects of long-term food restriction on genital reflexes in paradoxically sleep-deprived male rats. Brain Res. 2006;1115(1):148-54. doi: 10.1016/j.brainres.2006.07.079.

Amaral MB, Lourenço LM, Ronzani TM. Beliefs about alcohol use among university students. J Subst Abuse Treat. 2006;31(2):181-5. doi: 10.1016/j.jsat.2006.04.004.

Amato FCM, Gabriel LAR, De Martino MC, Lourenzi V, Gabriel Jr A, Lopes AC, Tufik S. Deteccäo de anticorpos antinucleossomos em soros com diferentes padröes de imunofluorescência em células HEp2. Rev Soc Bras Clín Méd 2006;4(1):1-5.

Andersen Ml, Antunes IB, Tufik S. Effect of paradoxical sleep deprivation on genital reflexes in five rat strains. Horm Behav 2006;49:173-80. doi: 10.1016/j.yhbeh.2005.05.021.

Andersen ML, Nascimento DC, Machado RB, Roizenblatt S, Moldofsky H, Tufik S. Sleep disturbance induced by substance P in mice. Behav Brain Res 2006;167:212-8. doi: 10.1016/j.bbr.2005.09.008.

Andersen ML, Perry JC, Battisti MC, Calzavara MB, Costa JL, Neto ON, Frussa-Filho R, Tufik S. Association of paradoxical sleep deprivation and ecstasy (MDMA) enhances genital reflexes in male rats. Behav Brain Res 2006;170(2):287-92. doi: 10.1016/j.bbr.2006.03.005.

Andersen Ml, Tufik S. Does male sexual behavior require progesterone? Brain Res Rev 2006;51(1):136-43. doi: 10.1016/j.brainresrev.2005.10.005.

Andersen ML, Bittencourt LRA, Antunes IB, Tufik S. Effects of progesterone on sleep: a possible pharmacological treatment for sleep-breathing disorders? Curr Med Chem 2006;13(29): 3575-82. doi: 10.2174/092986706779026200.

Antunes HKM, Santos RF, Cassilhas R, Santos RVT, Bueno OFA, Mello MT. Exercício físico e função cognitiva: uma revisão. Rev Bras Med Esporte 2006;12(2):108-14. doi: 10.1590/S1517-86922006000200011.

Antunes HKM, Andersen ML, Tufik S, Mello MT. O estresse físico e a dependência de exercício físico. Rev Bras Med Esporte 2006;12(5):234-8. doi: 10.1590/S1517-86922006000500002.

Antunes IB, Andersen ML, Baracat EC, Tufik S. The effects of paradoxical sleep deprivation on estrous cycles of the female rats. Horm Behav 2006;49:433-40. doi: 10.1016/j.yhbeh.2005.09.005.

Araujo NP, Andersen ML, Abílio VC, Gomes DC, Carvalho RC, Silva RH, Ribeiro RA, Tufik S, Frussa-Filho R. Sleep deprivation abolishes the locomotor stimulant effect of ethanol in mice. Brain Res Bull 2006;69:332-7. doi: 10.1016/j.brainresbull.2006.01.006.

Battisti MC, Noto AR, Nappo S, Carlini EA. A profile of ecstasy (MDMA) use in São Paulo, Brazil: an ethnographic study. J Psychoactive Drugs 2006;38(1):13-8. doi: 10.1080/02791072.2006.10399823.

Bignotto M, Andrade UJA, Carvalho JGB, Benedito MAC. Rapid eye movement sleep deprivation induces changes in the high-affinity binding of [(3)H]-ouabain to the rat cortical membranes. Neurosci Lett 2006;396(2):143-7. doi: 10.1016/j.neulet.2005.11.027.

Bignotto M, Benedito MAC. Repeated electroconvulsive shock induces changes in high-affinity [^{3}H]-ouabain binding to rat striatal membranes. Neurochem Res. 2006;31(4):515-21. doi: 10.1007/s11064-006-9046-6.

Camparis CM, Formigoni G, Teixeira MJ, Bittencourt LRA, Tufik S, Siqueira JTT. Sleep bruxism and temporomandibular disorder: Clinical and polysomnographic evaluation. Arch Oral Biol 2006;51(9):721-8. doi: 10.1016/j.archoralbio.2006.03.002.

Carlini EA, Rodrigues E, Mendes FR, Tabach R, Gianfratti B. Treatment of drug dependence with Brazilian herbal medicines. Rev Bras Farmacognosia 2006;16(Supl.):690-5. doi: 10.1590/S0102-695X2006000500016.

Carlini EA. A história da maconha no Brasil. J Bras Psiquiatria. 2006;55(4):314-7. doi: 10.1590/S0047-20852006000400008.

Cintra FD, Poyares D, Guilleminault C, Carvalho AC, Tufik S, De Paola AAV. Alterações cardiovasculares na síndrome da apnéia obstrutiva do sono. Arq Bras Cardiol 2006;86(6):399-407. doi: 10.1590/S0066-782X2006000600001.

Coelho CP, D'Almeida V, Pedrazzolli-Neto M, Duran-Filho C, Florio JC, Zincaglia LMC, Bonamin LV. Therapeutic and pathogenetic animal models for Dolichos pruriens. Homeopathy. 2006;95(3):136-43. Doi: 10.1016/j.homp.2006.03.004

Coelho FMS, Elias RM, Poyares D, Pradella-Hallinan M, Bittencourt LRA, Tufik S. Benzodiazepínicos: uso clínico e perspectivas. Rev Bras Med 2006;65(5):196-200.

Coelho FMS, Sousa HP, Rodrigues Alves G, Bittencourt LRA, Pradella-Hallinan M, Moreira F, Pedrazzoli Neto M, Tufik S. TNF and IL-6 levels in narcoleptic patients. Einstein (São Paulo) 2006;4(4):327-30.

Conway SG, Tufik S, Frussa Filho R, Bittencourt LRA. Repercussions of a sleep medicine outreach program. Braz J Med Biol Res 2006;39:1057-63. doi: 10.1590/S0100-879X2006000800008.

Dâmaso AR, Tock L, Tufik S, Prado WL, Stella SG, Fisberg M, Cintra IP, Caranti DA, Siqueira KO, Nascimento CM, Oyama LM, Lederman HM, Cristofalo D, Antunes HK, Comparoni A, Santos LC, Mello MT. Tratamento multidisciplinar reduz o tecido adiposo visceral, leptina,

grelina e a prevalência de esteatose hepática não alcoólica (NAFLD) em adolescentes obesos. Rev Bras Méd Esporte 2006;12(5):263-7. doi: 10.1590/S1517-86922006000500008.

De Souza FG, Rodrigues MDB, Tufik S, Nobrega JN, D'Almeida V. Acute stressor-selective effects on homocysteine metabolism and oxidative stress parameters in female rats. Pharmacol Biochem Behav 2006;85:400-7. doi: 10.1016/j.pbb.2006.09.008.

Denadai BS, Ortiz MJ, Greco CC, de Mello MT. Interval training at 95% and 100% of the velocity at VO2 max: effects on aerobic physiological indexes and running performance. Appl Physiol Nutr Metab. 2006;31(6):737-43. doi: 10.1139/h06-080.

Faturi CB, Teixeira-Silva F, Leite JR. The anxiolytic effect of pregnancy in rats is reversed by finasteride. Pharmacol Biochem Behav 2006;85(3):569-74. doi: 10.1016/j.pbb.2006.10.011.

Ferré A, Guilleminault, Lopes MC. Patrón alternate ciclico como signo de inestabilidad cerebral durante el sueño. Neurologia. 2006;21(6):304-11.

Ferreira SE, de Mello MT, Pompeia S, Souza-Formigoni ML. Effects of energy drink ingestion on alcohol intoxication. Alcohol Clin Exp Res. 2006;30(4):598-605. doi: 10.1111/j.1530-0277.2006.00070.x.

Filho JA, Salvetti XM, de Mello MT, da Silva AC, Filho BL. Coronary risk in a cohort of Paralympic athletes. Br J Sports Med. 2006;40(11):918-22. doi: 10.1136/bjsm.2006.029421.

Gonçalves MTM, Sato J, Avelino MAG, Pizarro GU, Moreira GA, Pradella-Hallinan MLC, Fujita RR, Weckx LLM. Polisomnographic findings on children with laryngopathies. Rev Bras Otorrinolaringol. 2006;72(2):187-92. doi: 10.1590/S0034-72992006000200007.

Greco OT, Bittencourt LR, Vargas RNA, Borges MA, Mateos JCP, Cardinalli Neto A, Coelho ODC, Silva RS, Mazzo RA, Melatto DM, Tufik S, Gauch PR. Sleep parameters in patients using pacemakers (PM) with sleep rate function on. PACE 2006;29:135-41. doi: 10.1111/j.1540-8159.2006.00306.x.

Guilleminault C, Poyares D, Rosa A, Kirisoglu C, Almeida T, Lopes MC. Chronic fatigue, unrefreshing sleep and nocturnal polysomnography. Sleep Med 2006;7(6):513-20. doi: 10.1016/j.sleep.2006.03.016.

Guilleminault C, Kirisoglu C, Poyares D, Palombini L, Leger D, Farid-Moayer M, Ohayon MM. Upper airway resistance syndrome: a long-term outcome study.
J Psychiatr Res 2006;40(3):273-9. doi: 10.1016/j.jpsychires.2005.03.007.

Hachul de Campos H, Brandão LC, D'Almeida V, Grego BHC, Bittencourt LR, Tufik S, Baracat EC. Sleep disturbances, oxidative stress and cardiovascular risk parameters in postmenopausal women complaining of insomnia. Climacteric 2006;9(4):312-9. doi: 10.1080/13697130600871947.

Hipolide DC, Suchecki D, Carvalho Pinto AP, Chiconelli Faria E, Tufik S, Luz J. Paradoxical sleep deprivation and sleep recovery: effects on the hypothalamic–pituitary–adrenal axis activity, energy balance and body composition of rats. J Neuroendocrinol 2006;18:231-8. doi: 10.1111/j.1365-2826.2006.01412.x.

Israel Y, Cervantes O, Abrahao M, Ceccon FP, Marques Filho MF, Nascimento LA, Zonato AI, Tufik S. Obstructive sleep apnea in patients undergoing supracricoid horizontal or frontolateral vertical partial laryngectomy. Otolaryngol Head Neck Surg 2006;135(6):911-6. doi: 10.1016/j.otohns.2006.02.030.

Justo LP, Calil HM. Depressão: o mesmo acometimento para homens e mulheres? Rev Psiquiatr Clin 2006;33(2):74-79. doi: 10.1590/S0101-60832006000200007.

Leibowitz SM, Lopes MC, Andersen ML, Kushida CA. Sleep deprivation and sleepiness caused by sleep loss. Sleep Med Clin. 2006;1(1):31-45. doi: 10.1016/j.jsmc.2005.11.010.

Lima MMS, Reksidler AB, Zanata SM, Machado HB, Tufik S, Vital MABF. Different parkinsonism models produce a time-dependent induction of COX-2 in the substantia nigra of rats. Brain Res 2006;1101:117-25. doi: 10.1016/j.brainres.2006.05.016.

Machado C, Yamashita AM, Poyares D, Tufik S, Togeiro S. Anestesia e apnéia obstrutiva do sono. Rev Bras Anestesiol 2006;56(6): 669-78. doi: 10.1590/S0034-70942006000600012.

Machado RB, Suchecki D, Tufik S. Comparison of the sleep pattern throughout a protocol of chronic sleep restriction induced by two methods of paradoxical sleep deprivation. Brain Res Bull 2006;70:213-20. doi: 10.1016/j.brainresbull.2006.04.001.

Martinho FL, Zonato AI, Bittencourt LRA, Soares MCM, Silva RFN, Gregório LC, Tufik S. Obese obstructive sleep apnea patients with tonsil hypertrophy submitted to tonsillectomy. Braz J Med Biol Res 2006;39:1137-42. doi: 10.1590/S0100-879X2006000800017.

Martins PJF, D'Almeida V, Nobrega JN, Tufik S. A reassessment of the hyperphagia/weight-loss paradox during sleep deprivation. Sleep 2006;29(9):1233-8. doi: 10.1093/sleep/29.9.1233.

Minati A, Santana MG, Mello MT. A influência dos ritmos circadianos no desempenho físico. Rev Bras Ciênc Mov 2006;14(1):75-86. doi: 10.18511/rbcm.v14i1.681.

Moraes WAS, Poyares DR, Guilleminault C, Ramos LR, Bertolucci PHF, Tufik S. The effect of donepezil on sleep and REM sleep EEG in Alzheimer patients: a double-blind placebo-controlled study. Sleep 2006;29(2):199-205. doi: 10.1093/sleep/29.2.199.

Muniz MTC, Siqueira ERF, Fonseca RA, D'Almeida V, Hotta JK, Santos JE, Cavalcanti MSM, Sampaio CAM. Avaliação da relação entre o polimorfismo C677T no gene para MTHFR e a concentração plasmática de homocisteína na doença arterial coronariana. Arq Bras Endocrinol Metabol. 2006;50(6):1059-65. Doi: 10.1590/S0004-27302006000600012

Nogueira AML, Pompeia S, Galduroz JCF, Bueno OFA. Effects of a benzodiazepine on free recall of semantically related words. Hum Psychopharmacol 2006;21:327-36. doi: 10.1002/hup.775.

Noto AR, Pinsky I, Mastroianni FC. Drugs in the Brazilian print media: an exploratory survey of newspaper and magazine stories in the year 2000. Subst Use Misuse 2006;41:1263-76. doi: 10.1080/10826080600754868.

Palma BD, Gabriel A Jr, Colugnati FA, Tufik S. Effects of sleep deprivation on the development of autoimmune disease in an experimental model of systemic lupus erythematosus. Am J Physiol Regul Integr Comp Physiol 2006;291(5):R1527-R1532. doi: 10.1152/ajpregu.00186.2006.

Pandi-Perumal SR, Verster JC, Kayumov L, Lowe AD, Santana MG, Pires MLN, Tufik S, Mello MT. Sleep disorders, sleepiness and traffic safety: a public health menace. Braz J Med Biol Res 2006;39(7):863-71. doi: 10.1590/S0100-879X2006000700003.

Passarelli CM, Roizenblatt S, Len CA, Moreira GA, Lopes MC, Guilleminault C, Tufik S, Hilario MO. A case-control sleep study in children with polyarticular juvenile rheumatoid arthritis. J Rheumatol. 2006;33(4):796-802.

Penalba V, Leite JR. Psychosocial interventions for prevention of psychological disorders in law enforcement officers. Cochrane Library 2006;1:1-15.

Pinho RSN, Silva Jr. FP, Bastos JPC, Maia WS, Mello MT, de Bruin VMS, de Bruin PFC. Hypersomnolence and accidents in truck drivers: a cross sectional study. Chronobiol Int 2006;23(5):963-71. doi: 10.1080/07420520600920759.

Pompeia S, Bueno OFA. Um paradigma para diferenciar o uso de memória implícita e explícita. Psicol Reflex Crit 2006;19(1):83-90. doi: 10.1590/S0102-79722006000100012.

Raboni MR, Tufik S, Suchecki D. Treatment of PTSD by eye movement desensitization reprocessing (EMDR) improves sleep quality, quality of life, and perception of stress. Ann NY Acad Sci 2006;1071:508-13. doi: 10.1196/annals.1364.054.

Ramos AT, Troncone LRP, Tufik S. Suppression of adrenocorticotrophic hormone secretion by simultaneous antagonism of vasopressin 1b and CRH-1 receptors on three different stress models. Neuroendocrinology 2006;84(5):309-16. doi: 10.1159/000097587.

Ribeiro RL, Pompeia S, Bueno OFA. Investigação da afetividade na psiquiatria com a utilização do International Affective Picture System. Rev Psiquiatr Rio Gd Sul 2006;28(2):215-6. doi: 10.1590/S0101-81082006000200015.

Rodrigues E. Plants and animals utilized as medicines in the Jau National Park (JNP), Brazilian Amazon. Phytother Res 2006;20(5):378-91. doi: 10.1002/ptr.1866.

Rodrigues E, Mendes FR, Negri G. Plants indicated by Brazilian Indians for disturbances of the central nervous system: a bibliographycal survey. Central Nerv Sys Agents Med Chem 2006;6(3):211-44.

Rodrigues E, Carlini EA. A comparison of plants utilized in ritual healing by two Brazilian cultures: quilombolas and Krahô Indians. J Psychoactive Drugs 2006;38(3):285-95. doi: 10.1080/02791072.2006.10399854.

Rodrigues E, Carlini ELA. Plants with possible psychoactive effects used by the Krahô Indians, Brazil. Rev Bras Psiquiatr 2006;28(4):277-82. doi: 10.1590/S1516-44462006005000014.

Roizenblatt S, Guilleminault C, Poyares D, Cintra F, Kauati A, Tufik S. A double-blind, placebo-controlled, crossover study of sildenafil in obstructive sleep apnea. Arch Intern Med. 2006;166(16):1763-7. doi: 10.1001/archinte.166.16.1763.

Roizenblatt S. Transtornos respiratórios do sono e fibromialgia. J Bras Pneumol 2006;32(4):XVIII-XIX.

Rosa A, Alves GR, Brito M, Lopes MC, Tufik S. Visual and automatic cyclic alternating pattern (CAP) scoring. Arq Neuropsiquiatr 2006;64(3A):578-81. doi: 10.1590/s0004-282x2006000400008.

Roversi FM, Galdieri LC, Grego BHC, Souza FG, Micheletti C, Martins AM, D'Almeida V. Blood oxidative stress markers in Gaucher disease patients. Clin Chim Acta. 2006;364(1-2):316-20. Doi: 10.1016/j.cca.2005.07.022

Santos FH, Bueno OF, Gathercole SE. Errors in nonword repetition: bridging short- and long-term memory. Braz J Med Biol Res 2006;39(3):371-85. doi: 10.1590/s0100-879x2006000300008.

Santos FRM, Kozasa EH, Chauffaille MLLF, Colleoni GWB, Leite JR. Psychosocial adaptation and quality of life among Brazilian patients with different hematological malignancies. J Psychosom Res 2006;60(5):505-11. doi: 10.1016/j.jpsychores.2005.08.017.

Schenberg EE, Ferreira TL, Figueredo LZP, Hipolide DC, Nóbrega JN, Oliveira MGM. Fear conditioning performance and NMDA receptor subtypes: NR2A differential expression in the striatum. Brain Res Bull 2006;69(4):440-6. doi: 10.1016/j.brainresbull.2006.02.010.

Shih MC, Amaro Jr E, Ferraz HB, Hoexter MQ, Goulart FO, Wagner J, Lin LF, Fu YK, Mari JJ, Lacerda ALT, Tufik S, Bressan RA. Neuroimagem do transportador de dopamina na doença de Parkinson. Arq Neuropsiquiatr 2006;64(3A):628-34. doi: 10.1590/S0004-282X2006000400021.

Silva EA, De Micheli D, Camargo BMV, Buscatti D, Alencar MAP, Formigoni MLOS. Drogas na adolescência: temores e reações dos pais. Psicol Teoria Prát 2006;8(1):41-54.

Silva VC, Ramos FJC, Freitas EM, Brito-Marques PR, Cavalcanti MNH, D'Almeida V, Cabral-Filho JE, Muniz MTC. Alzheimer's disease in Brazilian elderly has a relation with homocysteine but not with MTHFR polymorphisms. Arq Neuropsiquiatr. 2006;64(4):941-5. Doi: 10.1590/S0004-282X2006000600010

Soares JCK, Fornari RV, Oliveira MGM. Role of muscarinic M1 receptors in inhibitory avoidance and contextual fear conditioning. Neurobiol Learn Mem 2006;86(2):188-96. doi: 10.1016/j.nlm.2006.02.006.

Soares MCM, Bittencourt LRA, Zonato AI, Gregório LC. Aplicação do modelo morfométrico de Kushida em pacientes com distúrbios respiratórios do sono. Rev Bras Otorrinolaringol 2006;72(4):541-8. doi: 10.1590/S0034-72992006000400017.

Teixeira M, Kasinski N, Izar MCO, Barbosa LA, Novazzi JP, Pinto LA, Tufik S, Leite TF, Fonseca FAH. Efeitos do exercício agudo na lipemia pós-prandial em homens sedentários. Arq Bras Cardiol 2006;87(1):3-11. doi: 10.1590/S0066-782X2006001400002.

Tock L, Prado WL, Caranti DA, Cristofalo DMJ, Lederman H, Fisberg M, Siqueira KO, Stella SG, Antunes HK, Cintra IP, Tufik S, Mello MT, Damaso AR. Nonalcoholic fatty liver disease decrease in obese adolescents after multidisciplinary therapy. Eur J Gastroenterol Hepatol. 2006;18(12):1241-5. doi: 10.1097/01.meg.0000243872.86949.95.

Uema SFH, Vidal MVR, Fujita R, Moreira G, Pignatari SSN. Avaliação comportamental em crianças com distúrbios obstrutivos do sono. Rev Bras Otorrinolaringol. 2006;72(1):120-3. doi: 10.1590/S0034-72992006000100019.

Urreizti R, Asteggiano C, Bermudez M, Córdoba A, Szlago M, Grosso C, de Kremer RD, Vilarinho L, D'Almeida V, Martínez-Pardo M, Peña-Quintana L, Dalmau J, Bernal J, Briceño I, Couce ML, Rodés M, Vilaseca MA, Balcells S, Grinberg D. The p.T191M mutation of the CBS gene is highly prevalent among homocystinuric patients from Spain, Portugal and South America. J Hum Genet. 2006;51(4):305-13.

Yim AJ, Moraes CRG, Ferreira TL, Oliveira MGM. Protein synthesis inhibition in the basolateral amygdala following retrieval does not impair expression of morphine-associated conditioned place preference. Behav Brain Res 2006;171(1):162-9. doi: 10.1016/j.bbr.2006.03.031.

Ziliotto KN, Santos MFC, Monteiro VG, Pradella-Hallinan M, Moreira GA, Pereira LD, Weckx LLM, Fujita RR, Pizarro GU. Auditory processing assessment in children with obstructive sleep apnea syndrome. Rev Bras Otorrinolaringol. 2006;72(3):321-7. doi: 10.1590/S0034-72992006000300005.

Zonato AI, Martinho FL, Bittencourt LR, Gregório LC, Tufik S. Upper airway surgery: the effect on nasal continuous positive airway pressure titration on obstructive sleep apnea patients. Eur Arch Otorhinolaryngol 2006;263:481-6. doi: 10.1007/s00405-005-1018-y.

2005.....

Alvarenga TAF, Andersen ML, Papale LA, Antunes IB, Tufik S. Influence of long-term food restriction on sleep pattern in male rats. Brain Res 2005;1057:49-56. doi: 10.1016/j.brainres.2005.07.024.

Alves R, Carvalho JGB, Benedito MAC. High and low rearing subgroups of rats selected in the open field differ in the activity of K(+)-stimulated p-nitrophenylphosphatase in the hippocampus. Brain Res 2005;1058(1-2):178-82. doi: 10.1016/j.brainres.2005.08.005.

Andersen ML, Perry JC, Tufik S. Acute cocaine effects in paradoxical sleep deprived male rats. Prog Neuropsychopharmacol Biol Psychiat 2005;29:245-51. doi: 10.1016/j.pnpbp.2004.11.007.

Andersen ML, Tufik S. The effects of dopaminergic agonists on genital reflexes in paradoxical sleep deprived male rats. Physiol Behav 2005;84:205-10. doi: 10.1016/j.physbeh.2004.11.007.

Andersen ML, Martins PJF, D'Almeida V, Bignotto M, Tufik S. Endocrinological and catecholaminergic alterations during sleep deprivation and recovery in male rats. J Sleep Res 2005;14:83-90. doi: 10.1111/j.1365-2869.2004.00428.x.

Andersen ML, Tufik S. Effects of progesterone blockade over cocaine-induced genital reflexes of paradoxical sleep deprived male rats. Horm Behav 2005;47:477-84. doi: 10.1016/j.yhbeh.2004.12.005.

Andersen ML, Papale LA, Hipolide DC, Nobrega JN, Tufik S. Involvement of dopamine receptors in cocaine-induced genital reflexes after paradoxical sleep deprivation. Behav Brain Res 2005;160(1):44-50. doi: 10.1016/j.bbr.2004.11.016.

Andersen ML, Antunes IB, Tufik S. Noradrenergic system interacts with genital reflexes induced by cocaine in paradoxical sleep-deprived male rats. Behav Neurosci 2005;119(2):473-82. doi: 10.1037/0735-7044.119.2.473.

Andersen ML, Tufik S. Premature ejaculation - dopaminergic control of ejaculation. Drug Discov Today 2005;2(1):41-6. doi: 10.1016/j.ddstr.2005.05.009.

Andersen ML, D'Almeida V, Martins PJF, Antunes HKM, Tufik S. Effects of paradoxical sleep deprivation and cocaine on genital reflexes in hyperlipidic-fed rats. Pharmacol Biochem Behav 2005;81(4):758-63. doi: 10.1016/j.pbb.2005.05.012.

Andersen ML, Tufik S. Does sleep deprivation interfere with sexual behavior in male rats? WFSRS 2005;1:1-6.

Antunes HKM, Santos RF, Boscolo RA, Bueno OFA, Mello MT. Análise de taxa metabólica basal e composição corporal de idosos do sexo masculino antes e seis meses após exercícios de resistência. Rev Bras Med Esporte 2005;11(1):71-5. doi: 10.1590/S1517-86922005000100008.

Antunes HKM, Stella SG, Santos RF, Bueno OFA, Mello MT. Depression, anxiety and quality of life scores in seniors after an endurance exercise program. Rev Bras Psiquiatr 2005;27(4):266-71. doi: 10.1590/S1516-44462005000400003.

Araújo NP, Camarini R, Souza-Formigoni MLO, Carvalho RC, Abílio VC, Silva RH, Ricardo VP, Ribeiro RA, Frussa-Filho R. The importance of housing conditions on behavioral sensitization and tolerance to ethanol. Pharmacol Biochem Behav 2005;82(1):40-5. doi: 10.1016/j.pbb.2005.07.009.

Bittencourt AS, Nakamura-Palacios EM, Mauad H, Tufik S, Schenberg LC. Organization of electrically- and chemically-evoked defensive behaviors within the deeper collicular layers as compared to the periaqueductal gray matter of the rat. Neuroscience 2005;133:873-892. doi: 10.1016/j.neuroscience.2005.03.012.

Bittencourt LRA, Silva RS, Santos RF, Pires MLN, Mello MT. Sonolência excessiva. Rev Bras Psiquiatr 2005;27(supl.1):16-21. doi: 10.1590/S1516-44462005000500004.

Botelho RV, Bittencourt LR, Rotta JM, Tufik S. Adult Chiari malformation and sleep apnoea. Neurosurg Rev 2005;28(3):169-76. doi: 10.1007/s10143-005-0400-y.

Campos HH, Bittencourt LRA, Haidar MA, Tufik S, Baracat EC. Prevalência de distúrbios do sono na pós-menopausa. Rev Bras Ginecol Obstet 2005;27(12):731-6. doi: 10.1590/S0100-72032005001200005.

Campos HH, Bittencourt LRA, Tufik S, Baracat EC. Distúrbios do sono no climatério. Femina 2005;33(11):815-20.

Carlini EL. Conversation with Elisaldo Luiz de Araujo Carlini (E. A. Carlini). Addiction 2005;100(7):897-907. doi: 10.1111/j.1360-0443.2005.01120.x.

Carlini ELA, Rodrigues E (compilação). Plantas medicinais do Brasil: o pesquisador brasileiro consegue estudá-las? Rev Fitos 2005;1(2):8-18.

Cintra F, Poyares D, Amaral A, Marchi G, Barreto S, Tufik S, De Paola A, Guilleminault C. Heart rate variability during sleep in patients with vasovagal syncope. PACE 2005;28:1310-6. doi: 10.1111/j.1540-8159.2005.00272.x.

Contó MB, Carvalho JGB, Benedito MAC. Behavioral differences between subgroups of rats with high and low threshold to clonic convulsions induced by DMCM, a benzodiazepine inverse agonist. Pharmacol Biochem Behav 2005;82:417-26. doi: 10.1016/j.pbb.2005.09.012.

Da Silva AC, Steinberg LL, Coutinho AV, Lima RI, Fernandez AC, Neder JA, Tufik S, Mello MT. Breathing patterns of athletes with cerebral palsy. Dev Med Child Neurol 2005;47(4):286-7. doi: 10.1017/s0012162205000538.

D'Almeida V, Hipolide DC, Raymond R, Barlow KB, Parkes JH, Pedrazzoli M, Tufik S, Nobrega J. Opposite effects of sleep rebound on orexin OX1R and OX2R receptor expression in rat brain. Mol Brain Res 2005;136:148-57. doi: 10.1016/j.molbrainres.2005.02.002.

De Luccia GCP, Bueno OFA, Santos RF. Recordação livre de palavras e memória operacional em idosos. Distúrb Comun 2005;17(3):347-58.

Dubiela FP, Oliveira MGM, Moreira KM, Nobrega JN, Tufik S, Hipolide DC. Learning deficits induced by sleep deprivation and recovery are not associated with altered [3H]muscimol and [3H]flunitrazepam binding. Brain Res 2005;1037:157-63. doi: 10.1016/j.brainres.2005.01.005.

Engelhardt El, Brucki SMT, Cavalcanti JLS, Forlenza OV, Laks J, Vale FAC, et al. Tratamento da doença de Alzheimer: recomendações e sugestões do Departamento Científico de

Neurologia Cognitiva e do Envelhecimento da Academia Brasileira de Neurologia. Arq Neuro-Psiquiatr. 2005; 63(4):1104-12. doi: 10.1590/S0004-282X2005000600035.

Faria RR, Abilio VC, Grassl C, Chinen CC, Negrão LTR, Castro JPMV, Fukushiro DF, Rodrigues MSD, Gomes PHZ, Registro S, Carvalho RC, D'Almeida V, Silva RH, Ribeiro RA, Frussa-Filho R. Beneficial effects of vitamin C and vitamin E on reserpine-induced oral dyskinesia in rats: Critical role of striatal catalase activity. Neuropharmacology. 2005;48(7): 993-1001. doi:10.1016/j.neuropharm.2005.01.014

Galduroz JCF, Noto AR, Nappo SA, Carlini EA. Household survey on drug abuse in Brazil: study involving the 107 major cities of the country – 2001. Addict Behav 2005;30:545-56. doi: 10.1016/j.addbeh.2004.08.004.

Galduroz JC, Noto AR, Nappo SA, Carlini EA. Uso de drogas psicotrópicas no Brasil: pesquisa domiciliar envolvendo as 107 maiores cidades do país - 2001. Rev Lat Am Enfermagem 2005;13(Nº. Espec):888-95. doi: 10.1590/S0104-11692005000700017.

Galduroz JCF. Revisão Científica: maconha e saúde mental. Revista ABEAD – Associação Brasileira de Estudos do Álcool e outras Drogas. 2005;1:1-8.

Godoi FRL, Oliveira MGM, Tufik S. Effects of paradoxical sleep deprivation on the performance of rats in a model of visual attention. Behav Brain Res 2005;165(1):138-45. doi: 10.1016/j.bbr.2005.06.024.

Guerra ABG, Castel S, Benedito-Silva AA, Calil HM. Neuroendocrine effects of quetiapine in healthy volunteers. Int J Neuropsychopharmacol 2005;8:49-57. doi: 10.1017/S1461145704004705.

Guerra ABG, Calil HM. O transtorno bipolar na mulher. Rev Psiquiatr Clin 2005;32(supl.1):110-6. doi: 10.1590/S0101-60832005000700016.

Guilleminault C, Poyares D, Rosa A, Huang YS. Heart rate variability, sympathetic and vagal balance and EEG arousals in upper airway resistance and mild obstructive sleep apnea syndromes. Sleep Med. 2005;6(5):451-7. doi: 10.1016/j.sleep.2005.03.014.

Hamdan AC, Bueno OFA. Relações entre controle executivo e memória episódica verbal no comprometimento cognitivo leve e na demência tipo Alzheimer. Estud. Psicol. (Natal) 2005;10(1):63-71. doi: 10.1590/S1413-294X2005000100008.

Helfenstein T, Fonseca FA, Relvas WG, Santos AO, Dabela ML, Matheus SC, D'Almeida V, Tufik S, Souza FG, Rodrigues PR, Taglieri R, Sousa EF, Izar MC. Prevalence of myocardial infarction is related to hyperhomocysteinemia but notinfluenced by C677T methylenetetrahydrofolate reductase and A2756G methionine synthase polymorphisms in diabetic and non-diabetic subjects. Clin Chim Acta 2005;355(1-2):165-72. doi: 10.1016/j.cccn.2004.12.002.

Hines LM, Tabakoff B; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni ML). Platelet adenylyl cyclase activity: a biological marker for major depression and recent drug use. Biol Psychiatry. 2005;58(12):955-62. doi: 10.1016/j.biopsych.2005.05.040.

Hipolide DC, Moreira KM, Barlow K, Wilson A, Nobrega JN, Tufik S. Distinct effects of sleep deprivation on binding to norepinephrine and serotonin transporter in rat brain. Prog Neuropsychopharmacol Biol Psychiat. 2005;29: 297-303. doi: 10.1016/j.pnpbp.2004.11.015.

Hoexter MQ, Rosa PS, Tufik S, Mello LE. Consequences of prolonged caffeine administration and its withdrawal on pilocarpine- and kainate-induced seizures in rats. Epilepsia 2005;46(9):1401-6. doi: 10.1111/j.1528-1167.2005.63904.x.

Justo LP, Soares BGO, Calil HM. Revisão sistemática, metanálise e medicina baseada em evidências: considerações conceituais. J Bras Psiquiatr. 2005;54(3):242-7.

Lima MAM, Justo LP, Formigoni MLOS. Troca de seringas na cidade de São Paulo: uma estratégia de redução de danos para usuários de drogas injetáveis. J Bras Psiquiatr 2005;54(4):286-92.

Lopes MC, Rosa A, Roizenblatt S, Guilleminault C, Passarelli C, Tufik S, Poyares D. Cyclic alternating pattern in peripubertal children. Sleep 2005;28(2):215-9. doi: 10.1093/sleep/28.2.215.

Lucchesi LM, Braga NIO, Manzano GM, Pompeia S, Tufik S. Acute neurophysiological effects of the hypnotic zolpidem in healthy volunteers. Prog Neuropsychopharmacol Biol Psychiat 2005;29:557-64. doi: 10.1016/j.pnpbp.2005.01.013.

Lucchesi LM, Pradella-Hallinan M, Lucchesi M, Moraes WAS. O sono em transtornos psiquiátricos. Rev Bras Psiquiatr 2005;27(supl.1):27-32. doi: 10.1590/S1516-44462005000500006.

Machado RB, Suchecki D, Tufik S. Sleep homeostasis in rats assessed by a long-term intermittent paradoxical sleep deprivation protocol. Behav Brain Res 2005;160:356-64. doi: 10.1016/j.bbr.2005.01.001.

Martins PJF, Galdieri LC, Souza FG, Andersen ML, Benedito-Silva AA, Tufik S, D'Almeida V. Physiological variation in plasma total homocysteine concentrations in rats. Life Sci 2005;76:2621-9. doi: 10.1016/j.lfs.2004.12.011.

Mastroianni PC, Galduroz JCF, Carlini EA. Psychoactive drug advertising: a comparison of technical information from three countries: Brazil, United States and United Kingdom. Sao Paulo Med J 2005;123(5):209-14. doi: 10.1590/s1516-31802005000500002.

Mello MT, Boscolo RA, Esteves AM, Tufik S. O exercício físico e os aspectos psicobiológicos. Rev Bras Med Esporte 2005;11(3):203-7. doi: 10.1590/S1517-86922005000300010.

Mello MT, Damaso AR, Antunes HKM, Siqueira KO, Castro ML, Bertolino SV, Stella SG, Tufik S. Avaliação da composição corporal em adolescentes obesos: o uso de dois diferentes métodos. Rev Bras Med Esporte 2005;11(5):267-70. doi: 10.1590/S1517-86922005000500004.

Mendes FR, Rodrigues E, Negri G, Tabach R, Carlini EA. Cipó-caboclo (Davilla rugosa Poiret.): revisão, dados fitoquímicos e farmacológicos iniciais. J Bras Fitomed 2005;3(3):101-13.

Moreira F, Pedrazzoli M, Coelho FMS, Pradella-Hallinan M, Conceição MCL, Peregrino AJP, Oliveira EC, Tufik S. Clock gene polymorphisms and narcolepsy in positive and negative HLA-DQB1*0602 patients. Mol Brain Res 2005;140(1-2):150-4. doi: 10.1016/j.molbrainres.2005.07.015.

Moreira GA, Tufik S, Nery LE, Lutz J, Verfaille K, Luan X, Marcus CL. Acoustic arousal responses in children with obstructive sleep Apnea. Pediatr Pulmonol 2005;40(4):300-5. doi: 10.1002/ppul.20219.

Moreira KM, Ferreira TL, Fornari RV, Figueredo LZP, Oliveira MGM. Interaction between M1-muscarinic and glutamatergic NMDA receptors on an inhibitory avoidance task. Brain Res Bull 2005;67(6):504-8. doi: 10.1016/j.brainresbull.2005.07.019.

Nappo SA, Oliveira LG, Sanchez ZM, Carlini ELA. Trihexyphenidyl (Artane): a Brazilian study of its abuse. Subst Use Misuse 2005;40(4):473-82. doi: 10.1081/ja-200052423.

Nitrini R, Caramelli P, Bottino CMC, Damasceno BP, Brucki SMD, Anghinah R. Diagnóstico de doença de Alzheimer no Brasil: avaliação cognitiva e funcional. Recomendações do Departamento Científico de Neurologia Cognitiva e do Envelhecimento da Academia Brasileira de Neurologia. Arq Neuro-Psiquiatr. 2005;63(3A):720-7. doi: 10.1590/S0004-282X2005000400034.

Nitrini R, Caramelli P, Bottino CMC, Damasceno BP, Brucki SMD, Anghinah R. Diagnóstico de doença de Alzheimer no Brasil: critérios diagnósticos e exames complementares. Recomendações do Departamento Científico de Neurologia Cognitiva e do Envelhecimento da Academia Brasileira de Neurologia. Arq Neuro-Psiquiatr. 2005;63(3A):713-9. doi: 10.1590/S0004-282X2005000400033.

Orlandi P, Noto AR. Uso indevido de benzodiazepínicos: um estudo com informantes-chave no município de São Paulo. Rev Latinoam Enfermagem 2005;13(nº especial):896-902. doi: 10.1590/S0104-11692005000700018.

Papale LA, Andersen ML, Antunes IB, Alvarenga TAF, Tufik S. Sleep pattern in rats under different stress modalities. Brain Res 2005;1060(1-2):47-54. doi: 10.1016/j.brainres.2005.08.021.

Pereira HAA, Benassi SK, Mello LE. Plastic changes and disease-modifying effects of scopolamine in the pilocarpine model of epilepsy in rats. Epilepsia 2005;46(Suppl.5):118-24. doi: 10.1111/j.1528-1167.2005.01017.x.

Pereira DS, Tufik S, Louzada FM, Benedito-Silva AA, Lopez AR, Lemos NA, Korczak AL, D'Almeida V, Pedrazzoli M. Association of the length polymorphism in the human per3 gene with the delayed sleep-phase syndrome: Does latitude have an influence upon it? Sleep 2005;28(1):29-32. doi: 10.1093/sleep/28.1.29.

Perez-Mendes P, Cinini SM, Medeiros MA, Tufik S, Mello LE. Behavioral and histopathological analysis of domoic acid administration in marmosets. Epilepsia 2005;46(Suppl.5):148-51. doi: 10.1111/j.1528-1167.2005.01023.x.

Perry JC, Hipolide DC, Tufik S, Martins RD, Cunha C, Andreatini R, Vital MABF. Intra-nigral MPTP lesion in rats: behavioral and autoradiography studies**.** Exp Neurol 2005;195(2):322-9. doi: 10.1016/j.expneurol.2005.05.009.

Pompeia S, Manzano GM, Tufik S, Bueno OF. What makes lorazepam different from other benzodiazepines? J Physiol. 2005;569(Pt 2):709. doi: 10.1113/jphysiol.2005.569005.

Poyares D, Pinto Jr LR, Tavares S, Barros-Vieira S. Hipnoindutores e insônia. Rev Bras Psiquiatr 2005;27(supl.1):2-7. doi: 10.1590/S1516-44462005000500002.

Poyares D, Almeida CMO, Silva RS, Rosa A, Guilleminault C. Violência durante o sono. Rev Bras Psiquiatr 2005;27(supl.1):22-26. doi: 10.1590/S1516-44462005000500005.

Quadros IMH, Nóbrega JN, Hipolide DC, Souza-Formigoni MLO. Increased brain dopamine D4-like binding after chronic ethanol is not associated with behavioral sensitization in mice. Alcohol 2005;37:99-104. doi: 10.1016/j.alcohol.2005.12.001.

Ribeiro RL, Pompeia S, Bueno OFA. Comparison of Brazilian and American norms for the International Affective Picture System (IAPS). Rev Bras Psiquiatr. 2005;27(3):208-15. doi: 10.1590/S1516-44462005000300009.

Rodrigues CJO, Marson O, Tufic S, Kohlmann Jr O, Togeiro SMGP, Ribeiro AB, Tavares A. Relationship among end-stage renal disease, hypertension, and sleep apnea in nondiabetic dialysis patients. Am J Hypertension. 2005;18:152-7. doi: 10.1016/j.amjhyper.2004.08.028.

Rodrigues E, Carlini EA. Ritual use of plants with possible action on the central nervous system by the Kraho Indians, Brazil. Phytother Res. 2005;19(2):129-35. doi: 10.1002/ptr.1636.

Rodrigues E, Carlini EA. Potencial das plantas sul-americanas como agentes terapêuticos em neuropsiquiatria. Racine. 2005;84.

Rodrigues E. Plantas com restrições de uso indicadas por três grupos humanos do Brasil (caboclo, indígena e quilombola). J Bras Fitomed. 2005;3(3):92-100.

Ronzani TM, Ribeiro MS, Amaral MB, Formigoni ML. Implantação de rotinas de rastreamento do uso de risco de álcool e de uma intervenção breve na atenção primária à saúde: dificuldades a serem superadas. Cad Saude Publica. 2005;21(3):852-61. doi: 10.1590/S0102-311X2005000300019.

Sanchez ZM, Oliveira LG, Nappo SA. Razões para o não-uso de drogas ilícitas entre jovens em situação de risco. Rev Saúde Pública. 2005;39(4):599-605. doi: 10.1590/S0034-89102005000400013.

Santos FH, Mello CB, Bueno OF, Dellatolas G. Cross-cultural differences for three visual memory tasks in Brazilian children. Percept Mot Skills. 2005;101(2):421-33. doi: 10.2466/pms.101.2.421-433.

Santos Jr JG, Longo BM, Blanco MM, Oliveira MGM, Mello LE. Behavioral changes resulting from the administration of cycloheximide in the pilocarpine model of epilepsy. Brain Res. 2005;1066:37-48. doi: 10.1016/j.brainres.2005.09.037.

Santos Junior JG, Blanco MM, Do Monte FH, Russi M, Lanziotti VM, Leal LK, Cunha GM. Sedative and anticonvulsant effects of hydroalcoholic extract of Equisetum arvense. Fitoterapia. 2005;76(6):508-13. doi: 10.1016/j.fitote.2005.04.017.

Schenberg EE, Soares JCK, Oliveira MGM. Effects of pré- or post-training entorhinal córtex AP5 injection on fear conditioning. Physiol Behav. 2005;86:508-15. doi: 10.1016/j.physbeh.2005.08.032.

Schenberg LC, Povoa RMF, Costa ALP, Caldellas AV, Tufik S, Bittencourt AS. Functional specializations within the tectum defense systems of the rat. Neurosci Biobehav Rev. 2005;29(8):1279-98. doi: 10.1016/j.neubiorev.2005.05.006.

Scorza FA, Guerra ABG, Cavalheiro EA, Calil HM. Neurogênese e depressão: etiologia ou nova ilusão? Rev Bras Psiquiatr. 2005;27(3):249-53. doi: 10.1590/S1516-44462005000300017.

Silva LRJ, Vergani N, Galdieri LD, Porto MPR, Longhitano SB, Brunoni D, D'Almeida V, Perez ABA. Relationship between polymorphisms in genes involved in homocysteine metabolism and maternal risk for Down syndrome in Brazil. Am J Med Genet A. 2005;135(3):263-7. Doi: 10.1002/ajmg.a.30591

Stella SG, Vilar AP, Lacroix C, Fisberg M, Santos RF, Mello MT, Tufik S. Effects of type of physical exercise and leisure activities on the depression scores of obese Brazilian adolescent girls. Braz J Med Biol Res. 2005;38(11):1683-9. doi: 10.1590/S0100-879X2005001100017.

Togeiro SMGP, Smith AK. Métodos diagnósticos nos distúrbios do sono. Rev Bras Psiquiatr. 2005;27(supl.1):8-15. doi: 10.1590/S1516-44462005000500003.

Togeiro SMGP, Martins AB, Tufik S. Síndrome da apnéia obstrutiva do sono: abordagem clínica. Rev Bras Hipertens. 2005;12(3):196-9.

Tufik S, Poyares D. Sono, transtornos do sono e uso de hipnoindutores em psiquiatria. Rev Bras Psiquiatr. 2005;27(supl.1):1. doi: 10.1590/S1516-44462005000500001.

Valera FCP, Avelino MAG, Pettermann MB, Fujita R, Pignatari SSN, Moreira GA, Pradella-Hallinan ML, Tufik S, Weckx LLM. OSAS in children: Correlation between endoscopic and polysomnographic findings. Otolaryngol Head Neck Surg. 2005;132(2):268-272. doi: 10.1016/j.otohns.2004.09.033.

Zonato AI, Martinho FL, Bittencourt LR, de Oliveira Campones Brasil O, Gregorio LC, Tufik S. Head and neck physical examination: comparison between nonapneic and obstructive sleep apnea patients. Laryngoscope. 2005;115(6):1030-4. doi: 10.1097/01.MLG.0000163494.19965.DC.

2004.....

Abilio VC, Silva RH, Carvalho RC, Grassl C, Calzavara MB, Registro S, D'Almeida V, Ribeiro RA, Frussa-Filho R. Important role of striatal catalase in aging- and reserpine-induced oral dyskinesia. Neuropharmacology. 2004;47(2): 263-272. doi: 10.1016/j.neuropharm.2004.04.003

Abrisqueta-Gomez J, Canali F, Vieira VLD, Aguiar ACP, Ponce CSC, Brucki SM, Bueno OFA. A longitudinal study of a neuropsychological rehabilitation program in Alzheimer's disease. Arq Neuropsiquiatr 2004;62(3-B):778-83. doi: 10.1590/S0004-282X2004000500007.

Almeida RN, Motta SC, Faturi CB, Catallani B, Leite JR. Anxiolytic-like effects of rose oil inhalation on the elevated plus-maze test in rats. Pharmacol Biochem Behav 2004;77:361-4. doi: 10.1016/j.pbb.2003.11.004.

Almeida TF, Roizenblatt S, Tufik S. Afferent pain pathways: a neuroanatomical review. Brain Res 2004;1000:40-56. doi: 10.1016/j.brainres.2003.10.073.

Andersen ML, Bignotto M, Papale LA, Tufik S. Age-related effects on genital reflexes induced by paradoxical sleep deprivation and cocaine in rats. Exp Gerontol 2004;39(2):233-7. doi: 10.1016/j.exger.2003.10.026.

Andersen ML, Bignotto M, Tufik S.Hormone treatment facilitates penile erection in castrated rats after sleep deprivation and cocaine. J Neuroendocrinol 2004;16:154-9. doi: 10.1111/j.0953-8194.2004.01145.x.

Andersen ML, Papale LA, Tufik S. Cholinergic mechanisms in cocaine-induced genital reflexes in paradoxical sleep-deprived male rats. Pharmacol Biochem Behav 2004;77:525-31. doi: 10.1016/j.pbb.2003.12.005.

Andersen ML, Santos EHR, Seabra MLV, Silva AAB, Tufik S. Evaluation of acute and chronic treatments with Harpagophytum procumbens on Freund's adjuvant-induced arthritis in rats. J Ethnopharmacol 2004;91:325-30. doi: 10.1016/j.jep.2004.01.003.

Andersen ML, Martins PJF, D'Almeida V, Santos RF, Bignotto M, Tufik S. Effects of paradoxical sleep deprivation on blood parameters associated with cardiovascular risk in aged rats. Exp Gerontol 2004;39:817-24. doi: 10.1016/j.exger.2004.02.007.

Andersen ML, Bignotto M, Machado RB, Tufik S. Different stress modalities result in distinct steroid hormone responses by male rats. Braz J Med Biol Res 2004;37:791-7. doi: 10.1590/s0100-879x2004000600003.

Andersen ML, Tufik S. Inhibitory effect of GABAergic drugs in cocaine-induced genital reflexes in paradoxical sleep-deprived male rats. Pharmacol Biochem Behav 2004;78:301-7. doi: 10.1016/j.pbb.2004.04.003.

Andersen ML, Papale LA, Tufik S. Diurnal variation in the genital reflexes and hormone levels induced by paradoxical sleep deprivation and cocaine in male rats. Brain Res Bull 2004;64(3):215-20. doi: 10.1016/j.brainresbull.2004.07.007.

Andersen ML, Kawakami R, Tufik S. The effects of sleep deprivation and sleep recovery on pain thresholds of rats with chronic pain. Hypnos [periódico online] 2004 [citado 2004 Nov 23]. Disponível em: URL: http://www.flass.icb.usp.br/hypnos/hyp040115.html

Andersen ML, Frussa-Filho R, Tufik S Effects of morphine or naloxone on cocaine-induced genital reflexes in paradoxical sleep deprived rats. Pharmacol Biochem Behav 2004;79:515-21. doi: 10.1016/j.pbb.2004.09.003.

Auchewski L, Andreatini R, Galduroz JC, de Lacerda RB. Evaluation of the medical orientation for the benzodiazepine side effects. Rev Bras Psiquiatr 2004;26(1):24-31. doi: 10.1590/S1516-44462004000100008.

Bertolucci PHF, Siviero MO, Bueno OFA, Okamoto IH, Camargo CHP, Santos RF. Permanent global amnesia: case report. Clin Invest Méd 2004;27(2):101-6.

Bittencourt AS, Carobrez AP, Zamprogno LP, Tufik S, Schenberg LC. Organization of single components of defensive behaviors within distinct columns of periaqueductal gray matter of the rat: role of n-methyl-d-aspartic acid glutamate receptors. Neuroscience 2004;125:71-89. doi: 10.1016/j.neuroscience.2004.01.026.

Botelho RV, Bittencourt LRA, Rotta JM, Tufik S. A malformação de Chiari do adulto e a apnéia do sono. Arq Bras Neurocirur 2004;23(2):87-95.

Bricarello LP, Kasinski N, Bertolami MC, Faludi A, Pinto LA, Relvas WG, Izar MC, Ihara SS, Tufik S, Fonseca FA. Comparison between the effects of soy milk and non-fat cow milk on lipid profile and lipid peroxidation in patients with primary hypercholesterolemia. Nutrition 2004;20(2):200-4. doi: 10.1016/j.nut.2003.10.005.

Brucki SM, Rocha MS. Category fluency test: effects of age, gender and education on total scores, clustering and switching in Brazilian Portuguese-speaking subjects. Braz J Med Biol Res. 2004;37(12):1771-7. doi: 10.1590/s0100-879x2004001200002.

Calil HM, Guerra ABG. Depressão: uma doença mental? Ciênc Hoje 2004;34(201):28-33.

Cardoso R, Souza E, Camano L, Leite JR. Meditation in health: an operational definition. Brain Res Protoc 2004;14:58-60. doi: 10.1016/j.brainresprot.2004.09.002.

Carlini EA. The good and the bad effects of (-) trans-delta-9-tetrahydrocannabinol (Delta(9)-THC) on humans. Toxicon 2004;44(4):461-7. doi: 10.1016/j.toxicon.2004.05.009.

Carlini ELA, Galduroz JCF, Nappo SA. Avaliação da eficácia e da segurança do zolpidem em pacientes com insônia ocasional, transitória ou crônica. J Bras Psiquiatr 2004;53(5):271-9.

Carlini EA, Galduroz JC, Noto AR, Nappo SA. Comentário sobre o editorial "Uso de maconha na adolescência e risco de esquizofrenia". Rev Bras Psiquiatr 2004;26(2):136-7. doi: 10.1590/S1516-44462004000200015.

D'Almeida V, Pedrazzoli M, Martins PJF, Hipolide D, Lin L, Mignot E, Raymond R, Barlow K, Parkes J, Nobrega JN, Tufik S. Challenges to orexins in the maintenance of homeostasis – their participation in wake-sleep cycle and motor activity. Hypnos [periódico online] 2004.

De Micheli D, Formigoni MLOS. Drug use by brazilian students: associations with family, psychosocial, health, demographic and behavioral characteristics. Addiction 2004;99:570-8. doi: 10.1111/j.1360-0443.2003.00671.x.

De Micheli D, Fisberg M, Formigoni MLOS. Estudo da efetividade da Intervenção Breve para o uso de álcool e outras drogas em adolescentes atendidos num serviço de assistência primária à saúde. Rev Assoc Med Bras 2004;50(3):305-13. doi: 10.1590/S0104-42302004000300040.

Denadai BS, Ortiz MJ, Mello MT. Índices fisiológicos associados com a "performance" aeróbia em corredores de "endurance": efeitos da duração da prova. Rev Bras Med Esporte 2004;10(5):401-4. doi: 10.1590/S1517-86922004000500007.

Esteves AM, Mello MT, Lancellotti CLP, Natal CL, Tufik S. Occurrence of limb movement during sleep in rats with spinal cord injury. Brain Res 2004;1017(1-2):32-8.

Fernandez AC, Mello MT, Tufik S, Castro PM, Fisberg M. Influence of the aerobic and anaerobic training on the body fat mass in obese adolescents. Rev Bras Med Esporte 2004;10(3):150-64. doi: 10.1590/S1517-86922004000300004.

Ferreira SE, Mello MT, Formigoni MLOS. O efeito das bebidas alcoólicas pode ser afetado pela combinação com bebidas energéticas? Um estudo com usuários. Rev AMB 2004;50(1):48-51. doi: 10.1590/S0104-42302004000100034.

Ferreira SE, De Mello MT, Rossi MV, Souza-Formigoni ML. Does an energy drink modify the effects of alcohol in a maximal effort test? Alcohol Clin Exp Res 2004;28(9):1408-12. doi: 10.1097/01.alc.0000139822.74414.ec.

Ferreira SE, Quadros IMH, Trindade AA, Takahashi S, Koyama RG, Souza-Formigoni ML. Can energy drinks reduce the depressor effect of ethanol? An experimental study in mice. Physiol Behav 2004;82(5):841-7. doi: 10.1016/j.physbeh.2004.06.017.

Frussa-Filho R, Gonçalves MTM, Andersen ML, Araujo NP, Chinen CC, Tufik S. Paradoxical sleep deprivation potentiates amphetamine-induced behavioural sensitization by increasing its conditioned component. Brain Res 2004;1003:188-93. doi: 10.1016/j.brainres.2003.11.050.

Fujihara S, Brucki SM, Rocha MS, Carvalho AA, Piccolo AC. Prevalence of presenile dementia in a tertiary outpatient clinic. Arq Neuropsiquiatr. 2004;62(3A):592-5. doi: 10.1590/S0004-282X2004000400005.

Galduroz JCF, Noto AR, Nappo SA, Carlini EA. Trends in drug use among students in Brazil: analysis of four surveys in 1987, 1989, 1993 and 1997. Braz J Med Biol Res 2004;37(4):523-31. doi: 10.1590/s0100-879x2004000400009.

Galduroz JCF, Caetano R. Epidemiologia do uso de álcool no Brasil. Rev Bras Psiquiatr 2004;26(supl.1):3-6. doi: 10.1590/S1516-44462004000500002.

Galvão SMP, Mendes FR, Oliveira MGM, Mattei R, Carlini ELA. Possíveis efeitos adaptógenos da Heteropterys aphrodisiaca O. Mach. - Extrato BST 0298: uma planta da área do pantanal brasileiro. Arq Bras Fitomed Científica 2004;2(1):41-55.

Hamdan AC, Souza JA, Bueno OFA. Performance of university students on random number generation at different rates to evaluate executive functions. Arq Neuropsiquiatr 2004;62(1):58-60. doi: 10.1590/S0004-282X2004000100010.

Henrique IFS, De Micheli D, Lacerda RB, Lacerda LA, Formigoni MLOS. Validação da versão brasileira do Teste de Triagem do Envolvimento com Álcool, Cigarro e Outras Substâncias (ASSIST). Rev Assoc Med Bras 2004;50(2):199-206. doi: 10.1590/S0104-42302004000200039.

Justo LP, Calil HM. Intervenções psicossociais no transtorno bipolar. Rev Psiquiatr Clin 2004;31(2):91-9. doi: 10.1590/S0101-60832004000200005.

Laranjeira R, Romano M, Painel de Especialistas (Formigoni ML). Brazilian consensus on public policies on alcohol. Rev Bras Psiquiatr. 2004;26 Suppl 1:S68-77. doi: 10.1590/S1516-44462004000500017.

Machado RB, Hipolide DC, Benedito-Silva AA, Tufik S. Sleep deprivation induced by the modified multiple platform technique: quantification of sleep loss and recovery. Brain Res 2004;1004:45-51. doi: 10.1016/j.brainres.2004.01.019.

Marques ACPR, Furtado EF. Intervenções breves para problemas relacionados ao álcool. Rev Bras Psiquiatr 2004;26(supl.1):28-32. doi: 10.1590/S1516-44462004000500008.

Marques ACPR. Resenha do resumo do relatório da Organização Mundial de Saúde sobre neurociências e substâncias de abuso: pontos principais. J Bras Dep Quím 2004;5(1):51-6.

Marques LC, Galvão SMP, Espínola E, Dias RF, Mattei R, Oliveira MGM, Carlini ELA. Psychopharmacological assessment of Pfaffia glomerata roots (extract BNT-08) in rodents. Phytother Res 2004;18(7):566-72. doi: 10.1002/ptr.1500.

Martinho FL, Zonato AI, Bittencourt LRA, Gregório CL, Gregório LC, Tufik S. Indicação cirúrgica otorrinolaringológica em um ambulatório para pacientes com síndrome da apnéia e hipopnéia obstrutiva do sono. Rev Bras Otorrinolaringol 2004;70(1):46-51. doi: 10.1590/S0034-72992004000100008.

Martins PJF, D'Almeida V, Pedrazzoli M, Lin L, Mignot E, Tufik S. Increased hypocretin-1 (orexin-a) levels in cerebrospinal fluid of rats after short-term forced activity. Regul Pept 2004;117:155-8. doi: 10.1016/j.regpep.2003.10.003.

Mello CB, Muszkat M. Reabilitação cognitiva e lesão cerebral na infância: uma perspectiva multidisciplinar. Temas sobre Desenvolvimento. 2004;13(76):5-12.

Mello MT, Esteves AM, Tufik S. Comparison between dopaminergic agents and physical exercise as treatment for periodic limb movements in patients with spinal cord injury. Spinal Cord 2004;42(4):218-21. doi: 10.1038/sj.sc.3101575.

Mendes FR, Mattei R, Tabach R, Rodrigues E, Carlini ELA. Avaliação de um extrato de café (BST 0101) em modelos animais de depressão e síndrome de abstinência à morfina. Arq Bras Fitomed Científica 2004;2(1):56-68.

Menezes MCR, Pires MLN, Benedito-Silva AA, Tufik S. Sleep parameters among offshore workers: an initial assessment in the Campos Basin, Rio de Janeiro, Brazil. Chronobiol Int 2004;21(6):889-97. doi: 10.1081/cbi-200036876.

Miranda MC, Pompeia S, Bueno OFA. Um estudo comparativo das normas de um conjunto de 400 figuras entre crianças brasileiras e americanas. Rev Bras Psiquiatr 2004;26(4):226-33. doi: 10.1590/S1516-44462004000400005.

Noto AR, Fonseca AM, Silva EA, Galduroz JCF. Violência domiciliar associada ao consumo de bebidas alcoólicas e de outras drogas: um levantamento no Estado de São Paulo. J Bras Dep Quím 2004;5(1):9-17.

Oliveira CL, Mello MT, Cintra IP, Fisberg M. Obesidade e síndrome metabólica na infância e adolescência. Rev Nutr 2004;17(2):237-45.

Oliveira AC, Suchecki D, Cohen S, D'Almeida V. Acute stressor-selective effect on total plasma homocysteine concentration in rats. Pharmacol Biochem Behav 2004;77:269-73. doi: 10.1016/j.pbb.2003.11.003.

Pedrazzoli M, D'Almeida V, Martins PJF, Machado RB, Ling L, Nishino S, Tufik S, Mignot E. Increased hypocretin-1 levels in cerebrospinal fluid after REM sleep deprivation. Brain Res 2004;995:1-6. doi: 10.1016/j.brainres.2003.09.032.

Pedrazzoli M, Benedito MAC. Rapid eye movement sleep deprivation-induced down-regulation of beta-adrenergic receptors in the rat brainstem and hippocampus. Pharmacol Biochem Behav 2004;79:31-6. doi: 10.1016/j.pbb.2004.06.001.

Pedrazzoli M, Benedito MAC. Rapid eye movement (REM) sleep deprivation induces a decrease in neuronal nuclear volume in the locus coeruleus, hippocampus and cingulated cortex of the rat. Hypnos [periódico online] 2004 [citado 2004 Nov 23]. Disponível em: URL: http://www.flass.icb.usp.br/hypnos/hyp040115.html

Pedrazzoli M, Pereira DS. 24h Timing molecules: implications for circadian rhythms phenotypes in humans. Hypnos [periódico online] 2004.

Perry JC, Da Cunha C, Anselmo-Franci J, Andreatini R, Miyoshi E, Tufik S, Vital MABF. Behavioural and neurochemical effects of phosphatidylserine in MPTP lesion of the substantia nigra of rats. Eur J Pharmacol 2004;484:225-33. doi: 10.1016/j.ejphar.2003.11.029.

Perry JC, Vital MABF, Frussa-Filho R, Tufik S, Palermo-Neto J. Monosialoganglioside (GM1) attenuates the behavioural effects of long-term haloperidol administration in supersensitive rats. Eur Neuropsychopharmacol 2004;14:127-33. doi: 10.1016/S0924-977X(03)00074-9.

Pinto Jr LR, Seabra ML, Tufik S. Different criteria of sleep latency and the effect of melatonin on sleep consolidation. Sleep 2004;27(6):1089-92. doi: 10.1093/sleep/27.6.1089.

Pinto MCR, Roizenblatt S, Smith AK, Pinto Jr. LR, Tufik S. Repercussions of sleep apnea syndrome on the patient's spouse and family. Hypnos [periódico online] 2004 [citado 2004 Set 28]. Disponível em: URL: http://www.flass.icb.usp.br/hypnos/vol002/Hyp6-2002.pdf

Pompeia S, Lucchesi LM, Bueno OF, Manzano GM, Tufik S. Zolpidem and memory: a study using the process-dissociation procedure. Psychopharmacology 2004;174(3):327-33. doi: 10.1007/s00213-003-1760-z.

Poyares D, Guilleminault C, Ohayon MM, Tufik S. Chronic benzodiazepine usage and withdrawal in insomnia patients. J Psychiatr Res 2004;38:327-34. doi: 10.1016/j.jpsychires.2003.10.003.

Ribeiro RL, Pompeia S, Bueno OFA. Normas brasileiras para o *International Affective Picture System* (IAPS): comunicação breve. Rev Psiquiatr RS 2004;26(2):190-4. doi: 10.1590/S0101-81082004000200008.

Rocha MS, Brucki SM, Carvalho AA, Lima UW. Epidemiologic features of Guillain-Barre syndrome in Sao Paulo, Brazil. Arq Neuropsiquiatr. 2004;62(1):33-7. doi: 10.1590/S0004-282X2004000100006.

Rodrigues E, Carlini EA. Plants used by a Quilombola group in Brazil with potential central nervous system effects. Phytother Res 2004;18(9):748-53. doi: 10.1002/ptr.1535.

Rosa DA, Mello MT, Negrão AB, Souza-Formigoni MLO. Mood changes after maximal exercise testing in subjects with symptoms of exercise dependence. Percept Mot Skills 2004;99:341-53. doi: 10.2466/pms.99.1.341-353.

Sanchez ZVM, Oliveira LG, Nappo SA. Fatores protetores de adolescentes contra o uso de drogas com ênfase na religiosidade. Cienc Saúde Col 2004;9(1):43-55. doi: 10.1590/S1413-81232004000100005.

Santos EHR, Mello MT, Pradella-Hallinan M, Lucchesi L, Pires MLN, Tufik S. Sleep and sleepiness among Brazilian shift-working bus drivers. Chronobiol Int 2004;21(6):881-8. doi: 10.1081/cbi-200035952.

Sarro DM, Ferreira SE, Formigoni MLOS. Álcool e bebidas energéticas: quais os efeitos desta combinação? Rev Soc Bras Clin Méd 2004;2(3):72-6.

Schutz TC, Andersen ML, Tufik S. Influence of temporomandibular joint pain on sleep patterns: role of nitric oxide. J Dent Res 2004;83(9):693-7. doi: 10.1177/154405910408300907.

Setnik B, Souza FG, D'Almeida V, Nóbrega JN. Increased homocysteine levels associated with sex and stress in the learned helplessness model of depression. Pharmacol Biochem Behav 2004;77:155-61. doi: 10.1016/j.pbb.2003.10.006.

Silva RH, Abílio VC, Takatsu AL, Kameda SR, Grassl C, Chehin AB, Medrano WA, Calzavara MB, Registro S, Andersen ML, Machado RB, Carvalho RC, Ribeiro RA, Tufik S, Frussa-Filho R. Role of hippocampal oxidative stress im memory déficits induced by sleep deprivation in mice. Neuropharmacology 2004;46:895-903. doi: 10.1016/j.neuropharm.2003.11.032.

Silva RH, Kameda SR, Carvalho RC, Takatsu-Coleman AL, Niigaki ST, Abílio VC, Tufik S, Frussa-Filho R. Anxiogenic effect of sleep deprivation in the elevated plus-maze test in mice. Psychopharmacology 2004;176(2):115-22. doi: 10.1007/s00213-004-1873-z.

Silva RH, Chehin A, Kameda S, Takatsu-Coleman A, Abílio VC, Tufik S, Frussa-Filho R. Effects of pre- or post-training paradoxical sleep deprivation on two animal models of learning and memory in mice. Neurobiol Learn Mem 2004;82(2):90-8. doi: 10.1016/j.nlm.2004.04.005.

Sugai GCM, Freire AO, Tabosa A, Yamamura Y, Tufik S, Mello LEAM. Serotonin involvement in the electroacupuncture- and moxibustion-induced gastric emptying in rats. Physiol Behav 2004;82:855-61. doi: 10.1016/j.physbeh.2004.07.003.

Teixeira-Silva F, Prado GB, Ribeiro LCG, Leite JR. The anxiogenic vídeo-recorded Stroop Color-Word Test: psychological and physiological alterations and effects of diazepam. Physiol Behav 2004;82:215-30. doi: 10.1016/j.physbeh.2004.03.031.

Thiesen FV, Barros HMT. Measuring inhalant abuse among homeless youth in Southern Brazil. J Psychoactive Drugs 2004;36(2):201-5. doi: 10.1080/02791072.2004.10399730.

Tiba PA, Tufik S, Suchecki D. Effects of maternal separation on baseline sleep and cold stress-induced sleep rebound in adult Wistar rats. Sleep 2004;27(6):1146-53. doi: 10.1093/sleep/27.6.1146

Tucci AM, Kerr-Corrêa F, Dias RS. Social disability of Brazilian mood disorder patients. Braz J Med Biol Res 2004;37:1713-20. doi: 10.1590/s0100-879x2004001100017.

Zonato AI, Bittencourt LR, Martinho FL, Baiard P, Togeiro SM, Benedito-Silva AA, Tufik S. A comparison of public and private obstructive sleep apnea clinics. Braz J Med Biol Res 2004;37(1):69-76. doi: 10.1590/s0100-879x2004000100010.

2003.....

Abilio VC, Araujo CCS, Bergamo M, Calvente PRV, D'Almeida V, Ribeiro RA, Frussa-Filho R. Vitamin E attenuates reserpine-induced oral dyskinesia and striatal oxidized glutathione/reduced glutathione ratio (GSSG/GSH) enhancement in rats. Progr Neuropsychopharmacol Biol Psychiatry. 2003;27(1):109-14. doi:10.1016/S0278-5846(02)00340-8

Allen RP, Picchietti D, Hening WA, Trenkwalder C, Walters AS, Montplaisi J, International Restless Legs Syndrome Study Group (Mello MT, Tufik S). Restless legs syndrome: diagnostic criteria, special considerations, and epidemiology. A report from the restless legs syndrome diagnosis and epidemiology workshop at the National Institutes of Health. Sleep Med. 2003;4(2):101-19. doi: 10.1016/s1389-9457(03)00010-8.

Almeida TF, Roizenblatt S, Benedito-Silva AA, Tufik S. The effect of combined therapy (ultrasound and interferential current) on pain and sleep in fibromyalgia. Pain. 2003;104:665-72. doi: 10.1016/S0304-3959(03)00139-8.

Andersen ML, Bignotto M, Tufik S. The effect of apomorphine on genital reflexes in male rats deprived of paradoxical sleep. Physiol Behav. 2003;80:211-5. doi: 10.1016/j.physbeh.2003.07.006.

Andersen ML, Tufik S. Sleep patterns over 21-day period in rats with chronic constriction of sciatic nerve. Brain Res. 2003;984:84-92. doi: 10.1016/s0006-8993(03)03095-6.

Andersen ML, Bignotto M, Tufik S. Facilitation of ejaculation after methamphetamine administration in paradoxical sleep deprived rats. Brain Res. 2003;978:31-7. doi: 10.1016/s0006-8993(03)02749-5.

Andersen ML, Bignotto M, Tufik S. Influence of paradoxical sleep deprivation and cocaine on development of spontaneous penile reflexes in rats of different ages. Brain Res. 2003;968(1):130-8. doi: 10.1016/s0006-8993(03)02228-5.

Andersen ML, Bignotto M, Tufik S. Cocaine-induced genital reflexes during paradoxical sleep deprivation and recovery. Physiol Behav. 2003;78:255-9. doi: 10.1016/s0031-9384(02)00972-1.

Andrade VM, Oliveira MG, Miranda MC, Oliveira AS, Oliveira EM, Bueno OF. Semantic relations and repetition of items enhance the free recall of words by multiple sclerosis patients. J Clin Exp Neuropsychol. 2003;25(8):1070-8. doi: 10.1076/jcen.25.8.1070.16730.

Bittencourt LRA, Poyares D, Tufik S. Hipertensão arterial sistêmica e síndrome da apnéia e hipopnéia obstrutiva do sono. Aspectos fisiológicos. Hipertensão. 2003;6(3):86-90.

Bittencourt LRA, Poyares D, Tufik S. Hipertensão arterial sistêmica e síndrome da apnéia e hipopnéia obstrutiva do sono. Aspectos clínicos e terapêuticos. Hipertensão. 2003;6(3):91-5.

Botelho RV, Bittencourt LRA, Rotta JM, Tufik S. A prospective controlled study of sleep respiratory events in patients with craniovertebral junction malformation. J Neurosurg. 2003;99:1004-9. doi: 10.3171/jns.2003.99.6.1004.

Caputo F, Stella SG, Mello MT, Denadai BS. Índices de potência e capacidade aeróbia obtidos em cicloergômetro e esteira rolante: comparações entre corredores, ciclistas, triatletas e sedentários. Rev Bras Med Esporte. 2003;9(4):231-7. doi: 10.1590/S1517-86922003000400004.

Caputo F, Mello MT, Denadai BS. Oxygen uptake kinetics and time to exhaustion in cycling and running: a comparison between trained and untrained subjects. Arch Physiol Biochem. 2003;111(5):461-6. doi: 10.3109/13813450312331342337.

Carlini ELA, Nappo SA. The pharmacovigilance of psychoactive medications in Brazil. Rev Bras Psiquiatr. 2003;25(4):200-5. doi: 10.1590/S1516-44462003000400004.

Carlini EA. Plants and the central nervous system. Pharmacol Biochem Behav. 2003;75:501-12. doi: 10.1016/s0091-3057(03)00112-6.

Carlini EA, Nappo SA, Nogueira V, Naylor FGM. Metilfenidato: influência da notificação de receita A (cor amarela) sobre a prática de prescrição por médicos brasileiros. Rev Psiquiatr Clin. 2003;30(1):11-20. doi: 10.1590/S0101-60832003000100002.

Carlini EA. Redução de danos: uma visão internacional. J Bras Psiquiatr. 2003;52(5):335-9.

Carvalhaes-Neto N, Ramos LR, Suchecki D, Tufik S, Huayllas MK, Kater CE. The effect of hospitalization on the sleep pattern and on cortisol secretion of healthy elderly. Exp Aging Res. 2003;29(4):425-36. doi: 10.1080/03610730303702.

Cheik NC, Reis IT, Heredia RAG, Ventura ML, Tufik S, Antunes HKM, Mello MT. Efeitos do exercício físico e da atividade física na depressão e ansiedade em indivíduos idosos. Rev Bras Ciênc Mov. 2003;11(3):45-51.

Chen J, Conigrave KM, Macaskill P, Whitfield JB, Irwig L; World Health Organization and the International Society for Biomedical Research on Alcoholism Collaborative Group (Formigoni MLOS). Combining carbohydrate-deficient transferrin and gamma-glutamyltransferase to increase diagnostic accuracy for problem drinking. Alcohol Alcohol. 2003;38(6):574-82. doi: 10.1093/alcalc/agg113.

Dalla-Déa HRF, De Micheli D, Formigoni MLOS. Effects of identification and usefulness of the Lie Scale of the Drug Use Screening Inventory (DUSI-R) in the assessment of adolescent drug use. Drug Alcohol Depend. 2003;72:215-23. doi: 10.1016/s0376-8716(03)00219-9.

Denadai BS, Ortiz MJ, Stella SG, Mello MT. Validade da velocidade crítica para a determinação dos efeitos do treinamento no limiar anaeróbio em corredores de endurance. Rev Port Ciênc Despor. 2003;3(1):16-23.

Dias JC, Scivoletto S, Silva CJ, Laranjeira RR, Zaleski M, Gigliotti A, Argimon I, Marques ACPR. Redução de danos: posições da Associação Brasileira de Psiquiatria e da Associação Brasileira para Estudos do Álcool e outras Drogas. J Bras Psiquiatr. 2003;52(5):341-8.

Ferreira TL, Moreira KM, Ikeda DC, Bueno OFA, Oliveira MGM. Effects of dorsal striatum lesions in tone fear conditioning and contextual fear conditioning. Brain Res. 2003;987:17-24. doi: 10.1016/s0006-8993(03)03217-7.

Fonseca FAH, Ihara SSM, Izar MCO, Silva EP, Kasinski N, Lopes IEL, Pinto LESA, Paiva TB, Tufik S, De Paola AAV, Carvalho ACC. Hydrochlorothiazide abolishes the anti-atherosclerotic effect of quinapril. Clin Exp Pharmacol Physiol. 2003;30:779-85. doi: 10.1046/j.1440-1681.2003.03911.x.

Galduroz JCF, Noto AR, Nappo SA, Carlini ELA. First household survey on drug abuse in São Paulo, Brazil, 1999: principal findings. São Paulo Med J. 2003;121(6):231-7. doi: 10.1590/s1516-31802003000600003.

Galduroz JCF, Noto AR, Nappo SA, Carlini EA. Comparações dos resultados de dois levantamentos domiciliares sobre o uso de drogas psicotrópicas no estado de São Paulo nos anos de 1999 e 2001. J Bras Psiquiatr. 2003;52(1):43-51.

Guerra AB, Marques ACPR, Noto AR, Camargo BMV, Silva EA, Palhares HA, Galduroz JCF, Asevedo M, Formigoni MLOS, Nappo SA. Posicionamento da Disciplina de Medicina e Sociologia do Abuso de Drogas. J Bras Psiquiatr. 2003;52(5):363-5.

Hauache AG, Spinola-Castro A, Lourenzi V, Tufik S, Naspitz CK, Sole D. IGF-I, IGF-BP3, and GH serum levels after stimulation tests in prepubertal allergic boys. J Investig Allergol Clin Immunol. 2003;13(4):266-71.

Izar MC, Fonseca FA, Ihara SS, Kasinski N, Sang WH, Lopes IE, Pinto LD L, Relvas WG, Lourenço D, Tufik S, Paola AA, Carvalho AC. Risk Factors, biochemical markers, and genetic polymorphisms in early coronary artery disease. Arq Bras Cardiol. 2003;80(4):388-395. doi: 10.1590/S0066-782X2003000400003.

Lobo APT, Nappo AS, Sanchez ZM, Carlini EA. O uso indevido de anabolizantes na cidade de São Paulo: um estudo qualitativo. J Bras Psiquiatr. 2003;52(1):25-34.

Lucchesi LM, Pompeia S, Manzano GM, Kohn AF, Galduroz JC, Bueno OF, Tufik S. Flunitrazepam-induced changes in neurophysiological, behavioural, and subjective measures used to assess sedation. Prog Neuropsychopharmacol Biol Psychiatr. 2003;27(3):525-33. doi: 10.1016/S0278-5846(03)00044-7.

Lucchesi LM, Ramadam ZBA. Potencial evocado cognitivo (variação contingente negativa) e depressões. Temas. 2003;64/65:27-41.

Magierek V, Ramos PL, Silveira-Filho NG, Nogueira RL, Landeira-Fernandez J. Context fear conditioning inhibits panic-like behavior elicited by electrical stimulation of dorsal periaqueductal gray. Neuroreport. 2003;14(12):1641-4. doi: 10.1097/00001756-200308260-00020.

Martins PJF, D'Almeida V, Vergani N, Perez ABA, Tufik S. Increased plasma homocysteine levels in shift working bus drivers. Occup Environ Med. 2003;60:662-6. doi: 10.1136/oem.60.9.662.

Mastroianni PC, Galduroz JCF, Carlini EA. Influence of the legislation on the advertisement of psychoactive medications in Brazil. Rev Bras Psiquiatr. 2003;25(3):146-55. doi: 10.1590/S1516-44462003000300006.

Medeiros MA, Canteras NS, Suchecki D, Mello LEAM. C-Fos expression induced by electroacupuncture at the Zusanli point in rats submitted to repeated immobilization. Braz J Med Biol Res. 2003;36:1673-84. doi: 10.1590/s0100-879x2003001200009.

Medeiros MA, Canteras NS, Suchecki D, Mello LE. Analgesia and c-Fos expression in the periaqueductal gray induced by electroacupuncture at the Zusanli point in rats. Brain Res. 2003;973(2):196-204. doi: 10.1016/s0006-8993(03)02479-x.

Moreira KM, Hipolide DC, Nóbrega JN, Bueno OFA, Tufik S, Oliveira MGM. Deficits in avoidance responding after paradoxical sleep deprivation are not associated with altered [3H] pirenzepine binding to M1 muscarinic receptors in rat brain. Brain Res. 2003;977(1):31-37. doi: 10.1016/s0006-8993(03)02688-x.

Noto AR, Baptista MC, Faria ST, Nappo SA, Galduroz JCF, Carlini EA. Drogas e saúde na imprensa brasileira: uma análise de artigos publicados em jornais e revistas. Cad Saúde Pública. 2003;19(1):69-79. doi: 10.1590/S0102-311X2003000100008.

Ortiz MJ, Denadai BS, Stella SG, Mello MT. Efeitos do treinamento aeróbio de alta intensidade sobre a economia de corrida em atletas de endurance. Rev Bras Ciênc Mov. 2003;11(3):53-6.

Osorio RAL, Christofani JS, D'Almeida V, Russo AK, Piçarro IC. Reactive oxygen species in pregnant rats: effects of exercise and thermal stress. Comp Biochem Physiol C- Toxicol Pharmacol. 2003;135(1):89-95. doi:10.1016/S1532-0456(03)00078-4

Palermo-Neto J, Massoco CO, Souza WR. Effects of physical and psychological stressors on behavior, macrophage activity, and Ehrlich tumor growth. Brain Behav Immun. 2003;17(1):43-54. doi: 10.1016/s0889-1591(02)00057-0.

Perez ABA, D'Almeida V, Vergani N, Oliveira AC, Lima FT, Brunoni D. Methylenetetrahydrofolate reductase (MTHFR): Incidence of mutations C677T and A1298C in Brazilian population and its correlation with plasma homocysteine levels in spina bífida. Am J Med Genet A. 2003;119A(1):20-5. DOI 10.1002/ajmg.a.10059

Pompeia S, Miranda MC, Bueno OFA. Brazilian standardized norms for a set of pictures are comparable with those obtained internationally. Arq Neuropsiquiatr. 2003;61(4):916-9. doi: 10.1590/s0004-282x2003000600005.

Pompeia S, Bueno OFA, Galduroz JCF, Tufik S. Stem –completion tasks (indirect, direct inclusion and exclusion) are differently affected by equipotent doses of lorazepam and flunitrazepam. Hum Psychopharmacol Clin Exp. 2003;18:541-9. doi: 10.1002/hup.515.

Pompeia S, Manzano GM, Galduroz JCF, Tufik S, Bueno OFA. Lorazepam induces an atypical dissociation of visual and auditory event-related potentials. J Psychopharmacol. 2003;17(1):31-40. doi: 10.1177/0269881103017001690.

Pompeia S, Bueno OF, Tufik S. Lorazepam should no longer be used as a prototypical benzodiazepine. Psychopharmacology (Berl). 2003;169:211-2. doi: 10.1007/s00213-003-1516-9.

Pompeia S, Paes AT, Bueno OFA. Teste de complementação de letras: estímulos para uso no Brasil. Psicol Teor Pesqui. 2003;19(1):65-73. doi: 10.1590/S0102-37722003000100009.

Poyares D, Vieira SB, Tufik S. Insônia. RBM Rev Bras Med. 2003;60(9):650-56.

Quadros IMH, Souza-Formigoni MLO, Fornari RV, Nobrega JN, Oliveira MGM. Is behavioral sensitization to ethanol associated with contextual conditioning in mice? Behav Pharmacol. 2003;14(2):129-36. doi: 10.1097/00008877-200303000-00004.

Raymundo M, Nappo SA, Oliveira LG, Sanchez ZM, Carlini EA. Triexifenidila: caracterização de seu consumo abusivo por um grupo de usuários na cidade de São Paulo. Rev Psiquiatr Clin. 2003;30(6):207-17. doi: 10.1590/S0101-60832003000600003.

Ribeiro RA, Leite JR. Nantenine alkaloid presents anticonvulsant effect on two classical animal models. Phytomedicine. 2003;10(6-7):563-8. doi: 10.1078/094471103322331557.

Rodrigues E, Carlini EA. Levantamento etnofarmacológico realizado entre um grupo de quilombolas do Brasil. Arq Bras Fitomed Científica. 2003;1(2):80-7.

Rodrigues E, Carlini EA. Possíveis efeitos sobre o sistema nervoso central de plantas utilizadas por duas culturas brasileiras (quilombolas e índios). Arq Bras Fitomed Científica. 2003;1(3):147-54.

Rosa DA, De Mello MT, Souza-Formigoni MLO. Dependência da prática de exercícios físicos: estudo com maratonistas brasileiros. Rev Bras Med Esporte. 2003;9(1):9-14. doi: 10.1590/S1517-86922003000100003.

Rossi MV, Lima WP, Ferreira SE, Formigoni MLOS, Mello MT. Álcool e performance física. Rev Corpoconsciência. 2003;11:9-29.

Santos FH, Bueno OFA. Validation of the Brazilian Children's Test of Pseudoword Repetition in Portuguese speakers aged 4 to 10 years. Braz J Med Biol Res. 2003;36:1533-47. doi: 10.1590/s0100-879x2003001100012.

Santos RF, Galduroz JC, Barbieri A, Castiglioni ML, Ytaya LY, Bueno OF. Cognitive performance, SPECT, and blood viscosity in elderly non-demented people using Ginkgo Biloba. Pharmacopsychiatry. 2003;36(4):127-33. doi: 10.1055/s-2003-41197.

Schütz TCB, Andersen ML, Tufik S. Sleep alterations in an experimental orofacial pain model in rats. Brain Res. 2003;993:164-71. doi: 10.1016/j.brainres.2003.09.006.

Souza L, Benedito-Silva AA, Pires MLN, Poyares D, Tufik S, Calil HM. Further validation of actigraphy for sleep studies. Sleep. 2003;26(1):81-4. doi: 10.1093/sleep/26.1.81.

Stella SG, Fernandez AC, Vilar AP, Lacroix C, Fisberg M, Mello MT, Tufik S. Estudo comparativo das capacidades aeróbia e anaeróbia de adolescentes com obesidade severa da cidade de São Paulo. Rev Bras Ciên Mov. 2003;11(1):23-8.

Suchecki D, Antunes J, Tufik S. Palatable solutions during paradoxical sleep deprivation: reduction of hypothalamic-pituitary-adrenal axis activity and lack of effect on energy imbalance. J Neuroendocrinol. 2003;15:815-21. doi: 10.1046/j.1365-2826.2003.01067.x.

Tabach R, Oliveira WP. Evaluation of the anti-ulcerogenic activity of a dry extract of Maytenus ilicifolia Martius ex. Reiss produced by a jet spouted bed dryer. Pharmazie. 2003;58:573-6.

Tabach R, Carlini EA. Espinheira-santa. Arq Bras Fitomed Científica. 2003;1(1):4-5.

Tiba PA, Palma BD, Tufik S, Suchecki D. Effects of early handling on basal and stress-induced sleep parameters in rats. Brain Res. 2003;975(1-2):158-66. doi: 10.1016/s0006-8993(03)02630-1.

Walters AS, LeBrocq C, Dhar A, Hening W, Rosen R, Allen RP, Trenkwalder C; International Restless Legs Syndrome Study Group (Tufik S, Mello MT). Validation of the International Restless Legs Syndrome Study Group rating scale for restless legs syndrome. Sleep Med. 2003;4(2):121-32. doi: 10.1016/s1389-9457(02)00258-7.

Zonato AI, Bittencourt LR, Martinho FL, Junior JF, Gregorio LC, Tufik S. Association of systematic head and neck physical examination with severity of obstructive sleep apnea-

hypopnea syndrome. Laryngoscope. 2003;113(6):973-80. doi: 10.1097/00005537-200306000-00011.

2002.....

Abílio VC, Vera Jr. JAR, Ferreira LSM, Duarte CRM, Carvalho RC, Grassl C, Martins CR, Torres-Leite D, Bignotto M, Tufik S, Ribeiro RA, Frussa-Filho R. Effects of melatonin on orofacial movements in rats. Psychopharmacology 2002;161:340-7. doi: 10.1007/s00213-002-1081-7.

Abrisqueta-Gomez J, Bueno OFA, Oliveira MGM, Bertolucci PHF. Recognition memory for emotional pictures in Alzheimer's patients. Acta Neurol Scand 2002;105:51-4. doi: 10.1034/j.1600-0404.2002.00035.x.

Ali R, Awwad E, Babor T, Bradley F, Butau T, Farrell M, Formigoni MLOS, Isralowitz R, Lacerda RB, Marsden J, Mcree B, Monteiro MG, Pal H, Stipec MR, Vendetti J (WHO ASSIST Working Group). The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): development, reliability and feasibility. Addiction 2002;97:1183-94. doi: 10.1046/j.1360-0443.2002.00185.x.

Almeida FR, Bittencourt LR, Almeida CIR, Tsuiki S, Lowe AA, Tufik S. Effects of mandibular posture on obstructive sleep apnea severity and the temporomandibular joint in patients fitted with an oral appliance. Sleep 2002;25(5):507-13. doi: 10.1093/sleep/25.5.505.

Andersen ML, Tufik S. Distinct effects of paradoxical sleep deprivation and cocaine administration on sexual behavior in male rats. Addict Biol 2002;7:251-3. doi: 10.1080/135562102200120497.

Andersen ML, Bignotto M, Machado RB, Tufik S. Does paradoxical sleep deprivation and cocaine induce penile erection and ejaculation in old rats? Addict Biol 2002;7:285-90. doi: 10.1080/13556210220139497.

Andreatini R, Sartori VA, Seabra MLV, Leite JR. Effect of valepotriates (Valerian extract) in generalized anxiety disorder: a randomized placebo-controlled pilot study. Phytother Res 2002;16:650-4. doi: 10.1002/ptr.1027.

Avelino MAG, Pereira FC, Carlini D, Moreira GA, Fujita R, Weckw LLM. Avaliação polissonográfica da síndrome da apnéia obstrutiva do sono em crianças, antes e após adenoamigdatomia. Rev Bras Otorrinolaringol 2002;68(3):308-11. doi: 10.1590/S0034-72992002000300003.

Baptista MC, Noto AR, Nappo SA, Carlini ELA. O uso de êxtase (MDMA) na cidade de São Paulo e imediações: um estudo etnográfico. J Bras Psiquiatr 2002;51(2);81-9.

Barros HMT, Calil HM, Guimarães FS, Soares JC, Andreatini R. The brain decade in debate: V-Neurobiology of depression. Progr Neuropsychopharmacol Biol Psychiatr 2002;26:613-7. doi: 10.1016/s0278-5846(01)00260-3.

Calvente PRV, Araujo CCS, Bergamo M, Abilio VC, D'Almeida V, Ribeiro RA, Frussa R. The mitochondrial toxin 3-nitropropionic acid aggravates reserpine-induced oral dyskinesia in rats. Progr Neuropsychopharmacol Biol Psychiatry. 2002;26(2):401-5. Doi: 10.1016/S0278-5846(01)00255-X

Conigrave KM, Degenhardt LJ, Whitfield JB, Saunders JB, Helander A, Tabakoff B; WHO/ISBRA Study Group (Formigoni MLOS). CDT, GGT, and AST as markers of alcohol use:

the WHO/ISBRA collaborative project. Alcohol Clin Exp Res. 2002;26(3):332-9. doi: 10.1111/j.1530-0277.2002.tb02542.x

D'Almeida V, Oliveira AC, Hipolide DC, Raymond R, Nóbrega JN, Tufik S. Evidence of oxidative stress after sleep deprivation in rats. Free Rad Biol Med. 2002;33(Suppl.1):315-8.

Dametto M, Suchecki D, Bueno OFA, Moreira KM, Tufik S, Oliveira MGM. Social stress does not interact with paradoxical sleep deprivation-induced memory impairment. Behav Brain Res 2002;129:171-8. doi: 10.1016/s0166-4328(01)00345-x.

De Mello MT, Silva AC, Esteves AM, Tufik S. Reduction of periodic leg movement in individuals with paraplegia following aerobic physical exercise. Spinal Cord 2002;40:646-9. doi: 10.1038/sj.sc.3101381.

De Mello MT, Esteves AM, Comparoni A, Benedito-Silva AA, Tufik S. Avaliação do padrão e das queixas relativas ao sono, cronotipo e adaptação ao fuso horário dos atletas brasileiros participantes da Paraolimpíada em Sidney – 2000. Rev Bras Med Esporte 2002;8(3):122-8. doi: 10.1590/S1517-86922002000300010.

De Micheli D, Formigoni MLOS. Psychometric properties of the brazilian version of the Drug Use Screening Inventory. Alcohol Clin Exp Res 2002;26(10):1523-8. doi: 10.1097/01.ALC.0000033124.61068.A7.

De Micheli D, Formigoni MLOS. Are reasons for the first use of drugs and family circumstances predictors of future use patterns? Addict Behav 2002;27:87-100. doi: 10.1016/s0306-4603(00)00167-2.

Dutra RC, Andreazza AP, Andreatini R, Tufik S, Vital MABF. Behavioral effects of MK-801 on reserpine-treated mice. Prog. Neuropsychopharmacol Biol Psychiatr 2002;26:487-95. doi: 10.1016/s0278-5846(01)00295-0.

Figlie NB, Benedito-Silva AA, Monteiro MG, Souza-Formigoni MLO. Biological markers of alcohol consumption in nondrinkers, drinkers, and alcohol-dependent brazilian patients. Alcohol Clin Exp Res 2002;26(7):1062-9. doi: 10.1111/j.1530-0277.2002.tb02640.x.

Galduroz JCF, Noto AR, Nappo SA, Carlini ELA. O uso de álcool entre os habitantes das 24 maiores cidades do Estado de São Paulo: pesquisa populacional – 1999. Temas 2002;62/63:69-85.

Galvão SMP, Marques LC, Oliveira MGM, Carlini EA. Heteropterys aphrodisiaca (extract BST0298): a brazilian plant that improves memory in aged rats. J Ethnopharmacol 2002;79:305-11. doi: 10.1016/s0378-8741(01)00402-0.

Giavarotti L, D'Almeida V, Giavarotti KAS, Azzalis LA, Rodrigues L, Cravero AAM, Videla LA, Koch OR, Junqueira VBC. Liver necrosis induced by acute intraperitoneal ethanol administration in aged rats. Free Radical Res. 2002;36(3):269-75. Doi: 10.1080/10715760290019282

Glanz J, Grant B, Monteiro M, Tabakoff B; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni ML). WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence: analysis of demographic, behavioral, physiologic, and drinking variables that contribute to dependence and seeking treatment. Alcohol Clin Exp Res. 2002;26(7):1047-61. doi: 10.1111/j.1530-0277.2002.tb02639.x.

Guerra-Shinohara EM, Paiva AA, Rondo PH, Yamasaki K, Terzi CA, D'Almeida V. Relationship between total homocysteine and folate levels in pregnant women and their newborn babies according to maternal serum levels of vitamin B-12. BJOG. 2002;109(7):784-91.

Guilleminault C, Li K, Chen NH, Poyares D. Two-point palatal discrimination in patients with upper airway resistance syndrome, obstructive sleep apnea syndrome, and normal control subjects. Chest 2002;122(3):866-70. doi: 10.1378/chest.122.3.866.

Guilleminault C, Poyares D. Arousal and upper airway resistance (UAR). Sleep Med. 2002;3(Suppl 2):S15-20. doi: 10.1016/s1389-9457(02)00158-2.

Guilleminault C, Palombini L, Poyares D, Chowdhuri S. Chronic insomnia, premenopausal women and sleep disordered breathing: part 2. Comparison of nondrug treatment trials in normal breathing and UARS post menopausal women complaining of chronic insomnia. J Psychosom Res 2002;53(1):617-23. doi: 10.1016/s0022-3999(02)00463-4.

Guilleminault C, Palombini L, Poyares D, Chowdhuri S. Chronic insomnia, postmenopausal women, and sleep disordered breathing: part 1. Frequency of sleep disordered breathing in a cohort. J Psychosom Res 2002;53(1):611-5. doi: 10.1016/s0022-3999(02)00445-2.

Guilleminault C, Moscovitch A, Yuen K, Poyares D. Atypical sexual behavior during sleep. Psychosom Med 2002;64(2):328-36. doi: 10.1097/00006842-200203000-00017.

Helander A, Eriksson CJ; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni MLOS). Laboratory tests for acute alcohol consumption: results of the WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence. Alcohol Clin Exp Res. 2002;26(7):1070-7. doi: 10.1111/j.1530-0277.2002.tb02641.x.

Hipolide DC, D'Almeida V, Raymond R, Tufik S, Nóbrega JN. Sleep deprivation does not affect indices of necrosis or apoptosis in rat brain. Int J Neurosci 2002;112:155-66. doi: 10.1080/00207450212022.

Hoffman PL, Glanz J, Tabakoff B; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni ML). Platelet adenylyl cyclase activity as a state or trait marker in alcohol dependence: results of the WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence. Alcohol Clin Exp Res. 2002;26(7):1078-87. doi: 10.1111/j.1530-0277.2002.tb02642.x.

Kovac I, Mérette C, Legault L, Dongier M, Palmour RM; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni MLOS). Evidence in an international sample of alcohol-dependent subjects of subgroups with specific symptom patterns of antisocial personality disorder. Alcohol Clin Exp Res. 2002;26(7):1088-96. doi: 10.1111/j.1530-0277.2002.tb02643.x.

Marques ACPR, Buscatti D, Formigoni MLOS. O abandono no tratamento da dependência de álcool e outras drogas: como diminuir este fenômeno? J Bras Dep Quím 2002;3(1):17-23.

Marques LC, Danucalov MA, Torres F, Galduroz JCF, Carlini ELA, Silva AC. Estudo clínico dupo-cego de extrato padronizado (BNT-08) das raízes de Pfaffia glomerata (Spreng.) Pedersen: avaliação do efeito tônico em atividade física. Rev Bras Farmacognosia. 2002;12:44-7. doi: 10.1590/S0102-695X2002000300021.

Martinez LD, Barón AE, Helander A, Conigrave KM, Tabakoff B; WHO/ISBRA Collaborative Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni ML). The effect of total body water on the relationship between alcohol consumption and carbohydrate-deficient transferrin. Alcohol Clin Exp Res. 2002;26(7):1097-104. doi: 10.1111/j.1530-0277.2002.tb02644.x.

Mendes FR, Mattei R, Carlini ELA. Activity of Hypericum brasiliense and Hypericum cordatum on the central nervous system in rodents. Fitoterapia 2002;73:462-71. doi: 10.1016/s0367-326x(02)00165-x.

Morelli VM, Lourenco DM, D'Almeida V, Franco RF, Miranda F, Zago MA, Noguti MAE, Cruz E, Kerbauy J. Hyperhomocysteinemia increases the risk of venous thrombosis independent of the C677T mutation of the methylenetetrahydrofolate reductase gene in selected Brazilian patients. Blood Coagul Fibrinolysis. 2002;13(3):271-5.

Nakamura-Palacios EM, Bueno OFA, Takahashi RN, Tufik S. Acute or chronic effects of cannabinoids on spontaneous or pharmacologically induced yawning in rats. Pharmacol Biochem Behav 2002;74:205-12. doi: 10.1016/s0091-3057(02)00991-7.

Nappo SA, Tabach R, Noto AR, Galduroz JCF, Carlini ELA. Use of anorectic amphetamine-like drugs by Brazilian women. Eat Behav 2002;3;153-65. doi: 10.1016/s1471-0153(01)00054-x.

Noto AR, Formigoni MLOS. A política de saúde pública no Brasil. Ciênc Hoje 2002;31(181):45-7.

Noto AR, Carlini EA, Mastroianni PC, Alves VC, Galduroz JCF, Kuroiwa W, Csizmar J, Costa A, Faria MA, Hidalgo SR, Assis D, Nappo SA. Analysis of prescription and dispensation of psychotropic medications in two cities in the State of São Paulo, Brazil. Rev Bras Psiquiatr 2002;24(2);68-73. doi: 10.1590/S1516-44462002000200006.

Noto AR, Moura YG, Nappo SA, Galduroz JCF, Carlini ELA. Internações por transtornos mentais e de comportamento decorrentes de substâncias psicoativas: um estudo epidemiológico nacional do período de 1988 a 1999. J Bras Psiquiatr 2002;51(2);113-21.

Oliveira AC, D'Almeida V, Hipolide DC, Nobrega JN, Tufik S. Sleep deprivation reduces total plasma homocysteine levels in rats. Can J Physiol Pharmacol 2002;80:193-7. doi: 10.1139/y02-018.

Palma BD, Gabriel Jr A, Bignotto M, Tufik S. Paradoxical sleep deprivation increases plasma endothelin levels. Braz J Med Biol Res 2002;35:75-9. doi: 10.1590/s0100-879x2002000100011.

Pedrazzoli M, Ling L, Young TB, Finn L, Tufik S, Mignot E. Effect of the prion 129 polymorphism on nocturnal sleep and insomnia complaints: a population-based study. J Sleep Res 2002;11:357-8. doi: 10.1046/j.1365-2869.2002.00318.x.

Peres RC, Leite JR. The influence of competitive status (winner/loser) on the behavior of male rats in three models of anxiety. Aggress Behav 2002;28(2):164-71. doi: 10.1002/ab.90018.

Pinto Jr LR, Peres CA, Russo RH, Remesar-Lopes AJ, Tufik S. Sawtooth waves during REM sleep after administration of haloperidol combined with total sleep deprivation in healthy young subjects. Braz J Med Biol Res 2002;35:599-604. doi: 10.1590/s0100-879x2002000500013.

Pompeia S, Rusted JM, Curran HV. Verbal fluency facilitated by the cholinergic blocker, scopolamine. Human Psychopharmacol Clin Exp. 2002;17(1):51-9. doi: 10.1002/hup.331.

Poyares D, Guilleminault C, Rosa A, Ohayon M, Koester U. Arousal, EEG spectral power and pulse transit time in UARS and mild OSAS subjects. Clin Neurophysiol 2002;113(10):1598-1606. doi: 10.1016/s1388-2457(02)00214-6.

Poyares D, Guilleminault C, Rosa A. Sleep and EEG power spectrum in post encephalitis hypersomnia: a case report. Sleep Med. 2002;3(2):155-8. doi: 10.1016/s1389-9457(01)00124-1.

Poyares DR, Guilleminault C, Ohayon MM, Tufik S. Can valerian improve the sleep of insomniacs after benzodiazepine withdrawal? Progr Neuropsychopahrmacol Biol Psychiatr 2002;26:539-45. doi: 10.1016/s0278-5846(01)00305-0.

Quadros IMH, Nobrega JN, Hipolide DC, De Lucca EM, Souza-Formigoni MLO. Differential propensity to ethanol sensitization is not associated with altered binding to D1 receptors or dopamine transporters in mouse brain. Addict Biol 2002;7:291-9. doi: 10.1080/13556210220139505.

Quadros IMH, Hipolide DC, Frussa-Filho R, De Lucca EM, Nobrega JN, Souza-Formigoni MLO. Resistance to ethanol sensitization is associated with increased NMDA receptor binding in specific brain areas. Eur J Pharmacol 2002;442:55-61. doi: 10.1016/s0014-2999(02)01503-0.

Sanchez ZM, Nappo SA. Sequência de drogas consumidas por usuários de crack e fatores interferentes. Rev Saúde Pública 2002;36(4):420-30. doi: 10.1590/S0034-89102002000400007.

Santos CHS, Almeida ILB, Gomes MDC, Serafim A, Pereira MM, Muszkat M, Rizzutti S, Patrício FRS, Miranda MC, Vilanova LCP. Calcificação intracraniana occipital bilateral, epilepsia e doença celíaca: Relato de caso. Arq Neuropsiquiatr 2002;60(3B):840-3. doi: 10.1590/S0004-282X2002000500028.

Silva AC, Cameiro ABM, Zekhry NN, Neder JA, Mello MT, Danucalov MAD, Tufik S, Pitetti KH. Estimated maximal voluntary ventilation and breathing reserve of paralympic athletes. Am J Med Sports 2002;4:197-201.

Silva EP, Fonseca FAH, Ihara SSM, Izar MCO, Lopes IL, Pinto LESA, Badimon JJ, Tuffik S, Paiva TB, Kasinski N, De Paola AV, Carvalho ACC. Early benefits of pravastatin to experimentally induced atherosclerosis. J Cardiovasc Pharmacol 2002;39:389-95. doi: 10.1097/00005344-200203000-00010.

Snell LD, Glanz J, Tabakoff B, WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni MLOS). Relationships between effects of smoking, gender, and alcohol dependence on platelet monoamine oxidase-B: Activity, affinity labeling, and protein measurements. Alcohol Clin Exp Res. 2002;26(7):1105-13. doi: 10.1111/j.1530-0277.2002.tb02645.x.

Suchecki D, Tiba PA, Tufik S. Hormonal and behavioural responses of paradoxical sleep-deprived rats to the elevated plus maze. J Neuroendocrinol 2002;14:549-54. doi: 10.1046/j.1365-2826.2002.00812.x.

Suchecki D, Tiba PA, Tufik S. Paradoxical sleep deprivation facilitates subsequent corticosterone response to a mild stressor in rats. Neurosci Lett 2002;320:45-8. doi: 10.1016/s0304-3940(02)00024-1.

Tufik S. Yawning behavior. Annu Rev Biomed Sci. 2002;4:41-51.

Vismari L, Pires MLN, Benedito-Silva AA, Calil HM. Bioavailability of immediate and controlled release formulations of lithium carbonate. Rev Bras Psiquiatr 2002;24(2):74-9. doi: 10.1590/S1516-44462002000200007.

Vital R, Leitão MB, De Mello MT, Tufik S. Avaliação clínica dos atletas paraolímpicos. Rev Bras Med Esporte 2002;8(3):77-83. doi: 10.1590/S1517-86922002000300003.

Wurst FM, Metzger J; WHO/ISBRA Study on State and Trait Markers of Alcohol Use and Dependence Investigators (Formigoni MLOS). The ethanol conjugate ethyl glucuronide is a useful marker of recent alcohol consumption. Alcohol Clin Exp Res. 2002;26(7):1114-9. doi: 10.1111/j.1530-0277.2002.tb02646.x.

Xavier FM, Ferraza MP, Argimon I, Trentini CM, Poyares D, Bertollucci PH, Bisol LW, Moriguchi EH. The DSM-IV 'minor depression' disorder in the oldest-old: prevalence rate, sleep patterns, memory function and quality of life in elderly people of Italian descent in Southern Brazil. Int J Geriatr Psychiatr 2002;17(2):107-16. doi: 10.1002/gps.517.

2001.....

Aloe F, Amzica F, Hening W, Menna-Barreto L, Pinto Jr LR, Velluti R, Vertes R, Timo-Iaria C. The brain decade in debate: VII. Neurobiology of sleep and dreams. Braz J Med Biol Res 2001;34(12):1509-19. doi: 10.1590/s0100-879x2001001200002.

Andrade VM, Bueno OFA. Medical psychology in Brazil. J Clin Psychol Med Settings 2001;8(1):9-13. doi: 10.1023/A:1011363403716.

Andreatini R, Pires MLN, Calil HM. A ética do uso de placebo em estudos clínicos. J Bras Psiquiatr 2001;50(7-8):241-5.

Andreatini R, Blanchard C, Blanchard R, Brandão ML, Carobrez AP, Griebel G, Guimarães FS, Handley SL, Jenck F, Leite JR, Rodgers J, Schenberg LC, Da Cunha C, Graeff FG. The brain decade in debate: II. Panic or anxiety? From animal models to a neurobiological basis. Braz J Med Biol Res 2001;34:145-54. doi: 10.1590/s0100-879x2001000200001.

Antunes HKM, Santos RF, Heredia RAG, Bueno OFA, De Mello MT. Alterações cognitivas em idosas decorrentes do exercício físico sistematizado. Rev Sobama 2001;6(1):27-33.

Benedito MAC, Camarini R. Rapid eye movement sleep deprivation induces an increase in acetylcholinesterase activity in discrete rat brain regions. Braz J Med Biol Res 2001;34:103-9. doi: 10.1590/s0100-879x2001000100012.

Bittencourt LRA. Tratamento clínico e cirúrgico da síndrome da apnéia e hipopnéia obstrutiva do sono (SAHOS). RBM –Rev Bras Med 2001;58:618-29.

Bittencourt LRA, Togeiro SMGP, Bagnato MC. Diagnóstico da síndrome da apnéia e hipopnéia obstrutiva do sono. RBM – Rev Bras Med 2001;58:584-93.

Bittencourt LRA, Suchecki D, Tufik S, Peres C, Togeiro SM, Bagnato MC, Nery LE. The variability of the apnoea-hypopnoea index. J Sleep Res 2001;10:245-51. doi: 10.1046/j.1365-2869.2001.00255.x.

Bittencourt LRA. Laboratório de sono. Hypnos (São Paulo). 2001;2(Supl. 1):3-7.

Botelho RV, Abgussen CMB, Machado GCFP, Elias AJR, Silva AAB, Bittencourt LRA, Fontoura EAF. Epidemiologia do trauma raquimedular cervical na zona norte da cidade de São Paulo. Arq Bras Neurocirur 2001;20(3-4):64-76.

Calil HM. Fluoxetine: a suitable long-term treatment. J Clin Psychiatr 2001;62(suppl.22):24-9.

Carlini EA, Nappo SA, Galduroz JCF, Noto AR. Drogas psicotrópicas: o que são e como agem. Rev Imesc 2001;3;9-35.

De Micheli D, Formigoni MLOS. As razões para o primeiro uso de drogas e as circunstâncias familiares prevêem os padrões de uso futuro? J Bras Dep Quím 2001;2(1):20-30.

Ferreira SE, Tufik S, De Mello MT. Neuroadaptaçäo: uma proposta alternativa de atividade física para usuários de drogas em recuperaçäo. Rev Bras Ciênc Mov 2001;9(1):31-9.

Galduroz JCF, Noto AR, Nappo SA. Prevenção ao uso abusivo de medicamentos no Brasil. Temas 2001;31(60-61);15-23.

Galduroz JCF. Uso e abuso de drogas psicotrópicas no Brasil. Rev Imesc 2001;3;37-42.

Gouveia P, Bolognani S, Brucki S, Fabrício A, Bueno O. Metodologia em reabilitação neuropsicológica de pacientes com lesão cerebral adquirida. Rev Psiquiatr Clín 2001;28(6):295-9.

Guilleminault C, Poyares D, Abat F, Palombini L, Abat F. Sleep and wakefulness in somnambulism: a spectral analysis study. J Psychosom Res 2001;51(2):411-6. doi: 10.1016/s0022-3999(01)00187-8.

Guilleminault C, Poyares D, Palombini L, Koester U, Pelin Z, Black J. Variability of respiratory effort in relation to sleep stages in normal controls and upper airway resistance syndrome patients. Sleep Med. 2001;2(5):397-405. doi: 10.1016/s1389-9457(01)00111-3.

Marques ACPR, Formigoni MLOS. Alcohol dependence treatment in brazilian perspective. Addiction 2001;96(8):1215-6.

Marques ACPR, Formigoni MLOS. Comparison of individual and group cognitive-behavioral therapy for alcohol and/or drug-dependent patients. Addiction 2001;96:835-46. doi: 10.1046/j.1360-0443.2001.9668355.x.

Marques ACPR, Campana A, Gigliotti AP, Lourenço MTC, Ferreira MP, Laranjeira R. Consenso sobre o tratamento da dependência de nicotina. Rev Bras Psiquiatr 2001;23(4):200-14. doi: 10.1590/S1516-44462001000400007.

Marques ACPR. O uso do álcool e a evolução do conceito de dependência de álcool e outras drogas e tratamento. Rev IMESC 2001;3:73-86.

Martins PJF, De Mello MT, Tufik S. Exercício e sono. Rev Bras Med Esporte 2001; 7:28-36. doi: 10.1590/S1517-86922001000100006.

Mattei R, Galvão SMP, Carlini ELA. Heteropteris aphrodisiaca O. Machado: effects of extract BST 0298 on the oxidative stress of young and old rat brains. Phytother Res 2001;15:604-7. doi: 10.1002/ptr.838.

Moura SMT, Bittencourt LR, Bagnato MC, Lucas SR, Tufik S, Nery LE. Acute effect of nasal continuous positive air pressure on the ventilatory control of patients with obstructive sleep apnea. Respiration 2001;68:243-9. doi: 10.1159/000050505.

Nappo SA, Noto AR, Galduroz JCF, Carlini ELA. "Ice": uma droga antiga que retorna ainda mais poderosa. J Bras Psiquiatr 2001;50(1-2);57-62.

Nappo SA, Galduroz JC, Raymundo M, Carlini EA. Changes in cocaine use as viewed by key informants: a qualitative study carried out in 1994 and 1999 in São Paulo, Brazil. J Psychoact Drugs 2001;33(3);241-53. doi: 10.1080/02791072.2001.10400571.

Peres MFP, Sanchez Del Rio M, Seabra MLV, Tufik S, Abucham J, Cipolla-Neto J, Silberstein SD, Zukerman E. Hypothalamic involvement in chronic migraine. J Neurol Neurosurg Psychiatr 2001;71:747-51. doi: 10.1136/jnnp.71.6.747.

Pinto Jr. LR. Insônia. RBM – Rev Bras Med 2001;58:600-4.

Pinto Jr. LR. Os distúrbios do sono em neurologia. Comportamentos anormais. Parassônias. RBM – Rev Bras Med 2001;58:594-7.

Pires MLN, Benedito-Silva AA, Pinto L, Souza L, Vismari L, Calil HM. Acute effects of low doses of melatonin on the sleep of young healthy subjects. J Pineal Res 2001;31:326-32. doi: 10.1034/j.1600-079x.2001.310407.x.

Pompeia S, Miranda MC, Bueno OFA. A set of 400 pictures standardized for portuguese. Arq Neuropsiquiatr 2001;59(2-B):330-7. doi: 10.1590/s0004-282x2001000300004.

Remesar-Lopez AJ, Ribeiro LCG. Os distúrbios do sono e dos ritmos circadianos nas doenças psiquiátricas. RBM – Rev Bras Med 2001;58:612-7.

Remesar-Lopez AJ, Benedito-Silva AA. Distúrbios circadianos do sono. Síndrome do atraso da fase do sono e jet lag. RBM – Rev Bras Med 2001;58:606-10.

Roizenblatt S, Moldofsky H, Benedito-Silva AA, Tufik S. Alpha sleep characteristics in fibromyalgia. Arthritis Rheum 2001;44:222-30. doi: 10.1002/1529-0131(200101)44:1<222::AID-ANR29>3.0.CO;2-K.

Ronchezel MV, Len CA, Spinola e Castro A, Sacchetti S, Lourenzi VM, Ajzen S, Tufik S, Hilario MOE. Thyroid function and serum prolactin levels in patients with juvenile systemic lupus erythematosus. J Pediatr Endocrinol Metab 2001;14:165-9. doi: 10.1515/jpem.2001.14.2.165.

Tabach R, Rodrigues E, Moura YG, Carlini ELA. Heteropterys aphrodisiaca O Mach. (nó-de-cachorro). Rev Racine 2001;60:56-9.

Tabach R, Rodrigues E, Moura YG, Carlini ELA. Espinheira Santa (Maytenus ilicifolia Mart. Ex Reiss): efeitos no pH, volume e índice de úlceras estomacais – Estudos experimentais e clínicos. Rev Racine 2001;61:44-8.

Tabakoff B, Helander A, Conigrave KM, Martinez L, Hoffman PL, Whitfield J, Degenhardt L, Saunders J, Barón A, Glanz J; Members of WHO/ISBRA Study Group (Formigoni MLOS). WHP/ISBRA study on state and trait markers in alcoholism. Alcohol Clin Exp Res. 2001;25(5 Suppl ISBRA):99S-103S. doi: 10.1097/00000374-200105051-00018.

Villares JC, Stavale JN. Age-related changes in the N-Methyl-D-aspartate receptor binding sites within the human basal ganglia. Exp Neurol 2001;171:391-404. doi: 10.1006/exnr.2001.7737.

Xavier FMF, Ferraz MPT, Trenti CM, Argimon I, Bertollucci PH, Poyares D, Moriguchi EH. Transtorno de ansiedade generalizada em idosos com oitenta anos ou mais. Rev Saúde Pública 2001;35(3):294-302. doi: 10.1590/S0034-89102001000300013.

Xavier FMF, Ferraz MPT, Bertollucci P, Poyares D, Moriguchi EH. Episódio depressivo maior, prevalência e impacto sobre qualidade de vida, sono e cognição em octogenários. Rev Bras Psiquiatr 2001;23(2):62-70. doi: 10.1590/S1516-44462001000200004.

Zonato A, Dal-Fabbro C, Bittencourt LR, Tufik S. A combined treatment for mild obstructive sleep apnea and hypopnea syndrome, a case report. Hypnos 2001;2:24-8.

2000.....

Almeida RN, Leite JR. Possible purinergic mediation of anxyolitic effect of carbamazepine measured in the conflict test with rats. Acta Farm Bonaerense 2000;19(3):193-6.

Alves CSD, Andreatini R, Cunha C, Tufik S, Vital MABF. Phosphatidylserine reverses reserpine-induced amnesia. Eur J Pharmacol 2000;404:161-7. doi: 10.1016/s0014-2999(00)00607-5.

Andersen ML, Palma BD, Rueda AD, Tufik S. The effects of acute cocaine administration in paradoxical sleep-deprived rats. Addict Biol 2000;5:417-20. doi: 10.1111/j.1369-1600.2000.tb00210.x.

Andersen ML, Tufik S. Altered sleep and behavioral patterns of arthritic rats. Sleep Res Online 2000;3:161-7. http://www.sro.org/2000/Tufik/161/

Baddeley A, Bueno O, Cahill L, Fuster JM, Izquierdo I, McGaugh JL, Morris RGM, Nadel L, Routtenberg A, Xavier G, Da Cunha C. The brain decade in debate: I. Neurobiology of learning and memory. Braz J Med Biol Res 2000;33:993-1002. doi: 10.1590/s0100-879x2000000900002.

Bagnato MC, Nery LE, Moura SMT, Bittencourt LRA, Tufik S. Comparison of autoset-TM and polysomnography for the detection of apnea-hypopnea events. Braz J Med Biol Res 2000;33:515-9. doi: 10.1590/s0100-879x2000000500005.

Boerngen-Lacerda R, Souza-Formigoni MLO. Does the increase in locomotion induced by ethanol indicate its stimulant or anxiolytic properties? Pharmacol Biochem Behav 2000;67:225-32. doi: 10.1016/s0091-3057(00)00360-9.

Bolognani SAP, Gouveia PAR, Brucki SMD, Bueno OFA. Memória implícita e sua contribuição à reabilitação de um paciente amnéstico: relato de caso. Arq Neuropsiquiatr 2000;58(3-B):924-30. doi: 10.1590/S0004-282X2000000500023.

Botelho RV, Bittencourt LRA, Rotta JM, Tufik S. Polysomnographic respiratory findings in patients with Arnold-Chiari type I malformation and basilar invagination, with or without syringomyelia: preliminary report of a series of cases. Neurosurg Rev. 2000;23:151-5. doi: 10.1007/pl00011947.

Brucki SMD, Gouveia PAR, Bolognani SAP, Bueno OFA. Tratamento farmacológico das alterações comportamentais e de humor decorrentes de lesões cerebrais. Rev Neurociênc. 2000;8(2);55-9. doi: 10.34024/rnc.2000.v8.8944.

Bueno OFA, Oliveira MGM, Lobo LL, Morais PR, Melo FHM, Tufik S. Cholinergic modulation of inhibitory avoidance impairment induced by paradoxical sleep deprivation. Prog Neuropsychopharmacol Biol Psychiatr. 2000:24:595-606. doi: 10.1016/s0278-5846(00)00095-6.

Calil HM, Hachul DMMR, Juruena MFP, Crespin JL, Pires MLN. Evaluación de alteraciones estacionales en el humor y comportamiento en la ciudad de San Pablo. Acta Psiquiátr Psicol Am Lat. 2000;46(2):109-18.

Camarini R, Pires MLN, Calil HM. Involvement of the opioid system in the development and expression of sensitization to the locomotor-activating effect of ethanol. Int J Neuropsychopharmacol. 2000;3:303-9. doi: 10.1017/S146114570000211X.

Camarini R, Frussa-Filho R, Monteiro MG, Calil HM. MK-801 blocks the development of behavioral sensitization to ethanol. Alcohol Clin Exp Res. 2000;24(3):285-90. doi: 10.1111/j.1530-0277.2000.tb04609.x

Castel S, Pires MLN, Calil HM. Uso de antidepressivos e sintomas de interrupção. Psiquiatr Prat Med. 2000;33(3):98-100.

Cisi RRL, Miqueleti SA, Ruiz AM, Manzano GM, Pompeia S, Lucchesi LM, Bueno OFA, Kohn AF. Sistema para análise simultânea de quatro potenciais evocados visuais multicanais utilizando equipamento comercial e processamento off-line. Rev Bras Eng Biomed 2000;16(3):171-4.

Coni E, Di Benedetto R, Di Pasquale M, Masella R, Modesti D, Mattei R, Carlini EA. Protective effect of oleuropein, an olive oil biophenol, on low density lipoprotein oxidizability in rabbits. Lipids 2000;35(1):45-54. doi: 10.1007/s11745-000-0493-2.

D'Almeida V, Hipolide DC, Lobo LL, Oliveira AC, Nóbrega JN, Tufik S. Melatonin treatment does not prevent decreases in brain glutathione levels induced by sleep deprivation. Eur J Pharmacol 2000;390:299-302. doi: 10.1016/s0014-2999(99)00924-3.

De Mello MT, Fernandez AC, Tufik S. Levantamento epidemiológico da prática de atividade física na cidade de São Paulo. Rev Bras Med Esporte 2000;6:119-24. doi: 10.1590/S1517-86922000000400003.

De Micheli D, Formigoni MLOS. Screening of drug use in a teenage brazilian sample using the Drug Use Screening Inventory (DUSI). Addict Behav 2000;25(5):683-91. doi: 10.1016/s0306-4603(00)00065-4.

Fornari RV, Moreira KM, Oliveira MGM. Effects of the selective M1 muscarinic receptor antagonist dicyclomine on emotional memory. Learn Mem 2000;7:287-92. doi: 10.1101/lm.34900.

Galduroz JCF, Noto AR. O uso pesado de álcool entre estudantes de 1º e 2º graus da rede pública de ensino em dez capitais brasileiras. J Bras Dep Quím 2000;1(1);26-32.

Gouveia PAR, Brucki SMD, Bolognani SAP, Bezerra AB, Bueno OFA. O uso de procedimentos de estruturação de rotina em indivíduos com anóxia cerebral. Arq Neuropsiquiatr 2000;58(2-B):560-5. doi: 10.1590/S0004-282X2000000300026.

Guilleminault C, Querra-Salva MA, Chowdhuri S, Poyares D. Normal pregnancy, daytime sleeping, snoring and blood pressure. Sleep Med 2000;1(4):289-97. doi: 10.1016/s1389-9457(00)00046-0.

Laranjeira R, Nicastri S, Jerônimo C, Marques AC e equipe. Consenso sobre a Síndrome de Abstinência do Álcool (SAA) e o seu tratamento. Rev Bras Psiquiatr 2000;22(2):62-71. doi: 10.1590/S1516-44462000000200006.

Marques ACPR, Cruz MS. O adolescente e o uso de drogas. Rev Bras Psiquiatr 2000;22(Supl II):32-6. doi: 10.1590/S1516-44462000000600009.

Mello MT, Santana MG, Souza LM, Oliveira PCS, Ventura ML, Stampi C, Tufik S. Sleep patterns and sleep-related complaints of brazilian interstate bus drivers. Braz J Med Biol Res 2000;33:71-7. doi: 10.1590/S0100-879X2000000100010.

Nappo SA, Galduroz JCF, Carlini EA. O uso de cocaína: relatório informante chave (IC) de São Paulo - Brasil. J Bras Psiquiatr 2000;5;149-66.

Noto AR, Galduroz JCF, Formigoni MLOS. Drogas: por que não usar? Temas 2000;30(58):98-106.

Palma BD, Suchecki D, Tufik S. Differential effects of acute cold and footshock on the sleep of rats. Brain Res 2000;861:97-104. doi: 10.1016/s0006-8993(00)02024-2.

Pedrazzoli M, Ling L, Finn L, Young T, Katzenberg D, Mignot E. A polymorphism in the human timeless gene is not associated with diurnal preferences in normal adults. Sleep Res Online 2000;3(2):73-6.

Peres MFP, Seabra MLV, Zukerman E, Tufik S. Cluster headache and melatonin. Lancet 2000;355:147. doi: 10.1016/s0140-6736(05)72062-6.

Peyron C, Faraco J, Rogers W, Ripley B, Overeem S, Charnay Y, Nevsimalova S, Aldrich M, Reynolds D, Albin R, Li R, Hungs M, Pedrazzoli M, Mignot E. A mutation in a case of early onset narcolepsy and a generalized absence of hypocretin peptides in human narcoleptic brains. Nat Med 2000;6(9):991-7. doi: 10.1038/79690.

Pinto Jr LR, Silva AB, Tufik S. Rapid eye movements during paradoxical sleep in patients with cerebrovascular disease. Arq Neuropsiquiatr 2000;58:239-45. doi: 10.1590/S0004-282X2000000200006.

Pires MLN, Calil HM. Clinical utility of the premenstrual assessment form as an instrument auxiliary to the diagnosis of premenstrual dysphoric disorder. Psychiatr Res 2000;94:211-9. doi: 10.1016/s0165-1781(00)00151-7.

Pompeia S, Bueno OFA, Lucchesi LM, Manzano GM, Galduroz JCF, Tufik S. A double-dissociation of behavioural and event-related potential effects of two benzodiazepines with similar potencies. J Psychopharmacol 2000;14:288-98. doi: 10.1177/026988110001400318.

Roizemblatt S, Tufik S. Distúrbios do sono em condições dolorosas crônicas. Rev Bras Clin Ter 2000;26:56-62.

Rotenberg L, Moreno C, Portela LF, Benedito-Silva AA, Menna-Barreto L. The amount of diurnal sleep, and complaints of fatigue and poor sleep, in night-working women: the effects of having children. Biol Rhythm Res. 2000;31(4):515-22. doi: 10.1076/0929-1016(200010)31:4;1-2;FT515.

Seabra MLV, Bignotto M, Pinto Jr LR, Tufik S. Randomized, double-blind clinical trial, controlled with placebo, of the toxicology of chronic melatonin treatment. J Pineal Res 2000;29:193-200. doi: 10.1034/j.1600-0633.2002.290401.x.

Silva EA, Noto AR, Faria RFS, Formigoni MLOS. Concepts of dependence among brazilian alcohol-and drug-dependent patients. J Psychoact Drugs 2000;32(4):399-405. doi: 10.1080/02791072.2000.10400242.

Silva FT, Leite JR. Physiological modifications and increase in state anxiety in volunteers submitted to the Stroop Color-Word Interference Test: a preliminary study. Physiol Behav 2000;70:113-8. doi: 10.1016/s0031-9384(00)00232-8.

Steinberg LL, Lauro FAA, Sposito MMM, Tufik S, Mello MT, Naffah-Mazzacoratti MG, Cavalheiro EA, Silva AC. Catecholamine response to exercise in individuals with different levels of paraplegia. Braz J Med Biol Res 2000;33:913-8. doi: 10.1590/s0100-879x2000000800007.

Suchecki D, Tufik S. Social stability attenuates the stress in the modified multiple platform method for paradoxical sleep deprivation in the rat. Physiol Behav 2000;68:309-16. doi: 10.1016/s0031-9384(99)00181-x.

Suchecki D, Palma BD, Tufik S. Pituitary-adrenal axis and behavioural responses of maternally deprived juvenile rats to the open field. Behav Brain Res 2000;111:99-106. doi: 10.1016/s0166-4328(00)00148-0.

Suchecki D, Palma BD, Tufik S. Sleep rebound in animals deprived of paradoxical sleep by the modified multiple platform method. Brain Res 2000;875:14-22. doi: 10.1016/s0006-8993(00)02531-2.

Xavier FMF, Ferraz MPT, Trentini CM, Argimon I, Moriguchi EH, Bertollucci PH, Poyares D. Uso de Benzodiazepínicos entre Idosos residentes na comunidade: prevalencia, impacto sobre a função cognitiva e sobre o sono / Benzodiazepine tratment among elderly patients in the comunity: prevalence and impact in the cognitive function and sleep. Psiquiatr Biol 2000;8(4):131-6.

1999.....

Andrade VM, Bueno OFA, Oliveira MGM, Oliveira ASB, Oliveira EML, Miranda MC. Cognitive profile of patients with relapsing remitting multiple sclerosis. Arq Neuropsiquiatr 1999;57(3-B):775-83. doi: 10.1590/s0004-282x1999000500007.

Baracat E, Tufik S, Haidar M, De-Lima GR. Comparative bioavailability study of two 100-ug daily 17-beta-estradiol transdermal delivery systems: once-a-week matrix patch and twice-a-week reservoir patch in healthy postmenopausal women. Curr Ther Res 1999;60:129-37. doi: 10.1016/S0011-393X(00)88521-5.

Benedito MAC. Sex-dependent differences in the activities of acetylsalicylic acid - esterases in mouse kidneys. Braz J Med Biol Res 1999;32:275-8. doi: 10.1590/s0100-879x1999000300004.

Castel S, Formigoni MLOS. Escalas para avaliação de tratamentos de dependência de álcool e outras drogas. Rev Psiquiatr Clín 1999;26(1):32-7.

Chacur C, Raymond R, Hipolide DC, Giugliano EB, Leite JR, Nobrega JN. Immediate increase in benzodiazepine binding in rat brain after a single brief experience in the plus maze: a paradoxical effect. Neurosci Lett 1999;269:29-32. doi: 10.1016/s0304-3940(99)00425-5.

De Mello MT, Poyares DL, Tufik S. Treatment of periodic leg movements with a dopaminergic agonist in subjects with total spinal cord lesions. Spinal Cord 1999;37:634-7. doi: 10.1038/sj.sc.3100909.

Espínola EB, Oliveira MGM, Carlini EA. Differences in central and peripheral responses to oxotremorine in young and aged rats. Pharmacol Biochem Behav 1999;62(3):419-23. doi: 10.1016/s0091-3057(98)00192-0.

Formigoni MLOS, Castel S. Escalas de avaliação de dependência de drogas: aspectos gerais. Rev Psiquiatr Clín 1999;26(1):5-31.

Hipolide DC, Lobo LL, Medeiros R, Neumann B, Tufik S. Treatment with dexamethasone alters yawning behavior induced by cholinergic but not dopaminergic agonist. Physiol Behav 1999;65:829-32. doi: 10.1016/s0031-9384(98)00234-0.

Leite JR, Seabra MLV, Sartori VA, Andreatini R. The video-recorded Stroop Color-Word Test as a new model of experimentally-induced anxiety. Prog Neuropsychopharmacol Biol Psychiatr 1999;23:809-22. doi: 10.1016/s0278-5846(99)00042-1.

Magila MC, Xavier GF. Modelos de memória de longa duração em humanos. Psicol Teoria Pesq. 1999;15(1):37-44.

Noto AR. O uso das drogas psicotrópicas no Brasil: últimas décadas e tendências. Mundo Saúde 1999;23(1);5-9.

Noto AR, Galduroz JCF. O uso de drogas psicotrópicas e a prevenção no Brasil. Ciênc Saúde Coletiva 1999;4(1);145-51. doi: 10.1590/S1413-81231999000100012.

Pinto Jr LR. Distúrbios do sono: informações para o clínico. Diagn Tratamento 1999;4(3):22-27.

Pires MLN, Calil HM. Associação entre transtorno disfórico pré-menstrual e transtornos depressivos. Rev Bras Psiquiatr 1999;21(2):118-27. doi: 10.1590/S1516-44461999000200011.

Silva EA, Formigoni MLOS. Avaliação do funcionamento familiar em farmacodependências. Rev Psiquiatr Clín 1999;26(1):38-40.

Souza-Formigoni MLO, De Lucca EM, Hipolide DC, Enns SC, Oliveira MGM, Nóbrega JN. Sensitization to ethanol's stimulant effect is associated with region-specific increases in brain D2 receptor binding. Psychopharmacology 1999;146:262-7. doi: 10.1007/s002130051115.

1998.....

Abrisqueta J, Ueta RA, Oliveira MGM, Bertolucci PHF, Bueno OFA. Memória de figuras com conteúdo emocional em pacientes com doença de Alzheimer. Rev Psiquiatr Clín 1998;25(2);84-7.

Andrade MS, Giuliano Y, Pitteti KH, Mello MT, Tufik S, Neder JA, Silva AC, Shinzato G T. A força cinética dos atletas paraolímpicos com paralisia cerebral: um estudo comparativo. Mundo Saúde 1998;22(4):197-201.

Benedito MAC. Gender differences in the activities of aspirin-esterases in rat tissues. Braz J Med Biol Res 1998;31:1113-8. doi: 10.1590/s0100-879x1998000900002.

Benedito-Silva AA, Menna-Barreto L, Alam MF, Rotenberg L, Moreira LFS, Menezes AAL, Silva HP, Marques N. Latitude and social habits as determinants of the distribution of morning and evening types in Brazil. Biol Rhythm Res. 1998;29(5):591-7. doi: 10.1076/brhm.29.5.591.4823

Bittencourt LRA, Moura SMT, Bagnato MC, Gregório LC, Tufik S, Nery LE. Assessment of ventilatory neuromuscular drive in patients with obstructive sleep apnea. Braz J Med Biol Res 1998;31:505-13. doi: 10.1590/s0100-879x1998000400005.

Bittencourt LRA, Marson O, Nery LE, Tufik S. Complicações cardiovasculares da síndrome da apnéia do sono obstrutiva. J Pneumol 1998;24:311-6.

Botelho RV, Bittencourt LRA, Rotta JM, Nery LE, Tufik S. Apnéia do sono central em paciente com malformação de Chiari tipo I e siringomielia: tratamento com cirurgia descompressiva. Relato de caso. J Bras Neurocir 1998;9(3):111-4.

Calil HM, Pires MLN. Aspectos gerais das escalas de avaliação de depressão. Rev Psiquiatr Clin 1998;25(5):240-4.

Calil HM. Novos antidepressivos: inibidores seletivos da recaptação de serotonina, venlafaxina e nefazodone. Folha Méd 1998;116(1):43-7.

Calil HM, Pires MLN, Castel S. Síntomas de interrupción del tratamiento con antidepresivos: enfoque de los inhibidores selectivos de la recaptación de serotonina. Acta Supl Psicofarmacol 1998;1(1):28-32.

D'Almeida V, Lobo LL, Hipolide DC, Oliveira AC, Nóbrega JN, Tufik S. Sleep deprivation induces brain region-specific decreases in glutathione levels. Neuroreport 1998;9:2853-6. doi: 10.1097/00001756-199808240-00031.

Hipolide DC, Tufik S, Raymond R, Nóbrega JN. Heterogeneous effects of rapid eye movement sleep deprivation on binding to alpha-and beta-adrenergic receptor subtypes in rat brain. Neuroscience 1998;86:977-87. doi: 10.1016/s0306-4522(98)00067-0.

Kerr-Corrêa F, Souza LB, Calil HM. Affective disorders, hospital admissions, and seasonal variation of mania in a subtropical area, southern hemisphere. Psychopathology 1998;31(5):265-9. doi: 10.1159/000029049.

Kozasa EH, Leite JR. A brief protocol of cognitive modification and gradual exposure for reduction of fear symptoms of public speaking. J Behav Ther Exp Psychiatr 1998;29:317-26. doi: 10.1016/s0005-7916(98)00025-1.

Mattei R, Dias RF, Espínola EB, Carlini EA, Barros SBM. Guarana (Paullinia Cupana): toxic behavioral effects in laboratory animals and antioxidant activity in vitro. J Ethnopharmacol 1998;60:111-6. doi: 10.1016/s0378-8741(97)00141-4.

Medeiros R, Lenneberg-Hoshino C, Hoshino K, Tufik S. Neuroethologic differences in sleep deprivation induced by the single- and multiple-platform methods. Braz J Med Biol Res 1998;31:675-80. doi: 10.1590/s0100-879x1998000500012.

Nappo SA, de Oliveira EM, Morosini S. Inappropriate prescribing of compounded antiobesity formulas in Brazil. Pharmacoepidemiol Drug Saf. 1998;7(3):207-12. doi: 10.1002/(SICI)1099-1557(199805/06)7:3<207::AID-PDS335>3.0.CO;2-W.

Oliveira MGM, Bueno OFA, Gugliano EB. Anterograde effects of a single electroconvulsive shock on inhibitory avoidance and on cued fear conditioning. Braz J Med Biol Res 1998;31;1091-4. doi: 10.1590/s0100-879x1998000800009.

Perez NM, Mattei R, Benedito MAC. Decreased activity of striatal monoamine oxidase B after rapid eye movement (REM) sleep deprivation in rats. Pharmacol Biochem Behav 1998;60(1):33-7. doi: 10.1016/s0091-3057(97)00556-x.

Pompeia S, Bueno OFA. Preliminary adaptation into portuguese of a standardised picture set for the use in research and neuropsychological assessment. Arq Neuropsiquiatr 1998;56(3-A);366-74. doi: 10.1590/s0004-282x1998000300004.

Rotenberg L, Moreno C, Benedito-Silva AA, Menna-Barreto L. Sleep/wake cycle parameters and sleep/fatigue complaints in female night workers. Biol Rhythm Res. 1998;29(5):585-90. doi: 10.1076/brhm.29.5.585.4814.

Silva AC, Neder JA, Chiurciu MV, Pasqualin DC, Silva RCQ, Fernandez AC, Lauro FAA, De Mello MT, Tufik S. Effect of aerobic training on ventilatory muscle endurance of spinal cord injured men. Spinal Cord 1998;36:240-5. doi: 10.1038/sj.sc.3100575.

Steinberg LL, Sposito MMM, Lauro FAA, Tufik S, Mello MT, Naffah-Mazzacoratti MG, Cavalheiro EA, Silva AC. Serum level of serotonin during rest and during exercice in paraplegic patients. Spinal Cord 1998;36:18-20. doi: 10.1038/sj.sc.3100516.

Suchecki D, Lobo LL, Hipolide DC, Tufik S. Increased ACTH and corticosterone secretion induced by different methods of paradoxical sleep deprivation. J Sleep Res 1998;7:276-81. doi: 10.1046/j.1365-2869.1998.00122.x.

Vital MABF, Flório JC, Frussa-Filho R, De Lucia R, Tufik S, Palermo-Neto J. Effects of haloperidol and GM1 ganglioside treatment on striatal D2 receptor binding and dopamine turnover. Life Sci 1998;62:1161-9. doi: 10.1016/s0024-3205(98)00042-3.

1997.....

Andreatini R, Galduroz JCF. A ética e a pesquisa clínica em psiquiatria no Brasil. Rev ABP-APAL 1997;19(4);133-4.

Benedito MAC. Fluorimetric determination of tissue distribution and differences between the activity of aspirin esterases I and II in mice and rats. J Pharm Pharmacol 1997;49:273-6. doi: 10.1111/j.2042-7158.1997.tb06794.x.

Camarini R, Benedito MAC. Acetylcholinesterase activity in the pons and medulla oblongata of rats after chronic electroconvulsive shock. Braz J Med Biol Res 1997;30:1215-8. doi: 10.1590/s0100-879x1997001000012.

Camarini R, Benedito MAC. Chronic imipramine treatment-induced changes in acetylcholinesterase (EC 3.1.1.7) activity in discrete rat brain regions. Braz J Med Biol Res 1997;30:955-60. doi: 10.1590/s0100-879x1997000800007.

Camarini R, Benedito MAC. Rapid eye movement (REM) sleep deprivation reduces rat frontal cortex acetylcholinesterase (EC 3.1.1.7) activity. Braz J Med Biol Res 1997;30:641-7. doi: 10.1590/s0100-879x1997000500012.

D'Almeida V, Hipolide DC, Azzalis LA, Lobo LL, Junqueira VBC, Tufik S. Absence of oxidative stress following paradoxical sleep deprivation in rats. Neurosci Lett 1997;235:25-8. doi:10.1016/S0304-3940(97)00706-4.

Espínola EB, Dias RF, Mattei R, Carlini EA. Pharmacological activity of guaraná (Paullinia Cupana Mart) in laboratory animals. J Ethnopharmacol 1997;55:223-9. doi: 10.1016/s0378-8741(96)01506-1.

Ferri CP, Laranjeira RR, Da Silveira DX, Dunn J, Formigoni MLOS. Increase in crack users attending treatment services in São Paulo: 1990-1993. Rev Assoc Med Bras 1997;43(1):25-8. doi: 10.1590/S0104-42301997000100007.

Galduroz JCF, Noto AR, Carlini ELA. A situação do consumo e controle de drogas psicotrópicas no Brasil: comentários gerais. Temas 1997;53;1-9.

Juruena MF, Pires MLN, Calil HM. Moclobemide effects on prolactin plasma levels in healthy individuals: the hormonal increase induced by a single dose is maintained during a 4-week period of drug intake. Int Clin Psychopharmacol 1997;12:317-21.

Lobo LL, Tufik S. Effects of alcohol on sleep parameters of sleep-deprived healthy volunteers. Sleep 1997;20:52-9. doi:10.1093/sleep/20.1.52.

Mello LEAM, Villares J. Neuroanatomy of the basal ganglia. Psychiatr Clin North Am. 1997;20(4):691-704. doi: 10.1016/S0193-953X(05)70340-3.

Mello MT, Silva AC, Rueda AD, Poyares D, Tufik S. Correlation between K complex, periodic leg movements (PLM), and myoclonus during sleep in paraplegic adults before and after an acute physical activity. Spinal Cord 1997;35:248-52. doi:10.1038/sj.sc.3100408.

Noto AR, Nappo SA, Galduroz JCF, Mattei R, Carlini EA. Use of drugs among street children in Brazil. J Psychoact Drugs 1997;29(2);185-92. doi: 10.1080/02791072.1997.10400186.

Oliveira Filho JA, Silva AC, Lira Filho E, Luna Filho B, Covre SH, Lauro FAA, Danucalov MAD, Leite WA, Tuffik S, Andrade JL, De Paola AAV, Martinez Filho E. Coração de atleta em desportistas deficientes de elite. Arq Bras Cardiol 1997;69(6):385-8. doi: 10.1590/S0066-782X1997001200004.

Oliveira MGM, Bueno OFA, Pomarico AC, Gugliano EB. Strategies used by hippocampal- and caudate-putamen-lesioned rats in a learning task. Neurobiol Learn Mem 1997;68;32-41. doi: 10.1006/nlme.1996.3761.

Perez NM, Benedito MAC. Activities of monoamine oxidase (MAO) A and B in discrete regions of rat brain after rapid eye movement (REM) sleep deprivation. Pharmacol Biochem Behav 1997;58(2):605-8. doi: 10.1016/s0091-3057(97)10002-8.

Roizemblatt S, Hilário MOE, Goldenberg J, Tufik S. Fibromialgia juvenil. Rev Bras Reumatol 1997;37:271-4.

Roizenblatt S, Tufik S, Goldenberg J, Pinto LR, Hilário MOE, Feldman D. Juvenile fibromyalgia: clinical and polysomnographic aspects. J Rheumatol 1997;24:579-85.

Santos BR, Monteiro MG, Thomasson HR. Allele frequency of ADH2 and ALDH2 among brazilians of different ethnic groups. Alcohol 1997;14(3):205-7. doi: 10.1016/s0741-8329(96)00066-3.

Suchecki D, Tufik S. Long-term effects of maternal deprivation on the corticosterone response to stress in rats. Am J Physiol 1997;273:R1332-8. doi: 10.1152/ajpregu.1997.273.4.R1332.

Tufik S, Nery LE, Bittencourt LRA, Palombini L, Bagnato MC, Moura SMT, Poyares DLR, Pinto LR, Remesar-Lopez AJ, De Mello MT. Distúrbios do sono. RBM-Rev.Bras.Med 1997;53:12-30.

1996.....

Baracat E, Haidar M, Castelo A, Tufik S, Lima GR, Vieira JGH, Peloso U, Casoy J. Comparative biovailability study of an once-a-week matrix versus a twice-a-week reservoir transdermal estradiol delivery systems in postmenopausal women. Maturitas 1996;23:285-91. doi: 10.1016/0378-5122(95)00987-6.

Bastos O, Busnello E, Calil HM, Campos JA, Dunninghan W, Grabowski H, Guz M, Ruschel S, Schestatsky S, Shirakawa I, Versiani M. Avaliação da eficácia, tolerabilidade e segurança da sertralina (50 mg A 200 mg) durante 8 semanas no tratamento de 150 pacientes ambulatoriais com depressão maior. J Bras Psiquiatr 1996;45(2):105-9.

Bittencourt LRA, Moura SMT, Palombini LO, Botelho RV, Nery LE. Síndrome da apnéia do sono central e dor cervical. J Pneumol 1996;22(2):93-4.

Carlini EA, Noto AR, Galduroz JCF, Nappo SA. Visão histórica sobre o uso de drogas: passado e presente; Rio de Janeiro e São Paulo. J Bras Psiquiatr 1996;45(4);227-36.

Carlini-Cotrim B. Potencialidades da técnica qualitativa *grupo focal* em investigações sobre abuso de substâncias. Rev Saúde Públ 1996;30(3):285-93. doi: 10.1590/S0034-89101996000300013.

D'Almeida V, Camarini R, Azzalis LA, Junqueira VBC, Carlini EA. Chronic fenfluramine treatment of rats with different ages: effects on brain oxidative stress-related parameters. J Biochem Toxicol 1996;11(4):197-201. doi: 10.1002/(SICI)1522-7146(1996)11:4<197::AID-JBT5>3.0.CO;2-F.

De Mello MT, Seabra MLV, Silva AC, Tufik S. Grau de depressão e ansiedade em adultos paraplégicos desportistas e sedentários. Rev Soc Bras Ativ Motor Adapt 1996;1:25-8.

De Mello MT, Lauro FAA, Silva AC, Tufik S. Incidence of periodic leg movements and of the restless legs syndrome during sleep following acute physical activity in spinal cord injury subjects. Spinal Cord 1996;34:294-6. doi:10.1038/sc.1996.53.

Dunn J, Laranjeira RR, Da Silveira DX, Formigoni MLOS, Ferri CP. Crack cocaine: an increase in use among patients attending clinics in São Paulo: 1990-1993. Subst Use Misuse 1996;31(4):519-27. doi: 10.3109/10826089609045824.

Galduroz JCF, Carlini EA. The effects of long-term administration of guarana on the cognition of normal, elderly volunteers. São Paulo Med J 1996;114(1):1073-8. doi: 10.1590/s1516-31801996000100003.

Galduroz JCF, Noto AR, Carlini EA. O abuso de inalantes entre estudantes de 1º e 2º graus da rede pública de ensino: as drogas de início? Temas 1996;51:126-36.

Galduroz JCF, Noto AR, Nappo SA. O consumo de drogas na cidade de São Paulo em 1987, 1989 e 1993. Temas 1996;26(52):275-85.

Galduroz JCF, Carlini EA. O uso de drogas psicotrópicas entre estudantes de 1º e 2º graus em dez capitais brasileiras: comparação de três levantamentos- 1987/1989/1993. Temas 1996;26(52):264-74.

Mattei R, Carlini EA. A comparative study of the anorectic and behavioral effects of fenproporex on male and female rats. Braz J Med Biol Res 1996;29(8):1025-30.

Monteiro MG. Studies on the sensitivity to alcohol and alcohol dependence. Addict Biol 1996;1:191-6. doi: 10.1080/1355621961000124816.

Monteiro MG, Hernandez W, Figlie NB, Takahashi E, Korukian M. Comparison between subjective feelings to alcohol and nitrogen narcosis: a pilot study. Alcohol 1996;13(1):75-8. doi: 10.1016/0741-8329(95)02016-0.

Monteiro MG. Alcohol research in Latin America. Alcohol Clin Exp Res 1996;20(8 Suppl):176A-180A. doi: 10.1111/j.1530-0277.1996.tb01771.x.

Nappo SA. Consumption of anorexigenic amphetamine-like drugs (diethylpropion, fenproporex and mazindol) and of d,1-fenfluramine in Brazil during the years of 1988 and 1989. Pharmacoepidemiol Drug Saf. 1996;5(1):19-25. doi: 10.1002/(SICI)1099-1557(199601)5:1<19::AID-PDS191>3.0.CO;2-K.

Nappo SA, Galduroz JCF, Noto AR. Crack use in São Paulo. Subst Use Misuse 1996;31(5);565-79. doi: 10.3109/10826089609045827.

1995.....

Andreatini R, Galduroz JCF. Transtorno de pânico: uma proposta para o tratamento farmacológico. Temas 1995;25(49):72-82.

Araújo NP, Monteiro MG. Family history of alcoholism and psychiatric co-morbidity in brazilian male alcoholics and controls. Addiction 1995;90:1205-11. doi: 10.1046/j.1360-0443.1995.90912055.x.

Baracat E, Tufik S, Castelo A, Lima GR, Haidar M, Casoy J, Peloso U. Comparative bioavailability study of a matrix versus a reservoir transdermal estradiol patch in healthy postmenopausal women. Curr Ther Res 1995;56(4):358-68. doi: 10.1016/0011-393X(95)85005-8.

Camarini R, Andreatini R, Monteiro MG. Prolonged treatment with carbamazepine increases the stimulatory effects of ethanol in mice. Alcohol. 1995;12(4):305-8. doi: 10.1016/0741-8329(95)00002-9.

Carlini EA, Galduroz JCF, Noto AR, Nappo SA, Lima E, Adiala JC. Revisão: perfil de uso da cocaina no Brasil. J Bras Psiquiatr 1995;44(6):287-303.

Carlini EA. Descongestionantes nasais e anoréticos à base de fenilpropanolamina: são mesmo tão inócuos? Arq Bras Med 1995;69(5):235-8.

Carlini-Cotrim B. Movimentos e discursos contra as drogas: o caso da sociedade norte-americana. Rev ABP-APAL 1995;17(3):93-101.

Carvalho V, Pinsky I, Souza e Silva R, Carlini-Cotrim B. Drug and alcohol use and family characteristics: a study among brazilian high-school students. Addiction 1995;90:65-72. doi: 10.1046/j.1360-0443.1995.9016510.x.

D'Almeida V, Camarini R, Azzalis LA, Mattei R, Junqueira VBC, Carlini EA. Antioxidant defense in rat brain after chronic treatment with anorectic drugs. Toxicol Lett 1995;81(2-3):101-5. doi: 10.1016/0378-4274(95)03408-0.

D'Almeida V, Hipolide DC, Silva-Fernandes ME. Lack of sex and estrous cycle effects on the activity of three antioxidant enzymes in rats. Physiol Behav 1995;57(2):385-7. doi:10.1016/0031-9384(94)00234-V.

Galduroz JCF, Noto AR, Carlini EA. A adolescência, o ensino e o abuso de drogas: reflexões. Temas 1995;49:48-57.

Galduroz JCF, Andreatini R, Carlini EA. O uso de inalantes (solventes) entre adolescentes: revisão. Temas 1995;25(50):133-58.

Galduroz JCF, Santos RF, Carlini EA. Os efeitos da idade e sexo sobre a viscosidade sangüínea em voluntários normais. Temas 1995;25(50):159-66.

Hipolide DC, Tufik S. Paradoxical sleep deprivation in female rats alters drug-induced behaviors. Physiol Behav 1995;57:1139-43. doi:10.1016/0031-9384(94)00377-H.

Kerr-Corrêa F, Souza LB, Calil HM. Doenças afetivas e sazonalidade no Brasil. Rev ABP-APAL 1995;17(3):122-6.

Lobo LL, Medeiros R, Hipolide DC, Tufik S. Atropine increases pilocarpine-induced yawning behavior in paradoxical sleep deprived rats. Pharmacol Biochem Behav 1995;52:485-8. doi:10.1016/0091-3057(95)00035-U.

Mattei R, Leite JR, Tufik S. A study of the pharmacological actions of Dioclea grandiflora martius ex betham. São Paulo Med J 1995;113(1):687-92. doi: 10.1590/s1516-31801995000100004.

Mattei R, Carlini ELA. Avaliação comportamental e da atividade anorexígena do mazindol em ratas jovens. Folha Med 1995;110(2):273-7.

Mattei R, Carlini EA. Mazindol: anorectic and behavioral effects in female rats. Arch Int Pharmacodyn Ther 1995;330(3):279-87.

Mattei R, Benedito MAC, Carlini EA. Mazindol: efeito anorético e neurotóxico em ratos jovens e idosos. Folha Med 1995;110(1):115-8.

Mello MT, Natal CL, Cunha JM, Tufik S. Epidemiologia do padrão de sono em adultos desportistas portadores de lesão medular. Rev Port Med Desp 1995;13:89-100.

Nery LE, Moura SMT, Bittencourt LRA, Bagnato MC, Gregório LC. Apnéia do sono: revendo conceito e terapêutica. Ars Cvrandi 1995;28(2):94-105.

Noto AR, Carlini EA. Internações hospitalares provocadas por drogas: Uma análise de sete anos consecutivos (1987-1993). Rev ABP-APAL 1995;17(3):107-14.

Noto AR, Galduroz JCF, Carlini EA. Maconha: uma avaliação da situação brasileira através de quatro parâmetros epidemiológicos. Rev ABP-APAL 1995;17(4):133-7.

Pinsky I, Silva EA, Marques AC, Formigoni MLOS. Abandono de tratamento por dependentes de álcool e drogas: um estudo qualitativo dos motivos. Rev ABP-APAL 1995;17(4):150-4.

Santos BR, Monteiro MG, Walzer C, Turler H, Balant L, von-Wartburg JP. Alcohol flushing, patch test, and ADH and ALDH genotypes in brazilian ethnic groups. Braz J Med Biol Res 1995;28:513-8.

Silva EA, Ferri CP, Formigoni MLOS. Situações de recaída em pacientes dependentes de álcool e outras drogas durante o tratamento: um estudo preliminar. J Bras Psiquiatr 1995;44(6):311-5.

Suchecki D, Nelson DY, Van Oers H, Levine S. Activation and inhibition of the hypothalamic-pituitary-adrenal axis of the neonatal rat: effects of maternal deprivation. Psychoneuroendocrinology. 1995;20(2):169-82. doi: 10.1016/0306-4530(94)00051-b.

Tufik S, Nathan CL, Neumann B, Hipolide DC, Lobo LL, Medeiros R, Troncone LRP, Braz S, Suchecki D. Effects of stress on drug-induced yawning: constant vs. intermittent stress. Physiol Behav 1995;58:181-4. doi:10.1016/0031-9384(95)00043-I.

1994.....

Andreatini R, Galduroz JCF, Ferri CP, Formigoni MLOS. Alcohol dependence criteria in DSM-III-R: presence of symptoms according to degree of severity. Addiction 1994;89:1129-34. doi: 10.1111/j.1360-0443.1994.tb02789.x.

Andreatini R, Galduroz JCF, Formigoni MLOS. Estudo da influência dos níveis de dependência e consumo na resposta ao tratamento de dependentes de álcool. Rev ABP-APAL 1994;16(1):25-9.

Andreatini R, Leite JR. Effect of valepotriates on the behavior of rats in the elevated plus-maze during diazepam withdrawal. Eur J Pharmacol 1994;260:233-5. doi: 10.1016/0014-2999(94)90342-5.

Andreatini R, Leite JR. Evidence against the involvement of ACTH/CRF release or corticosteroid receptors in the anxiolytic effect of corticosterone. Braz J Med Biol Res 1994;27:1237-41.

Andreatini R, Leite JR. IDATE traço: adaptação para avaliação da ansiedade durante sete dias. J Bras Psiquiatr 1994;43(5):259-65.

Andreatini R, Sartori VA, Leite JR, Oliveira ASB. Panic attacks in a multiple sclerosis patient. Biol Psychiatr 1994;35:133-4. doi: 10.1016/0006-3223(94)91203-3.

Andreatini R, Leite JR. The effect of corticosterone in rats submitted to the elevated plus-maze and to pentylenetetrazol-induced convulsions. Progr Neuropsychopharmacol Biol Psychiatr 1994;18:1333-47. doi: 10.1016/0278-5846(94)90097-3.

Bueno OFA, Lobo LL, Oliveira MGM, Gugliano EB, Pomarico AC, Tufik S. Dissociated paradoxical sleep deprivation effects on inhibitory avoidance and conditioned fear. Physiol Behav 1994;56;775-9. doi:10.1016/0031-9384(94)90241-0.

Carlini EA, D'Almeida V, Noto AR, Sá LC. A produção científica brasileira sobre abuso de drogas: como está e para que serve. J Bras Psiquiatr 1994;43(8):423-7.

Carlini EA. Trihexyphenidyl (Artane) and chemical slave labour in Brazil (and abuse of other anticholinergic drugs). Addiction 1994;89(3):362-3.

Carlini-Cotrim B. An overview on drug abuse prevention in brazilian schools. Drugs Educ Prev Policy 1994;1(3):275-88. doi: 10.3109/09687639409012532.

Carlini-Cotrim B, Galduroz JCF, Noto AR, Pinsky I. A mídia na fabricação do pânico de drogas: um estudo no Brasil. Comunicação & Política 1994;1(2):217-30.

D'Almeida V, Monteiro MG, Oliveira MGM, Pomarico AC, Bueno OFA, Silva-Fernandes ME. Long-lasting effects of chronic ethanol administration on the activity of antioxidant enzymes. J Biochem Toxicol 1994;9;141-3. doi: 10.1002/jbt.2570090305.

Galduroz JCF, Carlini EA. Acute effects of the Paulinia cupana, 'Guaraná' on the cognition of normal volunteers. São Paulo Med J 1994;112(3):607-11. doi: 10.1590/s1516-31801994000300007.

Galduroz JCF, Figlie NB, Carlini EA. Repressão às drogas no Brasil: a ponta do 'iceberg'? J Bras Psiquiatr 1994;43(7):367-71.

Levine S, Berkenbosch F, Suchecki D, Tilders FJH. Pituitary-adrenal and interleukin-6 responses to recombinant interleukin-1 in neonatal rats. Psychoneuroendocrinology. 1994;19(2):143-53. doi: 10.1016/0306-4530(94)90004-3.

Maj M, Janssen R, Starace F, Zaudig M, Satz P, Sughondhabiron B, Luabeya MA, Riedel R, Ndetei D, Calil HM, Bing EG, St Louis M, Sartorius N. WHO neuropsychiatric AIDS study, cross-sectional phase. I. Study design and psychiatric findings. Arch Gen Psychiatr 1994;51:39-49. doi: 10.1001/archpsyc.1994.03950010039006.

Moreno DH, Moreno RA, Calil HM. A brazilian experience of treatment-resistant depression. Int Clin Psychopharmacol 1994;9(suppl.2):11-6. doi: 10.1097/00004850-199406002-00003.

Nappo SA, Galduroz JCF, Noto AR. Uso do crack em São Paulo: fenômeno emergente? Rev ABP-APAL 1994;16(2):75-83.

Nappo SA, Carlini EA. Anoréticos: situação atual no Brasil. Arq Bras Endocrinol Metab 1994;38(2):69-75.

Nappo SA, Oliveira EM, Morosini S. A prescrição por médicos brasileiros de fórmulas magistrais para emagrecer: uma duvidosa prática para a saúde dos pacientes. Arq Bras Med 1994;68(1):15-20.

Nunes Jr GP, Tufik S, Nóbrega JN. Autoradiographic analysis of D1 and D2 dopaminergic receptors in rat brain after paradoxical sleep deprivation. Brain Res Bull 1994;34:453-6. doi:10.1016/0361-9230(94)90018-3.

Nunes Jr GP, Tufik S, Nóbrega JN. Decreased muscarinic receptor binding in rat brain after paradoxical sleep deprivation: an autoradiographic study. Brain Res 1994;645:247-52. doi:10.1016/0006-8993(94)91658-6.

Stein C, Bueno OFA, Xavier GF. Rats do react to stimulus omission. Braz J Med Biol Res 1994;27;2423-30.

Tufik S, Fujita K, Seabra MLV, Lobo LL. Effects of a prolonged administration of valepotriates in rats on the mothers and their offspring. J Ethnopharmacol 1994;41:39-44. doi:10.1016/0378-8741(94)90055-8.

Villares J, Strada O, Faucheux B, Javoyagid F, Agid Y, Hirsch EC. Loss of striatal high affinity NGF binding sites in progressive supranuclear palsy but not in Parkinson's disease. Neurosci Lett. 1994;182(1):59-62. doi: 10.1016/0304-3940(94)90205-4.

1993.....

Andreatini R, Bueno OFA, Oliveira MGM. Efeitos amnésicos dos benzodiazepínicos. Rev ABP-APAL 1993;15:51-8.

Andreatini R, Seabra ML. A estabilidade do IDATE-traço: avaliaçao após cinco anos. Rev ABP-APAL 1993;15(1):21-5.

Bucker EOG, Chacur C, Galduroz JCF, Leite JR, Mattos RB, Moraes LG, Mori V, Paraguay AF, Perez RC, Rezende A, Ribeiro RA, Silva OF. Efeito de uma mistura de valepotriatos na resposta de ansiedade induzida em voluntários submetidos a uma situação de estresse psicológico. Folha Med 1993;106(4):151-3.

Bueno OFA, Oliveira MGM, Pomarico AC, Gugliano EB. A dissociation between the proactive ECS effects on inhibitory avoidance learning and on classical fear conditioning. Behav Neural Biol 1993;59;180-5. doi: 10.1016/0163-1047(93)90938-e.

Calil HM. Distúrbio do pânico. Consult Méd 1993;14:32-3.

Carlini EA. Preliminary note: dangerous use of anticholinergic drugs in Brazil. Drug Alcohol Depend 1993;32:1-7. doi: 10.1016/0376-8716(93)90016-j.

Carlini EA, Nappo SA, Galduroz JCF. A cocaína no Brasil ao longo dos últimos anos. Rev ABP-APAL 1993;15(4):121-7.

Carlini-Cotrim B, Carvalho VA. Extracurricular activities: are they an effective strategy against drug consumption? J Drug Educ 1993;23(1):97-104. doi: 10.2190/MTPL-90AP-UKRV-3NGP.

Dratcu L, Monteiro MG. Brazilian drug couriers in British prisons: a warning? Addiction. 1993;88(6):835-6. doi: 10.1111/j.1360-0443.1993.tb02098.x.

Moreno DH, Moreno RA, Calil HM. Depressões resistentes a tratamento: uma experiência brasileira. Rev ABP-APAL 1993;15(4):146-8.

Nappo SA, Carlini EA. Atos administrativos publicados no D.O.U. sobre registros de medicamentos nos anos de 1989-1992. Pharm Bras 1993;1(3):1-2.

Nappo SA, Carlini EA. Benzodiazepínicos no Brasil: um perfil do consumo nos anos de 1988 e 1989. J Bras Psiquiatr 1993;42(6):313-9.

Nappo SA, Carlini EA. Preliminary findings: consumption of benzodiazepines in Brasil during the years 1988 and 1989. Drug Alcohol Depend 1993;33:11-7. doi: 10.1016/0376-8716(93)90028-o.

Nappo SA, Carlini EA. Revisão: medicamentos anorexígenos. INFARMA 1993;2:6-9.

Oliveira MGM, Bueno OFA. Neuropsicologia da memória humana. Rev Psicol USP 1993;4;117-38.

Rosenfeld P, Ekstrand J, Olson E, Suchecki D, Levine S. Maternal regulation of adrenocortical activity in the infant rat: effects of feeding. Develop Psychobiol. 1993;26(5):261-77. doi: 10.1002/dev.420260504.

Sartori VA, Andreatini R, Leite JR. Anxiolytic effect of carbamazepine in experimentally-induced anxiety. J Drug Dev 1993;5(4):251-4.

Seabra MLV, Tufik S. Sodium diclofenac inhibits hyperthermia induced by paradoxical sleep deprivation: the possible participation of prostaglandins. Physiol Behav 1993;54:923-6. doi:10.1016/0031-9384(93)90303-W

Suchecki D, Mozaffarian D, Gross G, Rosenfeld P, Levine S. Effects of maternal deprivation on the ACTH stress response in the infant rat. Neuroendocrinology. 1993;57:204-12. doi: 10.1159/000126361.

Suchecki D, Rosenfeld P, Levine S. Maternal regulation of the hypothalamic-pituitary-adrenal axis in the infant rat: the roles of feeding and stroking. Develop Brain Res 1993;75(2):185-92. doi: 10.1016/0165-3806(93)90022-3.

Walzer C, Turler H, Balant L, Golaz O, Hochstrasser DF, Monteiro M, von-Wartburg JP. Determination of human alcohol dehydrogenase and acetaldehyde dehydrogenase genotypes by single strand conformation polymorphism in discontinuous buffer electrophoresis. Electrophoresis 1993;14(7):566-9. doi: 10.1002/elps.1150140189.

1992.....

Almeida RN, Seabra DS, Eidman DS, Fujita K, Andreatini R, Shiotsuki MN, Silva Filho AR, Carlini ELA. Avaliação pré-clinica da toxicologia da artemísia Sp. Rev Bras Farm 1992;73(2):37-42.

Carlini ELA. Uso ilícito de drogas lícitas pela nossa juventude. É um problema solúvel?. Rev Bras Crescimento Desenv Hum 1992;II(1):129-43.

Carlini EA, Nappo SA. Vigilância de medicamentos (II). J Assoc Med Bras 1992;1222:1.

Carlini EA, Nappo SA. Vigilância de medicamentos (I). J Assoc Med Bras 1992;1221:1.

Carlini EA. Opinião: o caso-escândalo do triazolam. Arq Neuropsiquiatr 1992;50(4):550-1.doi: 10.1590/S0004-282X1992000400025.

Carlini ELA. The case-scandal of triazolam. Rev Hosp Clin Fac Med Sao Paulo 1992;47(4):209-10.

Carvalho VA, Carlini-Cotrim B. Atividades extra-curriculares e prevenção ao abuso de drogas: uma questão polêmica. Rev Saúde Públ 1992;26(3):145-9. doi: 10.1590/S0034-89101992000300003.

Galduroz JCF, Andreatini R, Rieck L. A "mentira" do alcoólico: um estudo relacionado ao consumo de álcool. J Bras Psiquiatr 1992;41(3):117-9.

Minatti-Hannuch SN, Zukerman E, Masur J, Lima JG. Abuso de substâncias para alívio imediato da dor (SAID) em pacientes com cefaléia. Rev Assoc Med Bras 1992;38(1):24-7.

Monteiro MG. Tratamento farmacológico do alcoolismo. Inform Psiquiatr 1992;11(supl.1):S22-S25.

Monteiro MG. Pharmacological treatment of alcoholism. Aust N Z J Med 1992;22(2):220-3. doi: 10.1111/j.1445-5994.1992.tb02817.x.

Nappo SA. Consumo de anorexígenos tipo-anfetamina (dietilpropiona, fenproporex, mazindol) e de fenfluramina no Brasil: prejuízo ou benefício para a saúde. J Bras Psiquiatr 1992;41(8):417-21.

Pires MLN, Calil HM. Transtorno disfórico da fase lútea tardia: uma nova categoria diagnóstica em psiquiatria? Rev ABP-APAL 1992;14(4):137-45.

Rosenfeld P, Suchecki D, Levine S. Multifactorial regulation of the hypothalamic-pituitary-adrenal axis during development. Neurosci Biobehav Rev. 1992;16:553-68. doi: 10.1016/s0149-7634(05)80196-4.

Silva Filho AR, Pires ML, Shiotsuki N. Anticonvulsant and convulsant effects of organic solvents. Pharmacol Biochem Behav 1992;41(1):79-82. doi: 10.1016/0091-3057(92)90063-l.

Tufik S, Lobo LL, Medeiros R, Neumann BG, Suchecki D. Efeitos de um concentrado de valepotriatos de valeriana sobre a sonolência diurna e parâmetros de sono noturno em voluntários sadios. F Med (BR) 1992;104:43-6.

Zangrossi Jr H, Leite JR, Graeff FG. Anxiolytic effect of carbamazepine in the elevated plus-maze: possible role of adenosine. Psychopharmacology 1992;106:85-9. doi: 10.1007/BF02253593.

1991.....

Anthenelli RM, Monteiro MG, Blunt B, Schuckit MA. Amnestic effects of intravenous diazepam in healthy young men. Am J Drug Alcohol Abuse 1991;17(2):129-36. doi: 10.3109/00952999108992816.

Calil HM. Psiquiatria e neurociência. Temas 1991;40/41:48-55.

Carlini EA, Carlini-Cotrim B. A preponderante participação do álcool nas internações por dependências e por psicoses induzidas por drogas psicotrópicas no Brasil, triênio 1987-1989. J Bras Psiquiatr 1991;40(6):291-8.

Carlini-Cotrim B, Rosemberg F. Os livros didáticos e o ensino para a saúde: o caso das drogas psicotrópicas. Rev Saúde Públ 1991;25(4):299-305.

Carlini-Cotrim B. O consumo de substâncias psicotrópicas por estudantes secundários: o Brasil frente à situação internacional. Rev ABP-APAL 1991;13(3):112-6.

Carlini-Cotrim B, Rosemberg F. Dealing with psychotropic drugs in school textbooks: the case of Brazil. Contempor Drug Problems 1991:417-32.

Ferri CP, Galduroz JCF, Carlini EA. Correlação entre os sintomas da esquizofrenia avaliados pela PANSS (Positive and Negative Syndrome Scale). Rev ABP-APAL 1991;13(4):133-6.

Maluf E, Barros HMT, Frochtengarten ML, Benti R, Leite JR. Assessment of the hypnotic/sedative effects and toxicity of Passiflora edulis aqueous extract in rodents and humans. Phytother Res 1991;5:262-6. doi: 10.1002/ptr.2650050607.

Mattei R, Carlini EA. Comparação entre meperidinas de sínteses diferentes. Estudo em camundongos e no ser humano. Rev Bras Anestesiol 1991;41(2):99-103.

Monteiro MG, Monteiro MA, Santos BR. Detecção do alcoolismo na população geral através do questionário CAGE: o que mudou em cinco anos? Rev ABP-APAL 1991;13(2):45-8.

Monteiro MG, Klein JL, Schuckit MA. High levels of sensitivity to alcohol in young adult Jewish men: a pilot study. J Stud Alcohol 1991;52(5):464-9. doi: 10.15288/jsa.1991.52.464.

Monteiro MG. Alcoholic dementia: a difficult diagnosis. Sci Matters 1991;2(1):49.

Nakamura EM, da Silva EA, Concilio GV, Wilkinson DA, Masur J. Reversible effects of acute and long-term administration of delta-9-tetrahydrocannabinol (THC) on memory in the rat. Drug Alcohol Depend 1991;28(2):167-75. doi: 10.1016/0376-8716(91)90072-7.

Nakamura EM, Silveira-Filho NG. Vasopressin: an approach to its actions in the central nervous system. Cienc Cult 1991;43(4):289-98.

Oliveira MGM, Monteiro MG, Macaúbas C, Barbosa VP, Carlini EA. Pharmacologic and toxicologic effects of two Maytenus species in laboratory animals. J Ethnopharmacol 1991;34:29-41. doi: 10.1016/0378-8741(91)90186-h.

Pires MLN, Calil HM. Síndrome pré-menstrual. Consult Méd 1991;8:16-8.

Rausch JL, Monteiro MG, Schuckit MA. Platelet serotonin uptake in men with family histories of alcoholism. Neuropsychopharmacology 1991;4(2):83-6.

Sanchez-Craig M, Neumann B, Souza-Formigoni M, Rieck L. Brief treatment for alcohol dependence: level of dependence and treatment outcome. Alcohol Alcohol 1991;26(suppl.1):515-8.

Schuckit MA, Hauger RL, Monteiro MG, Irwin M, Duthie LA, Mahler HI. Response of three hormones to diazepam challenge in sons of alcoholics and controls. Alcohol Clin Exp Res 1991;15(3):537-42. doi: 10.1111/j.1530-0277.1991.tb00556.x.

Schuckit MA, Duthie LA, Mahler HI, Irwin M, Monteiro MG. Subjective feelings and changes in body sway following diazepam in sons of alcoholics and control subjects. J Stud Alcohol 1991;52(6):601-8. doi: 10.15288/jsa.1991.52.601.

Souza-Formigoni MLO, Oliveira MGM, Monteiro MG, Silveira-Filho NG, Braz S, Carlini EA. Antiulcerogenic effects of two Maytenus species in laboratory animals. J Ethnopharmacol 1991;34:21-7. doi: 10.1016/0378-8741(91)90185-g.

Suchecki D, Palermo Neto J. Prenatal stress and emotional response of adult offspring. Physiol Behav 1991;49(3):423-6. doi: 10.1016/0031-9384(91)90259-q.

Troncone LRP, Tufik S. Effects of selective adrenoceptor agonists and antagonists on aggressive behavior elicited by apomorphine, DL-Dopa and fusaric acid in REM-sleep-deprived rats. Physiol Behav 1991;50:173-8. doi:10.1016/0031-9384(91)90517-R

Viana LAC, Monteiro MG. Utilidade do questionário CAGE para a identificação de problemas relacionados ao álcool entre as causas de mortalidade de mulheres residentes em Diadema (SP) no período 1985-1986. Rev Assoc Med Bras 1991;37(3):139-42.

1990.....

Almeida RN, Leite JR. Effects of acute or chronic carbamazepine on experimentally-induced conflict in the rat. Psychopharmacology 1990;100:227-9. doi: 10.1007/BF02244411.

Calil HM, Zwicker AP, Klepacz S. The effects of lithium carbonate on healthy volunteers: mood stabilization? Biol Psychiatr 1990;27:711–22. doi: 10.1016/0006-3223(90)90586-q.

Carlini EA. Research is badly needed to improve programmes for the prevention and treatment of drug abuse and drug dependence in Brazil. Drug Alcohol Depend 1990;25:169-73. doi: 10.1016/0376-8716(90)90058-m.

Carlini-Cotrim B, Rosemberg F. Drogas: prevenção no cotidiano escolar. Cad Pesq São Paulo 1990;(74):40-6.

Dractu L, Calil HM. Dexamethasone suppression test: its relationship to diagnosis, severity of depression, and response to treatment. Psychiatr Digest 1990;3:27-8

Eidman DS, Benedito MAC, Leite JR. Daily changes in pentylenetetrazol-induced convulsions and open-field behavior in rats. Physiol Behav 1990;47:853-6. doi: 10.1016/0031-9384(90)90008-r.

Galduroz JC, Masur J. The unofficial history of drug use: a study in a Brazilian sample. Br J Addict 1990;85(12):1577-81. doi: 10.1111/j.1360-0443.1990.tb01645.x.

Kerr F, Carlini EA, Sonenreich C. Dexamethasone suppression test in Brazil. Biol Psychiatr 1990;27:671-85. doi: 10.1016/0006-3223(90)90543-b.

Kerr-Corrêa F, Carlini EA, Sonenreich C. The dexamethasone suppression test applied to inpatients of a brazilian psychiatric hospital. Braz J Med Biol Res 1990;23:499-509.

Leite JP, Nakamura EM, Lemos T, Masur J, Cavalheiro EA. Learning impairment in chronic epileptic rats following pilocarpine-induced status epilepticus. Braz J Med Biol Res 1990;23(8):681-3.

Lobo LL, Neumann BG, Eidman DS, Tufik S. Effects of REM sleep deprivation on ACTH-induced yawning. Pharmacology 1990;40:174-8. doi:10.1159/000138656.

Masur J. 'Drug scene' - how will it be in the next century? Br J Addict 1990;85(1):9-11. doi: 10.1111/j.1360-0443.1990.tb00618.x.

Mello LEAM, Masur J, Formigoni MLOS, Kireeff W, Cavalheiro EA. Amygdaloid kindling and kindled seizures in rats receiving chronic ethanol administration. Epilepsy Res 1990;7:95-104. doi: 10.1016/0920-1211(90)90094-c.

Monteiro MG. DSM-III-R diagnostic criteria for dementia associated with alcoholism: a critical review. Ann Clin Psychiatr 1990;2:263-75. doi: 10.3109/10401239009147956.

Monteiro MG. Bases genéticas do alcoolismo: visão geral. Rev Assoc Med Bras 1990;36(2):78-82.

Monteiro MG, Schuckit MA, Hauger R, Irwin M, Duthie LA. Growth hormone response to intravenous diazepam and placebo in 82 healthy men. Biol Psychiatr 1990;27(7):702-10. doi: 10.1016/0006-3223(90)90585-p.

Monteiro MG, Irwin M, Hauger RL, Schuckit MA. TSH response to TRH and family history of alcoholism. Biol Psychiatr 1990;27(8):905-10. doi: 10.1016/0006-3223(90)90472-e.

Monteiro MG, Schuckit MA, Irwin M. Subjective feelings of anxiety in young men after ethanol and diazepam infusions. J Clin Psychiatr 1990;51(1):12-6.

Neumann BG, Troncone LRP, Braz S, Tufik S. Modifications on dopaminergic and cholinergic systems induced by the water tank technique: analysis through yawning behavior. Arch Int Pharmacodyn 1990;308:32-8.

Oliveira MGM, Kireeff W, Hashizume LK, Bueno OFA, Masur J. Ethanol decreases choice accuracy in a radial maze delayed test. Braz J Med Biol Res 1990;23;547-53.

Paula RB, Marson O, Tufik S, Kohlmann Jr O, Bossolan D, Ginosa M, Neves FAR, Ramos OL. Stress and hypertension: studies in three experimental models. Rev Hosp São Paulo 1990;2(1/2):19-22.

Raeder RJ, Carlini-Cotrim B. Internações hospitalares no Brasil por dependência de drogas, álcool e psicoses alcoólicas, em 1988. Rev ABP-APAL 1990;12(1/2/3/4):33-9.

Seabra MLV, Concílio GV, Villares JB, Carlini EA. Avaliação do teste “Mini-Mental State” em voluntários e pacientes brasileiros. Rev ABP-APAL 1990;12(1,2,3,4):1-7.

Tufik S, Formigoni MLOS. Um exemplo a ser seguido. Rev Assoc Med Bras 1990;36:113-4.

Xavier GF, Stein C, Bueno OFA. Rats with dorsal hippocampal lesions do react to new stimuli but not to spatial changes of known stimuli. Behav Neural Biol 1990;54;172-83. doi: 10.1016/0163-1047(90)91380-t.

1989.....

Barbosa MTS, Carlini-Cotrim B, Silva-Filho AR. O Uso do tabaco por estudantes de primeiro e segundo graus em dez capitais brasileiras: possíveis contribuições da estatística multivariada para a compreensão do fenômeno. Rev Saúde Publica 1989;23(5):401-9. doi: 10.1590/S0034-89101989000500007.

Barros HMT, Braz S, Carlini EA. Behavioural manifestations elicited by apormorphine: influence of the route of administration. Pharmacology 1989;38:335-40. doi: 10.1159/000138554.

Carlini-Cotrim B, Pinsky I. Prevenção ao abuso de drogas na escola: uma revisão da literatura internacional recente. Cad Pesq São Paulo 1989;(69):48-52.

Dratcu L, Calil HM. The dexamethasone suppression test: its relationship to diagnoses, severity of depression, and response to treatment. Progr Neuropsychopharmacol Biol Psychiatr 1989;13:99-117. doi: 10.1016/0278-5846(89)90007-9.

Masur J, Souza-Formigoni MLO, Pires MLN. Increased stimulatory effect by the combined administration of cocaine and alcohol in mice. Alcohol 1989;6(4):181-2. doi: 10.1016/0741-8329(89)90015-3.

Monteiro MG. Demência alcoólica: uma entidade clínica? Rev ABP-APAL 1989;11(4):141-9.

Monteiro MG, Schuckit MA, Smith TL, Irwin M. Correlation between subjective and objective assessment scales of feelings of intoxication. Ann Clin Psychiatr 1989;1:221-5. doi: 10.3109/10401238909149986.

Monteiro MG, Schuckit MA. Alcohol, drug, and mental health problems among Jewish and Christian men at a university. Am J Drug Alcohol Abuse 1989;15(4):403-12. doi: 10.3109/00952998908992800.

Shiotsuki N, Silva-Filho AR, Monteiro MG, Souza-Formigoni MLO. Toxicologia dos solventes de colas. II – Efeitos bioquímicos, hematológicos, anátomo-patológicos e teratogênicos da mistura de tolueno e n-hexano em animais de laboratório. Rev Pesquisa Méd 1989;23(2):95-100.

Silva Filho AR, Monteiro MG, Souza-Formigoni MLO, Shiotsuki N. Toxicologia dos solventes de colas: I - Efeitos comportamentais da mistura de tolueno e n-hexano em animais de laboratório. Rev Pesquisa Med 1989;23(2):85-94.

Suchecki D, Palermo Neto J. Desenvolvimento pré-natal de ratos: os efeitos do estresse . Rev Pesquisa Méd. 1989;23(1):36-9.

Valença JEB, Klepacz S, Calil HM. Previsão de dose terapêutica do lítio. Rev ABP-APAL 1989;11(2):76-80.

Villares JCB, Carlini EA. Sebum secretion and idiopathic Parkinson's disease: effect of anticholinergic and dopaminergic drugs. Acta Neurol Scand 1989;80:57-63. doi: 10.1111/j.1600-0404.1989.tb03843.x.

Villares JCB. L- dopa, biperideno e excreção sebácea na doença de Parkinson. Arq Neuropsiquiatr 1989;47(1):31-8. doi: 10.1590/s0004-282x1989000100005.

Zangrossi Jr H, Leite JR, Graeff FG. Anxiolytic effect of carbamazepine measured in the elevated plus-maze. Braz J Med Biol Res 1989;22:703-5.

1988.....

Calil HM. Psiconeuroendocrinologia e depressão. Rev Pesquisa Med 1988;22(1):59-64.

Carlini EA, Masur J, Formigoni MLOS. A influência de uma lesgislação mais restritiva na venda de medicamentos psicotrópicos. Rev ABP-APAL 1988;10:12-5.

Carlini EA, Carlini-Cotrim B, Monteiro MG. Abuso de solventes voláteis: aspectos epidemiológicos, médico-psicológicos e experimentais. Rev Assoc Med Bras 1988;34(2):61-8.

Carlini ELA. Uma abordagem científica da homeopatia. Ciênc Hoje 1988;7(39):52-9.

Carlini-Cotrim B, Carlini EA. The use of solvents and other drugs among children and adolescents from a low socioeconomic background: a study in São Paulo, Brazil. Int J Addict 1988;23(11):1145-56. doi: 10.3109/10826088809056191.

Carlini-Cotrim B, Carlini EA. The use of solvents and other drugs among homeless and destitute children living in the city streets of São Paulo, Brazil. Soc Pharmacol 1988;2(1):51-62.

Carlini-Cotrim B, Silva-Filho AR. O Abuso do Artane por meninos de rua de São Paulo: possíveis influências da Portaria nº 27/86 da DIMED. J Bras Psiquiatr 1988;37(4):201-3.

Masur J, dos Santos HMLM. Response variability of ethanol-induced locomotor activation in mice. Psychopharmacology 1988;96(4):547-50. doi: 10.1007/BF02180038.

Monteiro MG, Schuckit MA. Populations at high alcoholism risk: recent findings. J Clin Psychiatr 1988;49 Suppl:3-7.

Santos R, Carlini EA. Central responses to cholinergic drugs of REM sleep deprived rats. Pharmacol Biochem Behav 1988;29:217-21. doi: 10.1016/0091-3057(88)90148-7.

Santos R, Carlini EA. Red lacrimal secretion (chromodacryorrhea) induced by cholinergic drugs in rats subjected to the watertank technique. Pharmacology 1988;36:61-8. doi: 10.1159/000138347.

Schuckit MA, Monteiro MG. Alcoholism, anxiety and depression. Br J Addict. 1988;83(12):1373-80. doi: 10.1111/j.1360-0443.1988.tb02551.x.

Silva-Filho AR, Masur J. Interference of expectancy and attention demanding tasks on alcohol intoxication. Addict Behav 1988;13(3):285-9. doi: 10.1016/0306-4603(88)90055-x.

Troncone LRP, Ferreira TMS, Braz S, Silveira-Filho NG, Tufik S. Reversal of the increase in apomorphine-induced stereotypy and aggression in REM sleep deprived rats by dopamine agonist pretreatments. Psychopharmacology 1988;94:79-83. doi:10.1007/BF00735885.

Vale NB, Leite JR. Decreased susceptibility to local anesthetics-induced convulsions after paradoxical sleep deprivation. Psychopharmacology 1988;94:138-40. doi: 10.1007/BF00735895.

Villares JC, Carlini EA. Quantification of sebaceous excretion in volunteers: influence of chronological age, sex and race. Med Cutan Ibero Lat Am. 1988;16(6):439-44.

1987.....

Andrade LAF, Lima JGC, Tufik S, Bertolucci PHF, Carlini EA. REM sleep deprivation in an experimental model of Parkinson's disease. Arq Neuropsiquiatr 1987;45:217-23. doi: 10.1590/S0004-282X1987000300001.

Barros HMT, Leite JR. The effects of carbamazepine on two animal models of depression. Psychopharmacology 1987;92:340-2. doi: 10.1007/BF00210841.

Bertolucci PHF, Andrade LAF, Lima JGC, Carlini EA. Total sleep deprivation and Parkinson disease. Arq Neuropsiquiatr 1987;45(3):224-30. doi: 10.1590/s0004-282x1987000300002.

Braz S, Neumann BRG, Tufik S. Avaliação dos problemas de sono em alunos do curso de medicina. Rev Pesquisa Med 1987;21:95-100.

Braz S, Neumann BRG, Tufik S. Avaliação dos distúrbios do sono: elaboração e validação de um questionário. Rev ABP-APAL 1987;9:9-14.

Calil HM. Depression and biological markers - the dexamethasone suppression test (DST). An Acad Bras Cien 1987;58(4):601.

Calil HM, Zwicker AP. Effects of desipramine and total sleep deprivation on hormonal levels of healthy subjects. Psychiatr Res 1987;21:337-48. doi: 10.1016/0165-1781(87)90017-5.

Carlini EA. Data bank of Brazilian scientific output on the use of psychotropic drugs. São Paulo Med J 1987;105(2):120.

Carlini EA, Braz S, Troncone LRP, Tufik S, Romanach AK, Pustiglione M, Sposati MC, Cudízio-Filho O, Prado MIA. Efeito hipnótico de medicação homeopática e do placebo. Avaliação pela técnica de "duplo-cego" e "cruzamento". Rev Assoc Med Brasil 1987;33:83-8.

Carlini-Cotrim B, Carlini EA. O consumo de solventes e outras drogas em crianças e adolescentes de baixa renda na cidade de São Paulo. Parte I: Estudantes de primeiro e segundo graus da rede estadual. Rev ABP-APAL 1987;9(2):49-58.

Carlini-Cotrim B, Carlini EA. O consumo de solventes e outras drogas em crianças e adolescentes de baixa renda na grande São Paulo. Parte II: Meninos de rua e menores internados. Rev ABP-APAL 1987;9(2):69-77.

Carlini-Cotrim B. Dados sobre o consumo de drogas por adolescentes no Brasil. Rev ABP-APAL 1987;9(3):99-102.

Contar JDP, Carlini EA. Pharmacological and toxicological profile of benzyleugenol, a phenylpropene derivative possessing anticonvulsant properties. Braz J Med Biol Res 1987;20:495-510.

Dratcu L, Costa Ribeiro L, Calil HM. Depression assessment in Brazil: the first application of the Montgomery-Asberg Depression Rating Scale. Br J Psychiatr 1987;150:797-800. doi: 10.1192/bjp.150.6.797.

Frochtengarten ML, Villares JCB, Maluf E, Carlini EA. Depressive symptons and the dexamethasone suppression test in Parkinsonian patients. Biol Psychiatr 1987;22:386-9. doi: 10.1016/0006-3223(87)90156-9.

Masur J, Carlini-Cotrim B. Padrão de uso de drogas psicotrópicas precedendo a internação por dependência. Rev ABP-APAL 1987;9(4):145-50.

Masur J, Silva-Filho AR, Souza MLO, Pires MLN. Lack of effect of the benzodiazepine receptor antagonist Ro 15-1788 on ethanol-induced intoxication in mice. Alcohol 1987;4(4):425-7. doi: 10.1016/0741-8329(87)90079-6.

Monteiro MG, Masur J. Correlation between biological state markers of alcohol abuse and severity of alcohol dependence syndrome. Alcohol 1987;4(2):135-7. doi: 10.1016/0741-8329(87)90012-7.

Monteiro MG, Masur J. O uso de indicadores biológicos para diagnóstico, avaliação da severidade e seguimento terapêutico do alcoolismo em nosso meio. Rev ABP-APAL 1987;9(1):23-8.

Tufik S, Troncone LRP, Braz S, Silva-Filho AR, Neumann BG. Does REM sleep deprivation induce subsensitivity of presynaptic dopamine or postsynaptic acetylcholine receptors in the rat brain? Eur J Pharmacol 1987;140:215-9. doi:10.1016/0014-2999(87)90808-9

Yamamoto ME, Arruda MF, Bueno OFA. Compensation in abnormal conditions of infant care in the common marmoset (Callithrix jacchus). Int J Comp Psychol 1987;1(2):97-106.

1986.....

Arruda MF, Yamamoto ME, Bueno OFA. Interactions betweeen parents and infants, and infants-father separation in the common marmoset (Callithrix jacchus). Primates 1986;27:215-28. doi: 10.1007/BF02382600.

Barros HMT, Braz S, Leite JR. Effect of carbamazepine on dopamine release and reuptake in rat striatal slices. Epilepsia 1986;27:534-7. doi: 10.1111/j.1528-1157.1986.tb03579.x.

Barros HMT, Leite JR. Effects of acute and chronic carbamazepine administration on apomorphine-elicited stereotypy. Eur J Pharmacol 1986;123:345-9. doi: 10.1016/0014-2999(86)90707-7.

Barros HMT, Leite JR. Mecanismos neuroquímicos de ação de drogas anticonvulsivantes. Rev ABP-APAL 1986;8(2):80-3.

Barros HMT, Leite JR. A utilização de roedores nos modelos animais de depressão. Ciênc Cult 1986;36(6):952-8.

Calil HM, Dratcu L. A utilidade clínica do teste de supressão pela dexametasona em psiquiatria: um estudo em nosso meio. Temas 1986;16(30/31):115-29.

Calil HM, Dratcu L. O emprego do SADS (Schedule for Affective Disorders and Schizophrenia) e do RDC (Research Diagnostic Criteria). Rev ABP-APAL 1986;8:53-8.

Carlini BH, Pires MLN, Fernandes R, Masur J. Alcohol use among adolescents in Sao Paulo, Brazil. Drug Alcohol Depend 1986;18:235-46. doi: 10.1016/0376-8716(86)90055-4.

Carlini BH, Pires MLN, Fernandes R, Masur J. O consumo de bebidas alcoólicas entre estudantes de primeiro grau na cidade de São Paulo. J Bras Psiquiatr 1986;35(5):279-85.

Carlini EA, Contar JDP, Silva-Filho AR, Silveira-Filho NG, Frochtengarten ML, Bueno OFA. Pharmacology of lemongrass (Cymbopogon citratus stapf). I- Effects of teas prepared from the leaves on laboratory animals. J Ethnopharmacol 1986;17:37-64. doi: 10.1016/0378-8741(86)90072-3.

Carlini EA, Masur J. Venda de medicamentos sem receita médica nas farmácias da cidade de São Paulo. Rev Assoc Med Bras 1986;32(5-6):75-8.

Carlini EA. Psicofarmacologia da depressão: drogas antidepressivas. Temas 1986;30/31:5-10.

Carlini EA. Todos, gregos e troianos (governo e universidade), vivem felizes sob o sistema de dupla corrupção. Ciênc Cult 1986;38(9):1575-6.

Del Porto JA, Laranjeira RR, Calil HM. Diagnóstico e evolução das doenças afetivas: experiência de um ambulatório específico em hospital universitário. Rev ABP-APAL 1986;8(3):115-21.

Formigoni MLOS, Lodder HM, Gianotti Filho O, Ferreira TMS, Carlini EA. Pharmacology of Lemongrass (Cymbopogon Citratus, Stapf). I I. Effects of daily two month administration in male and female rats and in offspring exposed "in utero". J Ethnopharmacol 1986;17(1):65-74. doi: 10.1016/0378-8741(86)90073-5.

Jorge MR, De Padua FC, Masur J. Lack of agreement between two questionnaires that evaluate the severity of the alcohol dependence syndrome. Drug Alcohol Depend 1986;18(4):355-60. doi: 10.1016/0376-8716(86)90099-2.

Jorge MR, Masur J. Questionários padronizados para avaliação do grau de severidade da síndrome de dependência do álcool. J Bras Psiquiatr 1986;35(5):287-92.

Kafka MS, Benedito MAC, Roth RH, Steele LK, Wolfe WW, Catravas GN. Circadian rhythms in catecholamine metabolites and cyclic nucleotide production. Chronobiol Int 1986;3:101-15. doi: 10.3109/07420528609066354.

Kafka MS, Benedito MAC, Blendy JA, Tokola N. Circadian rhythms in neurotransmitter receptors in discrete rat brain regions. Chronobiol Int 1986;3:91-100. doi: 10.3109/07420528609066353.

Kafka MS, Benedito MAC, Steele LK, Gibson MJ, Zerbe RL, Jacobowitz DM, Roth RH, Zander K. Relationships between behavioral rhythms, plasma corticosterone and hypothalamic circadian rhythms. Chronobiol Int 1986;3:117-22. doi: 10.3109/07420528609066355.

Leite JR, Seabra MLV, Maluf E, Assolant K, Suchecki D, Tufik S, Klepacz S, Calil HM, Carlini EA. Pharmacology of lemongrass (Cymbopogon citratus stapf). III. Assessment of eventual toxic, hypnotic and anxiolytic effects on humans. J Ethnopharmacol 1986;17:75-83. doi: 10.1016/0378-8741(86)90074-7.

Masur J, Souza MLO, Zwicker AP. The excitatory effect of ethanol: absence in rats, no tolerance and increased sensitivity in mice. Pharmacol Biochem Behav 1986;24(6):1225-8. doi: 10.1016/0091-3057(86)90175-9.

Masur J, Monteiro MG. Efeito estimulante do álcool: novas formas de entendimentos. Rev ABP-APAL 1986;8(2):76-9.

Masur J. Diagnóstico precoce do alcoolismo através de questionários padronizados e testes biológicos. J Bras Psiquiatr 1986;35(6):329-32.

Masur J, Jorge MR. Dados relacionados a bebidas alcoólicas e alcoolismo no Brasil: uma revisão. Rev ABP-APAL 1986;8(4):157-65.

Monteiro MG, Pires MLN, Masur J. The Trauma Questionnaire for detecting alcohol abuse: limiting factors. Alcohol 1986;3:287-9. doi: 10.1016/0741-8329(86)90003-0.

Monteiro MG, Masur J. Monitoring alcoholism treatment: the appropriateness of choice between gamma GT or MCV evaluation after a short time of abstinence. Alcohol 1986;3(4):223-6. doi: 10.1016/0741-8329(86)90029-7.

Monteiro MG, Masur J. Valor da enzima gama-glutamil transferase (gama GT) sérica no diagnóstico do alcoolismo. Rev Assoc Med Bras 1986;32(1-2):25-30.

Morato GS, Souza MLO, Pires MLN, Masur J. Hypoglycemia and hypothermia induced by ethanol: antagonism by indomethacin. Pharmacol Biochem Behav 1986;25:739-42. doi: 10.1016/0091-3057(86)90379-5.

Silva Filho AR, Masur J. A modulação dos efeitos do álcool por fatores individuais, situacionais e ambientais. Ciênc Cult 1986;38(5):749-59.

Troncone LRP, Braz S, Benedito MAC, Tufik S. REM sleep deprivation induces a decrease in norepinephrine-stimulated 3H-Cyclic AMP accumulation in slices from rat brain. Pharmacol Biochem Behav 1986;25:223-5. doi:10.1016/0091-3057(86)90257-1. doi: 10.1016/0091-3057(86)90257-1.

Vale NB, Leite JR. Influência de fármacos adjuvantes da anestesia locorregional na mortalidade pós-ictal pela lidocaína, bupivacaína e pentilenotetrazol. Rev Bras Anestesiol 1986;36:11-20.

Zwicker AP, Calil HM. The effects of REM sleep deprivation on striatal dopamine receptor sites. Pharmacol Biochem Behav 1986;24:809-12. doi: 10.1016/0091-3057(86)90415-6.

1985.....

Calil HM. Doença afetiva (PMD) e efeitos dos sais de lítio. Bol Psiquiatr 1985;18(3/4):71-5.

Capriglione MJ, Monteiro MG, Masur J. Aplicação do questionário CAGE para detecção da síndrome de dependência do álcool em 700 adultos na cidade de São Paulo. Rev Assoc Bras Psiquiatr 1985;7(25):50-3.

Carlini EA. A pesquisa em homeopatia. Ciênc Cult 1985;37(9):1482-5.

Carlini EA. A propaganda médica de medicamentos psicotrópicos: um exemplo elogiável. Rev Assoc Bras Psiquatr 1985;6(23):160-1.

Carlini EA. Os ansiolíticos antidistônicos: até quando? Rev Assoc Med Bras 1985;31(7/8):110.

Carlini ELA, Del-Porto JA, Zwicker AP. Lack of agreement between the salivary flow and finger-sweat print methods for the determination of the anticholinergic effects of antidepressant drugs. Braz J Med Biol Res 1985;18:163-9.

Del Porto JA, Monteiro MG, Laranjeira RR, Jorge MR, Masur J. Reversal of abnormal dexamethasone suppression test in alcoholics abstinent for four weeks. Biol Psychiatr 1985;20(11):1156-60. doi: 10.1016/0006-3223(85)90173-8.

Del Porto JA, Cunha JM, Carlini EA. Influência da privação de sono sobre os efeitos de drogas dopaminérgicas em voluntários. J Bras Psiquiatr 1985;34(6):371-6.

Dratcu L, Ribeiro LC, Calil HM. Escalas de avaliação da depressão e sua utilidade clínica: Hamilton, Montgomery-Asberg e Visual Análoga do Humor. Rev Assoc Bras Psiquiatr 1985;7(25):59-65.

Jorge MR, Masur J. An attempt to improve the identification of alcohol-dependent patients in a teaching general hospital. Drug Alcohol Depend 1985;16(1):67-73. doi: 10.1016/0376-8716(85)90083-3.

Jorge MR, Masur J. The use of the Short-Form Alcohol Dependence Data questionnaire (SADD) in brazilian alcoholic patients. Br J Addict 1985;80(3):301-5. doi: 10.1111/j.1360-0443.1985.tb02543.x.

Martins LR, Takaoka K, Carlini E, Alonso G, Fernandes ALG, Romaldini H. Lung inhalation scintigraphy: development of a new aerosol system. Nucl Med Commun. 1985;6(7):389-95. Doi: 10.1097/00006231-198507000-00004

Masur J, Capriglione MJ, Monteiro MG, Jorge MR. Detecção precoce do alcoolismo em clínica médica através do questionário CAGE: utilidade e limitações. J Bras Psiquiatr 1985;34(1):31-4.

Monteiro MG, Masur J. Diagnostic of alcoholism: how useful is the combination of gamma glutamyl transferase with different biochemical markers? Drug Alcohol Depend 1985;16(1):31-7. doi: 10.1016/0376-8716(85)90079-1.

Potter WZ, Scheinin M, Golden RN, Rudorfer MV, Cowdry RW, Calil HM, Ross RJ, Linnoila M. Selective antidepressants and cerebrospinal fluid: lack of specificity on norepinephrine and serotonin metabolites. Arch Gen Psychiatr 1985;42:1171-7. doi: 10.1001/archpsyc.1985.01790350045009.

Rodrigues FC, Zwicker AP, Calil HM. Chronic lithium prevents REM sleep deprivation-induced increased responsiveness to apomorphine. J Pharm Pharmacol 1985;37:210-1. doi: 10.1111/j.2042-7158.1985.tb05045.x.

1984.....

Blay SL, Ferraz MPT, Calil HM. Impotência sexual induzida pelo uso de lítio: descrição de dois casos. J Bras Psiquiatr 1984;33(6):441-2.

Bueno OFA, Carlini EA, Leite JR, Silveira-Filho NG, Souza MLO, Tufik S. Estudos pré-clínicos com mianserina: efeitos agustos e crônicos em ratos e camundongos. J Bras Psiquiatr 1984;33(4);266-78.

Calil HM, Lesieur P, Gold PW, Brown GM, Zavadil III AP, Potter WZ. Hormonal responses to zimelidine and desipramine in depressed patients. Psychiatr Res 1984;13:231-42. doi: 10.1016/0165-1781(84)90038-6.

Calil HM. Mecanismos de ação do lítio. J Bras Psiquiatr 1984;33(3):220-2.

Calil HM. Possíveis mecanismos de ação dos antidepressivos. J Bras Psiquiatr 1984;33(6):411-4.

Calil HM, Del Porto JA, Ferraz MPT. Uso crônico de lítio e hipotireoidismo em nosso meio. J Bras Psiquiatr 1984;33(6):436-8.

Carlini EA, Benedito MAC, Zwicker AP, Calil HM, Assolant KRM, Maluf E, Giraldi SMV. Salicilemia em voluntários sadios após a ingestão de aspirina sob a forma de comprimidos convencionais ou tamponados. Rev Assoc Med Bras 1984(1/2):30:14-6.

Del Porto JA, Masur J. Influência de fatores extrafarmacológicos sobre os efeitos de drogas psicotrópicas. J Bras Psiquiatr 1984;33(4):261-6.

Del Porto JA, Masur J. The effects of alcohol, THC and diazepam in two different social settings: a study with human volunteers. Res Commun Psychol Psychiatr Behav 1984;9(2):201-12.

Klepacz S, Calil HM. O lítio e o rim. Bol Psiquiatr 1984;17:45-9.

Masur J, Souza MLO, Hamaoui A. Nephrectomy enhances alcohol-induced hypoglycemia in fasted rats. J Stud Alcohol 1984;45:369-71. doi: 10.15288/jsa.1984.45.369.

Rodrigues FC, Calil HM. Efeitos do lítio na supersensibilidade dopaminérgica induzida por tratamento crônico com neuroléptico. J Bras Psiquiatr 1984;33(5):374-7.

Souza MLO, Masur J. Ethanol induces hyper and hypoglycemia in both fasted and nonfasted rats dependent on the ambient temperature. Pharmacol Biochem Behav 1984;20(5):649-52. doi: 10.1016/0091-3057(84)90178-3.

Wanderley I, Masur J. Lack of relationship between estrus cycle and effect of ethanol in mice. Psychol Rep 1984;54(3):997-8. doi: 10.2466/pr0.1984.54.3.997.

Xavier GF, Bueno OFA. On delay-of-punishment and preexposure time: effects on passive avoidance behavior in rats. Braz J Med Biol Res 1984;17:55-64.

Zavadil III AP, Ross RJ, Calil HM, Linnoila M, Blombery P, Jimerson DC, Kopin IJ, Potter WZ. The effect of desmethylimipramine on the metabolism of norepinephrine. Life Sci 1984;35:1061-8. doi: 10.1016/0024-3205(84)90070-5.

Zwicker AP, Del Porto JA, Carlini EA. Efeitos anticolinérgicos da mianserina, maprotilina, amitriptilina e imipramina em voluntários sadios. J Bras Psiquiatr 1984;33(5):339-47.

1983.....

Alves RJ, Carlini EA, Oliveira AB, Oliveira GG, Santos R. Síntese e propriedades farmacológicas do p-benziloxialilbenzeno (O-benzilchavicol). Rev Farm Bioquim 1983;5(1):31-8.

Avery DH, Overall JE, Calil HM, Hollister LE. Plasma calcium and phosphate during alcohol intoxication: alcoholics versus nonalcoholics. J Stud Alcohol 1983;44(2):205-14. doi: 10.15288/jsa.1983.44.205.

Calil HM. A bioquimica da loucura. Ciênc Hoje 1983;1(6):23-7.

Calil HM. Ritmos biológicos nas psicoses afetivas. Bol Psiquiatr 1983;16:81-6.

Carlini EA. Sobre o uso indevido de estimulantes centrais. Rev Assoc Med Bras 1983;29(3-4):43.

Carlini EA. Efeitos psicotrópicos de plantas brasileiras. Parte IV: Aspectos farmacológicos. Ciênc Cult 1983;35(4):444-50.

Carlini EA. Homeopatia: ontem, hoje e amanhã. Rev Assoc Med Bras 1983;29(11/12):210-4.

Carlini EA. O uso e a propaganda de medicamentos. Exemplos com psicotrópicos. Rev Assoc Bras Psiquiatr 1983;5(18):152-8.

Carlini EA. Pesquisas com plantas brasileiras usadas em medicina popular. Rev Assoc Med Bras 1983;29(5-6):109-10.

Carlini EA, Oliveira AB, Oliveira GG. Psychopharmacological effects of the essential oil fraction and of the hydrolate obtained from the seeds of Licaria puchury-major. J Ethnopharmacol 1983;8:225-36. doi: 10.1016/0378-8741(83)90056-9.

Carlini EA. REM sleep deprivation and dopamine in the CNS. Rev Pure Appl Pharmacol Sci 1983;4:1-25.

Cunha JM, Carlini EA. Ensaio psicofarmacológico pré-clínico de derivados fenotiazínicos. Rev Assoc Bras Psiquiatr 1983;5(17):98-104.

Dallmeier K, Carlini EA, Oliveira GG, Oliveira AB, Shaat VT. Índice terapêutico experimental, para ação anticonvulsivante do metil-, fenil-, benzil-e feniletileugenol. Ciênc Cult 1983;35(5):559-60.

Del Porto JA, Laranjeira RR, Masur J. Escalas de auto-avaliação de estados subjetivos: influência das instruções. J Bras Psiquiatr 1983;32(2):87-90.

Kafka MS, Wirz-Justice A, Naber D, Moore RY, Benedito MAC. Circadian rhythms in rat brain neurotransmitter receptors. Fed Proc 1983;42:2796-801.

Marson O, Saragoça MA, Ribeiro AB, Bossolan D, Tufik S, Ramos OL. Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat. Hypertension 1983;5:V90-3. doi: 10.1161/01.hyp.5.6_pt_3.v90.

Masur J, Monteiro MG, Souza MLO. Administração de niquetamida na intoxicação alcoólica: um estudo experimental. J Bras Psiquiatr 1983;32(4):219-20.

Masur J, Souza MLO, Laranjeira RR, Zwicker AP, Formigoni GGS. Lack of effect of intravenous hypertonic glucose on the intensity of alcohol intoxication induced experimentally and observed in patients of an emergency room. Pharmacology 1983;26(6):54-60. doi: 10.1159/000137769.

Masur J, Monteiro MG. Validation of the "CAGE" alcoholism screening test in a Brazilian psychiatric inpatient hospital setting. Braz J Med Biol Res. 1983;16(3):215-8.

Pagliusi SR, Gomes C, Leite JR, Trolin G. Aminooxyacetic acid induced accumulation of GABA in the rat brain: interaction with GABA receptors and distribution in compartments. Naunyn-Schmiedeberg's Arch. Pharmacol 1983;322:210-5. doi: 10.1007/BF00500767.

Ross RJ, Zavadil III AP, Calil HM, Linnoila M, Kitanaka I, Blombery P, Kopin IJ, Potter WZ. Effects of desmethylimipramine on plasma norepinephrine, pulse, and blood pressure. Clin Pharmacol Ther 1983;33:429-37. doi: 10.1038/clpt.1983.58.

Santos R, Carlini EA. Serotonin receptor activation in rats previously deprived of REM sleep. Pharmacol Biochem Behav 1983;18(4):501-7. doi: 10.1016/0091-3057(83)90271-x.

Silva-Filho AR, Lodder HM, Masur J. Interference by a nonpharmacological factor on the action of psychoactive drugs in rats. A comparative study. Pharmacol Biochem Behav. 1983;19(5):755-8. doi: 10.1016/0091-3057(83)90075-8.

Teixeira NA, Dolenz VL, Nogueira AM, Leite JR. Baclofen impairs passive and active avoidance performance in mice. Ciênc Cult 1983;35(8):1130-3.

Tufik S, Silveira-Filho NG. The influence of REM sleep deprivation in antidepressive drug action. Res Commun Psychol Psychiatr Behav 1983;8:331-41.

Vale NB, Leite JR. Efeitos psicofarmacológicos de preparações de Passiflora edulis (maracujá). Ciênc Cult 1983;35:11-24.

Zelger KRD, Zelger JL, Carlini EA. New aticonvulsants derived from 4-Allyl-2-Methoxyphenol (Eugenol): comparison with common antiepileptics in mice. Pharmacology 1983;27:40-9. doi: 10.1159/000137828.

1982.....

Avery DH, Overall JE, Calil HM, Hollister LE. Alcohol-induced euphoria: alcoholics compared to nonalcoholics. Int J Addict. 1982;17(5):823-45. doi: 10.3109/10826088209056330.

Blay SL, Ferraz MPT, Calil HM. Lithium-induced male sexual impairment: two case reports. J Clin Psychiatr 1982;43:497-8.

Calil HM, Jostell KG, Cowdry RW, Potter WZ. Zimelidine and norzimelidine protein binding measured by equilibrium dialysis and cerebrospinal fluid. Clin Pharmacol Ther 1982;31(4):522-7. doi: 10.1038/clpt.1982.70.

Carlini EA. Ações dos neurolépticos sobre os sistemas e os receptores dopaminérgicos cerebrais. Rev Assoc Bras Psiquiatr 1982;4(14):164-71.

Carlini EA, Lindsey CJ. Effect of serotonergic drugs on the aggressiveness induced by delta-9-tetrahydrocannabinol in REM-sleep-deprived rats. Braz J Med Biol Res 1982;15:281-3.

Carlini EA. Noções básicas sobre neurotransmissores. Arq Bras Med 1982;56(2):77-80.

Carlini EA, Santos R, Oliveira AB, Oliveira GG, Shaat VT. Síntese e atividade farmacológica do chavibetol e benzilchabivetol. Ciênc Cult 1982;33(supl):73-8.

Consroe P, Benedito MAC, Leite JR, Carlini EA, Mechoulan R. Effects of cannabidiol on behavioral seizures caused by convulsant drugs or current in mice. Eur J Pharmacol 1982;83:293-8. doi: 10.1016/0014-2999(82)90264-3.

Leite JR, Carlini EA, Lander N, Mechoulan R. Anticonvulsant effects of the (-) and (+) isomers of cannabidiol and their dimethylheptyl homologs. Pharmacology 1982;24:141-6. doi: 10.1159/000137588.

Linnoila M, Karoum F, Calil HM, Kopin IJ, Potter WZ. Alteration of norepinephrine metabolism with desipramine and zimelidine in depressed patients. Arch Gen Psychiatr 1982;39:1025-8. doi: 10.1001/archpsyc.1982.04290090027006.

Masur J, Souza MLO, Laranjeira RR, Formigoni GGS, Zwicker AP, Salim RJ, Pinotti DOF. Intoxicação alcoólica e glicose: um estudo duplo-cego em pacientes de pronto-socorro. Rev Assoc Med Bras 1982;28(7/8):168-71.

Masur J. Drogas psicotrópicas no tratamento da síndrome de abstinência do álcool. Med Cult (São Paulo). 1982;37:5-6.

Moreira LFS, Pinheiro MCC, Masur J. Catatonic behavior induced by haloperidol, increased by retesting and elicited without drug in rats. Pharmacology 1982;25(1):1-5. doi: 10.1159/000137716.

Potter WZ, Calil HM, Sutfin TA, Zavadil III AP, Jusko WJ, Rapoport J, Goodwin FK. Active metabolites of imipramine and desipramine in man. Clin Pharmacol Ther 1982;31(1):393-401. doi: 10.1038/clpt.1982.50.

Souza MLO, Masur J. Does hypothermia play a relevant role in the glycemic alterations induced by ethanol? Pharmacol Biochem Behav 1982;16(6):903-8. doi: 10.1016/0091-3057(82)90042-9.

Souza MLO, Laranjeira RR, Masur J. A administracao de glicose na intoxicação alcoólica aguda: um estudo duplo-cego em voluntários. Rev Assoc Med Bras 1982;28(7-8):171-3.

Tomaz CAB, Ventura DF, Leite JR. Effects of sodium barbitone on learning and memory-storage of an appetitive and an aversive task. Pharmacol Biochem Behav 1982;17(5):909-13. doi: 10.1016/0091-3057(82)90471-3.

Zelger JL, Carlini EA. Efeitos da catina e da catinona, aminas obtidas da Catha edulis, no comportamento rotatório e na liberação e captação de dopamina no striatum de ratos. Ciênc Cult 1982;33(supl):48-52.

Zelger KD, Carlini EA. The persistence of hyperresponsiveness to apomorphine in rats following REM sleep deprivation and the influence of housing conditions. Eur J Pharmacol 1982;80:99-104. doi: 10.1016/0014-2999(82)90182-0.

1981.....

Benedito MAC, Leite JR. Ação de canabinóides em convulsões induzidas pelo ácido 3-mercaptopropiônico. Ciênc Cult 1981;33:727-31.

Benedito MAC, Leite JR. Baclofen as an anticonvulsivant in experimental models of convulsion. Exp Neurol 1981;72:346-8. doi: 10.1016/0014-4886(81)90228-4.

Blay SL, Ferraz MPT, Calil HM, Novo NF. Alterações electrolíticas plasmáticas em pacientes alcoólatras crônicos com e sem delirium tremens. Acta Psiquiatr Psicol Am Lat 1981;27:311-4.

Calil HM. Aspectos biológicos da doença afetiva: neurotransmissores e resposta medicamentosa. J Bras Psiquiatr 1981;30(5):387-92.

Carlini EA. Considerações sobre o tratamento e recuperação dos doentes que apresentam dependência física ou psíquica. Rev Assoc Bras Psiquiatr 1981;3(6):65-8.

Carlini EA, Santos R. Screening psicofarmacológico para detecção de atividade tipo alcolóides indólicos alucinogênicos em extratos de Ipomoea cairica e Ipomoea tuberosa. Oréades 1981/1982;8(14/15):377-84.

Carlini EA, Cunha JM. Hypnotic and antiepileptic effects of cannabidiol. J Clin Pharmacol 1981;21:417S-427S. doi: 10.1002/j.1552-4604.1981.tb02622.x.

Carlini EA. Maconha (Cannabis Sativa): mito e realidade, fatos e fantasias. Med Cult 1981;36(1,2,3):24-33.

Carlini EA, Dallmeier K, Zelger JL. Methyleugenol as a surgical anesthetic in rodents. Experientia 1981;37:588-9. doi: 10.1007/BF01990065.

Carlini EA. Psicobiologia do sonho. Bol Psiquiatr 1981;14(1):14-23.

Carlini EA. Speaking of priorities and reliabilites: a reply to Galler. Develop Psychobiol 1981;14(3):293-5. doi: 10.1002/dev.420140318.

Carlini EA. Utilização de medicamentos. FIOCRUZ Bol Inform 1981;1(4):70-99.

Dallmeier K, Carlini EA. Anesthetic, hypothermic, myorelaxant and anticonvulsant effects of synthetic eugenol derivatives and natural analogues. Pharmacology 1981;22:113-27. doi: 10.1159/000137479.

Del-Porto JA, Masur J, Shirakawa AJM, Gattaz D. A desinformação como fator de risco no uso de drogas "anti-álcool". Rev Assoc Bras Psiquiatr 1981;3(6):78-86.

Marson O, Ribeiro AB, Tufik S, Kohlmann Jr O, Ramos OL. Inhibition of central angiotensin I conversion by oral captopril. Braz J Med Biol Res 1981;14:73-6.

Marson O, Ribeiro AB, Tufik S, Filho GA, Saragoça MAS, Ramos OL. Role of the anteroventral third ventricle region and the renin angiotensin system in methylprednisolone hypertension. Hypertension 1981;3(suppl.II):II-142-II-146. doi: 10.1161/01.hyp.3.6_pt_2.ii-142.

Masur J, Del-Porto JA, Shirakawa AJM, Gattaz D. Nonmedical treatment of alcoholism with emetic drugs and disulfiram in Brazil. J Stud Alcohol 1981;42(9):814-7. doi: 10.15288/jsa.1981.42.814.

Masur J, Ribeiro MJ. Chronic starvation impairs the effect of depressant drugs on CNS of rats. Pharmacology 1981;23(2):64-8. doi: 10.1159/000137529.

Masur J. Modelos animais em pesquisa psicobiológica: utilidades e limites. J Bras Psiquiatr 1981;30(5):411-2.

Masur J. Questões sobre o tratamento do alcoolismo. Temas 1981;21:3-8.

Moreira LFS, Capriglione MJ, Masur J. Development and reacquisition of tolerance to ethanol administered pre- and post-trial to rats. Psychopharmacology 1981;73(2):165-7. doi: 10.1007/BF00429210.

Paul SM, Extein I, Calil HM, Potter WZ, Chodoff P, Goodwin FK. Use of ECT with treatment-resistant depressed patients at the National Institute of Mental Health. Am J Psychiatr 1981;138:486-9. doi: 10.1176/ajp.138.4.486.

Potter WZ, Calil HM, Extein I, Muscettola G, Goodwin FK. Crossover study of zimelidine and desipramine in depression: evidence for amine specificity. Psychopharmacol Bull 1981;17:26-30.

Potter WZ, Calil HM, Extein I, Gold PW, Wehr TA, Goodwin FK. Specific norepinephrine and serotonin uptake inhibitors in man: a crossover study with pharmacokinetic, biochemical, neuroendocrine and behavioral parameters. Acta Psychiatr Scand 1981;63(suppl.290):152-65. doi: 10.1111/j.1600-0447.1981.tb00716.x.

Silva VA, Laranjeira RR, Dolnikoff M, Grinfeld H, Masur J. Alcohol consumption during pregnancy and newborn outcome: a study in Brazil. Neurobehav Toxicol Teratol 1981;3(2):169-72.

Silveira-Filho NG, Tufik S. Comparative effects between cannabidiol and diazepan on neophobia, food intake and conflict behavior. Res Commun Psychol Psychiatr Behav 1981;6:251-66.

Souza MLO, Masur J. Blood glucose and body temperature alterations induced by ethanol in rats submitted to different levels of food deprivation. Pharmacol Biochem Behav 1981;15(4):551-4. doi: 10.1016/0091-3057(81)90206-9.

Tufik S. Changes of response to dopaminergic drugs in rats submitted to REM-sleep deprivation. Psychopharmacology 1981;72:257-60. doi:10.1007/BF00431826

Tufik S. Increased responsiveness to apomorphine after REM-sleep deprivation: supersensitivity of dopamine receptors or increase in dopamine turnover? J Pharm Pharmacol 1981;33:732-3. doi:10.1111/j.2042-7158.1981.tb13916.x

Zelger JL, Carlini EA. Influence of cathinone (alfa-aminopropiophenone) and cathine (phenylpropanolamine) on circling behavior and on the uptake and release of [3H] dopamine in striatal slices of rats. Neuropharmacology 1981;20:839-43. doi: 10.1016/0028-3908(81)90076-9.

Zuardi AW, Finkelfarb E, Bueno OFA, Musty RE, Karniol IG. Characteristics of the stimulus produced by mixture of cannabidiol with delta-9-tetrahydrocannabinol. Arch Int Pharmacodyn Ther 1981;249:137-46.

1980.....

Carlini CR, Leite JR, Guimarães JA. Toxina convulsivante da Canavalia ensiformis. Ciênc Cult 1980;32:86-92.

Carlini EA. A responsabilidade médica nos ensaios clínicos dos medicamentos antes de seu lançamento no mercado. Rev Bras Educ Med 1980;4(3):3-8.

Carlini EA. Fungos alucinogênicos e Cannabis sativa. J Bras Psiquiatr 1980;29(6):365-72.

Carlini EA. Maconha (Cannabis sativa): da "erva do diabo" a medicamento do establishment. Ciênc Cult 1980;32(5):684-90.

Carlini EA. Psicofarmacologia dos princípios ativos obtidos das miristicáceas. Ciênc Cult 1980;32(supl):21-5.

Carlini EA. Uma experiência de pós-graduação. Ciênc Cult 1980;32(3):315-22.

Cunha JM, Carlini EA, Pereira AE, Ramos OL, Pimentel C, Gagliardi R, Sanvito WL, Lander N, Mechoulam R. Chronic administration of cannabidiol to healthy volunteers and epileptic patients. Pharmacology 1980;21:175-85. doi: 10.1159/000137430.

Dallmeier K, Carlini EA. Atividade farmalógica de derivadas do eugenol. Ciênc Cult 1980;32(supl):135-41.

Masur J, Cunha JM, Zwicker AP, Laranjeira RR, Knobel E, Sustovich DR, Lopes AC. Prevalência de pacientes com indicadores de alcoolismo internados em uma enfermaria de clínica geral. Relevância da forma de detecção. Acta Psiquiatr Psicol Am Lat 1980;26(2):125-30.

Masur J, Boerngen R, Tufik S. Sex differences in the response to apomorphine in rats. Pharmacology 1980;20(3):160-5. doi: 10.1159/000137360.

Masur J, Boerngen R. The excitatory component of ethanol in mice: a chronic study. Pharmacol Biochem Behav 1980;13(6):777-80. doi: 10.1016/0091-3057(80)90206-3.

Masur J, Schutz MT, Boerngen R. Gender differences in open-field behavior as a function of age. Dev Psychobiol 1980;13(2):107-10. doi: 10.1002/dev.420130202.

Masur J, Boerngen R. Comparison of the acute effects of sugar cane distillates and ethanol in mice. Acta Physiol Lat Am 1980;30(1):9-13.

Masur J. A atual polêmica no tratamento do alcoolismo: beber controlado ou abstinência? Rev Assoc Bras Psiquiatr 1980;2(1):73-8.

Masur J, Laranjeira R, Ciongoli-Neto D, Godinho I. Hipertensão e alcoolismo. Rev Assoc Med Bras 1980;26(3):86-8.

Masur J. Reação álcool-dissulfiram. Med Cult São Paulo 1980;35(1/2/3):14-5.

Moreira LFS, Capriglione MJ, Masur J. Consumo de álcool em pacientes ambulatoriais de hospital geral na capital e interior do Estado do Rio Grande do Norte. Rev Assoc Bras Psiquiatr 1980;2(3):183-9.

Potter WZ, Calil HM, Zavadil III AP, Jusko WJ, Sutfin T, Rapoport J, Goodwin FK. Steady-state concentrations of hydroxylated metabolites of tricyclic antidepressants in patients: relationship to clinical effect. Psychopharmacol Bull 1980;16(2):32-4.

Silva CCA, Campos F, Carlini EA. Aggressive behavior induced by apomorphine in rats submitted to four stressful situations. Res Commun Psychol Psychiatr Behav 1980;5(4):353-67.

Silva VA, Ribeiro MJ, Masur J. Developmental, behavioral, and pharmacological characteristics of rat offspring from mothers receiving ethanol during gestation or lactation. Dev Psychobiol 1980;13(6):653-60. doi: 10.1002/dev.420130612.

Valle NB, Leite JR. Possíveis ações psicotrópicas do maracujá (Passiflora edulis). Ciênc Cult 1980;32:211-2.

Zelger JL, Carlini EA. Anorexigenic effects of two amines obtained from Catha edulis Forks. (Khat) in rats. Pharmacol Biochem Behav 1980;12:701-5. doi: 10.1016/0091-3057(80)90152-5.

Zelger JL, Schorno HX, Carlini EA. Behavioural effects of cathinone, an amine obtained from Catha edulis Forks.: comparisons with amphetamine, norpseudoephedrine, apomorphine and nomifensine. Bull Narcot 1980;32:67-81.

Zelger GL, Schorno HX, Carlini EA. Efeito estimulante do cathinon, feniletilamina obtida da Catha edulis (ForsK). Ciênc Cult 1980;32(supl):183-8.

1979.....

Calil HM, Avery DH, Hollister LE, Creese I, Snyder SH. Serum levels of neuroleptics measured by dopamine radioreceptor assay and some clinical observations. Psychiatr Res 1979;1:39-44. doi: 10.1016/0165-1781(79)90026-x.

Capriglione MJ, Moreira LFS, Masur J. Correlation between individual differences in rats performance and the outcome of social worker-parasite relationship. Psychol Rep 1979;45:631-7. doi: 10.2466/pr0.1979.45.2.631.

Carlini EA, Burgos V. Screening farmacológico de ansiolíticos: metodologia laboratorial e comparação entre o diazepam e o clorobenzapam. Rev Assoc Bras Psiquiatr 1979;1(3):25-31.

Carlini EA, Masur J, Magalhães CCPB. Possível efeito hipnótico do canabidiol no ser humano: estudo preliminar. Ciênc Cult 1979;31(3):315-22.

Codo W, Carlini EA. Postnatal undernutrition in rats: attempts to develop alternative methods to food deprive pups without maternal behavioral alteration. Develop Psychobiol 1979;12(5):475-84. doi: 10.1002/dev.420120507.

Consroe P, Carlini EA, Zwicker AP, Lacerda LA. Interaction of cannabidiol and alcohol in humans. Psychopharmacology 1979;66:45-50. doi: 10.1007/BF00431988.

Ferraz MPT, Carlini EA. Diagnóstico e tratamento das intoxicações agudas por drogas psicoativas de uso ilícito ("tóxicos"). Rev Assoc Med Bras 1979;25(9):335-8.

Masur J, Tufik S, Ribeiro AB, Saragoça MAS, Laranjeira RR. Consumo de álcool em pacientes de hospital geral: um problema negligenciado? Rev Assoc Med Bras 1979;25(9):302-6.

Masur J. O alcoolismo no hospital geral. Rev Arq Clin Pinel 1979;V(3):186-91.

Masur J, Zwicker AP. Concepções do estudante de medicina sobre a etiologia do alcoolismo: influências regionais. Ciênc Cult 1979;31(4):382-8.

Potter WZ, Calil HM, Extein I, Zavadil III AP, Goodwin FK. Comparative pharmacokinetics of zimelidine and desipramine in man following acute and chronic administration. Psychiatr Res 1979;1:273-81. doi: 10.1016/0165-1781(79)90009-x.

Potter WZ, Calil HM, Manian AA, Zavadil AP, Goodwin FK. Hydroxylated metabolites of tricyclic antidepressants: preclinical assessment of activity. Biol Psychiatr 1979;14(4):601-13.

Tufik S, Dias GMF. O etanol e a atividade de dirigir veículos. SOS-Saúde Ocup Segur 1979;14(4):176-88.

1978.....

Calil HM, Nakano S, Hollister LE. Effects of 5-Hydroxytryptophan, oxotremorine, and tetrahydroaminoacridine on apomorphine-induced stereotypy. Psychopharmacology 1978;58:115-6. doi: 10.1007/BF00426800.

Calil HM. Screening hallucinogenic drugs II. Systematic study of two behavioral tests. Psychopharmacology 1978;56:87-92. doi: 10.1007/BF00571414.

Carlini EA. Effects of cannabinoid compounds on agressive behavior. Mod Probl Pharmacopsychiatr 1978;13:82-102. doi: 10.1159/000401052.

Cunha JM, Masur J. Evaluation of psychotropic drugs with a modified open field test. Pharmacology 1978;16(5):259-67. doi: 10.1159/000136777.

Graeff FG, Silveira Filho NG. Behavioral inhibition induced by electrical stimulation of the median raphe nucleus of the rat. Physiol Behav 1978;21:477-84. doi: 10.1016/0031-9384(78)90116-6.

Leite JR. Effects of chronic ingestion and withdrawal of sodium barbitone on learning in rats. Psychopharmacology 1978;57:205-9. doi: 10.1007/BF00426889.

Leite JR, Arnaiz GRL. Effect of chronic administration and withdrawal of sodium barbitone on protein synthesis of rat brain. Pharmacol Biochem Behav 1978;8:323-6. doi: 10.1016/0091-3057(78)90064-3.

Masur J, Chalela IC, Magalhães CCP. Worker-parasite relationship: attempt to induce worker behavior in naive and in parasite rats. Rev Bras Biol 1978;38(4):775-82.

Masur J. Conjecturas sobre o uso milenar de bebidas alcoólicas. Ciênc Cult 1978;30(5):531-4.

Masur J. Abordagem biológica, psicológica e social do alcoolismo. Ciênc Cult 1978;30(6):686-96.

Masur J. Sex and the worker-parasite relationship between rats. Behav Biol 1978;24:284-9. doi: 10.1016/S0091-6773(78)93175-9.

Mechoulam R, Carlini ELA. Towards drugs derived from Cannabis. Naturwissenschaften 1978;65:174-9. doi: 10.1007/BF00450585.

Schutz MTB, da Silva VA, Masur J. Genetically selected winner and loser rats: what was selected? Activ Nerv Sup 1978;20(3):178-85.

Tufik S, Lindsey CJ, Carlini EA. Does REM sleep deprivation induce a supersensitivity of dopaminergic receptors in the rat brain? Pharmacology 1978;16:98-105. doi:10.1159/000136753

1977.....

Calil HM, Yesavage JA, Hollister LE. Low dose levodopa in schizophrenia. Commun Psychopharmacol 1977;1:593-6.

Carlini EA, Lindsey CJ, Tufik S. Cannabis, catecholamines, rapid eye movement sleep and aggressive behaviour. Br J Pharmacol 1977;61:371-9. doi:10.1111/j.1476-5381.1977.tb08429.x

Carlini EA. Further studies on the aggressive behavior induced by delta 9-tetrahydrocannabinol in REM sleep-deprived rats. Psychopharmacology 1977;53:135-45. doi: 10.1007/BF00426483.

Carlini EA. Medicamentos e Saúde. Saúde em Debate 1977;5:21-5.

Masur J, Silva VA, Leonardi Radicchi MTL. An attempt to prevent the development of a worker--parasite relationship between rats. Behav Biol 1977;19(3):380-8. doi: 10.1016/S0091-6773(77)91769-2.

Masur J, Silva VA. Fighting behavior displayed during the development of a worker-parasite relationship between rats. Behav Biol 1977; 20:51-9. doi: 10.1016/S0091-6773(77)90492-8.

Silveira-Filho NG, Graeff FG. Effect of tryptamine antagonists on self-stimulation: interaction with amphetamine. Psychopharmacology 1977;52:87-92. doi: 10.1007/BF00426605.

1976.....

Bueno OFA. Dissociação de aprendizagem e discriminação de drogas. Ciênc Cult 1976;28:271-83.

Bueno OFA, Carlini EA, Finkelfarb E, Suzuki JS. Delta-9-tetrahydrocannabinol, ethanol, and amphetamine as discriminative stimuli-generalization tests with other drugs. Psychopharmacology 1976;46:235-43. doi: 10.1007/BF00421108.

Carlini EA. Aspectos psicobiológicos dos estados depressivos. Folha Med 1976;73(6):653-7.

Carlini EA, Lindsey CJ, Tufik S. Environmental and drug interference with effects of marihuana. Ann N Y Acad Sci 1976;281:229-43. doi: 10.1111/j.1749-6632.1976.tb27934.x.

Fonseca NM, Sell AB, Carlini EA. Differential behavioral responses of male and female adult rats treated with five psychotropic drugs in the neonatal stage. Psychopharmacologia 1976;46:263-8. doi: 10.1007/BF00421112.

Musty RE, Lindsey CJ, Carlini EA. 6-Hydroxydopamine and the aggressive behavior induced by marihuana in REM sleep-deprived rats. Psychopharmacology 1976;48:175-9. doi: 10.1007/BF00423257.

Savaki HE, Cunha J, Carlini EA, Kephalas TA. Pharmacological activity of three fractions obtained by smoking cannabis through a water pipe. Bull Narc 1976;28(2):49-56.

Sell AB, Carlini EA. Anesthetic action of methyleugenol and other eugenol derivatives. Pharmacology 1976;14:367-77. doi: 10.1159/000136617.

Struffaldi G, Masur J. Further studies concerning an experimentally induced labor division between rats. Behav Biol 1976;16(4):527-33. doi: 10.1016/s0091-6773(76)91731-4.

1975.....

Bueno OFA. Mescaline and homoveratrylamine as discriminative stimuli in rats. Acta Physiol Latinoam 1975;25:77-9.

Carlini EA, Mechoulam R, Lander N. Anticonvulsant activity of four oxygenated cannabidiol derivatives. Res Commun Chem Pathol Pharmacol. 1975;12(1):1-16.

Fukasawa T, Lima MP, Masur J. The behavior of genetically selected loser and winner-runway rats in different competitive situations. Behav Biol 1975;15(3):333-42. doi: 10.1016/s0091-6773(75)91728-9.

Maroni JB, Masur J. Effects of pre and postweaning footshock on the later competitive behavior of rats in a straight runway. Behav Biol 1975;14(2):209-20. doi: 10.1016/s0091-6773(75)90213-8.

Masur J, Maroni JB, Benedito MAC. Genetically selected winner and loser rats in the tunnel competition: influence of apomorphine and dopa. Behav Biol 1975;14(01):21-30. doi: 10.1016/s0091-6773(75)90278-3.

Masur J. Competitive behavior between rats: some definition problems. Behav Biol 1975;13(4):533-5. doi: 10.1016/s0091-6773(75)91229-8.

Monti JM, Carlini EA. Spontaneous behavior and sleep-wakefulness cycle in isolated and paired REM sleep deprived-marihuana treated rats. Pharmacol Biochem Behav 1975;3:1025-9. doi: 10.1016/0091-3057(75)90011-8.

Silva MTA, Calil HM. Screening hallucinogenic drugs: systematic study of three behavioral tests. Psychopharmacologia 1975;42:163-71. doi: 10.1007/BF00429548.

1974.....

Carlini EA. Cannabis sativa and aggressive behavior in laboratory animals. Arch Invest Med. 1974;5(supl.1):161-72.

Carlini EA, Karniol IG, Renault PF, Schuster CR. Effects of marihuana in laboratory animals and in man. Br J Pharmacol 1974;50:299-309. doi: 10.1111/j.1476-5381.1974.tb08576.x.

Carlini EA. Farmacología de la mariguana. Arch Invest Med. 1974;5(supl.1):151-60.

Carlini EA, Lindsey CJ. Pharmacological manipulations of brain catecholamines and the aggressive behavior induced by marihuana in REM-sleep-deprived rats. Aggress Behav. 1974;1:81-99. doi: 10.1002/1098-2337(1974)1:1<81::AID-AB2480010107>3.0.CO;2-%23

Karniol IG, Shirakawa I, Kasinski N, Pfeferman A, Carlini EA. Cannabidiol interferes with the effects of delta 9-tetrahydrocannabinol in man. Eur J Pharmacol. 1974;28:172-7. doi: 10.1016/0014-2999(74)90129-0.

Karniol IG, Carlini EA. Contribuição ao estudo da atividade farmacológica da Cannabis sativa e de alguns de seus constituintes. Ciênc Cult. 1974;26(7):686-90.

Leite JR, Carlini EA. Failure to obtain "cannabis-directed behavior" and abstinence syndrome in rats chronically treated with cannabis sativa extracts. Psychopharmacologia. 1974;36(5):133-45. doi: 10.1007/BF00421785.

Magalhães HM, Carlini ELA. Effects of perinatal testosterone treatment on body weight, open field behavior and Lashley III maze performance of rats. Acta Physiol Latinoam. 1974;24:317-27.

Masur J, Struffaldi G. Division of labor between rats: influence of differential social rearing conditions. Behav Biol. 1974;12(2):233-41. doi: 10.1016/s0091-6773(74)91240-1.

Masur J, Benedito MAC. Genetic selection of winner and loser rats in a competitive situation. Nature. 1974;249(5454):284. doi: 10.1038/249284a0.

Masur J, Benedito MAC. Winning among rats in a food competition situation as a sex-related behavior. Behav Biol. 1974;10(4):533-40. doi: 10.1016/s0091-6773(74)92179-8.

Masur J, Benedito MAC. Inversion by apomorphine of the tendency of female rats to be defeated by males when competing for food in a straight runway. Behav Biol. 1974;10(4):527-31. doi: 10.1016/s0091-6773(74)92162-2.

Masur J, Czeresnia S, Skitnevsky H, Carlini EA. Brain amine levels and competitive behavior between rats in a straight runway. Pharmacol Biochem Behav. 1974;2(1):55-62. doi: 10.1016/0091-3057(74)90134-8.

Sideroff S, Bueno O, Hirsch A, Weyand T, McGaugh J. Retrograde amnesia initiated by low-level stimulation of hippocampal cytoarchitectonic areas. Exp Neurol. 1974;43:285-97. doi: 10.1016/0014-4886(74)90171-x.

1973.....

Alves CN, Goyos AC, Carlini EA. Aggressiveness induced by marihuana and other psychotropic drugs in REM sleep deprived rats. Pharmacol Biochem Behav 1973;1:183-9. doi: 10.1016/0091-3057(73)90097-X.

Alves CN, Carlini EA. Effects of acute and chronic administration of Cannabis sativa extract on the mouse-killing behavior of rats. Life Sci 1973;13:75-85. doi: 10.1016/0024-3205(73)90279-8.

Carlini EA, Leite JR, Tannhauser M, Berardi AC. Cannabidiol and cannabis sativa extract protect mice and rats against convulsive agents. J Pharm Pharmacol 1973;25(5):664-5. doi: 10.1111/j.2042-7158.1973.tb10660.x.

Carlini EA, Lopes JLC, Lopes JNC, Santos Filho D, Sarti SJ, Turco AMT, Thames AW, Vichnewski W. Propriedades farmalógicas dos extratos brutos de Nectandra megapotamica (Spreng) Chodat et Hasller, Eupatorium maximiliani Schrad, Alpinia magnifica Hoscoe, Enterolobium timbouva Mart, Zeyheria digitalia (Vell.) Hoene et Kulmann, Jacaranda caroba (Vell.) DC, Pachystroma ilicifolium Muell. Arg. Ciênc Cult 1973;25(7):653-9.

Carlini EA, Karniol IG. Recentes hipóteses sobre a etiologia bioquímica da esquizofrenia. Rev Psiquiatr Clin 1973;2:9-27.

De Mello AC, Carlini EA, Dressler K, Green JP, Kang S, Margolis S. Behavioral observations on compounds found in nutmeg. Psychopharmacologia 1973;31:349-63. doi: 10.1007/BF00421279

De Melo AC, Carlini EA, Green JP. Cross-tolerance studies among nutmeg compounds, (-) delta 9-trans-tetrahydrocannabinol and mescaline. Ciênc Cult 1973;25(7):644-7.

Gentil CG, Peres VL, Tufik S, Antunes-Rodrigues J, Covian MR. Effects of electrical and chemical stimulation of the central nervous system on sodium chloride and water intake. Acta Physiol Latinoamer 1973;23:63-4.

Gold PE, Bueno OF, McGaugh JL. Training and task-related differences in retrograde amnesia thresholds determined by direct electrical stimulation of the cortex in rats. Physiol Behav 1973;11(1):57-63. doi: 10.1016/0031-9384(73)90123-6.

Karniol IG, Carlini EA. Pharmacological interaction between cannabidiol and delta 9-tetrahydrocannabinol. Psychopharmacologia 1973;33:53-70. doi: 10.1007/bf00428793.

Karniol IG, Carlini EA. Comparative studies in man and in laboratory animals on delta 8-and delta 9-trans-tetrahydrocannabinol. Pharmacology 1973;9:115-26. doi: 10.1159/000136375.

Masur J. Labor division of rats under the influence of prolonged administration of (-) delta 9-trans-tetrahydrocannabinol. Pharmacology 1973;9(1):35-40. doi: 10.1159/000136364.

Masur J. Modificação do comportamento de ratos trabalhadores pela administração crônica de (-) delta 9-trans-tetrahidrocannabinol. Ciênc Cult 1973;25(8):753-4.

Masur J, Martz RMW. Failure of chlorpromazine to protect rats against the effects of shock administration during the second month of life. Psychopharmacologia 1973;28(3):301-7. doi: 10.1007/bf00429310.

Masur J. Administração de drogas psicotrópicas na infância: modificação do comportamento de animais adultos. Rev Assoc Med Bras 1973;19(4):157-60.

Mincis M, Pfeferman A, Guimarães RX, Ramos OL, Zukerman E, Karniol IG, Carlini EA. Administração crônica de canabidiol em seres humanos: estudo piloto. Rev Assoc Med Bras 1973;19(5):185-90.

Terada CW, Masur J. Amphetamine- and apomorphine-induced alteration of the behavior of rats submitted to a competitive situation in a straight runway. Eur J Pharmacol 1973;24(3):375-80. doi: 10.1016/0014-2999(73)90165-9.

1972.....

Bueno OFA, Carlini EA. Dissociation of learning in marihuana tolerant rats. Psychopharmacology. 1972;25:49-56. doi: 10.1007/BF00422616.

Carlini ELA, Lorenzo RMT, Almeida ET. A suggested aversive effect in rats of posttrial administration of central nervous system stimulants. Behav Biol 1972;7:391-400. doi: 10.1016/S0091-6773(72)80111-1.

Carlini EA, González C. Aggressive behaviour induced by marihuana compounds and amphetamine in rats previously made dependent on morphine. Experientia 1972;28:542-4. doi: 10.1007/BF01931867.

Carlini EA, Hamaoui A, Märtz RMW. Factors influencing the aggressiveness elicited by marihuana in food-deprived rats. Br J Pharmacol 1972;44(4):794-804. doi: 10.1111/j.1476-5381.1972.tb07317.x.

Carlini EA. "Screening" farmacológico de plantas brasileiras. Rev Bras Biol 1972;32(2):265-74.

González SC, Karniol IG, Carlini ELA. Effects of Cannabis sativa extract on conditioned fear. Behav Biol 1972;7:83-94. doi: 10.1016/S0091-6773(72)80191-3.

Karniol IG, Carlini EA. The content of (-) delta 9-trans-tetrahydrocannabinol (delta 9-THC) does not explain all biological activity of some brazilian marihuana samples. J Pharm Pharmacol 1972;24(10):833-5. doi: 10.1111/j.2042-7158.1972.tb08897.x.

Karniol IG, Carlini EA. Possibilidades de previsão dos efeitos da maconha no homem, através de testes farmacológicos em animais de laboratório: resultados preliminares. Rev Assoc Med Bras 1972;18(1):3-10.

Masur J. Sex differences in "emotionality" and behavior of rats in the open-field. Behav Biol 1972;7(5):749-54. doi: 10.1016/s0091-6773(72)80082-8.

Masur J, Karniol IG, Palermo Neto J. Cannabis sativa induces "winning" behaviour in previously "loser" rats. J Pharm Pharmacol 1972;24(3):262. doi: 10.1111/j.2042-7158.1972.tb08982.x.

Masur J, Martz RMW, Carlini EA. The behavior of worker and non-worker rats under the influence of (-) delta 9-trans-tetrahydrocannabinol, chlorpromazine and amylobarbitone. Psychopharmacologia 1972;25(1):57-68. doi: 10.1007/BF00422617.

Masur J, Martz RMW. Postexposition administration of d-amphetamine impairs the habituation of rats to an open field. Psychon Sci 1972;26(3):167-8. doi: 10.3758/BF03335469.

Palermo Neto J, Carlini EA. Aggressive behaviour elicited in rats by cannabis sativa: effects of p-chlorophenylalanine and DOPA. Eur J Pharmacol 1972;17:215-20. doi: 10.1016/0014-2999(72)90161-6.

1971.....

Carlini EA. Ensino formativo em farmacologia para as escolas de medicina. Folha Med 1971;63(5):9-19.

González SC, Matsudo VKR, Carlini EA. Effects of marihuana compounds fighting behavior of siamese fighting fish (Betta splendens). Pharmacology 1971;6:186-90. doi:10.1159/000136241.

González SC, Carlini EA. Extinction of operant responses by rats under the effects of cannabis sativa extract. Psychonom Sci 1971;24(5):203-4. doi:10.3758/bf03331798.

Masur J, Martz RMW, Carlini EA. Effects of acute and chronic administration of cannabis sativa and (-) delta9-trans-tetrahydrocannabinol on the behavior of rats in an open-field arena. Psychopharmacologia 1971;19(4):388-97. doi: 10.1007/BF00404383.

Masur J, Martz RMW, Bieniek D, Korte F. Influence of (-) delta 9 -trans-tetrahydrocannabinol and mescaline on the behavior of rats submitted to food competition situations. Psychopharmacologia 1971;22(2):187-94. doi: 10.1007/BF00403627.

1970.....

Carlini EA, Gagliardi RJ. Comparação das ações farmacológicas de extratos brutos de Olmedioperebea calophyllum e Cannabis sativa. An Acad Bras Ciênc 1970;42(supl):409-12.

Carlini EA, Masur J. Development of fighting behavior in starved rats by chronic administration of (-) delta 9-trans-tetrahydrocannabinol and cannabis extracts. Commun Behav Biol 1970;5:57-61.

Carlini EA, Hamaoui A, Bieniek D, Korte F. Effects of (-) delta 9-trans-tetrahydrocannabinol and a synthetic derivative on maze performance of rats. Pharmacology 1970;4:359-68. doi: 10.1159/000136165.

Carlini EA, Gagliardi R, Mors WB. Propriedades farmacológicas do extrato liofilizado de Lindackeria paraensis. An Acad Bras Ciênc 1970;42(supl):271-5.

Carlini EA, Calil HM, Mors WB. Propriedades farmacológicas do extrato liofilizado de Swartzia polycarpa. An Acad Bras Ciênc 1970;42(supl):277-80.

Carlini EA, Santos M, Claussen U, Bieniek D, Korte F. Structure activity relationship of four tetrahydrocannabinols and the pharmacological activity of five semi-purified extracts of Cannabis sativa. Psychopharmacologia 1970;18:82-93. doi: 10.1007/BF00402387.

Carlini EA, Palermo Neto J, Trigo de Almeida E, Marigo C. Úlcera por contenção em ratos: ação protetora de extrato aquoso de "bálsamo": estudo preliminar. An Acad Bras Ciênc 1970;42(supl):267-70.

Magalhães JR, Carlini EA, Kraemer A. Algumas ações biológicas de extratos de Dimorphandra mollis e Apuleia molaris e do Lapachol. Arq Inst Biol 1970;37(SupI.1):43-4.

Masur J, Khazan N. Induction by Cannabis sativa (marihuana) of rhythmic spike discharges overriding REM sleep electrocorticogram in the rat. Life Sci 1970;9(22):1275-80. doi: 10.1016/0024-3205(70)90268-7.

Masur J. A técnica do "open-field" como medida da reatividade "emocional" de ratos. Rev Psicol Normal Patol 1970;3-4:195-220.

Moussatché H, Carlini EA, Santos M. Behavioral effects of N, N-dimethyltryptamine in rats and mice. Rev Bras Biol 1970;30(4):483-90.

Oliveira MM, Santos M, Carlini EA. Testes farmacológicos iniciais com extratos bruto e semipurificados de ipê roxo. Arq Inst Biol 1970;37(SupI.1):40-2.